

- 56) Harabayashi, T., Hirohashi, S., et al., Reduction of integrin β 4 and enhanced migration on laminin in association with intraepithelial spreading of urinary bladder carcinomas. *J. Urology*, 161(4): 1364-1371, 1999.
- 57) Ono, Y., Hirohashi, S., et al., Clinicopathological significance of laminin-5 γ 2 chain expression in squamous cell carcinoma of the tongue: immunohistochemical analysis of 67 lesions. *Cancer*, 85: 2315-2321, 1999.
- 58) Kondo, Y., Hirohashi, S., et al. Microsatellite instability associated with hepatocarcinogenesis. *J. Hepatology*, 31: 529-536, 1999.
- 59) Kondo, Y., Hirohashi, S., et al. β -catenin accumulation and mutation of exon 3 of the β -catenin gene in hepatocellular carcinoma. *Jpn. J. Cancer Res.*, 90(12): 1301-1309, 1999.
- 60) Tsuda, H., Hirohashi, S., et al., der(16)t(1;16)/der(1;16) in breast cancer detected by fluorescence in situ hybridization is an indicator of better patient prognosis. *Genes, Chromosomes & Cancer*, 24: 72-77, 1999.
- 61) Takeda, H., Hirohashi, S., et al., E-cadherin functions as a *cis*-dimer at the cell-cell adhesive interface *in vivo*. *Nature Structural Biology*, 6(4): 310-312, 1999.
- 62) Shimoyama, Y., Hirohashi, S., et al., Biochemical characterization and functional analysis of two type II classic cadherins, cadherin-6 and -14, and comparison with E-cadherin. *J. Biol. Chem.*, 274(17): 11987-11994, 1999.
- 63) Tsuda, H., Hirohashi, S., et al., Correlation of numerical and structural status of chromosome 16 with histological type and grade of non-invasive and invasive breast carcinomas. *Int. J. Cancer (Pred. Oncol.)*, 84: 381-387, 1999.
- 64) Saito, A., Hirohashi, S., et al., Disruption of E-cadherin-mediated cell adhesion systems in gastric cancers in young patients. *Jpn. J. Cancer Res.*, 90(9): 993-999, 1999.
- 65) Sato, H., Hirohashi, S., et al., Expression of E-cadherin in bone and soft tissue sarcomas: A possible role in epithelial differentiation. *Human Pathol.*, 30(11): 1344-1349, 1999.
- 66) Kanai, Y., Hirohashi, S., et al., Reduced mRNA expression of the DNA demethylase, MBD2, in human colorectal and stomach cancers. *Biochem. Biophys. Res. Commun.*, 264(3): 962-966, 1999.
- 67) Becker, K.F., Hirohashi, S., et al., Analysis of E-cadherin in diffuse-type gastric cancer using a mutation-specific monoclonal antibody. *Am. J. Pathol.*, 155(6): 1803-1809, 1999.
- 68) Genda, T., Hirohashi, S., et al., Cell motility mediated by Rho and Rho-associated protein kinase plays a critical role in intrahepatic metastasis of human hepatocellular carcinoma. *Hepatology*, 30: 1027-1036, 1999.
- 69) Oh-hora, M., Imai, K., et al., Direct suppression of TCR-mediated activation of extracellular signal-regulated kinase by leukocyte protein tyrosine phosphatase, a tyrosine-specific phosphatase. *J. Immunol.*, 163: 1282-1288, 1999.
- 70) Miyachi, M., Imai, K., et al., Butyrate augments interferon- α -induced S phase accumulation and

persistent tyrosine phosphorylation of cdc2 in K562 cells. Br. J. Cancer, 79: 1018-1024, 1999.

71) Naishiro, Y., Imai, K., et al., BAG-1 accelerates cell motility of human gastric cancer cells. Oncogene, 18: 3244-3251, 1999.

72) Yoshida, Y., Imai, K., et al., Development of the arbitrarily primed-representational difference analysis method and chromosomal mapping of isolated high throughput rat genetic markers. Proc. Natl. Acad. Sci. USA, 96: 610-615, 1999.

73) Okuda, H., Imai, K., et al., Protein kinase C α promotes apoptotic cell death in gastric cancer cells depending upon loss of anchorage. Oncogene, 18: 5604-5609, 1999.

74) Kubushiro, K., Nozawa, S., et al., Change of β -1, 4-galactosyltransferase with the development of endometrial cancer. Gynecol. Obstet. Invest., 48: 211-214, 1999.

75) Aoki, D., Nozawa, S., et al., Two soluble forms of β 1,4-galactosyltransferase released from an ovarian cancer cell line and from COS-1 cells transfected with its cDNA. Acta Histochem. Cytochem., 32: 209-214, 1999.

76) Zhao, M., Kimata, K., et al., Immunohistochemical evaluation of the small and large proteoglycans in pleomorphic adenoma of salivary glands. J. Oral Pathol. Med., 28: 37-42, 1999.

77) Itano, N., Kimata, K., et al., Relationship between hyaluronan production and metastatic potential of mouse mammary carcinoma cells. Cancer Res., 59: 2499-2504, 1999.

78) Itano, N., Kimata, K., et al., Three isoforms of mammalian hyaluronan synthases have distinct enzymatic properties. J. Biol. Chem., 274: 25085-25092, 1999.

79) Yamada, Y., Kimata, K., et al., Receptor for hyaluronan-mediated motility and CD44 expressions in colon cancer assessed by quantitative analysis using real-time reverse transcriptase-polymerase chain reaction. Jpn. J. Cancer Res., 90: 987-992, 1999.

80) Ichikawa, T., Kimata, K., et al., Increased synthesis of hyaluronate enhances motility of human melanoma cells. J. Invest. Dermatol., 113: 935-939, 1999.

81) 板野直樹, 木全弘治, 他. 癌転移研究の手法 癌転移と細胞外マトリックス. 癌と化学療法, 26: 1663-1668, 1999.

82) Ishii, Y., Hirohashi, S., et al., Integrin α 6 β 4 as a suppressor and a predictive marker for peritoneal dissemination in human gastric cancer. Gastroenterology, 118(3): 497-506, 2000.

83) Kanai, Y., Hirohashi, S., et al., Aberrant DNA methylation precedes loss of heterozygosity on chromosome 16 in chronic hepatitis and liver cirrhosis. Cancer Lett., 148(1): 73-80, 2000.

84) Yoshida, M., Kimata, K., et al., *In vitro* synthesis of hyaluronan by a single protein derived from mouse HAS1 gene and characterization of amino acid residues essential for the activity. J. Biol. Chem., 275: 497-506, 2000.

85) Genda, T., Hirohashi, S., et al., Loss of cell-cell contact is induced by integrin-mediated cell-substratum

adhesion in highly-motile and highly-metastatic hepatocellular carcinoma cells. Lab. Invest., in press.

G. 知的所有権の取得状況

1. 特許取得 なし

2. 実用新案登録 なし