

DDBJ/EMBL/GenBank, AB019393 Molecular cloning of cDNA for rat myocilin	1998 年	Taguchi A, Kanno H, Kubota R, Kubokawa M, Ozawa Y, Shishiba Y
Internal Medicine, 37: 32-39 Elevation of serum aminotransferase as a sign of multiorgan-disorders in severely emaciated anorexia nervosa.	1998 年	Ozawa Y, Shimizu T, Shishiba Y
Int J Eat Disorder Complete recovery from intractable bulimia nervosa by the surgical cure of primary hyperparathyroidism	in press	Ozawa Y, Koyano H, Shishiba Y
Clin Endocrinol Acute parotitis and pancreatitis induced by methimazole in a patient with Graves' disease.	submitted	Taguchi M, Koyano H, Ozawa Y, Shishiba Y
J.Biol.Chem 271: 14567-14571 Molecular cloning of a novel thyroid hormone- responsive gene, ZAKI-4, in human skin fibroblasts.	1996 年	Miyazaki T, Kanou Y, Seo H, et al
Biochem.Biophys.Res.Comm.222: 524-530 Second zinc finger mutants of thyroid hormone receptor selectively preserve DNA binding and heterodimerization but eliminate transcriptional activation.	1996 年	Nagaya T, Kopp P, Kitajima K, Jameson J.L, Seo H.
Endocrinology 137: 4082-4086 Amino acid substitutions of thyroid hormone receptor β at codon 435 with resistance to thyroid hormone selectively alter homodimer formation.	1996 年	Nomura Y, Nagaya T, Tsukaguchi H, Takamatsu J, Seo H
Biochem.Biophys.Res.Comm.226: 426-430 Heterodimerization preferences of thyroid hormone receptor α isoforms.	1996 年	Nagaya T, Nomura Y, Fujieda M, Seo H
J.Clin.Endocrinol Metab. 81: 4196-4203 Dominant inheritance of resistance to thyroid hormone not linked to defects in the thyroid hormone receptor α or β genes may be due to a defective cofactor.	1996 年	Weiss R.E, Hayashi Y, Seo H., et al
Biochem.Biophys.Res.Comm.236:71-74 Increase in Ref-1 mRNA and protein by thyrotropin in rat thyroid FRTL-5 cells.	1997 年	Asai T, Kambe F, Kikumori T, Seo H
Biochem.Biophys.Res.Comm.236: 83-87 A splicing variant of steroid receptor coactivator-1 (SRC-1E): The major isoform of SRC-1 to mediate thyroid hormone action.	1997 年	Hayashi Y, Ohmori S, Ito T, Seo H

J.Clin.Endocrinol Metab. 82: 2726-2730 Leves of hepatocyte growth factor and its messenger ribonucleic acid in uncomplicated pregnancies and those complicated by preeclampsia.	1997年	Furugori K, Kurauchi O, <u>Seo H</u> , et al
Biochem.Biophys.Res.Commun. 237: 521-526 Effects of thyroid and glucocorticoid hormones on Kv1.5 potassium channel gene expression in the rat left ventricle.	1997年	Nishiyama A, Kambe F, <u>Seo H</u> , et al
J.Rheumatol. 24(9): 1680-1684 Quercetin, a bioflavonoid, inhibits the induction of interleukin-8 and monocyte chemoattractant protein-1 expression by tumor necrosis factor- α in cultured human synovial cells.	1997年	Sato M, Miyazaki T, Kambe F, Maeda K, <u>Seo H</u>
Molec.Cell.Endocrinol 131: 59-66 Modofication of thyroid hormone and <i>9-cis</i> retinoic acid signaling by overexpression of their cognate receptors using adenoviral vector.	1997年	Hayashi Y, Yamaguchi S, Pohlenz J, Murata Y, Refetoff S, <u>Seo H</u>
Kidney International 52(62): S15-22 Indoxy1 sulfate increases the gene expressions of TGF- β 1, TIMP-1 and pro- α 1(I)collagen in uremic rat kidneys.	1997年	Miyazaki T, Ise M, <u>Seo H</u> , Niwa T
Environ. Med. 41(1): 1-7, Molecular basis for inherited thyroxine-binding globulin(TBG) abnormalities among Japanese.	1997	<u>Seo H</u> , Kambe F, Hayashi Y, Mori Y, Murata Y, Miura Y, Refetoff S.
Environ. Med. 41(1): 18-20, Molecular cloning of carboxyterminal variant of nuclear receptor co-repressor.	1997.	Nagaya T, Fujieda M, Ohmori S, <u>Seo H</u>
Environ. Med. 41(1): 21-24, Site-specific cleavage of RXR α by cytoplasmic proteases	1997	Nomura Y, Nagaya T, Yamaguchi S, Murata Y, <u>Seo H</u> .
Environ. Med. 41(1): 25-27, Characterization of 5'-flanking region of human ZAKI-4 gene.	1997	Miyazaki T, Murata Y, Ohmori S, Niwa T, <u>Seo H</u> .
Endocrine J. 44(6): 775-784, Thyroid-specific transcription factors.	1997	Kambe F, <u>Seo H</u> .
現代医学 44(3): 385-391, 甲状腺ホルモン受容体遺伝子の異常.	1997	林 良敬, 長屋 敬, 村田善晴, <u>妹尾久雄</u>
ホルモンと臨床 45(6): 525-535, 甲状腺特異的転写調節因子-TTF-1, Pax-8を中心に	1997	神部福司, <u>妹尾久雄</u>
内科 80(5): 811-819, 甲状腺疾患の診断と治療のポイント. 甲状腺機能検査を正しく用いるための生理学.	1997	<u>妹尾久雄</u>

Endocrine J Molecular basis of resistance to thyroid hormone(RTH)	in press	Nagaya T, Fujieda M, <u>Seo H</u>
Journal of Biological Chemistry Intracellular proteolytic cleavages of RXRa by cathepsin L-type protease is a potential mechanism for modulating thyroid hormone action	in press	Nagaya T, Murata Y, <u>Seo H</u> , et al
Endocrinology Thyroid hormone action on liver, heart and energy expenditure in thyroid hormone receptor β deficient mice.	in press	Weiss RE, Murata Y, Cua K, Hayashi Y, <u>Seo H</u> , Refetoff S
Journal of Molecular Endocrinology Glucocorticoids increase RXRa expression and enhance thyroid hormone action in primary cultured rat hepatocytes	in press	Yamaguchi S, Murata Y, Nagaya T, Hayashi Y, <u>Seo H</u>
Biochem Biophys Res Commun 247: 620-623 Requirement of co-repressor binding of thyroid hormone receptor mutants for dominant negative inhibition.	1998 年	Nagaya T, Fujieda M, <u>Seo H</u>
Biochemistry and Mol Biol International 44(2): 217-24 Inductions of immediate early genes(IEGS)and Ref-1 by human chorionic gonadotropin in murine Leyding cell line (MA-10)	1998 年	Suzuki S, Nagaya T, Suganuma N, Tomoda Y, <u>Seo H</u>
Jornal of Biological Chemistry 273(26): 16464-16469 Molecular cloning of sucrase-isomaltase cDNA in the house musk shrew, Suncus murinus and identification of a mutations responsible for isolated sucrase deficiency	1998 年	Ito T, Hayashi Y, Ohmori S, Oda S, <u>Seo H</u>
Human Mutation 1: S139-140 A novel mutation (E358K)in the α -galactosidase A gene detected in a Japanese Family with Fabry disease.	1998 年	Miyazaki T, Kajita M, <u>Seo H</u> , et al
J Bone Mineral Res 13 :1290-1299 TNF- α increases expression of IL-6 and ICAM-1 Genes through activation of NF- κ B in osteoblast-like ROS17/2.8 cells	1998 年	Kurokouchi K, Kambe F, <u>Seo H</u> , et al
Endocrinology 139: 1715-1722 Activation of transcriptionally active nuclear factor-kappa B by tumor necrosis factor- α and its inhibition by antioxidants in rat thyroid FRTL-5 cells	1998 年	Kikumori T, Kambe F, Nagaya T, Imai T, Funahashi H, <u>Seo H</u>
Nature 390 : 91, GH-induced tyrosine phosphorylation of EGFR as an essential element leading to MAP kinase activation and gene expression.	1997.	Yamauchi Y, Ueki K, <u>Tsushima T</u> , et al

Endocrine J 43: 221 Insulin-like growth factor(IGFs) and IGF-binding proteins(IGFBP-1,-2 and 3) in diabetic pregnancy-relationship to macrosomia.	1996 年	Lui-J, <u>Tsushima T</u> , Minei S, Sanala M, Omori Y
Endocrine J 43: 701 Carboxy-terminal propeptide of type I procollagen (PICP)and carboxy-terminal I teopeptide of type I collagen (ICTP) as sensitive markers of bone metabolism in thyroid disease.	1996 年	Miyakawa M, <u>Tsushima T</u> , Demura H
Endocrine J 43: S97 Expression on insulin-like growth factor binding proteins (IGBPs) in human thyroid papillary cancer tissues.	1996 年	Isozaki O, <u>Tsushima T</u> , Ohmura E, Shizume K, Yashiro T
Endocrine J 43: 221 Expression of Messenger RNA of insulin-like growth factors (IGFs) and IGF Binding proteins (IGFBP-1~6) in placenta of normal and diabetic pregnancy.	1996 年	Lui Y-J, <u>Tsushima T</u> , Onoda N, et al
Thyroid 7: 71 Oncostin M: A new potent inhibitor of iodine metaboism inhibits thyroid peroxidase gene expression but not DNA synthesis in porcine thyroid cells in culture.	1997 年	Isozaki O, <u>Tsushima T</u> , Miyakawa M, et al
Endocrinology&Metabol 4: 377-384 Minocycline and deoxycycline as anti-neoplastic agens for human papillary thyroid carcinoma cells.	1997 年	Ohmura E, Satoh T, <u>Tsushima T</u> , et al
J Clinl Endoriniol Metab 83: 3476-3479 Effect of growth hormone (GH) on serum concentrations of leptin: Study in patients with acromegaly and GH defieiciency.	1998 年	Miyakawa M, <u>Tsushima T</u> , Murakami H, et al
Endocrine J 45: S117-S119 Effects of growth hormone on leptin gene expression in rats.	1998 年	Isozaki O, <u>Tsushima T</u> , Nozoe Y, Demura H, Seki H
Endocrine J 46 Interaction between leptin and growth hormone (GH)/IGF-I axis.	1999 年	Isozaki O, <u>Tsushima T</u> , Miyakawa M, Nozoe Y, Demura H, Seki H

Int J Biochem Cell Biol 30(1): 47-54 Growth factors increase pericellular proteoglycans independently of their mitogenic effects on A10 rat vascular smooth muscle cells	1998 年 1 月	Emoto N, Onose H, Yamada H, Minami S, <u>Tsushima T</u> , Wakabayashi I
Endocr J 45 Suppl: S117-9 Effects of growth hormone one on leptin gene expression in rats	1998 年 4 月	Isozaki O, <u>Tsushima T</u> , Nozoe Y, Demura H, Seki H
Endocr J 45 Suppl: S97-9 Protein kinase C (PKC)-mediated growth hormone (GH) actions	1998 年 4 月	Wakai K, <u>Tsushima T</u> , Murakami H, et al
Endocr J 45 Suppl: S27-31 Growth hormone-induced tyrosine phosphorylation of EGF receptor as an essential element leading to MAP kinase activation and gene expression	1998 年 4 月	Yamauchi T, Ueki K, <u>Tsushima T</u> , et al
J Biol Chem 273(25): 15719-26 Growth hormone and prolactin stimulate tyrosine phosphorylation of insulin receptor substrate 1, -2, and -3, their association with p85 phosphatidylinositol 3-kinase (PI3-kinase), and concomitantly PI3-kinase activation via JAK2 kinase	1998 年 6 月 19 日	Yamaguchi T, Kaburagi Y, <u>Tsushima T</u> , et al
J Clin Endocrinol Metab 83(10): 3476-9 Effect of growth hormone (GH) on serum concentrations of leptin: study in patients with acromegaly and GH deficiency	1998 年 10 月	Miyakawa M, <u>Tsushima T</u> , Murakami H, Isozaki O, Demura H, Tanaka T
J Endocrinol (in press) Growth hormone directly inhibits leptin gene expression in visceral fat tissue in fatty Zucker rats.	in press	Isozaki O, <u>Tsushima T</u> , Miyakawa M, et al
Thyroid(in press) Vascular permeability/ endothelial growth factor in Graves' ophthalmopathy	in press	Isozaki O, <u>Tsushima T</u> , Miyakawa M, et al
Diabetes Metab] Rev 12: 175-194 Japanese type Idiabetic syndrome.	1996 年	Kawakaki E, Nagataki S
Oncol rep 4: 285-288 Immunohistochemical detection of nm23-H1/ NDP kinase in childhood thyroid carcinoma.	1997 年	Shirahige Y, Irie J, Nagataki S, et al
Free Radic Biol Med 22: 447-454 Oxygen-induced embryopathy and the Significance of glutathione-dependent antioxidant system in the rat embryo during early orgnogenesis.	1997 年	Ishibashi M, Akazawa S, Nagataki S, et al
J Clin Endocrinol Metab 82: 2391-2395 Troglitazone ameliorates insulin resistance in patients with Werner's syndrom.	1997 年	Izumino K, Sakamaki H, Nagakaki S, et al

雑誌名, 巻号数, 論文名	刊行年月日	執筆者氏名
Biochem Biophys Res 226: 746-754 Adenosine 3'5'-cyclic monophosphate mimics the inhibitory effect of high glucose on MAP kinase phosphorylation in rat mesengial cells.	1996年	H Matsuo, Yamasaki H, Nagataki S, et al
Diabetes Res Clin Pract 32: 61-69 Detection of recombinant GAD65 and GAD67 antibodies using a simple radioimmunoassay.	1996年	Kawasaki E, Yano M, Abiru N, Akazawa S, Nagataki S
Endocrinology 137: 3163-3169 Thyroid-stimulating hormone inhibits Fas Antigen-mediated apoptosis of human thyrocytes in vitro.	1996年	Kawakami A, Eguchi K, Nagataki S, et al
J.Autoimmun 9: 683-688 Clinical evaluation of non-insulin-dependent diabetes mellitus patients with autoantibodies to glutamic acid decarboxylase.	1996年	Abiru N, Takino H, Nagataki S, et al
J Clin Endocrinol Metab 81: 2621-2626 High-dose but not low-dose dexamethasone impairs glucose tolerance by inducing Compensatory failure of pancreatic β cells in normal men.	1996年	Matsumoto K, Yamasaki H, Nagataki S, et al
J Clin Endocrinol Metab 81: 4137-4143 Lack of B7-1/BB1 and B7-2/B70 expression on thyrocytes of patients with Graves' disease. Delivery of costimulatory signals from bystander professional antigen-presenting cells.	1996年	Matsouka N, Eguchi K, Nagataki S, et al
Acta Med Nagasaki 41: 1-7 Radiation and thyroid disease: Experience in Nagasaki and around Chernobyl	1996年	Ashizawa K, Yamashita S, Nagataki S.
Thyroid 7: 217-220 International difference in approaches to I-131 therapy for Graves' disease: case selection and restrictions recommended to patients in Japan, Korea, and China	1997年	Tominaga T, Yokoyama N, Nagataki S, et al
Oncology 4: 1327-1330 Cultured oncogenic osteomalacia tumor cells produce a factor(s) that inhibits osteocalcin production by osteoblastic cells.	1997年	Ejima E, Kiriyama T, Nagataki S, et al
J Clin Endocrinol Metab 82: 3430-3433 Prevalence of goiter and urinary iodine excretion levels in children around Chernobyl	1997年	Ashizawa K, Shibata Y, Nagataki S, et al
Clin Endocrinol 46: 769-774 Thyroid dysfunction in patients with amyloid goitre.	1997年	Kimura H, Yamashita S, Nagataki S, et al
新しい眼科 13: 1797-1802 甲状腺眼症の診療指針	1996年	横山直方、長瀧重信

Endocr J 45: 203-209 and Belarus	1998 年	Shirahige Y, Yokoyama N, Nagataki S, et al
Endocr J 45: 269-275 Preoperative treatment of growth hormone- producing pituitary adenoma with continuous subcutaneous infusion of octreotide.	1998 年	Tamura M, Yokoyama N, Nagataki S, et al
Thyroid 8: 115-117 Cause of childhood thyroid cancer after the Chernobyl accident	1998 年	Nagataki S, Ashizawa K, Yamashita S
Thyroid 8: 485-489 <i>ret</i> Rearrangements in Japanese pediatric and adult papillary thyroid cancers	1998 年	Motomura T, Namba H, Nagataki S, et al
Thyroid 8: 535-536 Transient thyrotoxicosis around Chernobyl	1998 年	Ashizawa K, Krupnik T, Nagataki S, Yamashita S,
Endocrinology 139: 3646-3653 Role of apoptosis of thyrocytes in rat model of goiter. A possible involvement of Fas system	1998 年	Tamura M, Yokoyama N, Nagataki S, et al
Endocrine Journal 43: 339-343 Early detection of infants with hypophosphatemic rickets.	1996 年	Minamitani K, Yasuda T, Niimi H, et al
J Clin Endocrinol Metab 81: 1248-1253 Spinal and femoral bone mass accumulation during adolescence: comparison with female patients with sexual precocity and with hypogonadism.	1996 年	Takahashi Y, Yasuda T, Niimi H, et al
Diabetes Care 19: 1308-1310 The prevalence of anti-bovine serum albumin antibodies in Japanese children with IDDM.	1996 年	Sugihara S, Kazukawa M, Niimi H, et al
Acta Paediatr Jpn 39: 485-490 Hypoparathyroidism and pseudohypoparathyroidism	1997 年	Yasuda T, Niimi H
Endocrine Journal 44: 493-499 Jansen-type Metaphyseal Chondrodysplasia: Analysis of The (PTH)PTH-related protein Receptor messenger RNA by the RT-PCR method.	1997 年	Minagawa M, Yasuda T, Niimi H, et al
J Clin Endocrinol Metab in press Familial hypoparathyroidism : Identification of a novel gain-of-function mutation in transmembrane domain 5 of calcium-sensing receptor.	1998 年	Watanabe T, Bai M, Yasuda T, et al
Endocrine Journal 45: S159-S162 Acquired juvenile hypoparathyroidism: Treatment with GH and GnRH agonist in addition to thyroxine.	1998 年	Watanabe T, Yasuda T, Niimi H, et al
J Clin Endocrinol Metab 82: 1031-1040 Cloning and characterization of the promoter regions of the human parathyroid hormone/ parathyroid hormone-related peptide receptor (PTHrP) gene: Analysis of DNA from normals and patients with pseudohypoparathyroidism type Ib.	1997 年	Bettoun JD, Minagawa M, Yasuda T, et al

Endocrine J 45(Suppl): S159-162 Severe Juvenile hypothyroidism: Treatment with GH and GnRH in addition to thyroxine.	1998 年	Watanabe T, Yasuda T, Niimi H, et al
Clinical Pediatric Endocrinology 7: 125-129 Hypothalamic hamartoma: MR follow-up	1998 年 8 月	Watanabe T, Someya T, Yasuda T, et al
J Clinl Endocrinol Metab 83: 2497-2502 Familial hypoparathyroidism: Identification of a novel gain-of function mutation in transmembrane domain 5 of the calcium-sensing receptor.	1998 年 7 月	Watanabe T, Bai M, Yasuda T, et al
Pediatric Research 42: 628-632 Difference in height associated with a translation start site polymorphism in the vitamin D receptor gene.	1998 年 11 月	Minamitani K, Takahashi H, Minagawa M, Watanabe T, Yasuda T, Niimi H
European Journal of Endocrinology 139: 641-644 Famillial autosomal dominant hypoparathyroidism with sensorineural deafness without renal dysplasia.	1998 年 12 月	Watanabe T, Yasuda T, Niimi H
J Clini Endocrinol Metab84 in press Outcome of a baby bone from a mother having undetectable thyroid hormone concentrations.	in press	Yasuda T, Wataki K, Minagawa M, Ohnishi H, Niimi H
Clinical Calcium 7: 1533-1535 PTH/PTHrP 受容体異常	1997 年 11 月	皆川真規, 安田敏行
小児科臨床. 51: 807-810 副甲状腺疾患	1998 年	安田敏行
J Cell Physiol 169: 217-225 Activation of CT channels by extracellular Ca ²⁺ in freshly isolated rabbit osteoclasts.	1996 年	Fujita H, Matsumoto T, et al
J Biol Chem 271: 3938-3944 Differentiation and cell surface expression of transforming growth factor-beta receptors are regulated by interaction with matrix collagen in murine osteoblastic.	1996 年	Takeuchi Y, Matsumoto T, et al
J Clin Endocrinol Metab 81: 607-611 Differences in bone and vitamin D metabolism between primary hyperparathyroidism and malignancy-associated hypercalcemia.	1996 年	Nakayama K, Matsumoto T, et al
J Clin Endocrinol Metab 81: 2554-2558 Absence of mutation in parathyroid hormone(PTH) /PTH-related protein receptor cDNA in patients with pseudohypoparathyroidism type Ib.	1996 年	Fukumoto S, Matsumoto T, et al
Revue du Rhumatisme 64: 101-105 Stimulation of endoseal bone formation by local intraosseous spplication of basic fibroblast growth Factor in rats.	1996 年	Nakamura K, Kurokawa T, Matsumoto T, et al
Endocrine J 44: 375-381 Role of collagen in retinoic acid-induced differentiation and down-regulation of TGF-beta receptors in rat preosteoblastic RCT-1 cells.	1997 年	Kodama Y, Takeuchi Y, Kikuchi T, Kurokawa T, Matsumoto T

J Bone Miner Res 12: 590-597 A new synthetic steroid, osterone acetate (TZP-4238), increases cortical bone mass and strength by enhancing bone formation in ovariectomized rats.	1997 年	Fuse H, Fukumoto S, <u>Matsumoto T</u> , et al
Nature Genet 16: 391-396 Mice lacking the vitamin D receptor exhibit impaired bone formation, uterine hypoplasia and growth retardation after weaning.	1997 年	Yosizawa T, Handa Y, <u>Matsumoto T</u> , et al
J Clin Endocrinol Metab 82: 2915-2920 Metabolic improvement of poorly controlled noninsulin-dependent diabetes mellitus decrease bone turnover.	1997 年	Okazaki R, Totsuka Y, <u>Matsumoto T</u> , et al
J Biol Chem 272: 29309-29316 Differentiation and transforming growth factor-beta receptor down-regulation by collagen-alpha2beta1 integrin interaction is mediated by focal adhesion kinase and its downstream signal in murine osteoblastic cells.	1997 年	Takeuchi Y, Suzawa M, Kikuchi T, Nishida E, Fujita T, <u>Matsumoto T</u> ,
Blood 90: 3179-3186 Immunotherapy of multiple myeloma with a monoclonal antibody directed against a plasma cell-specific antigen, HM1.24.	1997 年	Ozaki S, Kosaka M, Wakatsuki S, Abe M, Koishihara Y, <u>Matsumoto T</u> ,
Cancer in press Radioimmunodetection of human myeloma xenografts with a monoclonal antibody directed against a plasma cell-specific antigen, HM1.24.	1998 年	Ozaki S, Kosaka M, Harada M, Nishitani H, Odomi M, <u>Matsumoto T</u>
Biochem Biophys Res Commun 242: 176-180 Molecular cloning of mouse paired-box-containing gene(Pax)-4 from an islet beta cell line and deduced sequence of human Pax-4	1998 年	Matsushita T, Yamaoka T, Otsuka S, Moritani M, <u>Matsumoto T</u> , Itakura M
実験医学 16: 120-125 骨形成におけるビタミンD受容体の機能	1998 年	加藤茂明、 <u>松本俊夫</u> 吉澤達也
J Bone Miner Res 13: 1370-1377 Reduced expression of interleukin-11 in bone marrow stromal cells of senescence-accelerated mice (SAMP6)-Relationship to osteopenia with enhanced adipogenesis-	1998 年	Kodama Y, Takeuchi Y, <u>Matsumoto T</u> , et al
Journal of Bone and Mineral Metabolism 16: 65-71 Molecular genetics of vitamin D receptor.	1998 年	Kato S, Sekine K, <u>Matsumoto T</u> , Yoshizawa T
Bone 22: 89S-93S Effect of mechanical unloading and reloading on periosteal bone formation and gene expression in tail-suspended rapidly growing rats.	1998 年	<u>Matsumoto T</u> , Nakayama K, Kodama Y, Fuse H, Nakamura T, Fukumoto S
J Bone Miner Res 13:664-672 Role of interleukin-6 in uncoupling of bone in vivo in a human squamous carcinoma coproducing parathyroid hormone-related peptide and interleukin-6.	1998 年	Nagai Y, Yamato H, <u>Matsumoto T</u> , et al

Endocrinology Stimulation of osteoclast formation by 1,25]- dihydroxyvitamin D requires its binding to vitamin D receptor(VDR) in osteoblastic cells: Studies using VDR knockout mice.	1998 年 in press	Takeda S, Yoshizawa T, <u>Matsumoto T</u>
Mol Cell Endocrinol 141:41-47 Cloning and characterization of kidney-specific promoter of human PTH/PTHrP receptor gene: Absence of mutation in patients with pseudohypoparathyroidism type Ib.	1998 年	Fukumoto S, Suzawa M, Kikuchi T, <u>Matsumoto T</u> , Kato S, Fujita T
実験医学 18(16): 2373-2377 骨の老化と骨粗鬆症	1998 年	井上大輔、 <u>松本俊夫</u>
日本老年医学学会雑誌 35(8): 599-604 骨とサイトカイン	1998 年	<u>松本俊夫</u> 、井上大輔
臨床透析 13: 47-56 特発性副甲状腺機能低下症	1997 年	古川洋太郎、 <u>水梨一利</u>
Calcif Tissue Int. Baseline/maximum ratio of serum PTH in pseudohypoparathyroidism and primary hyperparathyroidism	1997 年	<u>Mizunashi K</u>
Endocrine J 44: 319-327 Plasma chromogranin A in pheochromocytoma, primary hyperparathyroidism and pituitary adenoma in compararison with catecholamine. Parathyroid hormone and pituitary hormones	1997 年	Kimura N, <u>Mizunasi K</u>
日本炎症学会雑誌 慢性関節リウマチ (RA) における副甲状腺ホルモ ン関連蛋白(PTHrP)の発現について	1997 年	大沼秀治、 <u>水梨一利</u>
Calcif Tissue Int 62: 99-103 The ratio of baseline level/maximum level of serum PTH in pseudohypoparathyroidism and primary hyperathyroidism.	1998 年	<u>Mizunashi K</u>
Calcif Tissue Int 62: 290-294 Sigmoidal curve shift in idiopathic hypoparathyroidism and pseudohypoparathyroidism	1998 年	<u>Mizunashi K</u>
Calcif Tissue Int 1998 (in press) Relationship between Ca-dependent change of serum PTH and extracellular Ca ²⁺ -sensing receptor expression in parathyroid adenoma	1999 年	<u>Mizunashi K</u>
Clinical Calcium 8: 58-61 特発性副甲状腺機能低下症とカルシウムセンシング 受容体	1998 年	<u>水梨一利</u>
medinina 35: 1020-1022 副甲状腺機能低下症	1998 年	<u>水梨一利</u>
日本内科学会雑誌 1999(印刷中) RET 遺伝子 codon 618(Cys→Ser)変異と原発性副 甲状腺機能亢進症を伴った多発性内分泌腺腫症 型 の一例	1999 年	<u>水梨一利</u>

Mol.Cell.Biol 16: 3393-3400 Intron retention generates a novel isoform of the murine vitamin D receptor that acts in a dominant negative way on the vitamin D signaling pathway.	1996 年	Ebihara K, Masuhiro Y, <u>Kato S</u> , et al
Biol Chem J 313: 269-274 A synthetic estrogen antagonist inhibits estrogen-induced transcriptional, but not post-transcriptional regulation of gene expression.	1996 年	Arao Y, Yamamoto E, <u>Kato S</u> , et al
Biochem.Biophys.Res.Commun 222: 395-400 Retinoic acid differentially up-regulates the gene expression of retinoic acid alpha and gamma isoforms in embryos and adult rats.	1996 年	Takeyama K, Kojima R, <u>Kato S</u> , et al
J Biol Chem 271: 710-715 Steroid hormones differentially induce transcription of the chicken ovalbumin gene, but stabilize the mRNA with the same half-life.	1996 年	Arao Y, Miyatake N, <u>Kato S</u> , et al
J Endocrinol 148: 257-265 Vitamin A is involved in estrogen-induced cell proliferation, but not in cytodifferentiation of the chicken oviduct.	1996 年	Ninomiya Y, Arao Y, <u>Kato S</u> , et al
J.Nutr.Sci.Vitaminol 42: 257-266 Expression of functional rat retinol-binding protein in <i>Escherichia coli</i> .	1996 年	Yamamoto Y, Yoshizawa T, Mano H, Masushige S, <u>Kato S</u>
Biosci.Biotech.Biochem. 60: 493-495 Steroid hormone-induced expression of the chicken ovalbumin gene and the levels of nuclear steroid hormone receptors in chick oviduct.	1996 年	Arao Y, Yamamoto E, Ninomiya Y, Masushige S, Hasegawa T, <u>Kato S</u>
Science 277: 1827-1830 25-Hydroxyvitamin D ₃ 1 α -hydroxylase and D synthesis.	1997 年	Takeyama K, Kitanaka S, Sato T, Kobori M, Yanagisawa J, <u>Kato S</u>
Nature Genetics 16: 391-396 Impaired bone formation and uterine hypoplasia with growth retardation after weaning in mice lacking the vitamin D receptor.	1997 年	Yoshizawa T, Handa Y, <u>Kato S</u> , et al
EMBO J. 16: 4163-4173 Metabolic inactivation of retinoic acid by a novel P450 differentially expressed in developing mouse embryos.	1997 年	Fujii H, Sato T, <u>Kato S</u> , et al
Biochem.Biophys.Res.Commun. 233: 765-769 ERC-55, a binding protein for the papilloma virus E6 oncoprotein, specifically interacts with vitamin D receptor among nuclear receptors.	1997 年	Imai T, Matsuda K, <u>Kato S</u> , et al
Biochem.Biophys.Res.Commun. 234: 406-411 Two forms of avian(chicken) TATA-binding protein mRNA generated by alternative polyadenylation.	1997 年	Yamauchi J, Sugita A, <u>Kato S</u> , et al

J.Clin.Endocrinol.Metab. 82: 4054-4058 A new compound heterozygous mutation in the 11 β -hydroxysteroid dehydrogenase type 2 gene in a case of apparent mineralocorticoid excess.	1997 年	Kitanaka S, Matsumata N, <u>Kato S</u> , et al
Biochem.Biophys.Res.Commun 235: 99-102 Rapid activation of MAP Kinase by estrogen in the bone cell line.	1997 年	Endoh H, Sasaki H, <u>Kato S</u> , et al
Science 1998 Convergence of TGF β and vitamin D signaling pathways on SMAD proteins acting as common transcriptional co-activators.	in press	Yanagisawa J, Yanagi Y, <u>Kato S</u> , et al
J Bone Miner. Res 1998 A trans-acting enhancer modulates estrogen-mediated transcription of reporter genes in osteoblasts.	in press	Sasaki-Iwaoka H, Maruyama K, Endoh H, Komori T, <u>Kato S</u> , Kawashima H
J. Steroid Biochem. Mol. Biol 1998 In vivo function of VDR in gene expression-VDR knock-out mice.	in press	<u>Kato S</u> , Sekine K, Matsumoto T, Yoshizawa T
Oncology 1998 Molecular mechanism of a cross-talk between estrogen and growth factors signaling pathways.	in press	<u>Kato S</u> , Kitamoto T, Masuhiro Y, Yanagisawa J
Endocrinology 1998 Stimulation of osteoclast formation by 1,25-dihydroxyvitamin D requires its binding to vitamin D receptor (VDR) in osteoblastic cells: Studies using VDR knockout mice.	in press	Takeda S, Yoshizawa T, <u>Kato S</u> , et al
N.Engl.J.Med.338:653-661 Inactivating mutations in the human 25-hydroxyvitamin D ₃ 1 α -hydroxylase gene in patients with pseudovitamin D-deficient rickets.	1998 年	Kitanaka S, Takeyama T, <u>Kato S</u>
Endocrinology 139: 204-212 Cloning of rabbit TR4 and its bone cell-specific activity to suppress estrogen receptor-mediated transactivation.	1998 年	Harada H, Kuboi Y, Kato S, et al
Biochem.Biophys. Res.Commun 249:11-16 The promoter of the human 25-hydroxyvitamin D ₃ 1 α -hydroxylase gene confers positive and negative responsiveness to PTH, calcitonin and 1 α ,25(OH) ₂ D ₃ .	1998 年	Murayama A, Takeyama K, Kitanaka S, Kadera Y, Hosoya T, <u>Kato S</u>
Biochem.Biophys.Res.Commun 245: 900-905 A putative tumor suppressor, TSG101, acts as a transcriptional suppressor through its coiled-coil domain.	1998 年	Watanabe M, Yanagi Y, <u>Kato S</u> , et al
J.Bone Miner.Metab. 16: 65-71 Molecular genetics of vitamin D receptor acting in bone.	1998 年	<u>Kato S</u> , Sekine K, Matsumoto T, Yoshizawa T
Curr.Opin.Nephrol.Hypertens. 7: 377-383 The importance of 25-hydroxyvitamin D ₃ 1 α -hydroxylase gene in vitamin D-dependent rickets.	1998 年	<u>Kato S</u> , Yanagisawa J, Murayama A, Kitanaka S, Takeyama K
J.Biol.Chem. 273: 15429-15434 Molecular mechanism of human CD38 gene expression by retinoic acid.	1998 年	Kishimoto H, Hoshino S, <u>Kato S</u> , et al

J.Biol.Chem. 273: 14738-14744 1 α ,25-Dehydroxyvitamin D ₃ synergism toward transforming growth factor- β 1-induced AP-1 transcriptional activity in mouse osteoblastic cells via its nuclear receptor.	1998 年	Takeshita A, Imai K, Kato S, Kitano S, Hanazawa S
Biochem.Biophys.Res.Commun.246: 142-147 A novel isoform of rat estrogen receptor beta with 18 amino acid insertion in the ligand binding domain as a putative dominant negative regulator of estrogen action.	1998 年	Maruyama K, Endoh H, Kato S, et al
Mol.Cell.Endocrinol.141: 41-47 Cloning and characterization of kidney-specific promoter of human PTH/PTHrP receptor gene: Absence of mutation in patients with pseudohypoparathyroidism type Ib.	1998 年	Fukumoto S, Suzawa M, Kikuchi T, Matsumoto T, Kato S, Fujita T
BBRC 233: 81-85 Osteopontin Gene Expression and Protein Synthesis in Cultured Rat Mesangial Cells.	1997 年	Nagasaki T, Mori H
ABB 343: 181-187 Inhibition by 1 α ,25-dihydroxyvitamin D ₃ of Activin A-Induced Differentiation of Murine Erythroleemic F5-5 Cells.	1997 年	Nagasaki T, Mori H
Endocrinology 138: 4160 Thrombopoietin Inhibits in Vitro Osteoclastogenesis from Murine Bone Marrow Cells.	1997 年	Wakikawa T, Mori H
Am J Nephrol 17: 382-386 History of Vitamin D Treatment of Renal Osteodystrophy.	1997 年	Mori H
JBMM 15: 153-159 Clinical Application of Immunoassay for Urinary Total Excretion of Deoxypyridinoline in Patients with Osteoporosis.	1997 年	Nakatsuka K, Mori H
Jpn J Cancer Res 88: 1052-1062 Inhibition of Development of N,N-Dimethylhydrazine-induced Rat Colonic Aberrant Crypt Foci by Pre, Post and Simultaneous Treatments with 24R,25-Dihydroxyvitamin D ₃ .	1997 年	Salim E.I, Mori H
Osteoporosis Japan 5: 5 カルシウム代謝の調節機構	1997 年	森井浩世
CLINICAL CALCIUM 7: 27 ビタミンDとカルシウム代謝—最近の動向— 4)骨における作用	1997 年	森井浩世
CLINICAL CALCIUM 7: 106-109 ビタミンDをめぐる最近の話題	1997 年	森井浩世
内分泌・糖尿病科 4: 150-152 Ca代謝異常とノックアウトマウス	1997 年	後藤仁志, 森井浩世
JBMM 15: 173-178 Molecular basis of hyperparathyroidism (Review)	1997 年	Tahara H
JBMR 12,S180 Distinct molecular pathogenesis in different categories of benign hyperparathyroidism	1997 年	Imanishi Y, Tahara H

Cancer Res 56: 599-605 Genomic localization of novel candidate tumor suppressor gene loci in human parathyroid adenomas.	1996年	Tahara H
J.Clin Endocrinol Metab 81: 3663-3667 Loss of chromosome arm 9p DNA and analysis of the p16 and p15 cyclin-dependent kinase inhibitor genes in human parathyroid adenomas	1996年	Tahara H
JBMR 12: 1330-1334 Parathyroid tumor suppressor on 1p: analysis of the p18 cyclin-dependent kinase inhibitor gene as a candidate.	1998年	Tahara H
Microsatellite alterations in human Parathyroid Carcinoma: Frequent Loss of Chromosome Arm 3q and Comparison with Parathyroid Adenoma		Tahara H
内科 77(2): 329-332 骨粗鬆症の治療—女性ホルモンと拮抗薬	1996年	森井浩世
CLINICAL CALCIUM 6(12): 1560-1564 代謝性骨疾患とビタミンD	1996年	西沢良記、森井浩世
Metabolism 45: 782-786 Effect of Insulin on Urinary Phosphate Excretion in Type II Diabetes Mellitus With or Without Renal Insufficiency.	1996年	Ishimaru E, Nishizawa Y, Emoto M, Maekawa K, <u>Morii H</u>
Kidney International 49: 499-505 Phosphorus intake regulates intestinal function and poryamine metabolism in uremia.	1996年	Imanishi Y, Koyama H, <u>Morii H</u> , et al
Clinical Nephrology 46: 389-393 The effect of oral α -hydroxycalciferol treatment on bone mineral density in hemodialysis patients.	1996年	Morita A, Tabata T, Inoue T, Nishizawa Y, <u>Morii H</u>
Nephron 73: 695-700 Case of a Parathyroidectomized patient Observed Longitudinally by Ultrasonography.	1996年	Chou H, Inaba M, <u>Morii H</u> , et al
CLINICAL CALCIUM 8:44-47 二次性腎性副甲状腺過形成における遺伝子異常	1998年	田原英樹
JCEM 83: 1766-1770 Novel chromosomal abnormalities identified by comparative genomic hybridization (CGH) in parathyroid adenomas	1998年	Palanisamy N, Tahara H
Circulation 98: 1302-1306 1,25-Dihydroxyvitamin D3 increases in vitro vascular calcification by modulating secretion of ...	1998年	Jono S, <u>Morii H</u>
FEBS Lett 433: 19-22 Expression of matrix Gla protein (MGP) in an in vitro model of vascular calcification	1998年	Mori K, <u>Morii H</u>
J Am Soc Nephrol 9: 1277-1284 Intermediate-density lipoprotein as an independent risk factor for aortic atherosclerosis in hemodialysis patients	1998年	Shoji T, <u>Morii H</u>
Bone 123:no5 S188 Novel clonal chromosomal defects identified by comparative genomic hybridization and molecular allelotyping in refractory hyperparathyroidism of uremia	1998年	Tahara H

Kidney Int 1999 Serum level of 1,25 -dihydroxyvitamin D, 24,25- dihydroxyvitamin D, and 25-hydroxyvitamin D in nondialyzed...	in press	Ishimura E, <u>Morii H</u>
Am J Kidney Dis 31: 655-661 Plasma leptin level and its relationship with body composition in hemodialysis patients	1998 年	Nishizawa Y, <u>Morii H</u>
J Endocrinol 154: 523-533 Dimerization properties of mutant thyroid hormone β -receptors with auxiliary proteins.	1997 年	Tagami T, <u>Nakamura H</u> , Sasaki S, Miyoshi Y, Nakao K
Clin Endocrinol 46: 467-472 High incidence of positive autoantibodies against thyroid peroxidase and thyroglobulin in patients with sarcoidosis.	1997 年	<u>Nakamura H</u> , Genma R, Yoshimi T, et al
Mol Cell Endocrinol Difference in dominant negative activities between mutant thyroid hormone receptors α 1 and β 1 with an identical truncation in the extreme carboxyl-terminal tau4 domain.	in press	Nishiyama K, Andoh S, <u>Nakamura H</u> , et al
Metabolism Alterations in the enzyme activity and protein contents of protein disulfide isomerase in rat tissues during fasting and refeeding.	submitting	Mikami T, Genma R, <u>Nakamura H</u> , et al
J Biol Chem Ligand-dependent transcriptional interference between vitamin D3 receptors and thyroid hormone receptors by competing common cofactor(s)	submitting	Natsume H, Nishiyama K, <u>Nakamura H</u> , et al
J Biol Chem Amino-terminal A/B domain of thyroid hormone receptor beta1 affects heterodimerization and transcription activities.	submitting	Kitahara A, Nishiyama K, <u>Nakamura H</u> , et al
内科 80: 935-941 受容体異常症と甲状腺ホルモン作用のメカニズム	1997 年	<u>中村浩淑</u>
内分泌・糖尿病学 4: 456-466 核内レセプターの転写制御機構に関するコファク ター蛋白	1997 年	<u>中村浩淑</u>
ホルモンと臨床 45(増刊号): 49-50 甲状腺ホルモン不応症	1997 年	<u>中村浩淑</u>
日本臨床 55(増刊号): 570-573 甲状腺ホルモン受容体	1997 年	<u>中村浩淑</u>
診断と治療 85: 1106-1112 甲状腺ホルモンレセプターの機能と異常	1997 年	西山孝三, <u>中村浩淑</u>
Mol Cell Endocrinol. 137: 169-176 Comparison of the functional properties of three different truncated thyroid hormone receptors identified in subjects with resistance to thyroid hormone.	1998 年	Miyoshi Y, <u>Nakamura H</u> , Tagami T, et al

Mol Cell Endocrinol 138 :95-104 Difference in dominant negative activities between mutant thyroid hormone receptors $\alpha 1$ and $\beta 1$ with an identical truncation in the extreme carboxyl-terminal tau4 domain.	1998 年	Nishiyama K, Andoh S, Nakamura H, et al
Metabolism 47: 1083-1088 Alterations in the enzyme activity and protein contents of protein disulfide isomerase in rat tissues during fasting and refeeding.	1998 年	Mikami T, Genma R, Nakamura H, et al
医学のあゆみ 186: 727-731 甲状腺ホルモン不応症の最近の進歩	1998 年	中村浩淑
最新医学 53: 341-342 転写因子と疾患	1998 年	中村浩淑
日本臨床 56: 1613-1617 性腺機能低下症と骨粗鬆症	1998 年	夏目宏子, 中村浩淑
総合臨床 47: 1433-1436 内分泌検査、副甲状腺系、PTH(副甲状腺ホルモン)	1998 年	三上ともこ, 中村浩淑
総合臨床 47: 1437-1440 内分泌検査、副甲状腺系、PTHrP(副甲状腺ホルモン関連ペプチド)	1998 年	三上ともこ, 中村浩淑
医薬ジャーナル 34: 835-839 甲状腺炎	1998 年	源馬理恵子, 中村浩淑
J.Clin.Endocrinol.Metab. 81: 2111-2116 GH treatment of GH-deficient children increase serum levels of IGFs, IGF-binding protein-3 and-5, and bone alkaline phosphatase isoenzyme.	1996 年	Ono T, Kanzaki S, Seino Y, Baylink DJ, Mohan S, et al
Bone 18: 493-494 Does growth hormone treatment prevent corticosteroid-induced osteoporosis?	1996 年	Tanaka H, Seino Y
Nephrology 2: 393-398 Glomerular TGF- $\beta 1$ expression in children with nephrotic syndrome.	1996 年	Ito H, Tanaka M, Yasui M, Koyashi Y, Seino Y
Endocrinology 137: 2633-2637 24R,25-Dihydroxyvitamin D ₃ promotes bone formation without causing excessive resorption in hypophosphatemic mice.	1996 年	Ono T, Tanaka H, Yamate T, Nagai Y, Nakamura T, Seino Y
European J. Endocrinol 136: 45-51 Growth hormone increases serum 1,25(OH) ₂ D levels and decreases 24,25(OH) ₂ D levels in children with growth hormone deficiency.	1997 年	Wei S, Tanaka H, Kubo T, Ono T, Kanzaki S, Seino Y
J.Clin.Endocrinol.Metab. 82: 2056-2061 Serum bone alkaline phosphatase isoenzyme levels in normal children and children with GH Deficiency: A potential marker for bone formation and response to GH Therapy.	1997 年	Tobiume H, Kanzaki S, Seino Y, et al

Acta Paediatr.Japon. 39: 503-507 Medical management and complications of X-linked hypophosphatemic vitamin D resistant rickets.	1997 年	Ono T, <u>Seino Y</u>
Acta Paediatr.Japon. 39: 521-527 Recent progress in diagnosis and treatment of osteogenesis imperfecta.	1997 年	Moriwake T, <u>Seino Y</u>
Arch.Dis.Childhood 76: 537-538 Effect of growth hormone on fatty liver in panhypopituitarism.	1997 年	Takano S, Kanzaki S, Sato M, Kubo T, <u>Seino Y</u>
Nephron 77: 325-332 The role of tissue-fixed macrophages in apoptosis in the developing kidney.	1997 年	Yasui M, Tanaka H, <u>Seino Y</u>
J.Clin.Endocrinol.Metab.82: 2716-2719 Two novel missense mutations in calcium-sensing receptor gene associated with neonatal severe Hyperparathyroidism.	1997 年	Kobayashi M, Tanaka H, <u>Seino Y</u> , et al
European J.of Endocrinology 138: 275-280 Effect of growth hormone therapy in children with achondroplasia: growth pattern, hypothalamic-pituitary function, and genotype	1998 年	Tanaka H, Kubo T, Yamate T, Ono T, Kanzaki S, <u>Seino Y</u>
Bone, 22: 145S-147S Potential role of rhIGF-1/IGFBP-3 in maintaining skeletal mass in space.	1998 年	Tanaka H, Moriwake T, Matsuoka Y, Nakamura T, <u>Seino Y</u>
J.of Bone Miner.Metab, 16: 100-105 Bone status assessment in preterm and term infants by dual-energy X-ray absorptiometry.	1998 年	Mori R, Yamakura S, Tanaka H, Tamai H, Funato M, <u>Seino Y</u>
Bone Depeche, 4: 53 Recent progress in diagnosis and treatment of osteogenesis imperfecta	1998 年	Moriwake T, <u>Seino Y</u>
Adolescent Endocrinology, pp11-16 Can growth hormone change bone mass in adolescence.	1998 年	<u>Seino Y</u>
Clin.Pediatr.Endocrinol.,7(Suppl 11): 135-139 Serum free insulin-like growth factor-I levels in normal children and children with growth hormone deficiency.	1998 年	Kawai N, Kanzaki S, <u>Seino Y</u> , et al
Endocrine Journal,45(Suppl): S47-S52 Growth hormone and bone diseases.	1998 年	Tanaka H
European J.of Endocrinology 139: 454-460 Local action of exogenous growth hormone and insulin-like growth factor-I on dihydroxyvitamin D production in LLC-PK1 cells.	1998 年	Wei S, Tanaka H, <u>Seino Y</u>
Molecular Endocrinology 10: 826-836 Interferon- γ suppresses thyrotropin receptor promoter activity by reducing thyroid transcription factor-1(TTF-1) binding to its recognition site	1996 年	Ohe K, <u>Ikuyama S</u> , Takayanagi R, Kohn L.D, Nawata H

最新医学 51: 112-116 甲状腺特異的転写調節因子	1996年	生山祥一郎、名和田新
Endocrine J 44: 247-256 Cloning and characterization of the 4.2 kb region of the rat thyrotropin receptor gene.	1997年	Ikuyama S, Ohe K, Takayanagi R, Kohn LD, Nawata H
ホルモンと臨床 45: 559-566 TSH受容体とその発現調節に関する最近の知見	1997年	生山祥一郎、名和田新
内科 80: 897-901 甲状腺ホルモンと脂質代謝	1997年	生山祥一郎、名和田新
Mol Cell Endocrinol, in press Nicotinamide potentiates TSHR and MHC class II promoter activity in FRTL-5 cells.	1998年	Ohe K, Ikuyama S, et al
Clin Endocrinol 48: 647-654 Expression of an orphan nuclear receptor DAX-1 in human pituitary adenomas.	1998年	Ikuyama S, Y-M Mu, et al
Clin Endocrinol 49: 301-306 Low level of glucocorticoid receptor messenger ribonucleic acid in pituitary adenomas manifesting Cushing's disease with resistance to a high dosedexamethasone suppression test.	1998年	Y-M Mu, Takayanagi R, Ikuyama S, et al
医学と薬学 40: 611-618 内分泌腺機能異常と病態: 副甲状腺	1998年	生山祥一郎、名和田新
Endocrinology 137: 2217-2224 Estrogen blocks parathyroid hormone (PTH)-stimulated osteoclast-like cell formation by selectively affecting PTH-responsive cAMP pathway.	1996年	Kaji H, Sugimoto T, Kanatani M, Nasu M, Chihara K
J Bone Miner Res 11: 912-920 High extracellular calcium stimulates osteoclast-like cell formation and bone-resorbing activity in the presence of osteoblastic cells.	1996年	Kaji H, Sugimoto T, Kanatani M, Nasu M, Chihara K
Clin Pediatr, Endocrinol 5: 59-68 Age-dependent changes in bone mineral density and body composition in middle-age and elderly women.	1996年	Sugimoto T, Chihara K
J Bone Miner Res 12: 734-741 Dexamethasone stimulates osteoclast-like cell formation by directly acting on hemopoietic blast cells and enhances osteoclast-like cell formation stimulated by parathyroid hormone and prostaglandin E ₂ .	1997年	Kaji H, Sugimoto T, Kanatani M, Nishiyama K, Chihara K
J Cell Physiol 172: 55-62 Insulin-like growth factor-I mediates osteoclast-like cell formation stimulated by parathyroid hormone.	1997年	Kaji H, Sugimoto T, Kanatani M, Nishiyama K, Nasu M, Chihara K

J Bone Miner Res 12: 1272-1279 Serum level of insulin-like growth factor(IGF)I, IGF-binding protein(IGFBP)-2 and IGFBP-3 in osteoporotic patients with and without spinal fractures.	1997 年	Sugimoto T, Nishiyama K, Kurimoto F, Chihara K
FEBS Lett 409: 63-66 Stimulatory effects of parathyroid hormone and 1,25 dihydroxyvitamin D ₃ on insulin-like growth factor-binding protein-5 mRNA expression in osteoblastic cells.	1997 年	Nasu M, Sugimoto T, Chihara K
Eur J Endocrinol 136: 608-616 Effect of natural menopause on serum levels of insulin-like growth factor-I (IGF-I) and IGF-binding proteins.	1997 年	Nasu M, Sugimoto T, Chihara M, Hiraishi S, Kurimoto F, Chihara K
Endocrine J 44: 595-601 Clinical and biochemical presentation of primary hyperparathyroidism in Kansai distinct of Japan.	1997 年	Kobayashi T, Sugimoto T, Chihara K
Biochem Biophys Res Commun 238: 738-743 Cloning and Characterization of the 5'-flanking region of the mouse diastrophic dysplasia sulfate gene.	1997 年	Kobayashi T, Sugimoto T, Saijoh K, Fujii M, Chihara K
Gene 198: 341-349 Cloning of mouse diastrophic dysplasia sulfate gene induced during osteoblast differentiation by bone morphogenetic protein-2.	1997 年	Kobayashi T, Sugimoto T, Saijoh K, Fukase M, Chihara K
Endocrine J 45: 123-125 Vitamin D receptor genotype is associated with cortical bone loss in Japanese patients with primary hyperparathyroidism.	1996 年	Kobayashi T, Sugimoto T, Kobayashi A, Chihara K
Clin Pediatr Endocrinol 6:163-168 Growth hormone in bone remodeling.	1997 年	Sugimoto T, Chihara K
Biochem Mol Biol Int 44: 683-691 Identification of an enhancer sequence in 5'-flanking region 1A exon of mouse liver/bone/kidney-type alkaline phosphatase gene.	1998 年	Kobayashi T, Sugimoto T, Kanzawa M, Chihara K
Endocrine J 45: 229-234 Carboxyl-terminal parathyroid hormone fragments stimulate type-1 procollagen and insulin-like growth factor binding protein5 mRNA expression in osteoblastic UMR-106 cells.	1998 年	Nasu M, Sugimoto T, Kano J, Kaji H, Chihara K
J Bone Miner Res 13: 854-862 Estrogen via the estrogen receptor blocks cAMP-mediated parathyroid hormone-stimulated osteoclast formation	1998 年	Kanatani M, Sugimoto T, Takahashi Y, Kaji H, Kitazawa R, Chihara K

Eur J Endocrinol 138: 633-639 Age-dependent changes in body composition in postmenopausal Japanese women.	1998 年	Sugimoto T, Nakaoka D, Nasu M, Kanzawa M, Sugishita T, Chihara K
J Bone Miner Res 13: 1530-1538 Mouse osteoblastic cell line (MC3T3-E1) expresses extracellular calcium (Ca ²⁺) _o -sensing receptor and its agonists stimulate chemotaxis and proliferation.	1998 年	Yamaguchi T, Chattopadhyay N, Kifor O, Butters R, Sugimoto T, Brown EM
J Immunol 157: 3148-3152 Molecular analysis of stimulatory anti-thyrotropin receptor antibodies (TSAbs) involved in Graves' disease: Isolation and reconstruction of antibody genes, and production of monoclonal TSAbs.	1996 年	Akamizu T, Matsuda F, Okuda J, et al
J Endocrinol Invest 19: Suppl. To 6, 34 Production of recombinant inhibitory anti-TSH receptor antibodies involved in primary hypothyroidism. 23 rd Meeting of European Thyroid Association.	1996 年	Okuda J, Akamizu T, Matsuda F, Watanabe T, Mori T
内分泌・糖尿病科 3: 217-224 甲状腺疾患における TSH 受容体自己抗体	1996 年	赤水尚史
医学のあゆみ 178: 283-285 自己免疫性甲状腺疾患における TSH 受容体抗体の意義—抗体側からみた分子レベルの研究	1996 年	赤水尚史
Endocrine J 44: 633-646 Pathogenesis of Graves' disease: Molecular analysis of anti-TSH receptor antibodies.	1997 年	Akamizu T, Mori T, Nakao K
Thyroid 7: 515(abst) Isolation of a microsatellite marker for the thyrotropin receptor gene and its association with autoimmune thyroid diseases in a Japanese population.	1997 年	Akamizu T, Sale MM, Yokota T, et al
Thyroid 7: 641-646 Differential expression of thyrotropin receptor (TSHR) mRNA in the porcine heart.	1997 年	Selliti D F, Hill R, Akamizu T, et al
Endocrine J 44: 575-580 Effectiveness of a short-term steroid treatment on the reduction in goiter size in antithyroid drug-treated patients with Graves' disease.	1997 年	Mori T, Sugawa H, Kosugi S, Ueda M, Inoue D, Akamizu T
Scand J Immunology 46: 541-545 Preferential localization of human CD5+B cells in the peritoneal cavity.	1997 年	Nishitani S, Murakami M, Akamizu T, et al
Thyroid 7: 147(abst), Characterization of recombinant monoclonal anti-TSH receptor antibodies.	1997 年	Akamizu T, Moriyama K, Miura M, Saijo M, Kosugi S, Nakao K
内科学会雑誌 86: 23-27 Basedow 病の成因と病態	1997 年	赤水尚史