

```

                indicationsorefficacy?,
                efficacyrelatedprecautions?,
                doseadmin?,
                tblfordoseadmin?,
                otherrelatedmatters?,
                tblforotherrelatedmatters?,
                infoprecautionsdosage? ) >
<!ATTLIST
infoindicationsorefficacy %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- indicationsorefficacy :: 効能又は効果 -->
<!ELEMENT indicationsorefficacy -- ( variablelabel?,
( %itemandlows,
doseadmin?,
tblfordoseadmin?,
otherrelatedmatters?,
tblforotherrelatedmatters?,
infoprecautionsdosage? )* ) >
<!ATTLIST indicationsorefficacy %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- doseadmin :: 用法及び用量 -->
<!ELEMENT doseadmin -- ( variablelabel?, ( %detailandlows )* ) >
<!ATTLIST doseadmin %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblfordoseadmin :: 用法及び用量の表 -->
<!ELEMENT tblfordoseadmin -- ( variablelabel?, tblblock? ) >
<!ATTLIST tblfordoseadmin %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- efficacyrelatedprecautions :: 効能又は効果に関する使用上の注意 -->
<!ELEMENT efficacyrelatedprecautions -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST
efficacyrelatedprecautions %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- otherrelatedmatters :: 用法及び用量に関する説明 -->
<!ELEMENT otherrelatedmatters -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST otherrelatedmatters %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforotherrelatedmatters :: 用法及び用量に関する説明の表 -->
<!ELEMENT tblforotherrelatedmatters -- ( variablelabel?, tblblock? ) >
<!ATTLIST
tblforotherrelatedmatters %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- infoprecautionsdosage :: 用法及び用量に関する使用上の注意 -->
<!ELEMENT infoprecautionsdosage -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST infoprecautionsdosage %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforuse :: 使用上の注意 -->
<!ELEMENT precautionsforuse -- ( variablelabel?,
cautiousadministration?,
importantprecautions?,
tblforimportantprecautions?,
interactions?,
adverseevents?,
useintheelderly?,
useinpregnantornursing?,
pediatricuse?,
influenceonlaboratoryvalues?,
overdosage?,
precautionsforapplication?,
otherprecautions?,
```

```

        others? )>
<!ATTLIST precautionsforuse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- cautiousadministration :: 慎重投与 -->
<!ELEMENT cautiousadministration -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST cautiousadministration %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- importantprecautions :: 重要な基本的注意 -->
<!ELEMENT importantprecautions -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST importantprecautions %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforimportantprecautions :: 重要な基本的注意の表 -->
<!ELEMENT tblforimportantprecautions -- ( variablelabel?, tblblock? ) >
<!ATTLIST tblforimportantprecautions %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- interactions :: 相互作用 -->
<!ELEMENT interactions -- ( variablelabel?,
    contraindicatedcombination?,
    avoidedcombination?,
    precautionsforcombination? ) >
<!ATTLIST interactions %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- contraindicatedcombination :: 併用禁忌の情報 -->
<!ELEMENT contraindicatedcombination -- ( variablelabel?,
    ( contraindication?,
    tblforcontraindication?,
    precautionsforcontraindication? ) ) >
<!ATTLIST contraindicatedcombination %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- contraindication :: 併用禁忌 -->
<!ELEMENT contraindication -- ( variablelabel?,
    ( serialno, drug?,
    clinsymptomsandmeasures?,
    mechanismandriskfactors? )* ) >
<!ATTLIST contraindication %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforcontraindication :: 併用禁忌の表 -->
<!ELEMENT tblforcontraindication -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST tblforcontraindication %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforcontraindication :: 併用禁忌に関する注意 -->
<!ELEMENT precautionsforcontraindication -- ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST precautionsforcontraindication %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- avoidedcombination :: 原則併用禁忌の情報 -->
<!ELEMENT avoidedcombination -- ( variablelabel?,
    ( avoid?,
    tblforavoid?,
    precautionsforavoid? ) ) >
<!ATTLIST avoidedcombination %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- avoid :: 原則併用禁忌 -->
<!ELEMENT avoid -- ( variablelabel?,
    ( serialno, drug?,
    clinsymptomsandmeasures?,
    mechanismandriskfactors? )* ) >

```

```

<!ATTLIST avoid %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforavoid ::: 原則併用禁忌の表 -->
<!ELEMENT tblforavoid -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST tblforavoid %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforavoid ::: 原則併用禁忌に関する注意 -->
<!ELEMENT precautionsforavoid -- ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST precautionsforavoid %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforcombination ::: 併用注意の情報 -->
<!ELEMENT precautionsforcombination -- ( variablelabel?,
                                         ( precautionsforcombi?,
                                           tblforprecautionsforcombi?,
                                           adviceforprecautions? ) ) >
<!ATTLIST
  precautionsforcombination %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforcombi ::: 併用注意 -->
<!ELEMENT precautionsforcombi -- ( variablelabel?,
                                         ( serialno, drug?,
                                           clinsymptomsandmeasures?,
                                           mechanismandriskfactors? ) ) >
<!ATTLIST precautionsforcombi %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforprecautionsforcombi ::: 併用注意の表 -->
<!ELEMENT tblforprecautionsforcombi -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST
  tblforprecautionsforcombi %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- adviceforprecautions ::: 併用注意に関する注意 -->
<!ELEMENT adviceforprecautions -- ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST adviceforprecautions %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- adverseevents ::: 副作用の情報 -->
<!ELEMENT adverseevents -- ( variablelabel?,
                               overviewofadverseevents?,
                               seriousadverseevents?,
                               similarseriousadverseevents?,
                               otheradverseevents? ) >
<!ATTLIST adverseevents %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- overviewofadverseevents ::: 副作用等の概要 -->
<!ELEMENT overviewofadverseevents -- ( variablelabel?,
                                         ( overviewofadverse?,
                                           tblforoverviewofadverse?,
                                           precautionsforoverviewofadverse? ) ) >
<!ATTLIST
  overviewofadverseevents %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- overviewofadverse ::: 副作用等発現状況の概要 -->
<!ELEMENT overviewofadverse -- ( variablelabel?, ( %advblkandlows )* ) >
<!ATTLIST overviewofadverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforoverviewofadverse ::: 副作用等発現状況の概要の表 -->
<!ELEMENT tblforoverviewofadverse -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST
  tblforoverviewofadverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforoverviewofadverse ::: 副作用等発現状況概要の注意 -->

```

```

<!ELEMENT precautionsforoverviewofadverse -- ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST
precautionsforoverviewofadverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- seriousadverseevents :: 重大な副作用の情報 -->
<!ELEMENT seriousadverseevents -- ( variablelabel?,
( seriousadverse?,
precautionsforseriousadverse? ) ) >
<!ATTLIST seriousadverseevents %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- seriousadverse :: 重大な副作用 -->
<!ELEMENT seriousadverse -- ( variablelabel?, ( %advblkandlows )* ) >
<!ATTLIST seriousadverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforseriousadverse :: 重大な副作用の注意 -->
<!ELEMENT precautionsforseriousadverse -- ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST
precautionsforseriousadverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- similarseriousadverseevents :: 重大な副作用（類薬）の情報 -->
<!ELEMENT similarseriousadvereevents -- ( variablelabel?,
( similarserious?,
precautionsforsimilarserious? ) ) >
<!ATTLIST
similarseriousadvereevents %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- similarserious :: 重大な副作用（類薬） -->
<!ELEMENT similarserious -- ( variablelabel?, ( %advblkandlows )* ) >
<!ATTLIST similarserious %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforsimilarserious :: 重大な副作用（類薬）の注意 -->
<!ELEMENT precautionsforsimilarserious -- ( variablelabel?,
( %serialdetails )* ) >
<!ATTLIST
precautionsforsimilarserious %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- otheradverseevents :: その他の副作用の情報 -->
<!ELEMENT otheradvereevents -- ( variablelabel?,
( otheradverse?,
tblforotheradverse?,
precautionsforotheradverse? ) ) >
<!ATTLIST otheradvereevents %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- otheradverse :: その他の副作用 -->
<!ELEMENT otheradverse -- ( variablelabel?, ( %advblkandlows )* ) >
<!ATTLIST otheradverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforotheradverse :: その他の副作用の表 -->
<!ELEMENT tblforotheradverse -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST tblforotheradverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforotheradverse :: その他の副作用の注意 -->
<!ELEMENT precautionsforotheradverse -- ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST
precautionsforotheradverse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- useintheelderly :: 高齢者への投与 -->
<!ELEMENT useintheelderly -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST useintheelderly %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- useinpregnantornursing :: 妊婦、産婦、授乳婦等への投与 -->

```

```

<!ELEMENT useinpregnantornursing -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST useinpregnantornursing %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- pediatricuse :: 小児等への投与 -->
<!ELEMENT pediatricuse -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST pediatricuse %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- influenceonlaboratoryvalues :: 臨床検査結果に及ぼす影響 -->
<!ELEMENT influenceonlaboratoryvalues -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST influenceonlaboratoryvalues %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- overdosage :: 過量投与 -->
<!ELEMENT overdosage -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST overdosage %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- precautionsforapplication :: 適用上の注意 -->
<!ELEMENT precautionsforapplication -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST precautionsforapplication %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- otherprecautions :: その他の注意 -->
<!ELEMENT otherprecautions -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST otherprecautions %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- others :: その他 -->
<!ELEMENT others -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST others %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- pharmacokinetics :: 薬物動態 -->
<!ELEMENT pharmacokinetics -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST pharmacokinetics %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforpharmacokinetics :: 薬物動態の表 -->
<!ELEMENT tblforpharmacokinetics -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST tblforpharmacokinetics %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- resultsofclinicaltrials :: 臨床成績 -->
<!ELEMENT resultsofclinicaltrials -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST resultsofclinicaltrials %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforresultsofclinicaltrials :: 臨床成績の表 -->
<!ELEMENT tblforresultsofclinicaltrials -- ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST tblforresultsofclinicaltrials %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- efficacypharmacology :: 薬効薬理 -->
<!ELEMENT efficacypharmacology -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST efficacypharmacology %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforefficacypharmacology :: 薬効薬理の表 -->
<!ELEMENT tblforefficacypharmacology -- ( variablelabel?, %tblblock? ) >
<!ATTLIST tblforefficacypharmacology %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- physchemofactingredients :: 有効成分に関する理化学的知見 -->
<!ELEMENT physchemofactingredients -- ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST physchemofactingredients %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

```

```

physchemofactingredients %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- tblforphyschemofactingredients ::: 有効成分に関する理化学的知見の表 -->
<!ELEMENT tblforphyschemofactingredients - - ( variablelabel?, ( %tblblocks )* ) >
<!ATTLIST
tblforphyschemofactingredients %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att;
>

<!-- precautionsforhandling ::: 取扱い上の注意 -->
<!ELEMENT precautionsforhandling - - ( variablelabel?, ( %itemandlows )* ) >
<!ATTLIST
precautionsforhandling %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- conditionsofapproval ::: 承認条件 -->
<!ELEMENT conditionsofapproval - - ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST conditionsofapproval %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att;
>

<!-- package ::: 包装 -->
<!ELEMENT package - - ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST package %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- mainliteratureandaddress ::: 主要文献及び文献請求先 -->
<!ELEMENT mainliteratureandaddress - - ( variablelabel?,
mainliterature?,
addresseeofliteraturerequest? ) >
<!ATTLIST
mainliteratureandaddress %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- mainliterature ::: 主要文献 -->
<!ELEMENT mainliterature - - ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST mainliterature %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- addresseeofliteraturerequest ::: 文献請求先 -->
<!ELEMENT addresseeofliteraturerequest - - ( variablelabel?,
( serialno,
addresseeofinquiry?,
%addressblk )* ) >
<!ATTLIST
addresseeofliteraturerequest %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- informationonlongtermdosing ::: 長期投与医薬品に関する情報 -->
<!ELEMENT informationonlongtermdosing - - ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST
informationonlongtermdosing %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- nameaddressmanufact ::: 製造業者又は輸入販売業者の氏名又は名称及び住所 -->
<!ELEMENT nameaddressmanufact - - ( variablelabel?,
( serialno , typeofindustry?, name?, %addressblk )* ) >
<!ATTLIST nameaddressmanufact %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att;
>

<!-- otherexplainusage ::: その他の説明（付属機器）取り扱い、使用方法等 -->
<!ELEMENT otherexplainusage - - ( variablelabel?, ( %serialdetails )* ) >
<!ATTLIST otherexplainusage %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- download ::: ダウンロード用公開ファイル -->
<!ELEMENT download - - ( variablelabel?, ( serialno, downloadfile )* ) >

<!-- low1subitem ::: 明細行レベル1 -->
<!ELEMENT low1subitem - - ( variablelabel?, ( %details, low2subitem? )* ) >
<!ATTLIST low1subitem %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

```

```

<!-- low2subitem :: 明細行レベル2 -->
<!ELEMENT low2subitem -- ( variablelabel?, ( %details, low3subitem? )* ) >
<!ATTLIST low2subitem %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- low3subitem :: 明細行レベル3 -->
<!ELEMENT low3subitem -- ( variablelabel?, ( %details, low4subitem? )* ) >
<!ATTLIST low3subitem %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- low4subitem :: 明細行レベル4 -->
<!ELEMENT low4subitem -- ( variablelabel?, ( %details, low5subitem? )* ) >
<!ATTLIST low4subitem %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- low5subitem :: 明細行レベル5 -->
<!ELEMENT low5subitem -- ( variablelabel?, ( %details, low6subitem? )* ) >
<!ATTLIST low5subitem %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- low6subitem :: 明細行レベル6 -->
<!ELEMENT low6subitem -- ( variablelabel?, ( %details )* ) >
<!ATTLIST low6subitem %lang.att; %fntsize.att; %boxline.att; %boxcolor.att; %color.att; >

<!-- variablelabel :: タグ内容の説明 -->
<!ELEMENT variablelabel -- (#PCDATA )>
<!ATTLIST variablelabel %labeloff.att; >

<!-- address :: 住所 -->
<!ELEMENT address -- ( variablelabel?, (%c.data) )>
<!ATTLIST address %lang.att; %fntsize.att; %charfmt.att; >

<!-- addresseeofinquiry :: 問い合わせ先 -->
<!ELEMENT addresseeofinquiry -- ( variablelabel?, (%c.data) )>
<!ATTLIST addresseeofinquiry %lang.att; %fntsize.att; %charfmt.att; >

<!-- approvalno :: 承認番号 -->
<!ELEMENT approvalno -- ( variablelabel?, (%c.data) )>
<!ATTLIST approvalno %lang.att; %fntsize.att; %charfmt.att; >

<!-- approvalbrandname :: 販売名 -->
<!ELEMENT approvalbrandname -- ( variablelabel?, (%c.data) )>
<!ATTLIST approvalbrandname %lang.att; %fntsize.att; %charfmt.att; >

<!-- clinsymptomsandmeasures :: 臨床症状・措置方法 -->
<!ELEMENT clinsymptomsandmeasures -- ( variablelabel?, (%c.data) )>
<!ATTLIST clinsymptomsandmeasures %lang.att; %fntsize.att; %charfmt.att; >

<!-- detail :: 項目の中身(データ) -->
<!ELEMENT detail -- ( variablelabel?, (%c.data) )>
<!ATTLIST detail %lang.att; %fntsize.att; %charfmt.att; >

<!-- drug :: 薬剤名等 -->
<!ELEMENT drug -- ( variablelabel?, (%c.data) )>
<!ATTLIST drug %lang.att; %fntsize.att; %charfmt.att; >

<!-- faxnumber :: FAX番号 -->
<!ELEMENT faxnumber -- ( variablelabel?, (%c.data) )>
<!ATTLIST faxnumber %lang.att; %fntsize.att; %charfmt.att; >

<!-- internationalbirthday :: 國際誕生年月 -->
<!ELEMENT internationalbirthday -- ( variablelabel?, (%c.data) )>
<!ATTLIST internationalbirthday %lang.att; %fntsize.att; %charfmt.att; >

<!-- item :: 項目の名称 -->
<!ELEMENT item -- ( variablelabel?, (%c.data) )>

```

```

<!ATTLIST item %lang.att; %fntsize.att; %charfmt.att; >

<!-- licenseno ::: 許可番号 -->
<!ELEMENT licenseno -- ( variablelabel?, (%c.data) )>
<!ATTLIST licenseno %lang.att; %fntsize.att; %charfmt.att; >

<!-- mechanismdriskfactors ::: 機序・危険因子 -->
<!ELEMENT mechanismdriskfactors -- ( variablelabel?, (%c.data) )>
<!ATTLIST mechanismdriskfactors %lang.att; %fntsize.att; %charfmt.att; >

<!-- name ::: 名称 -->
<!ELEMENT name -- ( variablelabel?, (%c.data) )>
<!ATTLIST name %lang.att; %fntsize.att; %charfmt.att; >

<!-- otherdescription ::: その他記述 -->
<!ELEMENT otherdescription -- ( variablelabel?, (%c.data) )>
<!ATTLIST otherdescription %lang.att; %fntsize.att; %charfmt.att; >

<!-- packageinsertno ::: 添付文書番号 -->
<!ELEMENT packageinsertno -- ( variablelabel?, (%c.data) )>
<!ATTLIST packageinsertno %lang.att; %fntsize.att; %charfmt.att; >

<!-- phonenumer ::: 電話番号 -->
<!ELEMENT phonenumer -- ( variablelabel?, (%c.data) )>
<!ATTLIST phonenumer %lang.att; %fntsize.att; %charfmt.att; >

<!-- serialno ::: 順序番号 -->
<!ELEMENT serialno -- ( variablelabel?, (%c.data) )>
<!ATTLIST serialno %onoff.att; %lang.att; %fntsize.att; %charfmt.att; >

<!-- sccjno ::: 日本標準商品分類番号 -->
<!ELEMENT sccjno -- ( variablelabel?, (%c.data) )>
<!ATTLIST sccjno %lang.att; %fntsize.att; %charfmt.att; >

<!-- trademarkname ::: 欧文商標名 -->
<!ELEMENT trademarkname -- ( variablelabel?, (%c.data) )>
<!ATTLIST trademarkname %lang.att; %fntsize.att; %charfmt.att; >

<!-- version ::: 版数 -->
<!ELEMENT version -- ( variablelabel?, (%c.data) )>
<!ATTLIST version %lang.att; %fntsize.att; %charfmt.att; >

<!-- yrmoofadditionalapproval ::: 効能又は効果追加承認年月（最新） -->
<!ELEMENT yrmoofadditionalapproval -- ( variablelabel?, (%c.data) )>
<!ATTLIST yrmoofadditionalapproval %lang.att; %fntsize.att; %charfmt.att; >

<!-- yearmonth ::: 年月 -->
<!ELEMENT yearmonth -- ( variablelabel?, (%c.data) )>
<!ATTLIST yearmonth %lang.att; %fntsize.att; %charfmt.att; >

<!-- yrmoofreevaluation ::: 再評価結果公表年月（最新） -->
<!ELEMENT yrmoofreevaluation -- ( variablelabel?, (%c.data) )>
<!ATTLIST yrmoofreevaluation %lang.att; %fntsize.att; %charfmt.att; >

<!-- yrmoofreexamination ::: 再審査結果公表年月（最新） -->
<!ELEMENT yrmoofreexamination -- ( variablelabel?, (%c.data) )>
<!ATTLIST yrmoofreexamination %lang.att; %fntsize.att; %charfmt.att; >

<!-- detailofreexamination ::: 再審査結果公表年月（最新）の注意書き -->
<!ELEMENT detailofreexamination -- ( variablelabel?, (%c.data) )>
<!ATTLIST detailofreexamination %lang.att; %fntsize.att; %charfmt.att; >

<!-- detailofreevaluation ::: 再評価結果公表年月（最新）の注意書き -->

```

```

<!ELEMENT detailoffreeevaluation -- ( variablelabel?, (%c.data) )>
<!ATTLIST detailoffreeevaluation %lang.att; %fntsize.att; %charfmt.att; >

<!-- detailofadditionalapproval :: 効能又は効果追加承認年月（最新）の注意書き -->
<!ELEMENT detailofadditionalapproval -- ( variablelabel?, (%c.data) )>
<!ATTLIST detailofadditionalapproval %lang.att; %fntsize.att; %charfmt.att; >

<!-- detailofinternationalbirthday :: 國際誕生年月の注意書き -->
<!ELEMENT detailofinternationalbirthday -- ( variablelabel?, (%c.data) )>
<!ATTLIST detailofinternationalbirthday %lang.att; %fntsize.att; %charfmt.att; >

<!-- frequency :: 頻度 -->
<!ELEMENT frequency -- ( variablelabel?, (%c.data) )>
<!ATTLIST frequency %lang.att; %fntsize.att; %charfmt.att; >

<!-- companyidentifier :: 製薬会社識別コード -->
<!ELEMENT companyidentifier -- ( variablelabel?, (%c.data) )>
<!ATTLIST companyidentifier %lang.att; %fntsize.att; %charfmt.att; >

<!-- typeofindustry :: 業種 -->
<!ELEMENT typeofindustry -- ( variablelabel?, (%c.data) )>
<!ATTLIST typeofindustry %lang.att; %fntsize.att; %charfmt.att; >

<!-- markofrevision :: 改訂記号 -->
<!ELEMENT markofrevision -- ( variablelabel?, (%c.data) )>
<!ATTLIST markofrevision %lang.att; %fntsize.att; %charfmt.att; >

<!-- yjcode :: YJ（医情研）コード -->
<!ELEMENT yjcode -- ( variablelabel?, (%c.data) )>
<!ATTLIST yjcode %lang.att; %fntsize.att; %charfmt.att; >

<!-- emailaddress :: 電子メールアドレス -->
<!ELEMENT emailaddress -- ( variablelabel?, (%c.data) )>
<!ATTLIST emailaddress %lang.att; %fntsize.att; %charfmt.att; >

<!-- downloadfile :: 公開用ファイル名称 -->
<!ELEMENT downloadfile -- (#PCDATA)>
<!ATTLIST downloadfile %ext.att; >

```

(2) 資料2 服薬指導情報集の1品目の実例（印刷物）

次ページに服薬指導情報集の実例を1品目添付する。

19990077

以降のページは セフジニルカプセル についての服薬指導情報が掲載されています。

図書名. p. 301～316, 著者名, 出版社, 出版地, 出版年 (不明)