

## II. Background Examinations

- 1) State of sleep
- 2) State of smoking
- 3) Health status
  1. Health status
  2. Regular health examination
  3. Family physician
  4. Present illness or past history
  5. History of operation
  6. History of hospital admission in last 2 years
- 4) Family history
- 5) Motor function
  1. About everyday life
    1. Falls event in a year
    2. Fear of falls
    3. Limitation for daily activity due to fear of falls
    4. For fallen person (when, where, how, why and any fracture)
- 6) Visual acuity
- 7) Hearing ability
- 8) Weight control
- 9) Menstruation (for only women)
- 10) Urinary incontinence (for only women)
- 11) Urinary disturbance (for only men)
- 12) Job
- 13) Education
- 14) Ikigai or hobby
- 15) About family

1) State of sleep

Sleeping hours (hour)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N									
Male	6.9	0.9	155	6.9	0.9	149	7.2	1.0	134	7.4	1.2	137	7.1	1.0	575
Female	6.7	0.7	145	6.6	1.0	134	7.0	1.1	137	6.8	1.1	135	6.8	1.0	551
Total	6.8	0.8	300	6.8	1.0	283	7.1	1.1	271	7.1	1.2	272	6.9	1.0	1126

Sleeping state

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Hard to sleep in	Male	25	16.1	31	20.8	30	22.4	41	29.7	127	22.0
	Female	21	14.5	39	28.9	55	39.6	70	51.9	185	33.4
	Total	46	15.3	70	24.6	85	31.1	111	40.7	312	27.6
Awake in midnight	Male	28	18.1	35	23.5	40	29.9	34	24.6	137	23.8
	Female	24	16.6	38	28.1	55	39.6	69	51.1	186	33.6
	Total	52	17.3	73	25.7	95	34.8	103	37.7	323	28.6
Big snoring	Male	55	35.5	61	40.9	46	34.3	29	21.0	191	33.2
	Female	20	13.8	26	19.3	26	18.7	19	14.1	91	16.4
	Total	75	25.0	87	30.6	72	26.4	48	17.6	282	25.0
Often see dream	Male	18	11.6	34	22.8	26	19.4	33	23.9	111	19.3
	Female	27	18.6	29	21.5	35	25.2	35	25.9	126	22.7
	Total	45	15.0	63	22.2	61	22.3	68	24.9	237	21.0
Deep sleep	Male	73	47.1	80	53.7	68	50.7	65	47.1	286	49.7
	Female	49	33.8	54	40.0	57	41.0	61	45.2	221	39.9
	Total	122	40.7	134	47.2	125	45.8	126	46.2	507	44.9
Drowsy in the daytime	Male	27	17.4	37	24.8	42	31.3	56	40.6	162	28.1
	Female	49	33.8	43	31.9	39	28.1	55	40.7	186	33.6
	Total	76	25.3	80	28.2	81	29.7	111	40.7	348	30.8
No adequate situation	Male	22	14.2	12	8.1	12	9.0	19	13.8	65	11.3
	Female	27	18.6	16	11.9	10	7.2	14	10.4	67	12.1
	Total	49	16.3	28	9.9	22	8.1	33	12.1	132	11.7
Total	Male	155	100.0	149	100.0	134	100.0	138	100.0	576	100.0
	Female	145	100.0	135	100.0	139	100.0	135	100.0	554	100.0
	Total	300	100.0	284	100.0	273	100.0	273	100.0	1130	100.0

State of a nap

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	1	0.3	1	0.4	0	0	1	0.4	3	0.3
More than 6 times a week	Male	2	1.3	4	2.7	10	7.5	12	8.7	28	4.9
	Female	0	0	3	2.2	7	5.0	8	5.9	18	3.2
	Total	2	0.7	7	2.5	17	6.2	20	7.3	46	4.1
3 to 5 times a week	Male	4	2.6	12	8.1	17	12.7	21	15.2	54	9.4
	Female	14	9.7	14	10.4	14	10.1	28	20.7	70	12.6
	Total	18	6.0	26	9.2	31	11.4	49	17.9	124	11.0
1 or 2 times a week	Male	36	23.2	45	30.2	42	31.3	36	26.1	159	27.6
	Female	58	40.0	54	40.0	42	30.2	46	34.1	200	36.1
	Total	94	31.3	99	34.9	84	30.8	82	30.0	359	31.8
None	Male	113	72.9	88	59.1	65	48.5	68	49.3	334	58.0
	Female	72	49.7	63	46.7	76	54.7	53	39.3	264	47.7
	Total	185	61.7	151	53.2	141	51.6	121	44.3	598	52.9

2) State of smoking

Smoking habit

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	0	0	0	0	1	0.4	0	0	1	0.1
Non-smoker	Male	31	20.0	33	22.1	31	23.1	22	15.9	117	20.3
	Female	117	80.7	121	89.6	130	93.5	126	93.3	494	89.2
	Total	148	49.3	154	54.2	161	59.0	148	54.2	611	54.1
Ex-smoker	Male	45	29.0	58	38.9	58	43.3	74	53.6	235	40.8
	Female	8	5.5	2	1.5	2	1.4	5	3.7	17	3.1
	Total	53	17.7	60	21.1	60	22.0	79	28.9	252	22.3
Current-smoker	Male	79	51.0	58	38.9	45	33.6	42	30.4	224	38.9
	Female	20	13.8	12	8.9	6	4.3	4	3.0	42	7.6
	Total	99	33.0	70	24.6	51	18.7	46	16.8	266	23.5

Age of starting to smoke in ex-smoker (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	19.7	2.4	44	22.0	6.7	58	22.8	8.5	57	23.9	9.8	73	22.4	7.8	232
Female	24.5	9.0	8	34.0	19.8	2	25.5	0.7	2	32.4	9.8	5	28.1	10.1	17
Total	20.4	4.4	52	22.4	7.4	60	22.9	8.4	59	24.5	9.9	78	22.8	8.1	249

Age of stopping to smoke in ex-smoker (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N									
Male	31.8	7.3	45	40.4	9.0	57	48.5	11.7	54	54.3	13.0	70	45.0	13.6	226
Female	33.5	10.0	8	37.5	20.5	2	43.5	20.5	2	51.2	9.3	5	40.4	13.4	17
Total	32.1	7.7	53	40.3	9.3	59	48.4	11.8	56	54.1	12.8	75	44.6	13.6	243

Previous amount of consumption in ex-smoker (pieces/day)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	15.5	8.4	44	23.8	13.8	58	23.6	13.8	56	19.2	12.6	70	20.7	12.9	228
Female	9.4	6.3	8	3.0	2.8	2	17.5	3.5	2	12.4	7.1	5	10.5	6.8	17
Total	14.5	8.3	52	23.1	14.1	60	23.4	13.6	58	18.8	12.4	75	20.0	12.8	245

Age of starting to smoke in current-smoker (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	20.2	3.9	79	21.0	6.2	57	21.6	7.0	45	24.4	11.8	41	21.5	7.2	222
Female	27.5	7.1	20	30.8	11.6	12	31.0	6.4	6	35.5	9.7	4	29.7	8.8	42
Total	21.6	5.5	99	22.7	8.2	69	22.7	7.5	51	25.4	12.0	45	22.8	8.1	264

Amount of consumption in current-smoker (pieces/day)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	23.0	11.8	79	23.8	8.5	58	20.0	7.9	45	17.5	10.2	42	21.6	10.2	224
Female	12.2	7.1	20	15.6	13.2	12	14.5	8.8	6	11.8	6.7	4	13.4	9.2	42
Total	20.8	11.8	99	22.4	9.8	70	19.3	8.1	51	17.0	10.0	46	20.3	10.5	266

## Reason of quit smoking

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not want to smoke as previously	Male	6	13.3	3	5.2	2	3.4	6	8.1	17	7.2
	Female	4	50.0	1	50.0	1	50.0	1	20.0	7	41.2
	Total	10	18.9	4	6.7	3	5.0	7	8.9	24	9.5
Disease	Male	6	13.3	17	29.3	21	36.2	33	44.6	77	32.8
	Female	0	0	0	0	1	50.0	2	40.0	3	17.6
	Total	6	11.3	17	28.3	22	36.7	35	44.3	80	31.7
For health	Male	28	62.2	38	65.5	32	55.2	41	55.4	139	59.1
	Female	3	37.5	1	50.0	1	50.0	2	40.0	7	41.2
	Total	31	58.5	39	65.0	33	55.0	43	54.4	146	57.9
For family	Male	15	33.3	21	36.2	13	22.4	13	17.6	62	26.4
	Female	0	0	1	50.0	0	0	1	20.0	2	11.8
	Total	15	28.3	22	36.7	13	21.7	14	17.7	64	25.4
Economical problem	Male	0	0	0	0	2	3.4	0	0	2	0.9
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	2	3.3	0	0	2	0.8
Others	Male	6	13.3	13	22.4	9	15.5	10	13.5	38	16.2
	Female	3	37.5	0	0	0	0	3	60.0	6	35.3
	Total	9	17.0	13	21.7	9	15.0	13	16.5	44	17.5
Total	Male	45	100.0	58	100.0	58	100.0	74	100.0	235	100.0
	Female	8	100.0	2	100.0	2	100.0	5	100.0	17	100.0
	Total	53	100.0	60	100.0	60	100.0	79	100.0	252	100.0

## Inhale of tobacco fumes

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Puff	Male	6	7.6	4	6.9	5	11.1	11	26.2	26	11.6
	Female	3	15.0	0	0	1	16.7	2	50.0	6	14.3
	Total	9	9.1	4	5.7	6	11.8	13	28.3	32	12.0
Inhale	Male	57	72.2	36	62.1	23	51.1	11	26.2	127	56.7
	Female	14	70.0	5	41.7	1	16.7	0	0	20	47.6
	Total	71	71.7	41	58.6	24	47.1	11	23.9	147	55.3
Both	Male	16	20.3	18	31.0	17	37.8	20	47.6	71	31.7
	Female	3	15.0	7	58.3	4	66.7	2	50.0	16	38.1
	Total	19	19.2	25	35.7	21	41.2	22	47.8	87	32.7

Smoking of cigarette with filter

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Always	Male	78	98.7	57	98.3	44	97.8	42	100.0	221	98.7
	Female	20	100.0	12	100.0	6	100.0	4	100.0	42	100.0
	Total	98	99.0	69	98.6	50	98.0	46	100.0	263	98.9
Rarely	Male	1	1.3	1	1.7	0	0	0	0	2	0.9
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	1.0	1	1.4	0	0	0	0	2	0.8
Not smoke	Male	0	0	0	0	1	2.2	0	0	1	0.4
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	2.0	0	0	1	0.4

Inhale of tobacco fumes smoked by others in your home

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.7	2	1.5	0	0	4	0.7
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	0.3	1	0.4	2	0.7	0	0	4	0.4
None	Male	135	87.1	123	82.6	91	67.9	102	73.9	451	78.3
	Female	73	50.3	72	53.3	73	52.5	86	63.7	304	54.9
	Total	208	69.3	195	68.7	164	60.1	188	68.9	755	66.8
Sometimes	Male	16	10.3	20	13.4	36	26.9	32	23.2	104	18.1
	Female	20	13.8	31	23.0	39	28.1	28	20.7	118	21.3
	Total	36	12.0	51	18.0	75	27.5	60	22.0	222	19.6
Almost every day	Male	3	1.9	5	3.4	5	3.7	4	2.9	17	3.0
	Female	52	35.9	32	23.7	27	19.4	21	15.6	132	23.8
	Total	55	18.3	37	13.0	32	11.7	25	9.2	149	13.2

The hours of inhaling of tobacco fumes smoked by others in your home (hour)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N									
Male	1.7	0.6	3	2.0	2.0	4	1.8	0.8	5	4.5	2.6	4	2.5	2.0	16
Female	2.7	1.6	44	2.5	1.5	24	4.9	6.7	21	3.9	4.6	19	3.3	3.8	108
Total	2.6	1.5	47	2.4	1.6	28	4.3	6.1	26	4.0	4.2	23	3.2	3.6	124

Inhaling of tobacco fumes smoked by others in your home in your childhood

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	2	1.5	1	0.7	4	0.7
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.4	2	0.7	1	0.4	4	0.4
None	Male	39	25.2	45	30.2	38	28.4	51	37.0	173	30.0
	Female	40	27.6	48	35.6	54	38.8	54	40.0	196	35.4
	Total	79	26.3	93	32.7	92	33.7	105	38.5	369	32.7
Sometimes	Male	56	36.1	49	32.9	65	48.5	61	44.2	231	40.1
	Female	49	33.8	38	28.1	52	37.4	54	40.0	193	34.8
	Total	105	35.0	87	30.6	117	42.9	115	42.1	424	37.5
Almost every day	Male	60	38.7	54	36.2	29	21.6	25	18.1	168	29.2
	Female	56	38.6	49	36.3	33	23.7	27	20.0	165	29.8
	Total	116	38.7	103	36.3	62	22.7	52	19.0	333	29.5

The hours of inhaling of tobacco fumes smoked by others in your home in your childhood (hour)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N									
Male	2.2	1.2	53	2.6	2.4	47	2.8	1.8	24	3.2	2.6	21	2.6	2.0	145
Female	2.7	2.0	46	1.9	1.1	36	4.7	4.7	25	3.2	2.8	21	3.0	2.9	128
Total	2.5	1.6	99	2.3	2.0	83	3.8	3.7	49	3.2	2.7	42	2.8	2.4	273

Inhaling tobacco fumes smoked by others outside of your home

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	2	1.5	0	0	3	0.5
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	0	0	1	0.4	3	1.1	0	0	4	0.4
None	Male	15	9.7	16	10.7	33	24.6	32	23.2	96	16.7
	Female	56	38.6	51	37.8	59	42.4	80	59.3	246	44.4
	Total	71	23.7	67	23.6	92	33.7	112	41.0	342	30.3
Sometimes	Male	62	40.0	67	45.0	80	59.7	94	68.1	303	52.6
	Female	58	40.0	67	49.6	70	50.4	51	37.8	246	44.4
	Total	120	40.0	134	47.2	150	54.9	145	53.1	549	48.6
Almost every day	Male	78	50.3	65	43.6	19	14.2	12	8.7	174	30.2
	Female	31	21.4	17	12.6	9	6.5	4	3.0	61	11.0
	Total	109	36.3	82	28.9	28	10.3	16	5.9	235	20.8

The hours of inhaling tobacco fumes smoked by others outside of your home (hour)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	3.5	3.2	72	3.8	3.1	57	2.4	2.1	17	3.8	3.5	8	3.5	3.1	154
Female	4.1	3.1	29	6.3	5.4	13	3.7	3.1	9	4.3	4.6	4	4.5	3.9	55
Total	3.7	3.1	101	4.2	3.7	70	2.8	2.5	26	3.9	3.7	12	3.8	3.3	209

3) Health status

Health status

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	1	0.7	1	0.7	2	0.3
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	0	0	0	0	1	0.4	2	0.7	3	0.3
Excellent	Male	4	2.6	3	2.0	7	5.2	4	2.9	18	3.1
	Female	6	4.1	8	5.9	2	1.4	2	1.5	18	3.2
	Total	10	3.3	11	3.9	9	3.3	6	2.2	36	3.2
Good	Male	51	32.9	44	29.5	24	17.9	22	15.9	141	24.5
	Female	40	27.6	25	18.5	20	14.4	17	12.6	102	18.4
	Total	91	30.3	69	24.3	44	16.1	39	14.3	243	21.5
Usual	Male	87	56.1	88	59.1	86	64.2	91	65.9	352	61.1
	Female	90	62.1	89	65.9	107	77.0	84	62.2	370	66.8
	Total	177	59.0	177	62.3	193	70.7	175	64.1	722	63.9
Bad	Male	13	8.4	14	9.4	16	11.9	16	11.6	59	10.2
	Female	9	6.2	12	8.9	9	6.5	28	20.7	58	10.5
	Total	22	7.3	26	9.2	25	9.2	44	16.1	117	10.4
Very bad	Male	0	0	0	0	0	0	4	2.9	4	0.7
	Female	0	0	1	0.7	1	0.7	3	2.2	5	0.9
	Total	0	0	1	0.4	1	0.4	7	2.6	9	0.8

Regular health examination

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	5	3.6	6	1.0
	Female	2	1.4	1	0.7	1	0.7	1	0.7	5	0.9
	Total	2	0.7	2	0.7	1	0.4	6	2.2	11	1.0
Once a year	Male	138	89.0	120	80.5	111	82.8	103	74.6	472	81.9
	Female	99	68.3	101	74.8	99	71.2	102	75.6	401	72.4
	Total	237	79.0	221	77.8	210	76.9	205	75.1	873	77.3
Once in 2 or 3 years	Male	9	5.8	17	11.4	15	11.2	14	10.1	55	9.5
	Female	29	20.0	19	14.1	22	15.8	17	12.6	87	15.7
	Total	38	12.7	36	12.7	37	13.6	31	11.4	142	12.6
Never checked	Male	8	5.2	11	7.4	8	6.0	16	11.6	43	7.5
	Female	15	10.3	14	10.4	17	12.2	15	11.1	61	11.0
	Total	23	7.7	25	8.8	25	9.2	31	11.4	104	9.2

Family physician

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	5	3.6	6	1.0
	Female	2	1.4	1	0.7	1	0.7	1	0.7	5	0.9
	Total	2	0.7	2	0.7	1	0.4	6	2.2	11	1.0
Exsist	Male	72	46.5	71	47.7	94	70.1	111	80.4	348	60.4
	Female	85	58.6	94	69.6	100	71.9	120	88.9	399	72.0
	Total	157	52.3	165	58.1	194	71.1	231	84.6	747	66.1
None	Male	79	51.0	73	49.0	38	28.4	18	13.0	208	36.1
	Female	55	37.9	38	28.1	36	25.9	14	10.4	143	25.8
	Total	134	44.7	111	39.1	74	27.1	32	11.7	351	31.1
Not determined	Male	4	2.6	4	2.7	2	1.5	4	2.9	14	2.4
	Female	3	2.1	2	1.5	2	1.4	0	0	7	1.3
	Total	7	2.3	6	2.1	4	1.5	4	1.5	21	1.9

Present illness or past history of stroke

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	4	2.9	5	0.9
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	0	0	4	1.5	7	0.6
None	Male	153	98.7	147	98.7	129	96.3	121	87.7	550	95.5
	Female	144	99.3	134	99.3	136	97.8	129	95.6	543	98.0
	Total	297	99.0	281	98.9	265	97.1	250	91.6	1093	96.7
On medication	Male	0	0	2	1.3	3	2.2	7	5.1	12	2.1
	Female	0	0	0	0	1	0.7	3	2.2	4	0.7
	Total	0	0	2	0.7	4	1.5	10	3.7	16	1.4
Previously medicated	Male	0	0	0	0	1	0.7	6	4.3	7	1.2
	Female	0	0	0	0	2	1.4	2	1.5	4	0.7
	Total	0	0	0	0	3	1.1	8	2.9	11	1.0
Not treated	Male	1	0.6	0	0	1	0.7	0	0	2	0.3
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	1	0.3	0	0	1	0.4	1	0.4	3	0.3

Present illness or past history of hypertension

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	1	0.7	0	0	2	0.3
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	1	0.4	0	0	4	0.4
None	Male	144	92.9	124	83.2	90	67.2	90	65.2	448	77.8
	Female	133	91.7	114	84.4	95	68.3	72	53.3	414	74.7
	Total	277	92.3	238	83.8	185	67.8	162	59.3	862	76.3
On medication	Male	7	4.5	14	9.4	30	22.4	39	28.3	90	15.6
	Female	7	4.8	12	8.9	29	20.9	54	40.0	102	18.4
	Total	14	4.7	26	9.2	59	21.6	93	34.1	192	17.0
Previously medicated	Male	2	1.3	7	4.7	10	7.5	7	5.1	26	4.5
	Female	2	1.4	7	5.2	12	8.6	8	5.9	29	5.2
	Total	4	1.3	14	4.9	22	8.1	15	5.5	55	4.9
Not treated	Male	1	0.6	4	2.7	3	2.2	2	1.4	10	1.7
	Female	2	1.4	1	0.7	3	2.2	1	0.7	7	1.3
	Total	3	1.0	5	1.8	6	2.2	3	1.1	17	1.5

Present illness or past history of heart disease

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	0	0	2	0.7	5	0.4
None	Male	146	94.2	136	91.3	118	88.1	112	81.2	512	88.9
	Female	138	95.2	127	94.1	129	92.8	99	73.3	493	89.0
	Total	284	94.7	263	92.6	247	90.5	211	77.3	1005	88.9
On medication	Male	1	0.6	6	4.0	6	4.5	17	12.3	30	5.2
	Female	2	1.4	1	0.7	6	4.3	22	16.3	31	5.6
	Total	3	1.0	7	2.5	12	4.4	39	14.3	61	5.4
Previously medicated	Male	2	1.3	4	2.7	6	4.5	6	4.3	18	3.1
	Female	4	2.8	4	3.0	3	2.2	10	7.4	21	3.8
	Total	6	2.0	8	2.8	9	3.3	16	5.9	39	3.5
Not treated	Male	5	3.2	3	2.0	4	3.0	1	0.7	13	2.3
	Female	0	0	2	1.5	1	0.7	4	3.0	7	1.3
	Total	5	1.7	5	1.8	5	1.8	5	1.8	20	1.8

Present illness or past history of hyperlipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	1	0.7	4	2.9	6	1.0
	Female	1	0.7	2	1.5	0	0	0	0	3	0.5
	Total	2	0.7	2	0.7	1	0.4	4	1.5	9	0.8
None	Male	139	89.7	126	84.6	116	86.6	118	85.5	499	86.6
	Female	132	91.0	115	85.2	115	82.7	100	74.1	462	83.4
	Total	271	90.3	241	84.9	231	84.6	218	79.9	961	85.0
On medication	Male	2	1.3	5	3.4	9	6.7	7	5.1	23	4.0
	Female	2	1.4	8	5.9	9	6.5	18	13.3	37	6.7
	Total	4	1.3	13	4.6	18	6.6	25	9.2	60	5.3
Previously medicated	Male	1	0.6	5	3.4	0	0	2	1.4	8	1.4
	Female	2	1.4	2	1.5	7	5.0	9	6.7	20	3.6
	Total	3	1.0	7	2.5	7	2.6	11	4.0	28	2.5
Not treated	Male	12	7.7	13	8.7	8	6.0	7	5.1	40	6.9
	Female	8	5.5	8	5.9	8	5.8	8	5.9	32	5.8
	Total	20	6.7	21	7.4	16	5.9	15	5.5	72	6.4

Present illness or past history of renal disease

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	1	0.7	2	0.3
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	0	0	1	0.4	4	0.4
None	Male	140	90.3	137	91.9	123	91.8	122	88.4	522	90.6
	Female	141	97.2	124	91.9	130	93.5	119	88.1	514	92.8
	Total	281	93.7	261	91.9	253	92.7	241	88.3	1036	91.7
On medication	Male	2	1.3	1	0.7	4	3.0	2	1.4	9	1.6
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	2	0.7	1	0.4	5	1.8	2	0.7	10	0.9
Previously medicated	Male	11	7.1	10	6.7	7	5.2	11	8.0	39	6.8
	Female	3	2.1	8	5.9	7	5.0	11	8.1	29	5.2
	Total	14	4.7	18	6.3	14	5.1	22	8.1	68	6.0
Not treated	Male	1	0.6	1	0.7	0	0	2	1.4	4	0.7
	Female	0	0	2	1.5	1	0.7	5	3.7	8	1.4
	Total	1	0.3	3	1.1	1	0.4	7	2.6	12	1.1

Present illness or past history of liver disease

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	2	1.4	1	0.7	0	0	1	0.7	4	0.7
	Total	3	1.0	1	0.4	0	0	3	1.1	7	0.6
None	Male	141	91.0	132	88.6	115	85.8	118	85.5	506	87.8
	Female	137	94.5	122	90.4	130	93.5	122	90.4	511	92.2
	Total	278	92.7	254	89.4	245	89.7	240	87.9	1017	90.0
On medication	Male	4	2.6	6	4.0	4	3.0	5	3.6	19	3.3
	Female	0	0	1	0.7	0	0	1	0.7	2	0.4
	Total	4	1.3	7	2.5	4	1.5	6	2.2	21	1.9
Previously medicated	Male	5	3.2	9	6.0	11	8.2	12	8.7	37	6.4
	Female	5	3.4	7	5.2	5	3.6	8	5.9	25	4.5
	Total	10	3.3	16	5.6	16	5.9	20	7.3	62	5.5
Not treated	Male	4	2.6	2	1.3	4	3.0	1	0.7	11	1.9
	Female	1	0.7	4	3.0	4	2.9	3	2.2	12	2.2
	Total	5	1.7	6	2.1	8	2.9	4	1.5	23	2.0

Present illness or past history of cholecystitis

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	1	0.7	2	1.4	4	0.7
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	1	0.4	2	0.7	6	0.5
None	Male	150	96.8	138	92.6	120	89.6	127	92.0	535	92.9
	Female	136	93.8	126	93.3	127	91.4	120	88.9	509	91.9
	Total	286	95.3	264	93.0	247	90.5	247	90.5	1044	92.4
On medication	Male	0	0	1	0.7	0	0	0	0	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.4	0	0	0	0	1	0.1
Previously medicated	Male	2	1.3	8	5.4	10	7.5	7	5.1	27	4.7
	Female	7	4.8	5	3.7	9	6.5	11	8.1	32	5.8
	Total	9	3.0	13	4.6	19	7.0	18	6.6	59	5.2
Not treated	Male	2	1.3	2	1.3	3	2.2	2	1.4	9	1.6
	Female	1	0.7	3	2.2	3	2.2	4	3.0	11	2.0
	Total	3	1.0	5	1.8	6	2.2	6	2.2	20	1.8

Present illness or past history of diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	1.3	1	0.7	0	0	1	0.7	4	0.7
	Female	1	0.7	2	1.5	0	0	0	0	3	0.5
	Total	3	1.0	3	1.1	0	0	1	0.4	7	0.6
None	Male	146	94.2	133	89.3	121	90.3	113	81.9	513	89.1
	Female	143	98.6	130	96.3	131	94.2	119	88.1	523	94.4
	Total	289	96.3	263	92.6	252	92.3	232	85.0	1036	91.7
On medication	Male	4	2.6	5	3.4	10	7.5	16	11.6	35	6.1
	Female	1	0.7	2	1.5	7	5.0	14	10.4	24	4.3
	Total	5	1.7	7	2.5	17	6.2	30	11.0	59	5.2
Previously medicated	Male	0	0	5	3.4	1	0.7	5	3.6	11	1.9
	Female	0	0	0	0	1	0.7	1	0.7	2	0.4
	Total	0	0	5	1.8	2	0.7	6	2.2	13	1.2
Not treated	Male	3	1.9	5	3.4	2	1.5	3	2.2	13	2.3
	Female	0	0	1	0.7	0	0	1	0.7	2	0.4
	Total	3	1.0	6	2.1	2	0.7	4	1.5	15	1.3

Present illness or past history of peptic ulcer

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	3	2.2	3	0.5
	Female	1	0.7	2	1.5	0	0	0	0	3	0.5
	Total	1	0.3	2	0.7	0	0	3	1.1	6	0.5
None	Male	123	79.4	110	73.8	103	76.9	83	60.1	419	72.7
	Female	132	91.0	121	89.6	124	89.2	106	78.5	483	87.2
	Total	255	85.0	231	81.3	227	83.2	189	69.2	902	79.8
On medication	Male	3	1.9	5	3.4	10	7.5	16	11.6	34	5.9
	Female	2	1.4	2	1.5	3	2.2	9	6.7	16	2.9
	Total	5	1.7	7	2.5	13	4.8	25	9.2	50	4.4
Previously medicated	Male	24	15.5	31	20.8	20	14.9	34	24.6	109	18.9
	Female	8	5.5	9	6.7	12	8.6	18	13.3	47	8.5
	Total	32	10.7	40	14.1	32	11.7	52	19.0	156	13.8
Not treated	Male	5	3.2	3	2.0	1	0.7	2	1.4	11	1.9
	Female	2	1.4	1	0.7	0	0	2	1.5	5	0.9
	Total	7	2.3	4	1.4	1	0.4	4	1.5	16	1.4

Present illness or past history of tuberculosis, plaurisy

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	3	2.2	4	0.7
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	0	0	3	1.1	6	0.5
None	Male	151	97.4	146	98.0	118	88.1	102	73.9	517	89.8
	Female	138	95.2	132	97.8	125	89.9	112	83.0	507	91.5
	Total	289	96.3	278	97.9	243	89.0	214	78.4	1024	90.6
On medication	Male	0	0	0	0	0	0	2	1.4	2	0.3
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	2	0.7	2	0.2
Previously medicated	Male	3	1.9	3	2.0	15	11.2	29	21.0	50	8.7
	Female	5	3.4	2	1.5	14	10.1	21	15.6	42	7.6
	Total	8	2.7	5	1.8	29	10.6	50	18.3	92	8.1
Not treated	Male	0	0	0	0	1	0.7	2	1.4	3	0.5
	Female	1	0.7	0	0	0	0	2	1.5	3	0.5
	Total	1	0.3	0	0	1	0.4	4	1.5	6	0.5

Present illness or past history of bronchial asthma

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	0	0	2	0.7	5	0.4
None	Male	150	96.8	145	97.3	132	98.5	130	94.2	557	96.7
	Female	139	95.9	128	94.8	135	97.1	129	95.6	531	95.8
	Total	289	96.3	273	96.1	267	97.8	259	94.9	1088	96.3
On medication	Male	2	1.3	2	1.3	1	0.7	5	3.6	10	1.7
	Female	1	0.7	3	2.2	1	0.7	1	0.7	6	1.1
	Total	3	1.0	5	1.8	2	0.7	6	2.2	16	1.4
Previously medicated	Male	2	1.3	2	1.3	1	0.7	0	0	5	0.9
	Female	4	2.8	3	2.2	3	2.2	4	3.0	14	2.5
	Total	6	2.0	5	1.8	4	1.5	4	1.5	19	1.7
Not treated	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	0	0	0	0	0	0	2	0.7	2	0.2

Present illness or past history of chronic bronchitis

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	1	0.4	0	0	2	0.7	5	0.4
None	Male	153	98.7	149	100.0	129	96.3	124	89.9	555	96.4
	Female	143	98.6	130	96.3	133	95.7	126	93.3	532	96.0
	Total	296	98.7	279	98.2	262	96.0	250	91.6	1087	96.2
On medication	Male	0	0	0	0	0	0	4	2.9	4	0.7
	Female	0	0	0	0	1	0.7	1	0.7	2	0.4
	Total	0	0	0	0	1	0.4	5	1.8	6	0.5
Previously medicated	Male	1	0.6	0	0	3	2.2	8	5.8	12	2.1
	Female	1	0.7	3	2.2	4	2.9	7	5.2	15	2.7
	Total	2	0.7	3	1.1	7	2.6	15	5.5	27	2.4
Not treated	Male	0	0	0	0	2	1.5	0	0	2	0.3
	Female	0	0	1	0.7	1	0.7	1	0.7	3	0.5
	Total	0	0	1	0.4	3	1.1	1	0.4	5	0.4

Present illness or past history of anemia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	2	1.4	1	0.7	1	0.7	0	0	4	0.7
	Total	3	1.0	1	0.4	1	0.4	2	0.7	7	0.6
None	Male	148	95.5	145	97.3	123	91.8	126	91.3	542	94.1
	Female	86	59.3	101	74.8	118	84.9	113	83.7	418	75.5
	Total	234	78.0	246	86.6	241	88.3	239	87.5	960	85.0
On medication	Male	0	0	0	0	1	0.7	1	0.7	2	0.3
	Female	7	4.8	1	0.7	0	0	8	5.9	16	2.9
	Total	7	2.3	1	0.4	1	0.4	9	3.3	18	1.6
Previously medicated	Male	2	1.3	1	0.7	4	3.0	3	2.2	10	1.7
	Female	39	26.9	25	18.5	15	10.8	8	5.9	87	15.7
	Total	41	13.7	26	9.2	19	7.0	11	4.0	97	8.6
Not treated	Male	4	2.6	3	2.0	6	4.5	6	4.3	19	3.3
	Female	11	7.6	7	5.2	5	3.6	6	4.4	29	5.2
	Total	15	5.0	10	3.5	11	4.0	12	4.4	48	4.2

Present illness or past history of osteoporosis

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.7	0	0	2	1.4	4	0.7
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	2	0.7	0	0	2	0.7	6	0.5
None	Male	154	99.4	148	99.3	134	100.0	127	92.0	563	97.7
	Female	142	97.9	126	93.3	122	87.8	100	74.1	490	88.4
	Total	296	98.7	274	96.5	256	93.8	227	83.2	1053	93.2
On medication	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	3	2.2	8	5.8	13	9.6	24	4.3
	Total	0	0	3	1.1	8	2.9	13	4.8	24	2.1
Previously medicated	Male	0	0	0	0	0	0	5	3.6	5	0.9
	Female	0	0	2	1.5	7	5.0	13	9.6	22	4.0
	Total	0	0	2	0.7	7	2.6	18	6.6	27	2.4
Not treated	Male	0	0	0	0	0	0	4	2.9	4	0.7
	Female	2	1.4	3	2.2	2	1.4	9	6.7	16	2.9
	Total	2	0.7	3	1.1	2	0.7	13	4.8	20	1.8

Present illness or past history of rheumatic arthritis

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	1.3	0	0	0	0	2	1.4	4	0.7
	Female	1	0.7	1	0.7	0	0	1	0.7	3	0.5
	Total	3	1.0	1	0.4	0	0	3	1.1	7	0.6
None	Male	151	97.4	145	97.3	126	94.0	118	85.5	540	93.8
	Female	128	88.3	123	91.1	122	87.8	108	80.0	481	86.8
	Total	279	93.0	268	94.4	248	90.8	226	82.8	1021	90.4
On medication	Male	0	0	1	0.7	2	1.5	4	2.9	7	1.2
	Female	2	1.4	1	0.7	6	4.3	12	8.9	21	3.8
	Total	2	0.7	2	0.7	8	2.9	16	5.9	28	2.5
Previously medicated	Male	2	1.3	2	1.3	6	4.5	12	8.7	22	3.8
	Female	10	6.9	10	7.4	9	6.5	12	8.9	41	7.4
	Total	12	4.0	12	4.2	15	5.5	24	8.8	63	5.6
Not treated	Male	0	0	1	0.7	0	0	2	1.4	3	0.5
	Female	4	2.8	0	0	2	1.4	2	1.5	8	1.4
	Total	4	1.3	1	0.4	2	0.7	4	1.5	11	1.0

Present illness or past history of gout and hyperuricacidemia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.7	0	0	4	2.9	6	1.0
	Female	3	2.1	2	1.5	1	0.7	1	0.7	7	1.3
	Total	4	1.3	3	1.1	1	0.4	5	1.8	13	1.2
None	Male	144	92.9	139	93.3	119	88.8	123	89.1	525	91.1
	Female	140	96.6	133	98.5	131	94.2	129	95.6	533	96.2
	Total	284	94.7	272	95.8	250	91.6	252	92.3	1058	93.6
On medication	Male	4	2.6	3	2.0	7	5.2	4	2.9	18	3.1
	Female	0	0	0	0	1	0.7	2	1.5	3	0.5
	Total	4	1.3	3	1.1	8	2.9	6	2.2	21	1.9
Previously medicated	Male	4	2.6	4	2.7	6	4.5	6	4.3	20	3.5
	Female	2	1.4	0	0	3	2.2	0	0	5	0.9
	Total	6	2.0	4	1.4	9	3.3	6	2.2	25	2.2
Not treated	Male	2	1.3	2	1.3	2	1.5	1	0.7	7	1.2
	Female	0	0	0	0	3	2.2	3	2.2	6	1.1
	Total	2	0.7	2	0.7	5	1.8	4	1.5	13	1.2

Present illness or past history of cancer

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.7	1	0.7	1	0.7	4	0.7
	Female	1	0.7	1	0.7	0	0	0	0	2	0.4
	Total	2	0.7	2	0.7	1	0.4	1	0.4	6	0.5
None	Male	154	99.4	147	98.7	129	96.3	129	93.5	559	97.0
	Female	143	98.6	128	94.8	134	96.4	123	91.1	528	95.3
	Total	297	99.0	275	96.8	263	96.3	252	92.3	1087	96.2
On medication	Male	0	0	0	0	2	1.5	5	3.6	7	1.2
	Female	0	0	0	0	2	1.4	2	1.5	4	0.7
	Total	0	0	0	0	4	1.5	7	2.6	11	1.0
Previously medicated	Male	0	0	1	0.7	2	1.5	3	2.2	6	1.0
	Female	1	0.7	6	4.4	3	2.2	10	7.4	20	3.6
	Total	1	0.3	7	2.5	5	1.8	13	4.8	26	2.3

Present illness or past history of fracture

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	2	1.4	1	0.7	0	0	0	0	3	0.5
	Total	3	1.0	1	0.4	0	0	2	0.7	6	0.5
None	Male	119	76.8	113	75.8	96	71.6	99	71.7	427	74.1
	Female	123	84.8	110	81.5	116	83.5	100	74.1	449	81.0
	Total	242	80.7	223	78.5	212	77.7	199	72.9	876	77.5
On medication	Male	1	0.6	0	0	0	0	0	0	1	0.2
	Female	0	0	0	0	0	0	2	1.5	2	0.4
	Total	1	0.3	0	0	0	0	2	0.7	3	0.3
Previously medicated	Male	34	21.9	36	24.2	38	28.4	36	26.1	144	25.0
	Female	20	13.8	24	17.8	23	16.5	31	23.0	98	17.7
	Total	54	18.0	60	21.1	61	22.3	67	24.5	242	21.4
Not treated	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	0	0	0	0	0	0	2	1.5	2	0.4
	Total	0	0	0	0	0	0	3	1.1	3	0.3