

Present illness or past history of benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	3	1.9	3	2.0	4	3.0	10	7.2	20	3.5
	Total	3	1.9	3	2.0	4	3.0	10	7.2	20	3.5
None	Male	152	98.1	142	95.3	119	88.8	111	80.4	524	91.0
	Total	152	98.1	142	95.3	119	88.8	111	80.4	524	91.0
On medication	Male	0	0	3	2.0	6	4.5	6	4.3	15	2.6
	Total	0	0	3	2.0	6	4.5	6	4.3	15	2.6
Previously medicated	Male	0	0	0	0	3	2.2	10	7.2	13	2.3
	Total	0	0	0	0	3	2.2	10	7.2	13	2.3
Not treated	Male	0	0	1	0.7	2	1.5	1	0.7	4	0.7
	Total	0	0	1	0.7	2	1.5	1	0.7	4	0.7

Present illness or past history of dementia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	3	1.9	3	2.0	4	3.0	10	7.2	20	3.5
	Female	9	6.2	7	5.2	6	4.3	3	2.2	25	4.5
	Total	12	4.0	10	3.5	10	3.7	13	4.8	45	4.0
None	Male	152	98.1	146	98.0	130	97.0	128	92.8	556	96.5
	Female	136	93.8	128	94.8	133	95.7	129	95.6	526	94.9
	Total	288	96.0	274	96.5	263	96.3	257	94.1	1082	95.8
On medication	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	0	0	0	0	0	0	1	0.4	1	0.1
Not treated	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	2	1.5	2	0.4
	Total	0	0	0	0	0	0	2	0.7	2	0.2

Present illness or past history of Parkinson disease

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	3	1.9	3	2.0	4	3.0	10	7.2	20	3.5
	Female	9	6.2	7	5.2	6	4.3	3	2.2	25	4.5
	Total	12	4.0	10	3.5	10	3.7	13	4.8	45	4.0
None	Male	152	98.1	146	98.0	129	96.3	128	92.8	555	96.4
	Female	136	93.8	128	94.8	133	95.7	130	96.3	527	95.1
	Total	288	96.0	274	96.5	262	96.0	258	94.5	1082	95.8
On medication	Male	0	0	0	0	1	0.7	0	0	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.4	0	0	1	0.1
Previously medicated	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	0	0	0	0	0	0	1	0.4	1	0.1
Not treated	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	0	0	0	0	0	0	1	0.4	1	0.1

Other present illness or past history

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	3.2	3	2.0	6	4.5	7	5.1	21	3.6
	Female	10	6.9	4	3.0	4	2.9	4	3.0	22	4.0
	Total	15	5.0	7	2.5	10	3.7	11	4.0	43	3.8
None	Male	111	71.6	102	68.5	87	64.9	92	66.7	392	68.1
	Female	96	66.2	92	68.1	88	63.3	89	65.9	365	65.9
	Total	207	69.0	194	68.3	175	64.1	181	66.3	757	67.0
On medication	Male	5	3.2	5	3.4	11	8.2	8	5.8	29	5.0
	Female	9	6.2	8	5.9	7	5.0	14	10.4	38	6.9
	Total	14	4.7	13	4.6	18	6.6	22	8.1	67	5.9
Previously medicated	Male	32	20.6	36	24.2	28	20.9	29	21.0	125	21.7
	Female	29	20.0	30	22.2	40	28.8	27	20.0	126	22.7
	Total	61	20.3	66	23.2	68	24.9	56	20.5	251	22.2
Not treated	Male	2	1.3	3	2.0	2	1.5	2	1.4	9	1.6
	Female	1	0.7	1	0.7	0	0	1	0.7	3	0.5
	Total	3	1.0	4	1.4	2	0.7	3	1.1	12	1.1

Hisory of gastrectomy

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	20	12.9	24	16.1	43	32.1	27	19.6	114	19.8
	Female	26	17.9	35	25.9	35	25.2	29	21.5	125	22.6
	Total	46	15.3	59	20.8	78	28.6	56	20.5	239	21.2
Exsist	Male	2	1.3	6	4.0	4	3.0	14	10.1	26	4.5
	Female	1	0.7	1	0.7	2	1.4	4	3.0	8	1.4
	Total	3	1.0	7	2.5	6	2.2	18	6.6	34	3.0
None	Male	133	85.8	119	79.9	87	64.9	97	70.3	436	75.7
	Female	118	81.4	99	73.3	102	73.4	102	75.6	421	76.0
	Total	251	83.7	218	76.8	189	69.2	199	72.9	857	75.8

History of head surgery

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	20	12.9	24	16.1	42	31.3	27	19.6	113	19.6
	Female	26	17.9	36	26.7	35	25.2	30	22.2	127	22.9
	Total	46	15.3	60	21.1	77	28.2	57	20.9	240	21.2
Exsist	Male	1	0.6	1	0.7	3	2.2	3	2.2	8	1.4
	Female	2	1.4	2	1.5	0	0	4	3.0	8	1.4
	Total	3	1.0	3	1.1	3	1.1	7	2.6	16	1.4
None	Male	134	86.5	124	83.2	89	66.4	108	78.3	455	79.0
	Female	117	80.7	97	71.9	104	74.8	101	74.8	419	75.6
	Total	251	83.7	221	77.8	193	70.7	209	76.6	874	77.3

History of cardiac surgery

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	20	12.9	24	16.1	44	32.8	27	19.6	115	20.0
	Female	26	17.9	35	25.9	35	25.2	30	22.2	126	22.7
	Total	46	15.3	59	20.8	79	28.9	57	20.9	241	21.3
Exsist	Male	3	1.9	1	0.7	1	0.7	3	2.2	8	1.4
	Female	2	1.4	1	0.7	0	0	0	0	3	0.5
	Total	5	1.7	2	0.7	1	0.4	3	1.1	11	1.0
None	Male	132	85.2	124	83.2	89	66.4	108	78.3	453	78.6
	Female	117	80.7	99	73.3	104	74.8	105	77.8	425	76.7
	Total	249	83.0	223	78.5	193	70.7	213	78.0	878	77.7

History of lung surgery

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	20	12.9	24	16.1	44	32.8	27	19.6	115	20.0
	Female	26	17.9	35	25.9	35	25.2	30	22.2	126	22.7
	Total	46	15.3	59	20.8	79	28.9	57	20.9	241	21.3
Exsist	Male	1	0.6	0	0	0	0	2	1.4	3	0.5
	Female	1	0.7	1	0.7	3	2.2	2	1.5	7	1.3
	Total	2	0.7	1	0.4	3	1.1	4	1.5	10	0.9
None	Male	134	86.5	125	83.9	90	67.2	109	79.0	458	79.5
	Female	118	81.4	99	73.3	101	72.7	103	76.3	421	76.0
	Total	252	84.0	224	78.9	191	70.0	212	77.7	879	77.8

History of thyroid surgery

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	20	12.9	25	16.8	44	32.8	27	19.6	116	20.1
	Female	27	18.6	36	26.7	36	25.9	30	22.2	129	23.3
	Total	47	15.7	61	21.5	80	29.3	57	20.9	245	21.7
Exsist	Male	1	0.6	0	0	0	0	0	0	1	0.2
	Female	1	0.7	3	2.2	3	2.2	1	0.7	8	1.4
	Total	2	0.7	3	1.1	3	1.1	1	0.4	9	0.8
None	Male	134	86.5	124	83.2	90	67.2	111	80.4	459	79.7
	Female	117	80.7	96	71.1	100	71.9	104	77.0	417	75.3
	Total	251	83.7	220	77.5	190	69.6	215	78.8	876	77.5

History of other surgery

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	19	12.3	22	14.8	46	34.3	26	18.8	113	19.6
	Female	28	19.3	35	25.9	36	25.9	28	20.7	127	22.9
	Total	47	15.7	57	20.1	82	30.0	54	19.8	240	21.2
Exsist	Male	51	32.9	73	49.0	45	33.6	74	53.6	243	42.2
	Female	56	38.6	52	38.5	53	38.1	64	47.4	225	40.6
	Total	107	35.7	125	44.0	98	35.9	138	50.5	468	41.4
None	Male	85	54.8	54	36.2	43	32.1	38	27.5	220	38.2
	Female	61	42.1	48	35.6	50	36.0	43	31.9	202	36.5
	Total	146	48.7	102	35.9	93	34.1	81	29.7	422	37.3

Hisory of hospital admission in last 2 years

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	6	4.3	7	1.2
	Female	3	2.1	1	0.7	3	2.2	3	2.2	10	1.8
	Total	3	1.0	2	0.7	3	1.1	9	3.3	17	1.5
Exsist	Male	12	7.7	20	13.4	21	15.7	29	21.0	82	14.2
	Female	9	6.2	13	9.6	20	14.4	24	17.8	66	11.9
	Total	21	7.0	33	11.6	41	15.0	53	19.4	148	13.1
None	Male	143	92.3	128	85.9	113	84.3	103	74.6	487	84.5
	Female	133	91.7	121	89.6	116	83.5	108	80.0	478	86.3
	Total	276	92.0	249	87.7	229	83.9	211	77.3	965	85.4

4) Family history

Family history of hypertension

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	5	3.6	6	1.0
	Female	3	2.1	1	0.7	2	1.4	2	1.5	8	1.4
	Total	3	1.0	2	0.7	2	0.7	7	2.6	14	1.2
Exsist	Male	58	37.4	58	38.9	58	43.3	31	22.5	205	35.6
	Female	67	46.2	65	48.1	56	40.3	62	45.9	250	45.1
	Total	125	41.7	123	43.3	114	41.8	93	34.1	455	40.3
None	Male	97	62.6	90	60.4	76	56.7	102	73.9	365	63.4
	Female	75	51.7	69	51.1	81	58.3	71	52.6	296	53.4
	Total	172	57.3	159	56.0	157	57.5	173	63.4	661	58.5

Family history of diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	6	4.3	7	1.2
	Female	3	2.1	2	1.5	1	0.7	2	1.5	8	1.4
	Total	3	1.0	3	1.1	1	0.4	8	2.9	15	1.3
Exsist	Male	36	23.2	23	15.4	24	17.9	17	12.3	100	17.4
	Female	32	22.1	28	20.7	28	20.1	20	14.8	108	19.5
	Total	68	22.7	51	18.0	52	19.0	37	13.6	208	18.4
None	Male	119	76.8	125	83.9	110	82.1	115	83.3	469	81.4
	Female	110	75.9	105	77.8	110	79.1	113	83.7	438	79.1
	Total	229	76.3	230	81.0	220	80.6	228	83.5	907	80.3

Family history of hyperlipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	4	2.7	1	0.7	6	4.3	11	1.9
	Female	2	1.4	1	0.7	3	2.2	1	0.7	7	1.3
	Total	2	0.7	5	1.8	4	1.5	7	2.6	18	1.6
Exsist	Male	6	3.9	10	6.7	9	6.7	3	2.2	28	4.9
	Female	9	6.2	13	9.6	11	7.9	7	5.2	40	7.2
	Total	15	5.0	23	8.1	20	7.3	10	3.7	68	6.0
None	Male	149	96.1	135	90.6	124	92.5	129	93.5	537	93.2
	Female	134	92.4	121	89.6	125	89.9	127	94.1	507	91.5
	Total	283	94.3	256	90.1	249	91.2	256	93.8	1044	92.4

Family history of angina pectoris or myocardial infarction

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	2	1.3	1	0.7	6	4.3	10	1.7
	Female	4	2.8	1	0.7	1	0.7	1	0.7	7	1.3
	Total	5	1.7	3	1.1	2	0.7	7	2.6	17	1.5
Exsist	Male	18	11.6	34	22.8	28	20.9	16	11.6	96	16.7
	Female	24	16.6	24	17.8	23	16.5	25	18.5	96	17.3
	Total	42	14.0	58	20.4	51	18.7	41	15.0	192	17.0
None	Male	136	87.7	113	75.8	105	78.4	116	84.1	470	81.6
	Female	117	80.7	110	81.5	115	82.7	109	80.7	451	81.4
	Total	253	84.3	223	78.5	220	80.6	225	82.4	921	81.5

Family history of stroke

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	1	0.7	5	3.6	7	1.2
	Female	2	1.4	1	0.7	1	0.7	1	0.7	5	0.9
	Total	2	0.7	2	0.7	2	0.7	6	2.2	12	1.1
Exsist	Male	41	26.5	49	32.9	46	34.3	37	26.8	173	30.0
	Female	52	35.9	50	37.0	49	35.3	53	39.3	204	36.8
	Total	93	31.0	99	34.9	95	34.8	90	33.0	377	33.4
None	Male	114	73.5	99	66.4	87	64.9	96	69.6	396	68.8
	Female	91	62.8	84	62.2	89	64.0	81	60.0	345	62.3
	Total	205	68.3	183	64.4	176	64.5	177	64.8	741	65.6

Family history of dementia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	6	4.3	7	1.2
	Female	2	1.4	1	0.7	1	0.7	1	0.7	5	0.9
	Total	2	0.7	2	0.7	1	0.4	7	2.6	12	1.1
Exsist	Male	12	7.7	25	16.8	20	14.9	10	7.2	67	11.6
	Female	24	16.6	15	11.1	11	7.9	16	11.9	66	11.9
	Total	36	12.0	40	14.1	31	11.4	26	9.5	133	11.8
None	Male	143	92.3	123	82.6	114	85.1	122	88.4	502	87.2
	Female	119	82.1	119	88.1	127	91.4	118	87.4	483	87.2
	Total	262	87.3	242	85.2	241	88.3	240	87.9	985	87.2

Family history of glaucoma

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	1	0.7	6	4.3	8	1.4
	Female	3	2.1	1	0.7	2	1.4	1	0.7	7	1.3
	Total	3	1.0	2	0.7	3	1.1	7	2.6	15	1.3
Exsist	Male	16	10.3	10	6.7	16	11.9	3	2.2	45	7.8
	Female	5	3.4	11	8.1	7	5.0	9	6.7	32	5.8
	Total	21	7.0	21	7.4	23	8.4	12	4.4	77	6.8
None	Male	139	89.7	138	92.6	117	87.3	129	93.5	523	90.8
	Female	137	94.5	123	91.1	130	93.5	125	92.6	515	93.0
	Total	276	92.0	261	91.9	247	90.5	254	93.0	1038	91.9

Family history of nyctalopia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	1	0.7	6	4.3	8	1.4
	Female	2	1.4	1	0.7	1	0.7	1	0.7	5	0.9
	Total	2	0.7	2	0.7	2	0.7	7	2.6	13	1.2
Exsist	Male	2	1.3	3	2.0	5	3.7	0	0	10	1.7
	Female	6	4.1	1	0.7	3	2.2	3	2.2	13	2.3
	Total	8	2.7	4	1.4	8	2.9	3	1.1	23	2.0
None	Male	153	98.7	145	97.3	128	95.5	132	95.7	558	96.9
	Female	137	94.5	133	98.5	135	97.1	131	97.0	536	96.8
	Total	290	96.7	278	97.9	263	96.3	263	96.3	1094	96.8

Family history of benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	2	1.3	4	3.0	10	7.2	17	3.0
	Female	6	4.1	5	3.7	6	4.3	3	2.2	20	3.6
	Total	7	2.3	7	2.5	10	3.7	13	4.8	37	3.3
Exsist	Male	9	5.8	9	6.0	11	8.2	8	5.8	37	6.4
	Female	8	5.5	8	5.9	6	4.3	7	5.2	29	5.2
	Total	17	5.7	17	6.0	17	6.2	15	5.5	66	5.8
None	Male	145	93.5	138	92.6	119	88.8	120	87.0	522	90.6
	Female	131	90.3	122	90.4	127	91.4	125	92.6	505	91.2
	Total	276	92.0	260	91.5	246	90.1	245	89.7	1027	90.9

Family history of Parkinson disease

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	4	2.7	4	3.0	9	6.5	18	3.1
	Female	6	4.1	5	3.7	5	3.6	5	3.7	21	3.8
	Total	7	2.3	9	3.2	9	3.3	14	5.1	39	3.5
Exsist	Male	4	2.6	4	2.7	3	2.2	2	1.4	13	2.3
	Female	7	4.8	1	0.7	3	2.2	3	2.2	14	2.5
	Total	11	3.7	5	1.8	6	2.2	5	1.8	27	2.4
None	Male	150	96.8	141	94.6	127	94.8	127	92.0	545	94.6
	Female	132	91.0	129	95.6	131	94.2	127	94.1	519	93.7
	Total	282	94.0	270	95.1	258	94.5	254	93.0	1064	94.2

5) Motor function

About everyday life

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Using handrail at stairs	Male	8	5.2	18	12.1	19	14.2	52	37.7	97	16.8
	Female	19	13.1	22	16.3	43	30.9	85	63.0	169	30.5
	Total	27	9.0	40	14.1	62	22.7	137	50.2	266	23.5
Using a stick on walking	Male	0	0	0	0	1	0.7	2	1.4	3	0.5
	Female	1	0.7	2	1.5	1	0.7	14	10.4	18	3.2
	Total	1	0.3	2	0.7	2	0.7	16	5.9	21	1.9
Bedroom on the second floor	Male	67	43.2	58	38.9	37	27.6	22	15.9	184	31.9
	Female	68	46.9	52	38.5	34	24.5	18	13.3	172	31.0
	Total	135	45.0	110	38.7	71	26.0	40	14.7	356	31.5
Using slippers in the house	Male	68	43.9	60	40.3	47	35.1	63	45.7	238	41.3
	Female	82	56.6	90	66.7	87	62.6	76	56.3	335	60.5
	Total	150	50.0	150	52.8	134	49.1	139	50.9	573	50.7
Hardly see at feet in a corridor	Male	5	3.2	9	6.0	12	9.0	6	4.3	32	5.6
	Female	6	4.1	6	4.4	0	0	8	5.9	20	3.6
	Total	11	3.7	15	5.3	12	4.4	14	5.1	52	4.6
Usage of sedative or sleeping drugs	Male	4	2.6	8	5.4	7	5.2	23	16.7	42	7.3
	Female	4	2.8	7	5.2	22	15.8	31	23.0	64	11.6
	Total	8	2.7	15	5.3	29	10.6	54	19.8	106	9.4
Experience of frequent dizzy feeling	Male	2	1.3	5	3.4	3	2.2	8	5.8	18	3.1
	Female	11	7.6	14	10.4	10	7.2	12	8.9	47	8.5
	Total	13	4.3	19	6.7	13	4.8	20	7.3	65	5.8
No suitable answer	Male	60	38.7	58	38.9	66	49.3	45	32.6	229	39.8
	Female	47	32.4	36	26.7	41	29.5	27	20.0	151	27.3
	Total	107	35.7	94	33.1	107	39.2	72	26.4	380	33.6
Total	Male	155	100.0	149	100.0	134	100.0	138	100.0	576	100.0
	Female	145	100.0	135	100.0	139	100.0	135	100.0	554	100.0
	Total	300	100.0	284	100.0	273	100.0	273	100.0	1130	100.0

Falls event in a year

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	0	0	5	3.6	6	1.0
	Female	2	1.4	1	0.7	1	0.7	1	0.7	5	0.9
	Total	2	0.7	2	0.7	1	0.4	6	2.2	11	1.0
Exsist	Male	12	7.7	16	10.7	14	10.4	26	18.8	68	11.8
	Female	23	15.9	25	18.5	22	15.8	29	21.5	99	17.9
	Total	35	11.7	41	14.4	36	13.2	55	20.1	167	14.8
None	Male	143	92.3	132	88.6	120	89.6	107	77.5	502	87.2
	Female	120	82.8	109	80.7	116	83.5	105	77.8	450	81.2
	Total	263	87.7	241	84.9	236	86.4	212	77.7	952	84.2

Fear of falls

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.6	1	0.7	3	2.2	7	5.1	12	2.1
	Female	5	3.4	6	4.4	4	2.9	1	0.7	16	2.9
	Total	6	2.0	7	2.5	7	2.6	8	2.9	28	2.5
Terribly fearful	Male	3	1.9	1	0.7	3	2.2	11	8.0	18	3.1
	Female	3	2.1	9	6.7	16	11.5	24	17.8	52	9.4
	Total	6	2.0	10	3.5	19	7.0	35	12.8	70	6.2
Slightly fearful	Male	27	17.4	31	20.8	38	28.4	59	42.8	155	26.9
	Female	53	36.6	60	44.4	75	54.0	76	56.3	264	47.7
	Total	80	26.7	91	32.0	113	41.4	135	49.5	419	37.1
Not fearful	Male	124	80.0	116	77.9	90	67.2	61	44.2	391	67.9
	Female	84	57.9	60	44.4	44	31.7	34	25.2	222	40.1
	Total	208	69.3	176	62.0	134	49.1	95	34.8	613	54.2

Limitation of daily activity due to fear of falls

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.7	1	0.7	5	3.6	7	1.2
	Female	4	2.8	3	2.2	2	1.4	1	0.7	10	1.8
	Total	4	1.3	4	1.4	3	1.1	6	2.2	17	1.5
Yes	Male	2	1.3	0	0	1	0.7	2	1.4	5	0.9
	Female	1	0.7	4	3.0	2	1.4	5	3.7	12	2.2
	Total	3	1.0	4	1.4	3	1.1	7	2.6	17	1.5
Sometimes	Male	2	1.3	0	0	3	2.2	16	11.6	21	3.6
	Female	5	3.4	3	2.2	13	9.4	21	15.6	42	7.6
	Total	7	2.3	3	1.1	16	5.9	37	13.6	63	5.6
No	Male	151	97.4	148	99.3	129	96.3	115	83.3	543	94.3
	Female	135	93.1	125	92.6	122	87.8	108	80.0	490	88.4
	Total	286	95.3	273	96.1	251	91.9	223	81.7	1033	91.4

The month at falls

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N									
Male	5.3	2.7	11	7.7	3.5	14	5.8	3.6	12	6.8	2.6	24	6.5	3.1	61
Female	5.4	3.9	21	6.2	3.9	24	4.6	3.6	23	5.8	3.7	25	5.5	3.8	93
Total	5.4	3.5	32	6.8	3.8	38	5.0	3.6	35	6.3	3.2	49	5.9	3.5	154

The hour at falls

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N									
Male	5.3	2.7	11	7.7	3.5	14	5.8	3.6	12	6.8	2.6	24	6.5	3.1	61
Female	5.4	3.9	21	6.2	3.9	24	4.6	3.6	23	5.8	3.7	25	5.5	3.8	93
Total	5.4	3.5	32	6.8	3.8	38	5.0	3.6	35	6.3	3.2	49	5.9	3.5	154

The place of falling

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	0	0	1	4.0	0	0	1	3.4	2	2.0
	Total	0	0	1	2.4	0	0	2	3.6	3	1.8
Entrance room	Male	0	0	1	6.3	2	14.3	1	3.8	4	5.9
	Female	1	4.3	2	8.0	1	4.5	2	6.9	6	6.1
	Total	1	2.9	3	7.3	3	8.3	3	5.5	10	6.0
Living room	Male	1	8.3	0	0	0	0	0	0	1	1.5
	Female	2	8.7	2	8.0	1	4.5	4	13.8	9	9.1
	Total	3	8.6	2	4.9	1	2.8	4	7.3	10	6.0
Toilet	Male	0	0	0	0	0	0	0	0	0	0
	Female	1	4.3	0	0	0	0	0	0	1	1.0
	Total	1	2.9	0	0	0	0	0	0	1	0.6
Bathroom	Male	1	8.3	0	0	0	0	0	0	1	1.5
	Female	1	4.3	1	4.0	0	0	2	6.9	4	4.0
	Total	2	5.7	1	2.4	0	0	2	3.6	5	3.0
Kitchen	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	4.5	0	0	1	1.0
	Total	0	0	0	0	1	2.8	0	0	1	0.6
Corridor	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	0	0	2	8.0	0	0	0	0	2	2.0
	Total	0	0	2	4.9	0	0	1	1.8	3	1.8
Stair	Male	0	0	1	6.3	0	0	1	3.8	2	2.9
	Female	2	8.7	2	8.0	0	0	2	6.9	6	6.1
	Total	2	5.7	3	7.3	0	0	3	5.5	8	4.8
Others(indoor)	Male	1	8.3	0	0	0	0	0	0	1	1.5
	Female	0	0	0	0	2	9.1	1	3.4	3	3.0
	Total	1	2.9	0	0	2	5.6	1	1.8	4	2.4
Garden	Male	0	0	1	6.3	0	0	4	15.4	5	7.4
	Female	1	4.3	1	4.0	4	18.2	5	17.2	11	11.1
	Total	1	2.9	2	4.9	4	11.1	9	16.4	16	9.6
Flat road	Male	0	0	0	0	0	0	2	7.7	2	2.9
	Female	2	8.7	3	12.0	2	9.1	0	0	7	7.1
	Total	2	5.7	3	7.3	2	5.6	2	3.6	9	5.4
Sloped road	Male	1	8.3	2	12.5	0	0	1	3.8	4	5.9

(CONTINUED)

The place of falling

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Sloped road	Female	2	8.7	4	16.0	1	4.5	0	0	7	7.1
	Total	3	8.6	6	14.6	1	2.8	1	1.8	11	6.6
Farm	Male	0	0	1	6.3	1	7.1	7	26.9	9	13.2
	Female	1	4.3	0	0	1	4.5	1	3.4	3	3.0
	Total	1	2.9	1	2.4	2	5.6	8	14.5	12	7.2
Outdoor stairs	Male	2	16.7	4	25.0	3	21.4	0	0	9	13.2
	Female	1	4.3	1	4.0	1	4.5	3	10.3	6	6.1
	Total	3	8.6	5	12.2	4	11.1	3	5.5	15	9.0
In vehicle	Male	0	0	1	6.3	3	21.4	1	3.8	5	7.4
	Female	1	4.3	1	4.0	0	0	2	6.9	4	4.0
	Total	1	2.9	2	4.9	3	8.3	3	5.5	9	5.4
Others(outdoor)	Male	5	41.7	5	31.3	3	21.4	5	19.2	18	26.5
	Female	4	17.4	2	8.0	4	18.2	3	10.3	13	13.1
	Total	9	25.7	7	17.1	7	19.4	8	14.5	31	18.6
More than 2 places	Male	1	8.3	0	0	2	14.3	2	7.7	5	7.4
	Female	4	17.4	3	12.0	4	18.2	3	10.3	14	14.1
	Total	5	14.3	3	7.3	6	16.7	5	9.1	19	11.4

Footgear at falls

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	1	7.1	1	3.8	2	2.9
	Female	0	0	1	4.0	0	0	1	3.4	2	2.0
	Total	0	0	1	2.4	1	2.8	2	3.6	4	2.4
Shoes	Male	8	66.7	11	68.8	10	71.4	17	65.4	46	67.6
	Female	11	47.8	13	52.0	10	45.5	12	41.4	46	46.5
	Total	19	54.3	24	58.5	20	55.6	29	52.7	92	55.1
Wooden clogs	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	1.8	1	0.6
Sandals	Male	0	0	2	12.5	1	7.1	5	19.2	8	11.8
	Female	4	17.4	2	8.0	5	22.7	7	24.1	18	18.2
	Total	4	11.4	4	9.8	6	16.7	12	21.8	26	15.6
Slippers	Male	1	8.3	0	0	1	7.1	0	0	2	2.9
	Female	1	4.3	1	4.0	4	18.2	2	6.9	8	8.1
	Total	2	5.7	1	2.4	5	13.9	2	3.6	10	6.0
Socks	Male	0	0	1	6.3	0	0	0	0	1	1.5
	Female	3	13.0	3	12.0	0	0	2	6.9	8	8.1
	Total	3	8.6	4	9.8	0	0	2	3.6	9	5.4
Bare foot	Male	1	8.3	0	0	0	0	0	0	1	1.5
	Female	2	8.7	3	12.0	2	9.1	4	13.8	11	11.1
	Total	3	8.6	3	7.3	2	5.6	4	7.3	12	7.2
Others	Male	2	16.7	2	12.5	0	0	1	3.8	5	7.4
	Female	2	8.7	0	0	1	4.5	0	0	3	3.0
	Total	4	11.4	2	4.9	1	2.8	1	1.8	8	4.8
More than two replies	Male	0	0	0	0	1	7.1	1	3.8	2	2.9
	Female	0	0	2	8.0	0	0	1	3.4	3	3.0
	Total	0	0	2	4.9	1	2.8	2	3.6	5	3.0

Behavior at falls

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	1	7.1	1	3.8	2	2.9
	Female	0	0	1	4.0	0	0	1	3.4	2	2.0
	Total	0	0	1	2.4	1	2.8	2	3.6	4	2.4
On walking	Male	5	41.7	2	12.5	4	28.6	11	42.3	22	32.4
	Female	7	30.4	12	48.0	14	63.6	8	27.6	41	41.4
	Total	12	34.3	14	34.1	18	50.0	19	34.5	63	37.7
On running	Male	1	8.3	0	0	0	0	1	3.8	2	2.9
	Female	3	13.0	3	12.0	2	9.1	0	0	8	8.1
	Total	4	11.4	3	7.3	2	5.6	1	1.8	10	6.0
On stepping up stairs	Male	1	8.3	3	18.8	1	7.1	1	3.8	6	8.8
	Female	2	8.7	1	4.0	0	0	1	3.4	4	4.0
	Total	3	8.6	4	9.8	1	2.8	2	3.6	10	6.0
On stepping down stairs	Male	1	8.3	3	18.8	2	14.3	0	0	6	8.8
	Female	3	13.0	2	8.0	1	4.5	5	17.2	11	11.1
	Total	4	11.4	5	12.2	3	8.3	5	9.1	17	10.2
On standing	Male	0	0	0	0	1	7.1	0	0	1	1.5
	Female	1	4.3	0	0	0	0	0	0	1	1.0
	Total	1	2.9	0	0	1	2.8	0	0	2	1.2
On the way standing up	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	1	4.3	2	8.0	0	0	3	10.3	6	6.1
	Total	1	2.9	2	4.9	0	0	4	7.3	7	4.2
On the way sitting down	Male	0	0	0	0	0	0	0	0	0	0
	Female	1	4.3	0	0	0	0	0	0	1	1.0
	Total	1	2.9	0	0	0	0	0	0	1	0.6
Others	Male	4	33.3	8	50.0	5	35.7	10	38.5	27	39.7
	Female	5	21.7	3	12.0	5	22.7	11	37.9	24	24.2
	Total	9	25.7	11	26.8	10	27.8	21	38.2	51	30.5
More than two replies	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	0	0	1	4.0	0	0	0	0	1	1.0
	Total	0	0	1	2.4	0	0	1	1.8	2	1.2

Cause of falls

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	0	0	1	4.0	0	0	2	6.9	3	3.0
	Total	0	0	1	2.4	0	0	3	5.5	4	2.4
Stumbled	Male	3	25.0	8	50.0	3	21.4	9	34.6	23	33.8
	Female	9	39.1	8	32.0	8	36.4	5	17.2	30	30.3
	Total	12	34.3	16	39.0	11	30.6	14	25.5	53	31.7
Slipped	Male	6	50.0	5	31.3	3	21.4	3	11.5	17	25.0
	Female	5	21.7	9	36.0	4	18.2	8	27.6	26	26.3
	Total	11	31.4	14	34.1	7	19.4	11	20.0	43	25.7
Faintness	Male	0	0	0	0	1	7.1	1	3.8	2	2.9
	Female	0	0	0	0	1	4.5	1	3.4	2	2.0
	Total	0	0	0	0	2	5.6	2	3.6	4	2.4
Dizzy feeling	Male	0	0	1	6.3	0	0	2	7.7	3	4.4
	Female	0	0	0	0	1	4.5	1	3.4	2	2.0
	Total	0	0	1	2.4	1	2.8	3	5.5	5	3.0
Striked against other person or something	Male	0	0	0	0	0	0	2	7.7	2	2.9
	Female	0	0	1	4.0	0	0	0	0	1	1.0
	Total	0	0	1	2.4	0	0	2	3.6	3	1.8
Difference in level	Male	0	0	0	0	2	14.3	4	15.4	6	8.8
	Female	1	4.3	2	8.0	4	18.2	5	17.2	12	12.1
	Total	1	2.9	2	4.9	6	16.7	9	16.4	18	10.8
Misstep	Male	1	8.3	1	6.3	1	7.1	2	7.7	5	7.4
	Female	2	8.7	0	0	2	9.1	1	3.4	5	5.1
	Total	3	8.6	1	2.4	3	8.3	3	5.5	10	6.0
Others	Male	2	16.7	1	6.3	2	14.3	2	7.7	7	10.3
	Female	6	26.1	2	8.0	2	9.1	4	13.8	14	14.1
	Total	8	22.9	3	7.3	4	11.1	6	10.9	21	12.6
More than two reply	Male	0	0	0	0	2	14.3	0	0	2	2.9
	Female	0	0	2	8.0	0	0	2	6.9	4	4.0
	Total	0	0	2	4.9	2	5.6	2	3.6	6	3.6

Injury at falls

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
no injuries	Male	5	41.7	11	68.8	5	35.7	12	46.2	33	48.5
	Female	9	39.1	10	40.0	9	40.9	9	31.0	37	37.4
	Total	14	40.0	21	51.2	14	38.9	21	38.2	70	41.9
blow	Male	5	41.7	5	31.3	8	57.1	6	23.1	24	35.3
	Female	10	43.5	12	48.0	8	36.4	12	41.4	42	42.4
	Total	15	42.9	17	41.5	16	44.4	18	32.7	66	39.5
hip fracture	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
lumbar fracture	Male	0	0	0	0	0	0	1	3.8	1	1.5
	Female	0	0	0	0	1	4.5	0	0	1	1.0
	Total	0	0	0	0	1	2.8	1	1.8	2	1.2
fracture of upper limbs	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	4.0	1	4.5	3	10.3	5	5.1
	Total	0	0	1	2.4	1	2.8	3	5.5	5	3.0
others	Male	2	16.7	1	6.3	1	7.1	6	23.1	10	14.7
	Female	6	26.1	3	12.0	3	13.6	4	13.8	16	16.2
	Total	8	22.9	4	9.8	4	11.1	10	18.2	26	15.6