

III. Drug Use for Medication

All drugs were coded by drug effect according to Japan Classification of Standard Commodity

1. Drugs on nervous system and sensory organ

11. Agent acting on central nervous system

111.General anesthetic

112.Hypogenic sedative agent, antianxiety agent

113.Antiepileptic agent

114.Antipyretic analgesic agent

115.Stimulant drug, antihypnotic drug

116.Antiparkinson drugs

117.Antipsychotic drug

118.Drug for common cold

119.Other agent acting on central nervous system

12.Agent acting on peripheral nervous system

121.Local anesthetic

122.Muscle relaxant

123.Agent for autonomic nervous system

124.Antispasmodic agent

125.Diaphoretic, antiperspirants

126.Other agent for peripheral nervous system

13. Agent acting on sensory organ

131.Ophthalmic solution (others)

13111.Ophthalmic solution (for cataract)

13121.Ophthalmic solution (pilocarpine)

13122.Ophthalmic solution (β blocker)

13123.Ophthalmic solution (epinephrine)

13124.Ophthalmic solution (other solutions for glaucoma)

13131.Ophthalmic solution (steroid)

13100.Ophthalmic solution (unknown)

132.Agent for ENT use

133.Anti-vertiginous drug

134.Other agent acting on sensory organ

2. Drugs on individual organs

21. Agent acting on cardiovascular system

21101. Digitalis agent

21102. Xanthine agent

21103. Other inotropic agent

21201. β blocker

21202. Agents for membrane-stabilizing activity

21203. Other antiarrhythmic agent

21301. Thiazide diuretics

21302. Loop diuretics

21303. Potassium sparing diuretics

21304. Carbonate dehydratase inhibitor

21305. Other diuretics

21401. ACE inhibitor

21402. Ca antagonist

21403. Other antihypertensive agent

215. Vascular reinforcing agent

216. Vasoconstrictor

217. Vasodilator

218. Antihyperlipidemic agent

219. Other agent acting on cardiovascular system

22. Agent acting on respiratory system

221. Respiratory stimulator

222. Antitussive agent

223. Expectorant

224. Antitussive agent and expectorant

225. Bronchodilator

226. Gargle

229. Other agent acting on respiratory system

23. Agent acting on alimentary system

231. Antidiarrheal drug

232. Antiulcerative agent

233. Stomachic

234. Antacid

235.Laxative

236.Cholagogue

237.Combined digestive drug

239.Other agent acting on alimentary system

24.Hormone drug

241.Pituitary hormone drug

242.Hormone drug of salivary gland

243.Thyroid hormone or parathyroid hormone drug

244.Anabolic steroid drug

245.Adrenocortical hormone drug

246.Androgen drug

247.Estrogen or progesterone drug

248.Mixed hormone drug

249.Other hormone drug

25. Agent acting on urogenital system or anus

251.Agent acting on urinary system

252.Agent acting on genital system

253.Uterine constrictor

254.Contraceptive

255.Drugs for hemorrhoid

259.Other agent acting on urogenital system or anus

26. Surface-acting agent

261.Integumentary microbicide

262.Protective agent for wound

263.Pyostatic

264.Analgesic, antipruritic, astringent, antiphlogistic (medicine for external application)

265.Integumentary parasiticide

266.Emollient

267.Hair tonic

268.Bath liquid

269.Other surface-acting agent

27.Agent for dental use

- 271.Dental local anesthetic
- 272.Agent for devitalization of the pulp
- 273.Analgesic or sedative for dental use
- 274.Agent for mummification of the pulp
- 275.Agent for pulp capping
- 276.Antibiotics for dental use
- 279.Other agent for dental use

3.Drugs on metabolism

31.Vitamins

- 311.Vitamin A or D preparation
- 312.Vitamin B1 preparation
- 313.Vitamin B complex preparation (exclude B1)'
- 314.Vitamin C preparation
- 315.Vitamin E preparation
- 316.Vitamin K preparation
- 317.Mixed vitamin preparation
- 319.Other vitamin preparation

32. Nourishment

- 321.Calcium preparation
- 322.Mineral preparation
- 323.Saccharide preparation
- 324.Organic acid preparation
- 325.Protein or amino acid preparation
- 326.Hormone drugs made from some internal organ
- 327.Drugs for infant
- 329.Other tonic

33. Blood substitute

- 331.Blood substitute
- 332.Styptic
- 333.Anticoagulant
- 339.Other blood substitute

34.Agent for dialysis

341.Agent for hemodialysis

342.Agent for peritoneal dialysis

349.Other agent for dialysis

39. Other agent acting on metabolic system

391.Agent for liver disease

392.Antidote

393.Agent for habitual intoxication

394.Drugs for gout

395.Enzyme preparation

396.Antidiabetics

397.Other agent acting on metabolic system

399.Unclassified agent acting on metabolic system

4. Cell activation agent

41. Cell activation agent

411.Chlorophyll agent

412.Pigment agent

419.Other cell activation agent

42. Antitumor agent

421.Alkylating agent

422.Antimetabolite

423.Antibiotics for antitumor agent

424.Plant component for antitumor agent

429.Other antitumor agent

43.Radioisotope

44. Antiallergic drug

441.Antihistaminic drug

442.Agent for stimulus therapy

443.Agent for nonspecific immunogenicity

449.Other antiallergic drug

5. Drugs prescribed by a crude drug or a herb medicine

- 51. Crude drug
- 52. Herb medicine
- 59. Other drugs prescribed by a crude drug or a herb medicine

6. Drugs for pathogenic organism

61. Antibiotics

- 611. Antibiotics against gram-positive bacteria
- 612. Antibiotics against gram-negative bacteria
- 613. Antibiotics against gram-positive and negative bacteria
- 614. Antibiotics against gram-positive bacteria and mycoplasma
- 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamidia
- 616. Antibiotics against acid-fast bacterium
- 617. Antibiotics against fungus
- 619. Other antibiotics

62. Agent for chemotherapy

- 621. Sulfa drug
- 622. Antituberculous agent
- 623. Drugs for leprosy
- 624. Synthetic antibiotics
- 625. Antiviral agent
- 626. Other agent for chemotherapy

63. Biological agent

- 631. Vaccine
- 632. Poison or toxoid
- 633. Antitoxic serum or leptospira serum
- 634. Blood supplements
- 635. Reagent for biological test
- 636. Mixed biological agent
- 639. Other biological agent

64. Drug against parasitic disease

- 641. Protozoicide
- 642. Parasiticide
- 649. Other drug against parasitic disease

69. Other drugs for pathogenic organism

7. Drugs used not for treatment

71. Dispensing drug

711. Diluent

712. Ointment base

713. Solution

714. Corrective, tincture

715. Emulsifier

719. Other dispensing drug

72. Drugs used for diagnosis

721. X-ray contrast medium

722. Reagent for functional examination

729. Other drugs for diagnosis

73. Drugs used for public health

731. Antiseptic

732. Pesticide for prevention of epidemics

733. Insect repellent

734. Insecticide

735. Rodenticide

736. Other drug used for public health

74. Reagent for extracorporeal diagnosis

741. Reagent for general examination

742. Reagent for blood analysis

743. Reagent for chemical analysis

744. Reagent for immunologic or serologic test

745. Reagent for microbiological examination

746. Reagent for histopathological examination

747. Radiopharmaceutical for extracorporeal diagnosis

749. Other reagent for extracorporeal diagnosis

79.

791. Adhesive bandage

799.Other drug not for treatment

8.Opiate

81.Alkaloid agent

811.Opiate alkaloid agent

812.Coca alkaloid agent

819.Other alkaloid agent

82.Non-alkaloid agent

821.Synthetic narcotic

9.Unclassifiable drug

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Hypogenic sedative agent	Male	2	1.3	7	4.7	5	3.7	14	10.1	28	4.9
	Female	4	2.8	6	4.5	13	9.4	28	20.7	51	9.2
	Total	6	2.0	13	4.6	18	6.6	42	15.4	79	7.0
Antiepileptic agent	Male	0	0	0	0	2	1.5	0	0	2	0.3
	Female	2	1.4	0	0	0	0	1	0.7	3	0.5
	Total	2	0.7	0	0	2	0.7	1	0.4	5	0.4
Antipyretic analgesic agent	Male	6	3.9	10	6.7	10	7.5	17	12.3	43	7.5
	Female	19	13.1	14	10.5	15	10.8	25	18.5	73	13.2
	Total	25	8.4	24	8.5	25	9.2	42	15.4	116	10.3
Stimulant drug, antihypnotic drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antiparkinson drugs	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.4	1	0.1
Antipsychotic drug	Male	3	1.9	5	3.4	5	3.7	8	5.8	21	3.7
	Female	0	0	2	1.5	3	2.2	8	5.9	13	2.4
	Total	3	1.0	7	2.5	8	2.9	16	5.9	34	3.0
Drug for common cold	Male	9	5.8	6	4.0	3	2.2	4	2.9	22	3.8
	Female	4	2.8	12	9.0	8	5.8	8	5.9	32	5.8
	Total	13	4.3	18	6.4	11	4.0	12	4.4	54	4.8
Other agent acting on CNS	Male	0	0	0	0	3	2.2	4	2.9	7	1.2

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other agent acting on CNS	Female	0	0	0	0	1	0.7	2	1.5	3	0.5
	Total	0	0	0	0	4	1.5	6	2.2	10	0.9
Local anesthetic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Muscle relaxant	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	0	0	0	0	1	0.7	1	0.7	2	0.4
	Total	0	0	0	0	1	0.4	2	0.7	3	0.3
Agent for autonomic nervous system	Male	0	0	1	0.7	0	0	1	0.7	2	0.3
	Female	1	0.7	1	0.8	0	0	3	2.2	5	0.9
	Total	1	0.3	2	0.7	0	0	4	1.5	7	0.6
Antispasmodic agent	Male	1	0.6	4	2.7	3	2.2	4	2.9	12	2.1
	Female	1	0.7	2	1.5	0	0	2	1.5	5	0.9
	Total	2	0.7	6	2.1	3	1.1	6	2.2	17	1.5
Diaphoretic, antiperspirants	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other agent for PNS	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Ophthalmic solution (others)	Male	7	4.5	18	12.1	8	6.0	19	13.8	52	9.0
	Female	12	8.3	16	12.0	12	8.6	32	23.7	72	13.0
	Total	19	6.4	34	12.1	20	7.3	51	18.7	124	11.0
Ophthalmic solution (for cataract)	Male	0	0	2	1.3	4	3.0	11	8.0	17	3.0
	Female	1	0.7	1	0.8	9	6.5	21	15.6	32	5.8

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Ophthalmic solution (for cataract)	Total	1	0.3	3	1.1	13	4.8	32	11.7	49	4.3
Ophthalmic solution (pilocarpine)	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.4	1	0.1
Ophthalmic solution (beta blocker)	Male	0	0	1	0.7	2	1.5	3	2.2	6	1.0
	Female	1	0.7	2	1.5	2	1.4	2	1.5	7	1.3
	Total	1	0.3	3	1.1	4	1.5	5	1.8	13	1.2
Ophthalmic solution (epinephrine)	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.7	1	0.2
	Total	0	0	0	0	0	0	1	0.4	1	0.1
Ophthalmic solution (for glaucoma)	Male	0	0	1	0.7	0	0	1	0.7	2	0.3
	Female	0	0	1	0.8	0	0	0	0	1	0.2
	Total	0	0	2	0.7	0	0	1	0.4	3	0.3
Ophthalmic solution (steroid)	Male	0	0	1	0.7	0	0	6	4.3	7	1.2
	Female	1	0.7	2	1.5	5	3.6	13	9.6	21	3.8
	Total	1	0.3	3	1.1	5	1.8	19	7.0	28	2.5
Ophthalmic solution (unknown)	Male	3	1.9	0	0	2	1.5	3	2.2	8	1.4
	Female	4	2.8	0	0	0	0	2	1.5	6	1.1
	Total	7	2.3	0	0	2	0.7	5	1.8	14	1.2
Agent for ENT use	Male	1	0.6	3	2.0	1	0.7	1	0.7	6	1.0
	Female	2	1.4	1	0.8	0	0	1	0.7	4	0.7
	Total	3	1.0	4	1.4	1	0.4	2	0.7	10	0.9
Anti-vertiginous drug	Male	1	0.6	0	0	0	0	1	0.7	2	0.3
	Female	2	1.4	1	0.8	1	0.7	1	0.7	5	0.9
	Total	3	1.0	1	0.4	1	0.4	2	0.7	7	0.6

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other agent acting on sensory organ	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Digitalis agent	Male	0	0	0	0	0	0	5	3.6	5	0.9
	Female	1	0.7	0	0	0	0	4	3.0	5	0.9
	Total	1	0.3	0	0	0	0	9	3.3	10	0.9
Xanthine agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other inotropic agent	Male	0	0	0	0	2	1.5	2	1.4	4	0.7
	Female	0	0	0	0	0	0	3	2.2	3	0.5
	Total	0	0	0	0	2	0.7	5	1.8	7	0.6
Beta blocker	Male	1	0.6	4	2.7	5	3.7	5	3.6	15	2.6
	Female	1	0.7	2	1.5	2	1.4	4	3.0	9	1.6
	Total	2	0.7	6	2.1	7	2.6	9	3.3	24	2.1
Agents for membrane-stabilizing activity	Male	0	0	1	0.7	0	0	3	2.2	4	0.7
	Female	0	0	0	0	1	0.7	3	2.2	4	0.7
	Total	0	0	1	0.4	1	0.4	6	2.2	8	0.7
Other antiarrhythmic agent	Male	0	0	1	0.7	0	0	2	1.4	3	0.5
	Female	0	0	1	0.8	1	0.7	4	3.0	6	1.1
	Total	0	0	2	0.7	1	0.4	6	2.2	9	0.8
Thyazide diuretics	Male	0	0	1	0.7	0	0	2	1.4	3	0.5
	Female	1	0.7	1	0.8	0	0	2	1.5	4	0.7
	Total	1	0.3	2	0.7	0	0	4	1.5	7	0.6
Loop diuretics	Male	0	0	0	0	1	0.7	3	2.2	4	0.7

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Loop diuretics	Female	1	0.7	0	0	1	0.7	2	1.5	4	0.7
	Total	1	0.3	0	0	2	0.7	5	1.8	8	0.7
Potassium sparing diuretics	Male	0	0	0	0	2	1.5	2	1.4	4	0.7
	Female	0	0	0	0	2	1.4	0	0	2	0.4
	Total	0	0	0	0	4	1.5	2	0.7	6	0.5
Carbonate dehydratase inhibitor	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other diuretics	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.4	1	0.1
ACE inhibitor	Male	4	2.6	1	0.7	7	5.2	10	7.2	22	3.8
	Female	1	0.7	3	2.3	8	5.8	7	5.2	19	3.4
	Total	5	1.7	4	1.4	15	5.5	17	6.2	41	3.6
Ca antagonist	Male	7	4.5	8	5.4	22	16.4	35	25.4	72	12.5
	Female	4	2.8	3	2.3	22	15.8	39	28.9	68	12.3
	Total	11	3.7	11	3.9	44	16.1	74	27.1	140	12.4
Other antihypertensive agent	Male	1	0.6	2	1.3	5	3.7	12	8.7	20	3.5
	Female	0	0	6	4.5	2	1.4	7	5.2	15	2.7
	Total	1	0.3	8	2.8	7	2.6	19	7.0	35	3.1
Vascular reinforcing agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Vasoconstrictor	Male	0	0	1	0.7	0	0	0	0	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Vasoconstrictor	Total	0	0	1	0.4	0	0	0	0	1	0.1
Vasodilator	Male	2	1.3	3	2.0	7	5.2	15	10.9	27	4.7
	Female	1	0.7	1	0.8	2	1.4	19	14.1	23	4.2
	Total	3	1.0	4	1.4	9	3.3	34	12.5	50	4.4
Antihyperlipidemic agent	Male	4	2.6	4	2.7	10	7.5	14	10.1	32	5.6
	Female	2	1.4	9	6.8	13	9.4	22	16.3	46	8.3
	Total	6	2.0	13	4.6	23	8.4	36	13.2	78	6.9
Other agent on cardiovascular system	Male	0	0	3	2.0	4	3.0	7	5.1	14	2.4
	Female	0	0	2	1.5	5	3.6	12	8.9	19	3.4
	Total	0	0	5	1.8	9	3.3	19	7.0	33	2.9
Respiratory stimulator	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antitussive agent	Male	1	0.6	0	0	0	0	1	0.7	2	0.3
	Female	1	0.7	3	2.3	2	1.4	1	0.7	7	1.3
	Total	2	0.7	3	1.1	2	0.7	2	0.7	9	0.8
Expectorant	Male	2	1.3	1	0.7	2	1.5	2	1.4	7	1.2
	Female	1	0.7	2	1.5	0	0	2	1.5	5	0.9
	Total	3	1.0	3	1.1	2	0.7	4	1.5	12	1.1
Antitussive agent and expectorant	Male	0	0	0	0	0	0	1	0.7	1	0.2
	Female	3	2.1	0	0	0	0	1	0.7	4	0.7
	Total	3	1.0	0	0	0	0	2	0.7	5	0.4
Bronchodilator	Male	5	3.2	2	1.3	1	0.7	4	2.9	12	2.1
	Female	2	1.4	2	1.5	0	0	1	0.7	5	0.9
	Total	7	2.3	4	1.4	1	0.4	5	1.8	17	1.5

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Gargle	Male	1	0.6	0	0	0	0	1	0.7	2	0.3
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	1	0.3	0	0	1	0.4	1	0.4	3	0.3
Other agent acting on respiratory system	Male	1	0.6	0	0	2	1.5	0	0	3	0.5
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	0.3	0	0	2	0.7	0	0	3	0.3
Antidiarrheal drug	Male	0	0	1	0.7	1	0.7	9	6.5	11	1.9
	Female	2	1.4	3	2.3	1	0.7	7	5.2	13	2.4
	Total	2	0.7	4	1.4	2	0.7	16	5.9	24	2.1
Antiulcerative agent	Male	3	1.9	17	11.4	25	18.7	30	21.7	75	13.0
	Female	11	7.6	15	11.3	11	7.9	23	17.0	60	10.9
	Total	14	4.7	32	11.3	36	13.2	53	19.4	135	12.0
Stomachic	Male	3	1.9	6	4.0	7	5.2	12	8.7	28	4.9
	Female	4	2.8	7	5.3	4	2.9	7	5.2	22	4.0
	Total	7	2.3	13	4.6	11	4.0	19	7.0	50	4.4
Antacid	Male	0	0	0	0	6	4.5	3	2.2	9	1.6
	Female	1	0.7	1	0.8	1	0.7	5	3.7	8	1.4
	Total	1	0.3	1	0.4	7	2.6	8	2.9	17	1.5
Laxative	Male	0	0	3	2.0	2	1.5	4	2.9	9	1.6
	Female	2	1.4	3	2.3	12	8.6	9	6.7	26	4.7
	Total	2	0.7	6	2.1	14	5.1	13	4.8	35	3.1
Cholagogue	Male	0	0	1	0.7	0	0	2	1.4	3	0.5
	Female	0	0	1	0.8	0	0	1	0.7	2	0.4
	Total	0	0	2	0.7	0	0	3	1.1	5	0.4
Combined digestive drug	Male	5	3.2	1	0.7	1	0.7	3	2.2	10	1.7

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Combined digestive drug	Female	0	0	0	0	2	1.4	1	0.7	3	0.5
	Total	5	1.7	1	0.4	3	1.1	4	1.5	13	1.2
Other agent acting on alimentary system	Male	6	3.9	7	4.7	8	6.0	11	8.0	32	5.6
	Female	7	4.8	6	4.5	11	7.9	16	11.9	40	7.2
	Total	13	4.3	13	4.6	19	7.0	27	9.9	72	6.4
Pituitary hormone drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Hormone drug of salivary gland	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	0	0	0	0	1	0.4	0	0	1	0.1
Thyroid or parathyroid hormone drug	Male	1	0.6	1	0.7	0	0	1	0.7	3	0.5
	Female	1	0.7	1	0.8	2	1.4	1	0.7	5	0.9
	Total	2	0.7	2	0.7	2	0.7	2	0.7	8	0.7
Anabolic steroid drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Adrenocortical hormone drug	Male	2	1.3	2	1.3	2	1.5	5	3.6	11	1.9
	Female	2	1.4	4	3.0	0	0	1	0.7	7	1.3
	Total	4	1.3	6	2.1	2	0.7	6	2.2	18	1.6
Androgen drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Estrogen or progesterone drug	Male	0	0	1	0.7	2	1.5	1	0.7	4	0.7
	Female	1	0.7	2	1.5	1	0.7	0	0	4	0.7

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Estrogen or progesterone drug	Total	1	0.3	3	1.1	3	1.1	1	0.4	8	0.7
Mixed hormone drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	5	3.4	0	0	0	0	0	0	5	0.9
	Total	5	1.7	0	0	0	0	0	0	5	0.4
Other hormone drug	Male	1	0.6	1	0.7	3	2.2	4	2.9	9	1.6
	Female	1	0.7	0	0	5	3.6	7	5.2	13	2.4
	Total	2	0.7	1	0.4	8	2.9	11	4.0	22	2.0
Agent acting on urinary system	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent acting on genital system	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Uterine constrictor	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Contraceptive	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Drugs for hemorrhoid	Male	3	1.9	1	0.7	0	0	3	2.2	7	1.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	3	1.0	1	0.4	0	0	3	1.1	7	0.6
Other agent on urogenital or anus	Male	1	0.6	0	0	3	2.2	7	5.1	11	1.9
	Female	0	0	0	0	0	0	2	1.5	2	0.4
	Total	1	0.3	0	0	3	1.1	9	3.3	13	1.2

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Integumentary microbiosite	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	0.8	0	0	0	0	1	0.2
	Total	0	0	1	0.4	0	0	0	0	1	0.1
Protective agent for wound	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Pyostatic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Analgenic (external application)	Male	5	3.2	8	5.4	8	6.0	13	9.4	34	5.9
	Female	7	4.8	8	6.0	15	10.8	21	15.6	51	9.2
	Total	12	4.0	16	5.7	23	8.4	34	12.5	85	7.5
Integumentary Parasiticide	Male	4	2.6	3	2.0	4	3.0	2	1.4	13	2.3
	Female	2	1.4	3	2.3	2	1.4	0	0	7	1.3
	Total	6	2.0	6	2.1	6	2.2	2	0.7	20	1.8
Emollient	Male	0	0	1	0.7	0	0	2	1.4	3	0.5
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	0	0	1	0.4	1	0.4	2	0.7	4	0.4
Hair tonic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Bath liquid	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other surface-acting agent	Male	0	0	1	0.7	1	0.7	1	0.7	3	0.5

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other surface-acting agent	Female	3	2.1	1	0.8	0	0	0	0	4	0.7
	Total	3	1.0	2	0.7	1	0.4	1	0.4	7	0.6
Dental local anesthetic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for devitalization of the pulp	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Analgesic or sedative for dental use	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for mummification of the pulp	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for pulp capping	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antibiotics for dental use	Male	1	0.6	0	0	0	0	0	0	1	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	0.3	0	0	0	0	0	0	1	0.1
Other agent for dental use	Male	0	0	1	0.7	0	0	0	0	1	0.2
	Female	0	0	0	0	1	0.7	0	0	1	0.2
	Total	0	0	1	0.4	1	0.4	0	0	2	0.2
Vitamin A or D	Male	1	0.6	0	0	1	0.7	2	1.4	4	0.7
	Female	0	0	4	3.0	5	3.6	10	7.4	19	3.4

(CONTINUED)