

Delayed Wallerian degeneration and increased neurofilament phosphorylation in sciatic nerves of rats with streptozocin-induced diabetes. J Neurol Sci , 155: 23-30	1998	Elsevier	Terada M, Yasuda H, Kikkawa R
Expression and activity of cyclin-dependent kinase 5/p35 in adult rat peripheral nervous system. J Neurochem , 71(6): 2600-2606	1998	Lippincott-Raven Publishers	Terada M, Yasuda H, Kogawa S, Maeda K, Haneda M, Hidaka H, Kashiwagi A, Kikkawa R
Only limited effects of aminoguanidine treatment on peripheral nerve function, (Na^+ , K^+)-ATPase activity and thrombomodulin expression in streptozotocin-induced diabetic rats. Diabetologia , 42: 743-747	1999	Springer-Verlag	Wada R, Sugo M, Nakano M, Yagihashi S
Effects of long-term treatment with α -glucosidase inhibitor on the peripheral nerve function and structure in Goto-Kakizaki rats: a genetic model for type 2 diabetes. Diabetes Metab Res Rev , 15: 332-337	1999	John Wiley & Sons, Ltd	Wada R, Koyama M, Mizukami H, Odaka H, Ikeda H
Peripheral nerve structure and function in long-term galactosemic dogs: morphometric and electron microscope analyses. Acta Neuropathol , 97: 369-376	1999	Springer-Verlag	Sugimoto K, Kasahara T, Yonezawa H, Yagihashi S
Targeted expression of a multifunctional chimeric neurotrophin in the lesioned sciatic nerve accelerates regeneration of sensory and motor axons. Proc Natl Acad USA , 95: 5269-5274	1998	Medical Sciences	Funakoshi H, Risling M, Carlstedt T, Lendahl U, Timmus T, Metsis M, Yamamoto Y, Ibáñez CF

Differential expression of hepatocyte growth factor and its receptor, c-Met in the rat retina during development. Brain Res. , 851: 46-53	1999	Elsevier	Sun W, Funakoshi H, Nakamura T
Hepatocyte growth factor prevents endotoxin-induced lethal hepatic failure in mice. Hepatology , 30(1): 151-159	1999	The American Association for the Study of Liver Diseases	Kosai K, Matsumoto K, Funakoshi H, Nakamura T

19990156

以降のページは雑誌／図書等に掲載された論文となりますので
「研究成果の刊行に関する一覧表」をご参照ください。