

- ORF73 protein in spindle-shaped tumor cells of Kaposi's sarcoma. *Am J Pathol* 155: 42-52, 1999
15. Nakajima N, Sata T, Hanaki K, Kurata T, Yoshikura H: Application of the hybridization AT-tailing (HybrAT) method for detection of human or simian immunodeficiency virus RNA in formalin-fixed and paraffin-embedded cells or tissues. *J Virol Methods* 81: 169-177, 1999
  16. Katano H, Sata T, Nakamura T, Suda T, Tachikawa N, Nishizumi H, Sakurada S, Hayashi Y, Koike M, Iwamoto A, Kurata T, Mori S: Expression and antigenicity of human herpesvirus 8 encoded ORF59 protein in AIDS-associated Kaposi's sarcoma. *J Med Virol* 59: 346-355, 1999
  17. Katano H, Suda T, Morishita Y, Yamamoto K, Hoshino Y, Nakamura K, Tachikawa N, Sata T, Hamaguchi H, Iwamoto A, Mori S: HHV-8-associated solid lymphomas occurring in AIDS patients take anaplastic large cell morphology. *Modern Pathol* 13: 77-85, 2000

#### 横田 恭子

1. Kimoto H, Nagaoka H, Adachi Y, Mizuochi T, Azuma T, Yagi T, Sata T, Yonehara S, Tsunetsugu-Yokota Y, Taniguchi M, Takemori T: Accumulation of somatic hypermutation and antigen-driven selection in surface Ig+ germinal center B-cells in rapid cell cycling, which have potent antigen-presenting activity by endocytosing the antigen via surface Ig. *Eur J Immunol* 27: 268-279, 1997
2. Tsunetsugu-Yokota Y, Yasuda S, Sugimoto A, Yagi T, Azuma M, Yagita H, Akagawa K, Takemori T: Efficient virus transmission from dendritic cells to CD4+ T cells in response to antigen depends on close contact through adhesion molecules. *Virology* 239: 259-268, 1997
3. Yasuda S, Oka S, Naganawa S, Nakasone T, Honda M, Iwasaki M, Sata T, Kojima A, Matsuda S, Takemori T, Tsunetsugu-Yokota Y: Detection of HIV-specific antibodies in sera and saliva of HIV-infected adults and in sera of infants born to HIV-1-infected mothers. *Microbiol Immunol* 42: 305-311, 1998
4. Yagi T, Sugimoto A, Tanaka M, Nagata S, Yasuda S, Yagita H, Kuriyama T, Takemori T, Tsunetsugu-Yokota Y: Fas/FasL interaction is not involved in apoptosis of activated CD4+T cells upon HIV-1 infection in vitro. *J Acq Imm Def Synd Hum Retro* 18: 307-315, 1998
5. Tsunetsugu-Yokota Y, Kato T, Yasuda S, Matsuda Z, Suzuki Y, Koyanagi Y, Yamamoto N, Akagawa K, Cho MW, Takemori T: Transcriptional regulation of HIV-1 LTR during antigen-dependent activation of primary T cells by dendritic cells. *J Leukocyte Biol* (in press)
6. Yoshizawa I, Soda Y, Mizuochi T, Yasuda S, Mizuochi T, Rizvi TA, Takemori T, Tsunetsugu-Yokota Y: Mucosal immune response against HIV-1 gag enhanced by DNA immunization. (in preparation)

#### 小柳 義夫

1. Tanaka Y, Koyanagi Y, Tanaka R, Kumazawa Y, Nishimura T, Yamamoto N: Productive and lytic infection of human CD4+ type 1 helper T cells with macrophage-tropic human immunodeficiency virus type 1. *J Virol* 71: 465-470, 1997
2. An D-S, Koyanagi Y, Zhao JQ, Akkina R, Bristol G, Yamamoto N, Zack JA, Chen ISY: High-efficiency transduction of human lymphoid progenitor cells and expression in differentiated T cells. *J Virol* 71: 1397-1404, 1997

3. Koyanagi Y, Tanaka Y, Kira J, Ito M, Hioki K, Misawa N, Kawano Y, Yamasaki K, Tanaka R, Suzuki Y, Ueyama Y, Terada E, Tanaka T, Miyasaka M, Kobayashi T, Kumazawa Y, Yamamoto N: Primary human immunodeficiency virus type 1 viremia and central nervous system invasion in a novel hu-PBL-immunodeficient mouse strain. *J Virol* 71: 2417-2424, 1997
4. Yamasaki K, Kira J, Koyanagi Y, Kawano Y, Kurosaki N M, Nakamura M, Baba E, Suzuki J, Yamamoto A, Yamamoto N, Kobayashi T: Long term, high dose, interferon-alpha treatment in HTLV-I-associated myelopathy/tropical spastic paraparesis: a combined clinical, virological and immunological study. *J Neurol Sci* 147: 135-144, 1997
5. Hirota M, Koyanagi Y, An D-S, Iwanaga Y, Yamamoto N, Shimotohno K: Mutational analysis of the 5' noncoding region of human immunodeficiency virus type 1 genome. *Leukemia* 11 Suppl 3: 102-105, 1997
6. Koyanagi Y, Tanaka Y, Tanaka R, Misawa N, Kawano Y, Tanaka T, Miyasaka M, Ito M, Ueyama Y, Yamamoto N: High levels of viremia in hu-PBL-NOD-scid with HIV-1 infection. *Leukemia* 11 Suppl 3: 109-112, 1997
7. Kawano Y, Tanaka Y, Misawa N, Tanaka R, Kira JI, Kimura T, Fukushi M, Sano K, Goto T, Nakai M, Kobayashi T, Yamamoto N, Koyanagi Y: Mutational analysis of human immunodeficiency virus type 1 accessory genes: Requirement of a site in the nef gene for HIV-1 replication in activated CD4+ T cells in vitro and in vivo. *J Virol* 71: 8456-8466, 1997
8. Murakami T, Nakajima T, Koyanagi Y, Tachibana K, Fujii N, Tamamura H, Yoshida N, Waki M, Matsumoto A, Yoshie O, Kishimoto T, Yamamoto N, Nagasawa T: A small molecule CXCR4 inhibitor that blocks T cell-line tropic HIV-1 infection. *J Exp Med* 186: 1389-1393, 1997.
9. Chen J, Ido E, Jin M, Kuwata T, Igarashi T, Mizuno A, Koyanagi Y, Hayami M: Replication of HIV-1, SIVmac and chimeric HIV-1/SIVmac viruses having env genes derived from macrophage-tropic viruses: an indication of different mechanisms of macrophage-tropism in human and monkey cells. *J Gen Virol* 79: 741-745, 1998
10. Suzuki Y, Koyanagi Y, Tanaka Y, Murakami T, Yamamoto N: Th1 and Th2 preferences of HIV-1 strains. *Retroviruses Meeting, Cold Spring Harbor*, p54, 1998
11. Murakami T, Lu Z-H, Koyanagi Y, Tamamura H, Waki M, Matsumoto A, Tanaka Y, Hoxie JA, Fujii N, Peiper SC, Yamamoto N: Peptide T22 exerts its anti-HIV activity as an CXCR4 antagonist. *Retroviruses Meeting, Cold Spring Harbor*, p196, 1998
12. Suzuki Y, Koyanagi Y, Tanaka Y, Murakami T, N, Kimura T, Hoxie JA, O'Brien WA, Yamamoto N: HIV-1 strain dependent preferences in Th1- and Th2-type condition. *12th world AIDS Conference*, 1998
13. Horiuchi S, Ampofo W, Koyanagi Y, Yamashita A, Waki M, Matsumoto A, Yamamoto M, Yamamoto N: High-level production of alternatively spliced soluble interleukin-6 receptor in serum of patients with adult T-cell leukaemia HTLV-I-associated myelopathy. *Immunology* 95: 360-369, 1998
14. Suzuki Y, Koyanagi Y, Tanaka Y, Murakami T, Misawa N, Maeda N, Kimura T, Shida H, Hoxie JA, O'Brien WA, Yamamoto N: Determinant in human immunodeficiency virus type 1 for efficient replication under cytokine induced CD4+ T helper 1 (Th1)- and Th2-type conditions. *J Virol* 73: 316-324, 1999
15. Murakami T, Zhang TY, Koyanagi Y, Tanaka Y, Kim J, Suzuki Y, Minoguchi S, Tamamura H, Waki M, Matsumoto A, Fujii N, Shida H, Hoxie JA, Peiper SC, Yamamoto N: Inhibitory mechanism of the CXCR4 antagonist T22 against human immunodeficiency virus type 1 (HIV-1) infection. *J Virol* 73: 7489-7496, 1999

16. Ichiyama K, Ishikawa D, Tanaka Y, Kashiwa T, Koyanagi Y, Handa S, Yamashita A, Fukushima M, Yamamoto N, Taki T: Epitope mapping of rat neutralizing monoclonal antibody against human immunodeficiency virus type-1 by a phage peptide library: comparison with ELISA using synthetic peptides. *Viral Immunol* 12: 57-66, 1999
17. Maeda N, Koyanagi Y, Misawa N, Miyano-Kurosaki N, Kira JI, Yamamoto N: Acquisition of HIV-1 resistance by b-chemokine-producing CD4+ T cells. *AIDS Res Hum Retroviruses* 15: 1453-1460, 1999
18. Takahashi K, Baba S, Chattopadhyay P, Koyanagi Y, Yamamoto N, Takaku H, Kawai G: Structural requirement for the two-step dimerization of human immunodeficiency virus type-1 genome. *RNA* (in press)
19. Momoi Y, Ichiyama K, Chowdhury IH, Koyanagi Y, Yamaoto N: Pertussis toxin enhances human immunodeficiency virus-1 replication. *AIDS Res Hum Retroviruses* (in press)

#### 滝口 雅文

1. Sakaguchi T, Ibe M, Miwa K, Kaneko Y, Yokota S, Tanaka K, Takiguchi M: Binding of 8-mer to 11-mer peptides carrying the anchor residues to slow assembling HLA class I molecules, HLA-B\*5101. *Immunogenetics* 45: 259-265, 1997
2. Tomiyama H, Miwa K, Shiga H, Ikeda-Moore Y, Oka S, Iwamoto A, Kaneko Y, Takiguchi M: The evidence of presentation of multiple HIV-1 cytotoxic T lymphocyte epitopes by HLA-B\*3501 molecules which are associated with the accelerated progression of AIDS. *J Immunol* 158: 5026-5034, 1997
3. Kaneko H, Neoh LP, Takeda N, Akimoto H, Hishikawa T, Hashimoto H, Hirose S, Karaki S, Takiguchi M, Nakauchi H, Kaneko Y, Yamamoto N, Sekikawa I: Human immunodeficiency virus type 2 envelope glycoprotein binds to CD8 as well as CD4 molecules on human T cells. *J Virol* 71: 8918-8922, 1997
4. Ikeda-Moore Y, Tomiyama H, Miwa K, Oka S, Iwamoto A, Kaneko Y, Takiguchi M: Identification and characterization of multiple HLA-A24-restricted HIV-1 CTL epitopes: Strong epitopes are derived from regions of HIV-1. *J Immunol* 159: 6242-6252, 1997
5. Ikeda-Moore Y, Tomiyama H, Ibe M, Oka S, Miwa K, Kaneko Y, Takiguchi M: Identification of a novel HLA-A24-restricted CTL epitope derived from HIV-1 Gag protein. *AIDS* 12: 2073-2074, 1998
6. Kmiecik D, Bednarek I, Takiguchi M, Wasik TJ, Bratosiewicz J, Wierzbicki A, Tepler H, Pientka J, Hsu SH, Kaneko Y, Kozbor D: The effect of epitope variation on the profile of cytotoxic T lymphocyte responses to the HIV envelope glycoprotein. *Int Immunol* 10: 1789-1799, 1998
7. Chujoh Y, Sobao Y, Miwa K, Kaneko Y, Takiguchi M: The role of anchor residues in the binding of peptides to HLA-A\*1101 molecules. *Tissue Antigens* 52: 501-509, 1998
8. Tomiyama H, Sakaguchi T, Miwa K, Oka S, Iwamoto A, Kaneko Y, Takiguchi M: Identification of Multiple HIV-1 Epitopes presented by HLA-B\*5101 Molecules. *Hum Immunol* 60: 177-186, 1999
9. Tomiyama H, Chujoh Y, Shioda T, Miwa K, Oka S, Kaneko Y, Takiguchi M: Cytotoxic T-lymphocyte recognition of HLA-B\*5101-restricted HIV-1 Rev epitope which is naturally processed in HIV-1 infected cells. *AIDS* 13: 861-863, 1999
10. Kawana A, Tomiyama H, Takiguchi M, Shioda T, Nakamura T, Iwamoto A: Accumulation of specific amino acid substitutions in HLA-B35-restricted human immunodeficiency virus type-1 cytotoxic T lymphocyte epitopes. *AIDS Res Hum Retroviruses* 12: 1099-1107, 1999

11. Fukada K, Chujoh Y, Tomiyama H, Miwa K, Kaneko Y, Oka S, and Takiguchi M: HLA-A\*1101-restricted CTL recognition of HIV-1 Pol protein. *AIDS* 13: 1413-1414, 1999
12. Yamada N, Ishikawa Y, Dumrese T, Tokunaga K, Juji T, Nagatani T, Miwa K, Rammensee HG, Takiguchi M: Role of anchor residues in peptide binding to three HLA-A26 molecules. *Tissue Antigens* 54: 325-332, 1999
13. Fukada K, Tomiyama H, Chujoh Y, Miwa K, Kaneko Y, Oka S, Takiguchi M: HLA-A\*1101-restricted CTL recognition for a novel epitope derived from the HIV-1 Env protein. *AIDS* 13: 2597-2599, 1999

#### 高橋 秀宗

1. Takahashi RH, Nagashima K, Kurata T, Takahashi H: Analysis of HTLV-II-like particle produced by recombinant baculovirus infected insect cells. *Virology* 256: 371-380, 1999
2. Takahashi H, Takahashi RH, Hasegawa H, Horiuchi M, Shinagawa T, Yokoyama K, Kimura K, Haritani M, Kurata T, Nagashima K: Characterization of antibodies raised against bovine-PrP-peptides. *J Neuro Virol* 5: 300-307, 1999
3. Chen Z, Matsuo K, Asanuma H, Takahashi H, Iwasaki T, Suzuki Y, Aizawa C, Kurata T, Tamura S: Enhanced protection against a lethal influenza virus challenge by immunization with both hemagglutinin- and neuramidase -immunization expressing DNAs. *Vaccine* 17: 653-659, 1999
4. Takahashi H, Iwata T, Kitagawa Y, Takahashi RH, Sato Y, Wakabayashi H, Takashima M, Kido H, Nagashima K, Kenney K, Gibbs CJ, Kurata T: Increased levels of  $\epsilon$  and  $\gamma$  isoforms of 14-3-3 proteins in cerebrospinal fluid of patients with Creutzfeldt-Jakob disease. *Clin Diagn Lab Immunol* 6: 983-985, 1999

#### 俣野 哲朗

1. Matano T, Shibata R, Siemon C, Connors M, Lane HC, Martin MA: Administration of an anti-CD8 monoclonal antibody interferes with the clearance of SIV/HIV chimeric virus during primary infections of rhesus macaques. *J Virol* 72: 164-169, 1998
2. Igarashi T, Endo Y, Englund G, Sadjadpour R, Matano T, Buckler C, Buckler-White A, Plishka R, Theodore T, Shibata R, Martin MA: Emergence of a highly pathogenic simian/human immunodeficiency virus in a rhesus macaque treated with anti-CD8 mAb during a primary infection with a nonpathogenic virus. *Proc Natl Acad Sci USA* 96: 14049-14054, 1999
3. Kano M, Matano T, Nakamura H, Takeda A, Kato A, Ariyoshi K, Mori K, Sata T, Nagai Y: Elicitation of protective immunity against simian immunodeficiency virus infection by a recombinant Sendai virus expressing the Gag protein. *AIDS* (in press)

#### 田沼 靖一

1. Shiokawa D, Hirai M, Tanuma S: cDNA cloning of human Dnase  $\gamma$ : chromosomal localization of its gene and enzymatic properties of recombinant protein. *Apoptosis* 3: 89-95, 1998
2. Nishimura K, Tanuma S: Presence of Dnase  $\gamma$ -like endonuclease in nuclei of neuronal differentiated PC12 cells. *Apoptosis* 3: 97-103, 1998
3. Shiokawa D, Tanuma S: Cloning of cDNAs and genomic organization porcine and human Dnase II. *Biochem Biophys Res Commun* 247: 864-869, 1998

4. Fukai F, Mashimo M, Akiyama K, Goto T, Katayama T, Tanuma S: Modulation of apoptotic cell death by extracellular matrix proteins and a fibronectin-derived anti-adhesive peptide. *Exp Cell Res* 242: 92-99, 1998
5. Umemori K, Nishikawa A, Tanuma S: Purification and characterization of a Dnase  $\gamma$ -like endonuclease from *Xenopus laevis* liver. *Apoptosis* 3: 145-153, 1998
6. Uchiyumi F, Sato T, Komuro M, Tanuma S: Identification and characterization of a tannic acid responsive negative element in the mouse mammary tumor virus promoter. *J Biol Chem* 273: 12499-12508, 1998
7. Shiokawa D, Tanuma S: Molecular cloning and expression of a cDNA encoding an apoptotic endonuclease Dnase  $\gamma$ . *Biochem J* 332: 713-720, 1998
8. Uchiyumi F, Watanabe M, Tanuma S: Characterization of telomere-binding activity of replication factor C large subunit p140. *Biochem Biophys Res Commun* 258: 482-489, 1999

#### 天野 富美夫

1. Katsuyama M, Ikegami R, Karahashi H, Amano F, Sugimoto Y, Ichikawa A: Characterization of the LPS-stimulated expression of EP2 and EP4 prostaglandin E receptors in mouse macrophage-like cell line, J774.1. *Biochem Biophys Res Commun* 251: 727-731, 1998
2. Karahashi H, Amano F: Structure-activity relationships of lipopolysaccharide (LPS) in tumor necrosis factor- $\alpha$  (TNF- $\alpha$ ) production and induction of macrophage cell death in the presence of cycloheximide (CHX) in a murine macrophage-like cell line, J774.1. *Biol Pharm Bull* 21: 1102-1105, 1998
3. Nakamura M, Imaoka S, Amano F, Funae Y: P-450 isoforms in a murine macrophage cell line, RAW264.7, and changes in the levels of P-450 isoforms by activation with LPS and IFN- $\gamma$ . *Biochim Biophys Acta* 1385: 101-106, 1998
4. Noda T, Amano F: Defect in induction of nitric oxide synthase by lipopolysaccharide (LPS) in an LPS-resistant mutant of a murine macrophage-like cell line, J774.1. *Biol Pharm Bull* 21: 673-677, 1998
5. Momotani E, Watanabe S, Yoshihara K, Amano F: The effect of oligosaccharides on the production of tumor necrosis factor- $\alpha$  by macrophage-like cell line J774.1/JA-4. *J Vet Med Sci* 60: 519-522, 1998
6. Karahashi H, Amano F: Apoptotic changes preceding necrosis in lipopolysaccharide-treated macrophages in the presence of cycloheximide. *Exp Cell Res* 241: 373-383, 1998
7. Ohki K, Amano F, Yamamoto S, Kohashi O: Suppressive effects of serum on the lipopolysaccharide (LPS)-induced production of nitric oxide and TNF- $\alpha$  by a macrophage-like cell line, WEHI-3, are dependent on the structure of polysaccharide chain in LPS. *Immunol Cell Biol* 77: 143-152, 1999
8. Karahashi H, Amano F: LPS-induced signals in activation of a caspase-3-like protease, a key enzyme regulating apoptotic cell damage to a macrophage-like cell line, J774.1, in the presence of cycloheximide. *J Leukocyte Biol* 66: 689-696, 1999
9. Tanaka Y, Otsuji A, Amano F: Suppression of prostaglandin synthesis by arachidonic acid or eicosapentaenoic acid in a macrophage-like cell line, RAW 264.7, treated with LPS. *Biol Pharm Bull* 22: 1052-1057, 1999
10. Moriishi K, Inoue S, Koura M, Amano F: Inhibition of Listeriolysin O-induced hemolysis by bovine lactoferrin. *Biol Pharm Bull* 22: 1167-1172, 1999
11. Sugita-Konishi Y, Hara-Kudo Y, Amano F, Okubo T, Aoi N, Iwaki M, Kumagai S: Epigallocatechin gallate and gallic acid in green tea catechins inhibit extracellular release of Vero toxins from enterohemorrhagic *Escherichia coli*

- O157:H7. *Biochim Biophys Acta* 1472: 42-50, 1999
12. Ishii R, Saito K, Horie M, Shibano T, Kitanaka S, Amano F: Inhibitory effects of hydrolyzable tannins from *Melastoma dodecandrum* Lour. on nitric oxide production by a murine macrophage-like cell line, RAW264.7, activated with lipopolysaccharide and interferon- $\gamma$ . *Biol Pharm Bull* 22: 647-653, 1999
  13. Karahashi H, Amano F: Changes of caspase activities involved in apoptosis of a macrophage-like cell line J774.1/JA-4 treated with LPS and cycloheximide. *Biol Pharm Bull* 23: 140-144, 2000
  14. Ishii Y, Sonezaki S, Iwasaki Y, Miyata Y, Akita K, Kato Y, Amano F: Regulatory role of C-terminal residue of Sula for its degradation by Lon protease in *Escherichia coli*. *J Biochem* (in press)

#### 神奈木 真理

1. Kubo M, Ohashi T, Fujii M, Oka S, Iwamoto S, Harada S, Kannagi M: Abrogation of in vitro suppression of HIV-1 replication mediated by CD8+T lymphocytes of asymptomatic HIV-1 carriers by staphylococcal enterotoxin B and phorbol esters through induction of TNF- $\alpha$ . *J Virol* 71: 7560-7566, 1997
2. Ohashi T, Arai M, Kato H, Kubo M, Fujii M, Yamamoto N, Iwamoto A, Kannagi M: High SDF-1 expression in HIV-1 carriers does not correlate with CD8+ T cell-mediated suppression of viral replication. *Virology* 244: 467-472, 1998
3. Ohashi T, Kubo M, Kato H, Iwamoto A, Takahashi H, Fujii M, Kannagi M: Role of class I major histocompatibility complex-restricted and -unrestricted suppression of human immunodeficiency virus type 1 (HIV-1) replication by CD8+ T lymphocytes. *J Gen Virol* 80: 209-216, 1999
4. Ohashi T, Hanabuchi S, Kato H, Koya Y, Takemura F, Hirokawa K, Yoshiki T, Tanaka Y, Fujii M, Kannagi M: Induction of ATL-like lymphoproliferative disease and its inhibition by adoptive immunotherapy in T-cell deficient nude rats inoculated with syngenic HTLV-I-immortalized cells. *J Virol* 73: 6031-6040, 1999
5. Tsukahara T, Kannagi M, Ohashi T, Kato H, Arai M, Nunez G, Iwanaga Y, Yamamoto N, Ohtani K, Nakamura M, Fujii M: Induction of Bcl-xL expression by HTLV-I Tax through NF- $\kappa$ B in apoptosis-resistant T-cell transfectants with Tax. *J Virol* 73: 7981-7987, 1999

#### 石川 栄治

1. Hashida S, Ishikawa S, Hashinaka K, Nishikata I, Oka S, Ishikawa E: Immune complex transfer enzyme immunoassay for antibody IgG to HIV-1 gp41 antigen using synthetic peptides as antigens. *J Clin Lab Anal* 12: 197-204, 1998
2. Hashida S, Ishikawa S, Nishikata I, Hashinaka K, Oka S, Ishikawa E: Immune complex transfer enzyme immunoassay for antibody IgM to HIV-1 p17 antigen. *J Clin Lab Anal* 12: 329-336, 1998
3. Takahashi H, Chiba M, Kato K, Nakagawa Y, Inuma H, Nerome K: Predominant priming of epitope-specific CD8+ CTL with recombinant vaccinia virus expressing an immunodominant epitope of HIV-1 envelope protein within an influenza hemagglutinin cassette. *AIDS Research Newsletter*: 116, 1998
4. Kmiecik D, Wasik TJ, Teppler H, Pientka J, Hus S, Takahashi H, Okumura K, Kaneko Y, Kozbor D: The effect of deletion of the V3 loop of gp120 on cytotoxic T cell responses and HIV gp120-mediated pathogenesis. *J Immunol* 160: 5676-5683, 1998

#### 塩田 達雄

1. Shioda T, Oka S, Xin X, Liu H, Harukuni R, Kurotani A, Fukushima M, Hasan, MK, Iwamoto A, Nagai Y: In vivo sequence variability of human immunodeficiency virus type 1 (HIV-1) envelope gp120: Association of V2 extension with slow disease progression. *J Virol* 71: 4871-4881, 1997
2. Yu D, Shioda T, Kato A, Hasan MK, Sakai Y, Nagai Y: Sendai virus-based expression of HIV-1 gp120: reinforcement by the V(-) version. *Genes to Cells* 2; 457-466, 1997
3. Ida S, Gatanaga H, Shioda T, Nagai Y, Kobayashi N, Shimada K, Kimura S, Iwamoto A, Oka S: HIV type 1 V3 variation dynamics in vivo: Long-term persistence of non syncytium-inducing genotypes and transient presence of syncytium-inducing genotypes during the course of progressive AIDS. *AIDS Res Hum Retrovir* 13: 1597-1609, 1997
4. Xin X, Shioda T, Fukushima M, Hu H, Oka S, Iwamoto A, Nagai Y: Facilitation of HIV-1 isolation from patients by neuraminidase. *Arch Virol* 143: 85-95, 1998
5. Hu H, Tatsuo S, Hori T, Moriya C, Kato A, Sakai Y, Matsushima K, Uchiyama T, Nagai Y: Dissociation of CXCR-4 internalization by its ligands from co-receptor activity for HIV-1 Env-mediated membrane fusion. *Arch Virol* 143: 851-861, 1998
6. Moriya C, Shioda T, Tashiro K, Nagasawa T, Ikegawa M, Ohnishi Y, Kato A, Hu H, Xin X, Hasan MK, Maekawa M, Takebe Y, Sakai Y, Honjo T, Nagai Y: Large quantity production with extreme convenience of human SDF-1  $\alpha$  and SDF-1  $\beta$  by a Sendai virus vector. *FEBS letters* 425: 105-111, 1998

#### 竹森 利忠

1. Hayashi R, Takemori T, Kodama M, Suzuki M, Tsuboi A, Nagawa F, Sakano H: The PU-1 binding site is a cis-element that regulates proB/preB specificity of V $\kappa$ -J $\kappa$  joining. *J Immunol* 159: 4445-4449, 1997
2. Baba M, Kikuchi Y, Mori S, Kimoto H, Inui S, Sakaguchi N, Inoue JI, Yamoto T, Takemori T, Howard M, Takatsu K: Mouse germinal center B cells with the xid mutation retain responsiveness to anti-mouse CD40 antibodies but diminish IL-5 responsiveness. *Int Immunol* 9: 1463-1473, 1997
3. Kimoto H, Nagaoka H, Adachi Y, Yagi T, Azuma T, Sata T, Yonehara S, T-Yokota Y, Taniguchi M, Takemori T: Accumulation of somatic hypermutation and antigen-driven selection in rapidly cycling surface Ig+ germinal center (GC) B cells which occupy GC at a high frequency during the primary anti-hapten response in mice. *Eur J Immunol* 27: 268-279, 1997
4. Tsunetsugu-Yokota Y, Yasuda S, Sugimoto A, Yagi T, Azuma M, Yagita H, Akagawa K, Takemori T: Efficient virus transmission from dendritic cells to CD4+ T cell during immune response depends on the close contact through adhesion molecules. *Virology* 239: 259-268, 1997
5. Saito H, Kanamori Y, Takemori T, Nariuchi H, Kubota E, Takahashi-Iwanaga H, Iwanaga T, Ishikawa H: Generation of intestinal T cells from progenitors residing in gut cryptopatches. *Science* 280: 275-278, 1998
6. Yagi T, Sugimoto A, Tanaka M, Nagata S, Yasuda S, Yagita H, Kuriyama T, Takemori T, Tsunetsugu-Yokota Y: Fas/FasL interaction is not involved in apoptosis of activated CD4+T cells upon HIV-1 infection in vitro. *J Acq Imm Def Synd Hum Retro* 18: 307-315, 1998
7. Yasuda S, Oka S, Naganawa S, Nakasone T, Honda M, Iwasaki M, Sata T, Kojima A, Matsuda S, Takemori T, Tsunetsugu-Yokota Y: Detection of HIV-specific antibodies in sera and saliva of HIV-infected adults and in sera of infants born to HIV-1-

infected mothers. *Microbiol Immunol* in press, 1998

8. Kashiwada M, Shirakata Y, Inoue J, Nakano H, Okazaki K, Okumura K, Yamamoto T, Nagaoka H, Takemori T: TRAF 6 stimulates ERK activity in CD40 signaling along a Ras-independent pathway. *J Exp Med* 187: 237-244, 1998
9. Nagawa F, Ishiguro KI, Tsuboi A, Yoshida T, Ishikawa A, Takemori T, Otsuka AJ, Sakano H: Footprint analysis of the RAG-Rss complex for V(DJ) type recombination. *Mol Cell Biol* 18: 655-663-1998

#### 石川 晃一

1. Ariyoshi K, Cham F, Berry N, Harding E, Sabally S, N'Gom PT, Ishikawa K, Corrah T, Tedder R, Whittle H: Diagnosis of HIV-1/-2 dual infection using dilution analysis of type-specific antibody. *AIDS* 12: 2504-2505, 1998
2. Ishikawa K, Fransen K, Ariyoshi K, Nkengasong JN, Janssens W, Heyndrickx L, Whittle H, Diallo MO, Ghys PD, Coulibaly IM, Greenberg AE, Piedade J, Canas-Ferreira W, van der Groen G: Improved detection of HIV-2 proviral DNA in dually seroreactive individuals by PCR. *AIDS* 12: 1419-1425, 1998
3. Brandful J, Ampofo WK, Janssens W, Adu-Sarkodie, Apeagyei E, Anyomi F, Aido S, Yamamoto N, Ishikawa K, Sata T, Kurata T: Genetic and phylogenetic analysis of HIV-1 strains from southern Ghana. *AIDS Res Hum Retro* 14, 815-818, 1998

#### 森 一泰

1. Fujii Y, Mukai R, Murayama Y, Akari H, Machida M, Mori K, Takasaka M, Murakami K, Yoshikawa Y: Efficacy of 6-chloro-2',3'-dideoxyguanosine(6-Cl-ddG) on an ARC/AIDS rhesus macaque(*Macaca mulatta*)infected with simian immunodeficiency virus. *Exp Anim* 46: 83, 1997
2. Otani I, Fujii Y, Akari H, Mukai R, Mori K, Ono F, Kojima E, Machida M, Murakami K, Doi K, Yoshikawa Y : Effects of 6-chloro-2',3'-dideoxyguanosine(6-Cl-ddG) in surface lymph nodes of rhesus monkeys (*Macaca mulatta*) chronically infected with Simian immunodeficiency virus (SIVmac239). *J Vet Med Sci* 59: 891-896, 1997
3. Fujii Y, Mukai R, Mori K, Akari H, Otani I, Kojima E, Takasaka M, Machida M, Murakami K, Yoshikawa Y: Efficacy of 6-chloro-2',3'-dideoxyguanosine(6-Cl-ddG) on rhesus macaques chronically infected with simian immunodeficiency virus (SIVmac239). *J Acquired Immune Deficiency Syndromes* 16: 313-317, 1997
4. Y Fujii, R Mukai, H Akari, M Machida, K Mori, M Takasaka, E Kojima, K Murakami, Y Yoshikawa: Antiviral Effects of 6-chloro-2',3'-dideoxyguanosine in rhesus monkeys acutely infected with simian immunodeficiency virus. *Antiviral Chemistry & Chemotherapy* 9: 85-92, 1998
5. Akari H, Mori K, Otani I, Terao K, Ono F, Adachi A, Yoshikawa Y: Induction of MHC/II DR expression on circulating CD8+ lymphocytes in macaques infected with SIVmac239 nef-open but not with its nef deletion mutant. *J AIDS and Human Retroviruses* 14: 619-625, 1998

#### 本多 三男

1. Yamanaka T, Fujimura Y, Ishimoto S, Yoshioka A, Konishi M, Narita N, Miyama J, Meguro T, Nakasone T, Okamoto Y, Yoshizaki H, Yamada K, Honda M: Correlation of Titer of antibody to Principal Neutralizing Domain of HIVMN Strain Disease Progression in Japanese Hemophiliacs Seropositive for HIV Type 1. *AIDS Res Human Retroviruses* 13: 317-326, 1997
2. Okamoto Y, Eda Y, Ogura A, Shibata S, Amagai T, Katsura Y, Asano T, Kimachi K,



Makizumi K, Honda M: In SCID-hu Mice, Passive Transfer of a Humanized Antibody Prevents Infection and Atrophic change of Medulla in Human Thymic Implant due to Intravenous Inoculation of Primary HIV-1 Isolate. *J Immunol* 160: 69-76, 1998

**服部 俊夫**

1. Sakaida H, Murakami T, Kawamata S, Hattori T, Uchiyama T: V3 loop of human immunodeficiency virus type 1 suppress interleukin2-induced T cell growth. *AIDS Res Hum Retrovir* 13: 151-159, 1997
2. Hattori T, Zhang X, Weiss C, Xu Y, Kubo T, Sato Y, Nishikawa S, Sakaida H, Uchiyama T: Triazine dyes inhibit HIV-1 entry by binding to envelope glycoproteins. *Microbiol Immunol* 41: 717-724, 1997
3. Sakaida H, Kawamata S, Hattori T, Uchiyama T: V3 loop of human immunodeficiency virus type 1 reduces cyclin E expression and induces G1 arrest in IL-2 dependent T cells. *AIDS Res Hum Retrovir* 14: 31-38, 1998