

Fig. 3 IP合併膠原病とLIP合併キヤッサルマン病患者の血清中TGF-β




Fig. 4 IP合併膠原病とLIP合併キャスルマン病患者の血清中IL-6





Fig. 5 IP合併膠原病とLIP合併キヤッサルマン病患者の血清中KL-6



(4) 研究成果の刊行に関する一覧表

【研究成果の刊行物に関する一覧表】

1. Sawada, K., Koizumi, K., Tamumi, T., Takano, H., Ikeo, M., Nishio, M., Fukada, Y., Yasukoshi, T., Yamaguchi, M., Koike, T.: Role of physiologic concentrations of stem cell factor in leukemic type growth of myelodysplastic CD34⁺ cells. *Leukemia Reserch.* 1999, 23. 1-11.
2. Ikeo, M., Ichikawa, K., Triplett, D. A., Matuura, E., Astumi, T., Sawada, K., Koike, T.: β 2-GlycoproteinI is necessary to inhibit protein C activity by monoclonal anticardiolipin antibodies. *Arthritis.Rheum.* 1999, 42:1, 167-174.
3. Nishio, H., Suda, T., Sawada, K., Miyamoto, T., Koike, T., Yamguti, Y.: Molecular cloning of cDNA encoding human Rab3D whose rxpression is upregulated with myeloid differentiation. *Biochemica et Biophysica Acta* . 1999,144:283-290.
4. Ichikawa, K., Tsutsumi, A., Matsuura, E., Koike, T.: 1-3). Antiphospholipid syndrome. *Int. Med.* 1999, 38.170-173.
5. Nojima, J., Suehisa, E., Karatsune, H., Machii, T., Koike, T., Kitani, T., Kanakura, Y., Amino, N.: Platelet activation induced by cominced effects of anticardiolipin and lupus anticoagulant IgG Antibodies in patients with systemic lupus erythematosus. *Thomb Haemost* 1999,81.436-441.
6. Tsutida, K., Makita, Z., Yamagishi, S., Atsumi, T., Miyoshi, H., Obara, S., Ishida, M., Ichikawa, S., Yasumura, K., Koike, T.: Suppression of transforming growth factor beta and vascular endothelial growth factor in diabetic nephropathy in rats by novel advanced glycation end protect inhibitor, OPB-9195. *Diabetologia.* 1999,49.579-588.
7. Tarumi, T., Sawada, K., Koizumi, K., Takano, H., Fukuda, Y., Nishio, M., Fujie, T., Ohnishi, K., Khono, M., Sato, N., Sekiguti, S., Koike, T.: A pilot study of a response oriented chemotherapeutic regimen combined with autologous peripheral blood progenitor cell transplantation in aggressive non-hodgkin's lymphoma. *Leukemia and Lymphoma.* 1999, 34.361-371.
8. Yamauchi, A., Takei, I., Makita, Z., Suruta, T.: Effect of aminoguanide on diabetic nephrothy in the OLETF rat . Elsever Science B.V. 1999, 215-221.
9. Takeuti, M., Makita, Z., Yanagisawa, K., Kameda, Y., Koike, T.: Detection of noncarboxymethyllysine and carboxyllysine advanced glycation end products(AGE)in serum of diabetic patients. *Molecular Medicine.* 5.393-405.1999.
10. Krause, I., Blank, M., Levi, Y., Koike, T., Shoenfeld, Y.: Anti-idiotypic immunomodulation of experimental anti-phospholipid syndrome via effect on Th1/Th2 expression. *Clin Exp Immunol.* 1999, 117.190-197.
11. Atsumi, T., Tsutsumi, A., Amengual, O., Khamashita, M.A., Huges, G.R.V., Miyoshi, Y., Ichikawa, K., Koike, T.: Correlation between β -2glycoproteinI valine/leucine²⁴⁷ polymorphism and anti- β 2-glycoproteinI antibodies in paitients with primary antiphospholipid syndrome. *British Society*

- for Rheumatol. 1999, 38 : 721-723.
12. Tsutsumi,A., Horita,T., Atsumi,T., Ichikawa,K., Tashiro,K., Koike.T. : Reflex sympathetic dystrophy in a patient with the antiphospholipid syndrome. *Lups.* 1999, 8:471-473.
 13. Haseyama,Y.,Sawada,K.,Oda,A.,Koizumi,K.,Takano,H.,Tarumi,T.,Nishio,M.,Handa,M.,Ikeda,Y.,Koike,T. : Phosphatidylinositol 3-Kinase is involved in the protection of primary cultured human erythroid precursor cells apoptosis. *Blood.* 1999, 94 : 5.1568-1577.
 14. Ichikawa,K.,Tsutsumi,A.,Atsumi,T.,Matsuura,E.,Kobayashi,S.,Hughes,G.R.V.,Khamashta,M.A., Koike,T.: A chieric antibody with the human γ 1 constant region as a putative standard for assays to detect IgG β -2glycoprotein I –dependent anticardiolipin and anti- β 2glycoprotein I antibodies. *Arthritis.Rheum.* 1999, 42:2461-2470.
 15. Shoenfeld,Y.,Segovia,D.A.,Buskila,D.,Shakra,M.A.,Lorber,M.,Sherer,Y.,Meroni,P.L.,Valesini,G.,Koike,T.,Riquelme,E.A. Fontiers of SLE :Review of 5th international congress of systemic Lupus Erythematosus, Cancun,Mexico, April 20-251998.Seminars in Arthritis and Rheumatism. 1999, 29:112-130.
 16. Katsumata,K.,Ikeda,H.,Sato,M.,Ishizu,A.,Kawarada, Y.,Kato,H.,Wakisaka,A., Koike,T.,Yoshiki,T.: Cutokine regulation of env gene expresion of human endrogenous retrovirus-human vascular endothelial Cells. *Clin.Immunol.* 1999, 93:1:75-80.
 17. Koizumii,K.,Sawada,K.,Sato,N.,Yamaguchi,M.,Nishio,M.,Tarumi,T.,Takano,H.,Fukuda,Y.,Ieko,M.,Sekiguchi,S. and Koike,T. : Large scale purification of human blood CD34+ cells using a nylon-fiber syringe system and immunomagnetic microspheres. *Cytherapy.*1999, 1 : 4 : 316-327.
 18. Wilson,W.A., Gharavi, A.E., Koike,T.,Lockshin,M.D., Branch,D.W., Piette, J . C., Triplett,D.A.,and Khamashta,M.A. : International consensus statement onpreliminary cassification criteria for definiteantip hospholipidsyndrome. *Arthritis Rheum.* 1999, 42 : 1309-1311.
 19. Tsutsumi,A.,Koike,T.:Hepatic Manifestations of antiphospholipid syndrome. *Int.Med.* 1999, 39:1.6-7.
 20. Blank,M.,Waisman,A.,Mozes,E.,Koike,T.,Shoenfeld,Y. : Characteristics and pathogenic of anti β 2-glycoprotein I singlichain Fv domeins: induction of experimental antiphospholipid syndrome. *Int.Immol.* 1999, 11:12. 1917-1926.
 21. Hashimoto,H.,Sawada,K.,Koizumi,K.,Nishio,M.,Endo,T.,Takashima,T.,Kobayashi,H.,Koike,T.: Effective CD34⁺ -selected autologous peripheral blood stem cell transplantation in anpatient with subcutaneous panniculitic T cell lymphoma(SPTCL) transformed into leukemia. *Bone Marrow Transplatation.* 1999, 1369-1371.
 22. Ieko,M.,Ichikawa,K.,Koike,T.,Notoya,A.,Mukai,M.,Kohno,M.,Wada,N.,Itoh,T.,Yoshioka,N.:Th e putative mechanism of thrombosis in antiphosholipid syndrome: impairment of the protein C

- and fibrinolytic systems by monoclonal anticardiolipin antibodies. *Seminars in thrombosis and hemostasis*. 1999, 25:5. 503-507.
23. Yamada, H., Tsutsumi, A., Hirayama, Kato, E., Koike, T., Fujimoto, S.: IgA-class anti- β 2glycoprotein I in women with unexplained recurrent spontaneous abortion. *Arthritis.fdrjgjl;:o;///Rheum*. 1999, 42:12.
 24. Koike, T. and Mastuura, E. : Anticardiolipin Antibody, Thrombosis and Atherosclerosis. Y.Shoenfeld ed. in *The Decade of Autoimmunity*. 57-65. 1999, Elsevier Science B.V.
 25. Koike, T. and Mastuura, E. : Immunology of Anti-phospholipid Antibodies. R.Lahita ed. in *Systemic Lupus Erythematosus*. 813-827, 1999. Academic Press.
 26. Matsushita, S., Mastuoka, T. : Peptide length-dependent TCR antagonism on class II HLA-restricted responses of PBMC and T-cell clones. *Eur. J. Immunol*. 1999, 29, 431-436.
 27. Yun, C., Senju, S., Fujita, H., Tsuji, Y., Irie, A., Matsushita, S., Nishimura, Y.: Augmentation of immune response by altered peptide ligands of the antigenic peptide in a human CD4⁺ T cell clone reacting to TEL/AML1 fusion protein. *Tissue Antigens*. 1999, 54, 153-161.
 28. Tanaka, Y., Ohyama, H., Ogawa, M., Nishimura, Y., Matsushita, S. : Identification of peptide superagonists for a self-K-ras-reactive CD4⁺ T cell clone by use of combinatorial peptide libraries and mass spectrometry. *J. Immunol*. 1999, 162, 7155-7161.
 29. Murai, C., Munakata, Y., Takahashi, Y., Shibata, S., Muryoi, T., Funato, T., Nakamura, M., Sugamura, K., Sasaki, T. : Rheumatoid arthritis after human parvovirus B19 infection. *Ann. Rheum. Dis*. 58,130-132.
 30. Tan, F.K., Arnett, F.C., Antohi, S., Saito, S., Mirarchi, A., Spiera, H., Sasaki, T., Shoichi, O., Takeuchi, K., Pandey, J.P., Silver, R.M., LeRoy, C., Postlethwaite, A.E, Bona, C.A. : Autoantibodies to the extracellular matrix microfibrillar protein, fibrillin-1, in patients with scleroderma and other connective tissue diseases. *J. Immunol*. 163,1066-1072.
 31. Honda, I., Itho, K., Mizugaki, M., Sasaki, T. : Creatinine at the evaluation of urinary 1-Methyladenosine and pseudouridine excretion. *Tohoku J. Exp. Med* 188,133-138.
 32. Yaegashi, N., Uehara, S., Senoo, M., Sato, J., Fujiwara, J., Funato, T., Sasaki, T., Yajima, A. : Point mutations in the steroid-binding domain of the androgen receptor gene of five Japanese patients with androgen insensitivity syndrome. *Tohoku J. Exp. Med*. 187, 263-272.
 33. Uehara, S., Funato, T., Yaegashi, N., Suzuki, H., Sato, J., Sasaki, T., Yajima, A. : SRY mutation and tumor formation on the gonads of XY pure gonadal dysgenesis patients. *Cancer Genetics and Cytogenetics* 113,78-84.
 34. Kodera, T., Kohno, T., Takakura, S., Morishita, K., Hamaguchi, H., Hayashi, Y., Sasaki, T., Yokota, J. : Microsatellite instability in lymphoid leukemia and lymphoma cell lines but not in myeloid leukemia cell lines. *Genes. Chromosomes. Cancer*. 26,267-269.
 35. Kurokawa, M., Kato, T., Masuko-Hongo, K., Ueda, S., Kobata, T., Okubo, M., Nishimaki, T.,

- Azaka,T., Yoshino,S., Kasukawa, R., Nishioka,K., Yamamoto,K.,: Characterisation of T cell clonotypes that accumulated in multiple joints of patients with rheumatoid arthritis. *Annals of the Rheumatic Diseases*. 1999, 58:9, 546-553.
36. Nakamura,H., Yoshino,S., Kato,T., Tsuruha,J., Nishioka,K.,: T-cell mediated inflammatory pathway in osteoarthritis. *Osteoarthritis Cartilage*. 1999, 7:4, 401-2.
 37. Keino, H., Matsumoto, I., Okada,S., Kurokawa, M., Kato,T., Tokohisa, T., Usui, M., Taniguti, M., Nishioka, K., Sumida,T.,: A Single Cell Analysis of TCR AV24AJ18+ DN T Cells. *Microbiol. Immunol.* 1999, 43:6,577-584.
 38. Hayasi,K., Yonamine,K., Masuko-Hongo,K., Iida,T., Yamamoto,K., Nishioka,K., Kato,T. : Clonal Expansion of T Cells That Are Specific for Autologous Ovarian Tumor among Tumor-Infiltrating T Cells in Humans. *Gynecologic Oncology*. 1999, 74, 86-92.
 39. Sekine ,T., Kato,T., Masuko-Hongo, K., Nakamura, H., Yoshino,S., Nishioka,K., Yamamoto,K.,: Type II collagen is a target antigen of clonally expanded T cells in the synovium of patients with rheumatoid arthritis. *Ann Rheum.* 1999, 58, 446-450.
 40. Matsui, T., Kurokawa, M., Kobata, T., Oki ,S., Azumi, M., Tohma, S., Inoue, T., Yamamoto, K., Nishioka, K., Kato,T.: Autoantibodies to T cell costimulatory molecules in systemic autoimmune diseases. *The Journal of Immunology*. 1999, 162, 4328- 4335.
 41. Kurokawa, M.,Furukawa, H., Yabe, T., Matsui, T., Toda, M., Hamada, C., Yamamoto, K., Nishioka, K., Kato,T.: Frequency of clonally expanded T cells evaluated by PCR from a single cell. *Journal of Immunological methods*. 1999, 224, 203- 208.
 42. Nakamura,H., Yoshino,S., Kato,T., Tsuruha,J., Nishioka,K.,: T cell mediated inflammatory pathway in osteoarthritis. *Osteoarthritis and Cartilage*. 1999, 7,401-402.
 43. Kato,T., Sasakawa,H., Kurokawa,M., Masuko-Hongo,M., Hamada,C., Yamamoto,K., Nishioka,K.,: Comparison of T Cell receptor JB gene usage in spleen cells of different mouse strains. *Microbiol Immunol.* 1999, 43,93-97.
 44. N.D.Khoa, Hasunuma,T., Kobata, T., Kato,T., Nishioka,K.,: Expression of murine Hoxd9 during Embryonic joint patterning and in human T lymphotropic virus type I Tax transgenic mice with arthropathy resembling rheumatoid arthritis. *Arthritis Rheum.* 1999, 42, 686- 696.
 45. Tokano,Y.,Morimoto,S.,Amano,H.,Nozawa,K.,Kaneko,H.,Takasaki,Hashimoto,H.: Level of IL-12 in the sera of patients with systemic lupus erythematosus-relation to Th-1 and Th-2 derived cytokines.*Clin.Exp.mujnol.* 1999,116:169-173.
 46. Tokano,Y.,Amano,H.,Takai,S.,Yamanaka,K.,Sugawara, Hashimoto,H.:Long-term prognosis in lupus nephritis:relation to the renal biopsy data,therapy,and grade of remission. *Jp.J. Rheumatol.* 1999,9: 2,135-145.
 47. Kaneko,H.,Ogasawara,H.,Naito,T.,Akimoto,H, Lee,S.,Hishikawa,T.,Hirose,S.,Hashimoto,H.:

- Circulating levels of β -chemokines in systemic lupus erythematosus. *J Rheumatol* .1999, 26 : 3,568-578.
48. Abe, K., Takasaki, Y., Ushiyama, C., Asakawa, J., Fukazawa, T., Seki, M., Hirashima, M., Ogaki, M., Hashimoto, H.: Expression of CD80 and CD86 on peripheral blood T lymphocyte in patients with systemic lupus erythematosus. *J.Clin.Immunol.*1999, 19: 1, 58-66.
 49. Kato, K., Santana-Sahagún, E., Rasseneti, L., Weisman, M., Tamura, N., Kobayashi, S., Hashimoto, H., Kipps, T.: The soluble CD40 ligand sCD154 in systemic lupus erythematosus, *J.Clin.Invest.*1999,104:947-955.
 50. Nakamura, Y., Yoshida, K., Itoh, S., Kanai, Y., Tsuda, H., Hashimoto, H., Kuwabara, Y.: Immunoabsorption plasmapheresis as a treatment for pregnancy complicated by systemic lupus erythematosus with positive anti-phospholipid antibodies. *Am. J. Reprod. Immunol.* 1999,41:307-311.
 51. Nishimura, H., Nose, M., Hiai, H., Minato, N., Honjo, T. : Development of Lupus-like Autoimmune diseases by Disruption of the PD-1 gene encoding an ITIM Motif-carrying Immunoreceptor. *Immunity.* 1999, 11:141-151
 52. Jiang, Y., Hirose, S., Sanokawa-Akakura, R., Abe, M., Mi, X., Li, N., Miura, Y., Shirai, J., Zhang, D., Hamano, Y., Shirai, T. : Genetically determined aberrant down-regulation of Fc γ RIIB1 in germinal center B cells associated with hyper-IgG and IgG autoantibodies in murine systemic lupus erythematosus. *Int. Immunol.* 1999, 11, 1685-1691.
 53. Hirose, S., Jiang, Y., Shirai, T.: Down-regulation of Fc γ RIIB1 in activated B cells predisposes to hyper-IgG in murine systemic lupus erythematosus. *Scan. J. Immunol.* 1999, 50, 99.
 54. Shirai, J., Ida, A., Jiang, Y., Sanokawa-Akakura, R., Miura, Y., Yan, K., Hamano, Y., Hirose, S., Shirai, T. : Genetic polymorphism of murine tissue plasminogen activator associated with antiphospholipid syndrome. *Genes and Immunity* 1999, 1, 130-136.
 55. Ochiai, K., Ozaki, S., Tanino, A., Watanabe, S., Ueno, T., Mitsui, K., Toei, J., Inada, Y., Hirose, S., Shirai, T., Nishimura, H. : Genetic regulation of anti-erythrocyte autoantibodies and splenomegaly in autoimmune hemolytic anemia-prone New Zealand Black mice. *Int. Immunol.* 2000, 12, 1-8.
 56. Tsubata, T.: Apoptosis of mature B cells. *Int. Rev. Immunol.* 1999, 18: 347-365.
 57. Hagiyaama, H., Adachi, T., Yoshida, T., Nomura, T., Miyasaka, N., Honjo, T., Tsubata, T.: Signaling through the antigen receptor of B lymphocytes activates a p53-independent pathway of c-Myc-induced apoptosis. *Oncogene* 1999, 18: 4091-4098.
 58. Tsubata, T.: Co-receptors on B lymphocytes. *Curr. Opin. Immunol.* 1999, 11: 249-255.
 59. Adachi, T., Wakabayashi, C., Nakayama, T., Yakura, H., Tsubata T.: CD72 negatively regulates signaling through the antigen receptor of B cells. *J. Immunol.* 2000, 164: 1223-1229.
 60. Hagiyaama, H., Adachi, T., Yoshida, T., Nomura, T., Miyasaka, N., Honjo, T., Tsubata, T. :

- Signaling through the antigen receptor of B lymphocytes activates a p53-independent pathway of c-Myc-induced apoptosis. *Oncogene* , 18:4091-4098.
61. Arai, A., Nosaka, Y., Kohsaka, H., Miyasaka, N., Miura, O. : CrkL activates integrin-mediated hematopoietic cell adhesion through the guanine nucleotide exchange factor C3G. *Blood* 1999, 93:3713-3722.
 62. Taniguchi, K., Kohsaka, H., Inoue, N., Terada, Y., Ito, H., Hirosawa, K., Miyasaka, N. : Induction of p16^{INK4a} senescence gene as a novel therapeutic strategy for the treatment of rheumatoid arthritis. *Nature Medicine* .1999, 5:760-767.
 63. Yoshida, T., Fukuda, T., T., Hatano, M., Koseki, H., Okabe, S., Ishibashi, K., Kojima, S., Arima, M., Komuro, I., Ishii, G., Miki, T., Hirosawa, S., Miyasaka N., Taniguchi, M., Ochiai, T., Isono, K., Tokuhisa, T. : The role of Bc16 in mature cardiac myocytes. *Cardiovascular Res.* 1999, 42:670-679.
 64. Nosaka, Y., Arai, A., Miyasaka, N., Miura, O. : CrkL mediates ras-dependent activation of the raf/ERK pathway through the guanine nucleotide exchange factor C3G in hematopoietic cells stimulated with erythropoietin or interleukin-3. *J. Biol. Chem.* 1999, 274: 30154-30162.
 65. Nanki, T., Koike, R., Miyasaka, N. : Subacute severe steatohepatitis during prednisolone therapy for systemic lupus erythematosus. *Amer. J. Gastroenterol.* 1999, 3379.
 66. Satoh, H., Iizuka, T., Koike, R., Miyasaka, N., Kitada, K., Kuramoto, T., Serikawa, T., Watanabe, T. : Assignment of the Madcam1 gene to rat chromosome 7q11.2→q12 by fluorescence in situ hybridization, somatic cell hybrids and linkage analysis. *Cytoget Cell Genet* .1999, 86:223-224.
 67. Iizuka, T., Tanaka, T., Suematsu, M., Miura, S., Watanabe, T., Koike, R., Ishimura, Y., Ishii, H., Miyasaka, N., Miyasaka, M. : Stage-specific expression of mucosal addressin cell adhesion molecule-1 during embryogenesis in rats. *J. Immunol.* 2463-2471. Harigai, M., Hara, M., Fukasawa, C., Nakazawa, S., Kawaguchi, Y., Kashiwazaki, S. : Responsiveness of peripheral blood B cells to recombinant CD40 ligand in patients with systemic lupus erythematosus. *Lupus* 1999, 8:227-233.
 68. Kawaguchi, Y. Harigai, M. Fukasawa, C. Hara M. : Increased levels of Hepatocyto Growth Factor in sera of patients with systemic sclerosis. *J. Rheumatol.* 1999, 26:4, 1012-1013.
 69. Kawaguchi, Y., Hara, M., Timothy, M.W. : Endogenous IL-1 α from systemic sclerosis fibroblasts induces IL-6 and PDGF- α . *J. Clin. Invest.* 1999, 103: 1253-1260.
 70. Hara, M. : Clinical manifestatons, pathogenesis and management of collagen diseases. *Current reviews of medical science by women 11th international conference of women engineers and scientists.* 1999, 119-121
 71. Harigai, M., Hara, M., Nakazawa, S., Fukasawa, C., Ohta, S., Sugiura, T., Inoue, K., Kashiwazaki, S. : Ligation of CD40 induced production of tumor necrosis factor- α of synovial

- tissue cells from patients with rheumatoid arthritis: a novel mechanism of activation of synoviocytes. *J. Rheumatol.* 1999, 26:1035-1043
72. Kuwana, M., Inoko, H., Kameda, H., Nojima, T., Satoh, S., Nakamura, K., Ogasawara, T., Hirakata, M., Ohosone, Y., Kaburaki, J., Okano, Y., Mimori, T.: Association of human leukocyte antigen class II genes with autoantibody profiles, but not with disease susceptibility in Japanese patients with systemic sclerosis. *Internal Medicine* 1999, 38:336-344.
 73. Suwa, A., Hirakata, M., Satoh, S., Mimori, T., Utsumi, K., Inada, S.: A case of polymyositis with anti-OJ (isoleucyl-transfer RNA synthetase) antibodies. *Clin. Exp. Rheumatol.* 1999, 17:755- 756.
 74. Hirose, Y., Sugai, S., Masaki, Y., Ogawa, Y., Takeshita, S., Kin, C., Ogawa, N.: Epstein-Barr virus study in malignant lymphoma in Sjogren's syndrome. 1999, 69: 174-179.
 75. Morinobu, A., Kanagawa, S., Koshiha, M., Sugai, S., Kumagai, S.: Association of the glutathione S-transferase M1 homozygous null genotype with susceptibility to Sjogren's syndrome in Japanese individuals. *Arthritis Rheum.* 1999, 42:12, 2612-2615.
 76. Kawakami, A., Nakashima, T., Sakai, H., Urayama, S., Yamasaki, S., Hida, A., Tsuboi, M., Nakamura, H., Ida, H., Migita, K., Kawabe, Y., Eguchi, K. Inhibition of caspase cascade by HTLV-I Tax through induction of NF- κ B nuclear translocation. *Blood* 1999, 94 (11): 3847-3854.
 77. Kawakami, A., Nakashima, T., Sakai, H., Hida, A., Urayama, S., Yamasaki, S., Nakamura, H., Ida, H., Ichinose, Y., Aoyagi, T., Furuichi, I., Nakashima, M., Migita, K., Kawabe, Y., Eguchi, K. Regulation of synovial cell apoptosis by proteasome inhibitor. *Arthritis Rheum.* 1999, 42: 2440-2448.
 78. Shima, Y., Nakao, K., Nakashima, T., Kawakami, A., Nakata, K., Hamasaki, K., Kato, Y., Eguchi, K., Ishii, N. Activation of caspase-8 in transforming growth factor- β -induced apoptosis of human hepatoma cells. *Hepatology* 1999, 30: 1215-1222.
 79. Nakao, K., Nakata, K., Yamashita, M., Tamada, Y., Hamasaki, K., Ishikawa, H., Kato, Y., Eguchi, K., Ishii, N. p48 (ISGF-3 γ) is involved in interferon- α -induced suppression of hepatitis B virus enhancer-1 activity. *J. Biol. Chem.* 1999, 274: 28075-28078.
 80. Kato, Y., Hamasaki, K., Aritomi, T., Nakao, K., Nakata, K., Eguchi, K. Most of the patients with cirrhosis in Japan die from hepatocellular carcinoma. *Oncology Reports* 1999, 6: 1273-1276.
 81. Khan, K.N., Nakata, K., Nakao, K., Kato, Y., Eguchi, K. Use of FDP and F1P aldolase to detect tumorous and nontumorous tissue damage by ethanol injection of hepatocellular carcinoma. *Digestive Diseases and Sciences* 1999, 44: 1610-1618.
 82. Morikawa, T., Nakata, K., Hamasaki, K., Tsuruta, S., Kato, Y., Nakao, K., Ohtsubo, T., Eguchi, K. Prevalence and characterization of hepatitis C virus in hemodialysis patients. *Internal*

- Med. 1999, 38: 626-631.
83. Ishikawa, H., Nakata, K., Mawatari, F., Ueki, T., Tsuruta, S., Ido, A., Nakao, K., Kato, Y., Ishii, N., Eguchi, K. Utilization of variant-type of human α -fetoprotein promoter in gene therapy targeting for hepatocellular carcinoma. *Gene Ther.* 1999, 6: 465-470.
 84. Ishikawa, H., Nakata, K., Tsuruta, S., Nakano, K., Kato, Y., Tamaoki, T., Eguchi, K. Differential regulation of albumin gene expression by heparin-binding epidermal growth factor in α -fetoprotein-producing and -nonproducing human hepatoma cells. *Tumor Biology* 1999, 20: 130-138.
 85. Migita, K., Tominaga, M., Origuchi, T., Kawabe, Y., Aoyagi, T., Urayama, S., Yamasaki, S., Hida, A., Kawakami, A., Eguchi, K. Induction of cyclooxygenase-2 in human synovial cells by β 2-microglobulin. *Kidney Int.* 1999, 55: 572-578.
 86. Arahata, H., Migita, K., Izumoto, H., Miyashita, T., Munakata, H., Nakamura, H., Tominaga, M., Origuchi, T., Kawabe, Y., Hida, A., Taguchi, T., Eguchi, K. Successful treatment of rapidly progressive lupus nephritis associated with anti-MPO antibodies by intravenous immunoglobulins. *Clin. Rheumatol.* 1999, 18: 77-81.
 87. Degawa, M., Hamasaki, K., Yano, K., Nakao, K., Kato, Y., Sakamoto, I., Nakata, K., Eguchi, K. Refractory hepatic hydrothorax treated with transjugular intrahepatic portosystemic shunt. *J. Gastroenterol.* 1999, 34 :1: 128-131.
 88. Nakamura, H., Kawakami, A., Tominaga, M., Migita, K., Kawabe, Y., Nakamura, T., Eguchi, K. Expression of CD40/CD40 ligand and Bcl-2 family proteins in labial salivary glands of patients with Sjögren's syndrome. *Lab. Invest.* 1999, 79 :3□: 261-269.
 89. Kawakami, A., Tsuboi, M., Urayama, S., Matsuoka, N., Yamasaki, S., Hida, A., Aoyagi, T., Furuichi, I., Nakashima, T., Migita, K., Kawabe, Y., Nakashima, M., Origuchi, T., Eguchi, K. Inhibitory effect of a new anti-rheumatic drug T-614 on costimulatory molecule expression, cytokine production, and antigen presentation by synovial cells. *J. Lab. Clin. Med.* 1999, 133: 566-574.
 90. Hida, A., Kawabe, Y., Kawakami, A., Migita, K., Tominaga, M., Nakamura, H., Eguchi, K. HTLV-I-associated Sjögren's syndrome is aetiologically distinct from anti-centromere antibodies-positive Sjögren's syndrome. *Ann. Rheum. Dis.* 1999, 58: 320-322.
 91. Nakamura, H., Kawakami, A., Yamasaki, S., Kawabe, Y., Nakamura, T., Eguchi, K. Expression of mitogen-activated protein kinases in labial salivary glands of patients with Sjögren's syndrome. *Ann. Rheum. Dis.* 1999, 58: 382-385.
 92. Furuya, T., Nakamura, T., Fujimoto, T., Nakane, S., Kambara C., Shirabe, S., Hamasaki, S., Motomura, M., Eguchi, K. Elevated levels of interleukin-12 and interferon-gamma in patients with human T lymphotropic virus type I-associated myelopathy. *J. Neuroimmunol.* 1999, 95: 185-189.

93. Migita, K., Kuwahara, H., Hirai, Y., Tominaga, T., Yokoyama, N., Tominaga, M., Nakamura, H., Kawabe, Y., Origuchi, T., Taguchi, T., Eguchi, K. A case of Sjögren's syndrome presenting as hypokalemic myopathy due to distal renal tubular acidosis. *Japanese J. Rheumatol.* 1999, 9: 113-118.
94. Chikui, T., Izumi, M., Eguchi, K., Kawabe, Y., Nakamura, T. Doppler spectral waveform analysis of arteries of the hand in patients with Raynaud's phenomenon as compared with healthy subjects. *A. J. R.* 1999, 172:1605-1609.
95. Tanigawa, K., Sugiyama, K., Matsuyama, H., Nakao, H., Kohno, K., Komuro, Y., Iwanaga, Y., Eguchi, K., Kitaichi, M., Takagi, H. Mesalazine-induced eosinophilic pneumonia. *Respiration* 1999, 66: 69-72.
96. Shibata, Y., Nakata, K., Tsuruta, S., Hamasaki, K., Hayashida, Y., Kato, Y., Nakao, K., Eguchi, K. Detection of hepatitis B virus X-region DNA in liver tissue from patients with hepatitis C virus-associated cirrhosis who subsequently developed hepatocellular carcinoma. *Int. J. Oncol.* 1999, 14: 1153-1156.
97. Kamachi, M., Migita, K., Tominaga, M., Ichinose, Y., Nakamura, H., Origuchi, T., Urayama, S., Hida, A., Kawakami, A., Kawabe, Y., Taguchi, T., Eguchi, K. Sjögren's syndrome complicated by MPO-ANCA positive crescentic glomerulonephritis. *Nephrol. Dial. Transplant.* 1999, 14: 1033-1034.
98. Mazume, H., Nakata, K., Hida, D., Hamasaki, K., Tsuruta, S., Nakao, K., Kato, Y., Eguchi, K. Effect of simvastatin, a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, on α -fetoprotein gene expression through interaction with the ras-mediated pathway. *J. Hepatol.* 1999, 30: 904-910.
99. Izumi, M., Nakamura, H., Nakamura, T., Eguchi, K., Nakamura, T. Sjögren's syndrome (SS) in patients with human T cell leukemia virus I associated myelopathy: Paradoxical features of the major salivary glands compared to classical SS. *J. Rheumatol.* 1999, 26: 2609-2614.
100. Kambara, C., Kinoshita, I., Amenomori, T., Eguchi, K., Yoshimura, T. Myasthenia gravis associated with limited scleroderma (CREST syndrome). *J. Neurol.* 1999, accepted.
101. Kato, H., Nakata, K., Hamasaki, K., Hida, D., Ishikawa, H., Aritomi, T., Nakao, K., Kato, Y., Yano, M., Eguchi, K. Long-term efficacy of immunization against hepatitis B virus in infants at high-risk analyzed by polymerase chain reaction. *Vaccine* 1999, 18:581-587.
102. Sera, Y., Kawasaki, E., Abiru, N., Ozaki, M., Abe, T., Takino, H., Kondo, H., Yamasaki, H., Yamaguchi, Y., Akazawa, S., Nagataki, S., Uchigawa, Y., Matsuura, N., Eguchi, K. Autoantibodies to multiple islet autoantigens in patients with abrupt onset type 1 diabetes and diabetes diagnosed with urinary glucose screening. *J. Autoimmunity* 1999, 13: 257-265.
103. Hayashida, Y., Nakata, K., Ishikawa, H., Taniguchi, K., Migita, K., Nakao, K., Kato, Y., Eguchi, K. Epidermal growth factor-mediated cell maturation and apoptosis in RGM-1 rat gastric

- mucosal cells. *Int. J. Mol. Med.* 1999, 4: 253-256.
104. Abe, T., Takino, H., Yamasaki, H., Ozaki, M., Sera, Y., Kondo, H., Sakamaki, H., Kawasaki, E., Awata, T., Yamaguchi, Y., Eguchi, K. CTLA4 gene polymorphism correlates with the mode of onset and presence of ICA512 Ab in Japanese type 1 diabetes. *Diabetes Res. Clin. Pr.* 1999, 46 :2 :169-175.
 105. Kambara, C., Nakamura, T., Furuya, T., Migita, K., Ida, H., Kawakami, A., Shirabe, S., Nakane, S., Kinoshita, I., Eguchi, K. Vascular cell adhesion molecule-1-mediated matrix metalloproteinase-2 induction in peripheral blood T cells is up-regulated in patients with HTLV-I-associated myelopathy. *J. Neuroimmunol.* 1999, 99: 242-247.
 106. Tsuboi, M., Kawakami, A., Nakashima, T., Matsuoaka, N., Urayama, S., Kawabe, Y., Fujiyama, K., Kiriyaama, T., Aoyagi, A., Maeda, K., Eguchi, K. Tumor necrosis factor- α and interleukin- 1β increase the Fas-mediated apoptosis of human osteoblasts. *J. Lab. Clin. Med.* 1999, 134: 222-231.
 107. Tominaga, M., Migita, K., Nakamura, H., Ichinose, Y., Furuya, T., Origuchi, T., Kawabe, Y., Hida, A., Nakamura, T., Eguchi, K. Expression of metalloproteinase-2 (gelatinase A) in labial salivary glands of patients with Sjögren's syndrome with HTLV-I infection. *Clin. Exp. Rheumatol.* 1999, 17: 463-466.
 108. Migita, K., Origuchi, T., Kawabe, Y., Tominaga, M., Ida, H., Kawakami, A., Eguchi, K. FK506 markedly enhances apoptosis of antigen-stimulated peripheral T cells by down-regulation of Bcl-x_L¹. *Transplantation* 1999, 68: 1018-1023.
 109. Fujimoto, T., Nakamura, T., Furuya, T., Nakane, S., Shirabe, S., Kambara, C., Hamasaki, S., Yoshimura, T., Eguchi, K. Relationship between the clinical efficacy of pentoxifylline treatment and elevation of serum T helper type 2 cytokine levels in patients with human T-lymphotropic virus type-I-associated myelopathy. *Internal Med.* 1999, 38: 717-721.
 110. Yamashita, S., Shibata, Y., Takamura, N., Ashizawa, K., Sera, N., Eguchi, K. Satellite communication and medical assistance for thyroid disease diagnosis from Nagasaki to Chernobyl. *Thyroid* 1999, 9: 969.
 111. Tominaga, T., Akahoshi, M., Soda, M., Neriishi, K., Fujiwara, S., Yamada, M., Ezaki, H., Kodama, K., Nakashima, E., Shibata, Y., Okubo, M., Ashizawa, K., Sera, N., Yokoyama, N., Eguchi, K. Thyroid disease in Hiroshima and Nagasaki atomic-bomb survivors. RERF research protocol 1999, 1-42.
 112. Ikeda, U., Ikeda, M., Minota, S., and Shimada, K.: Homocysteine increases nitric oxide synthesis in cytokine-stimulated vascular smooth muscle cells. *Circulation.* 1999 99:1230-1235.
 113. Masuyama, J., Yoshio, T., Suzuki, K., Kitagawa, S., Iwamoto, M., Kamimura, T., Hirata, D., Takeda, A., Kano, S., and Minota, S.: Characterization of the 4C8 antigen involved in transendothelial migration of CD26hi T cells after tight adhesion to human umbilical vein

endothelial cell monolayers. *J. Exp. Med.* 1999 189:979-989.

114. Minota, S., Horie, S., Yamada, A., Iwamoto, M., Yoshio, T., Mimori, A., Masuyama, J., and Kano, S.: Circulating myeloperoxidase and anti-myeloperoxidase antibody in patients with vasculitis. *Scand. J. Rheum.* 1999 28: 94-99.