

Fig 2




Fig 3




Fig 4

19990589

以降は雑誌/図書等に掲載された論文となりますので、
「研究成果の刊行に関する一覧表」をご参照ください。

「研究成果の刊行に関する一覧表」

Desmoglein ELISAs: a novel diagnostic tool for pemphigus.

Nishikawa T,

Arch Dermatol 1999 Feb;135(2):195-6

Lenz P, Amagai M, Volc-Platzer B, Stingl G, Kimbauer R. Desmoglein3 - ELISA: A pemphigus vulgaris-specific diagnostic tool. Arch Dermatol 1999;135:143-148.

Amagai M, Komai A, Hashimoto T, Shirakata Y, Hashimoto K, Yamada T, Kitajima Y, Ohya K, Iwanami H, Nishikawa T. Usefulness of enzyme-linked immunosorbent assay (ELISA) using recombinant desmogleins 1 and 3 for serodiagnosis of pemphigus. Br J Dermatol 1999;140:351-357.

Amagai M, Tsunoda K, Zillikens D, Nagai T, Nishikawa T. The clinical phenotype of pemphigus is defined by the anti-desmoglein autoantibody profile. J Am Acad Dermatol 1999;40:167-170.

Mahoney MG, Wang Z, Rothenberger KL, Koch PJ, Amagai M, Stanley JR. Explanation for the clinical and microscopic localization of lesions in pemphigus foliaceus and vulgaris. J Clin Invest 1999;103:461-468.

Robinson ND, Hashimoto T, Amagai M, Chan LS. The new pemphigus variants. J Am Acad Dermatol 1999;40(5):649-671.

Amagai M. Autoimmunity against desmosomal cadherins in pemphigus. J Dermatol Sci 1999;20:92-102.

Ishii K, Amagai M, Komai A, Ebihara T, Chorzelski TP, Jablonska S, Ohya K, Nishikawa T, Hashimoto T. Desmoglein 1 and desmoglein 3 are the target autoantigens in herpetiform pemphigus. Arch Dermatol 1999;135:943-947.

Miyagawa S, Amagai M, Niizeki H, Yamashina Y, Kaneshige T, Nishikawa T, Shirai T, Inoko H. HLA-DRB1 polymorphisms and autoimmune responses to desmogleins in Japanese patients with pemphigus. Tissue Antigens 1999;54:333-340.

Chorzelski T, Hashimoto T, Maciejewska B, Amagai M, Anhalt GJ, Jablonska S. Paraneoplastic pemphigus (PNP) associated with Castleman tumor, myasthenia gravis and bronchiolitis obliterans. J Am Acad Dermatol 1999;41(3):393-400.

Ohteki T, Fukao T, Suzue K, Maki C, Ito M, Nakamura M and Koyasu S: Interleukin-12 dependent interferon- γ production by CD8 $^{+}$ lymphoid dendritic cells. J Exp Med 1999, 189:1981-1986.

Nishifuji K, Amagai M, Kuwana M, Iwasaki T, Nishikawa T. Detection of antigen-specific B cells in patients with pemphigus vulgaris by enzyme-linked immunospot (ELISPOT) Assay: requirement of T cell collaboration for autoantibody production. J Invest Dermatol 2000;114(1):88-94.