

不応性貧血 (RA)

受療状況

| 度数：構% | 受療状況 | | | | | 合計 |
|-----------|---------|-----------|-----------|--------|--------|------------|
| | 主に入院 | 主に通院 | 両方 | その他 | 無回答 | |
| 男 | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 1 4.2% | 19 79.2% | 4 16.7% | 0 0.0% | 0 0.0% | 24 100.0% |
| 30~39歳 | 1 8.3% | 10 83.3% | 1 8.3% | 0 0.0% | 0 0.0% | 12 100.0% |
| 40~49歳 | 0 0.0% | 26 86.7% | 4 13.3% | 0 0.0% | 0 0.0% | 30 100.0% |
| 50~59歳 | 3 6.4% | 40 85.1% | 4 8.5% | 0 0.0% | 0 0.0% | 47 100.0% |
| 60~69歳 | 5 6.6% | 55 72.4% | 16 21.1% | 0 0.0% | 0 0.0% | 76 100.0% |
| 70~79歳 | 4 4.6% | 62 71.3% | 21 24.1% | 0 0.0% | 0 0.0% | 87 100.0% |
| 80~89歳 | 3 7.3% | 35 85.4% | 3 7.3% | 0 0.0% | 0 0.0% | 41 100.0% |
| 90歳以上 | 0 0.0% | 3 75.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 17 5.3% | 251 78.0% | 54 16.8% | 0 0.0% | 0 0.0% | 322 100.0% |
| 女 | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 20~29歳 | 5 21.7% | 11 47.8% | 6 26.1% | 0 0.0% | 1 4.3% | 23 100.0% |
| 30~39歳 | 3 10.3% | 23 79.3% | 3 10.3% | 0 0.0% | 0 0.0% | 29 100.0% |
| 40~49歳 | 1 3.2% | 21 67.7% | 6 19.4% | 0 0.0% | 3 9.7% | 31 100.0% |
| 50~59歳 | 2 4.7% | 35 81.4% | 6 14.0% | 0 0.0% | 0 0.0% | 43 100.0% |
| 60~69歳 | 1 2.0% | 34 66.7% | 16 31.4% | 0 0.0% | 0 0.0% | 51 100.0% |
| 70~79歳 | 4 5.8% | 50 72.5% | 15 21.7% | 0 0.0% | 0 0.0% | 69 100.0% |
| 80~89歳 | 4 12.1% | 20 60.6% | 8 24.2% | 1 3.0% | 0 0.0% | 33 100.0% |
| 90歳以上 | 0 0.0% | 2 50.0% | 2 50.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 20 7.0% | 197 69.1% | 63 22.1% | 1 0.4% | 4 1.4% | 285 100.0% |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| (性別不明を含む) | 0 0.0% | 2 66.7% | 1 33.3% | 0 0.0% | 0 0.0% | 3 100.0% |
| 20~29歳 | 6 12.8% | 30 63.8% | 10 21.3% | 0 0.0% | 1 2.1% | 47 100.0% |
| 30~39歳 | 4 9.5% | 34 81.0% | 4 9.5% | 0 0.0% | 0 0.0% | 42 100.0% |
| 40~49歳 | 1 1.6% | 47 77.0% | 10 16.4% | 0 0.0% | 3 4.9% | 61 100.0% |
| 50~59歳 | 5 5.6% | 75 83.3% | 10 11.1% | 0 0.0% | 0 0.0% | 90 100.0% |
| 60~69歳 | 6 4.7% | 89 70.1% | 32 25.2% | 0 0.0% | 0 0.0% | 127 100.0% |
| 70~79歳 | 8 5.1% | 112 71.8% | 36 23.1% | 0 0.0% | 0 0.0% | 156 100.0% |
| 80~89歳 | 7 9.5% | 55 74.3% | 11 14.9% | 1 1.4% | 0 0.0% | 74 100.0% |
| 90歳以上 | 0 0.0% | 5 62.5% | 3 37.5% | 0 0.0% | 0 0.0% | 8 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 37 6.1% | 449 73.8% | 117 19.2% | 1 0.2% | 4 0.7% | 608 100.0% |

身体障害者手帳

不応性貧血 (RA)

| 度数：構% | 身体障害者手帳 | | | | | | | | | | 合計 | |
|--------|---------|----------|----------|----------|----------|----------|----------|----------|----------|------------|----|------|
| | なし | 階級 | | | | | | | | 無回答 | | |
| | | あ) | 1級 | 2級 | 3級 | 4級 | 無回答 | | | | | |
| 男 | 0 | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 10~19歳 | 1 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 20~29歳 | 23 | 95.8% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 4.2% |
| 30~39歳 | 12 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 40~49歳 | 30 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 50~59歳 | 45 | 95.7% | 1 (2.1%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 2.1% |
| 60~69歳 | 72 | 94.7% | 1 (1.3%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 3 | 3.9% |
| 70~79歳 | 85 | 97.7% | 1 (1.1%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 (100.0%) | 1 | 1.1% |
| 80~89歳 | 39 | 95.1% | 1 (2.4%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 2.4% |
| 90歳以上 | 4 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 不明 | 0 | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 小計 | 311 | 96.6% | 4 (1.2%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 7 | 2.2% |
| 女 | 0 | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 10~19歳 | 2 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 20~29歳 | 23 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 30~39歳 | 28 | 96.6% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 3.4% |
| 40~49歳 | 30 | 96.8% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 3.2% |
| 50~59歳 | 40 | 93.0% | 1 (2.3%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 | 4.7% |
| 60~69歳 | 48 | 94.1% | 1 (2.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 | 3.9% |
| 70~79歳 | 65 | 94.2% | 2 (2.9%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 | 2.9% |
| 80~89歳 | 31 | 93.9% | 1 (3.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 3.0% |
| 90歳以上 | 4 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 不明 | 0 | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 小計 | 271 | 95.1% | 5 (1.8%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 9 | 3.2% |
| 合計 | 0 | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| (性別別) | 3 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| 不明 | 46 | 97.9% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 2.1% |
| を | 41 | 97.6% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 2.4% |
| を | 60 | 98.4% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 1.6% |
| を | 85 | 94.4% | 2 (2.2%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 3 | 3.3% |
| を | 120 | 94.5% | 2 (1.6%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 5 | 3.9% |
| を | 150 | 96.2% | 3 (1.9%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 3 | 1.9% |
| を | 70 | 94.6% | 2 (2.7%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 | 2.7% |
| を | 8 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| を | 0 | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |
| を | 583 | 95.9% | 9 (1.5%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 16 | 2.6% |
| を | 608 | 100.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0.0% |

不応性貧血 (RA)

臨床経過

| 度数：横% | 臨床経過 | | | | | 合計 |
|------------|----------|-----------|----------|----------|---------|------------|
| | 改善 | 不変 | 悪化 | 死亡 | 無回答 | |
| 男 | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 5 20.8% | 16 66.7% | 3 12.5% | 0 0.0% | 0 0.0% | 24 100.0% |
| 30~39歳 | 2 16.7% | 7 58.3% | 3 25.0% | 0 0.0% | 0 0.0% | 12 100.0% |
| 40~49歳 | 7 23.3% | 21 70.0% | 2 6.7% | 0 0.0% | 0 0.0% | 30 100.0% |
| 50~59歳 | 6 12.8% | 35 74.5% | 3 6.4% | 1 2.1% | 2 4.3% | 47 100.0% |
| 60~69歳 | 13 17.1% | 46 60.5% | 9 11.8% | 6 7.9% | 2 2.6% | 76 100.0% |
| 70~79歳 | 10 11.5% | 52 59.8% | 14 16.1% | 10 11.5% | 1 1.1% | 87 100.0% |
| 80~89歳 | 6 14.6% | 28 68.3% | 3 7.3% | 3 7.3% | 1 2.4% | 41 100.0% |
| 90歳以上 | 0 0.0% | 4 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 49 15.2% | 210 65.2% | 37 11.5% | 20 6.2% | 6 1.9% | 322 100.0% |
| 女 | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 20~29歳 | 4 17.4% | 15 65.2% | 3 13.0% | 1 4.3% | 0 0.0% | 23 100.0% |
| 30~39歳 | 5 17.2% | 21 72.4% | 2 6.9% | 1 3.4% | 0 0.0% | 29 100.0% |
| 40~49歳 | 4 12.9% | 22 71.0% | 3 9.7% | 1 3.2% | 1 3.2% | 31 100.0% |
| 50~59歳 | 5 11.6% | 31 72.1% | 3 7.0% | 3 7.0% | 1 2.3% | 43 100.0% |
| 60~69歳 | 7 13.7% | 36 70.6% | 4 7.8% | 2 3.9% | 2 3.9% | 51 100.0% |
| 70~79歳 | 9 13.0% | 49 71.0% | 5 7.2% | 2 2.9% | 4 5.8% | 69 100.0% |
| 80~89歳 | 5 15.2% | 24 72.7% | 4 12.1% | 0 0.0% | 0 0.0% | 33 100.0% |
| 90歳以上 | 0 0.0% | 2 50.0% | 1 25.0% | 1 25.0% | 0 0.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 39 13.7% | 202 70.9% | 25 8.8% | 11 3.9% | 8 2.8% | 285 100.0% |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| (性別不明を合含む) | 0 0.0% | 3 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% |
| 20~29歳 | 9 19.1% | 31 66.0% | 6 12.8% | 1 2.1% | 0 0.0% | 47 100.0% |
| 30~39歳 | 7 16.7% | 29 69.0% | 5 11.9% | 1 2.4% | 0 0.0% | 42 100.0% |
| 40~49歳 | 11 18.0% | 43 70.5% | 5 8.2% | 1 1.6% | 1 1.6% | 61 100.0% |
| 50~59歳 | 11 12.2% | 66 73.3% | 6 6.7% | 4 4.4% | 3 3.3% | 90 100.0% |
| 60~69歳 | 20 15.7% | 82 64.6% | 13 10.2% | 8 6.3% | 4 3.1% | 127 100.0% |
| 70~79歳 | 19 12.2% | 101 64.7% | 19 12.2% | 12 7.7% | 5 3.2% | 156 100.0% |
| 80~89歳 | 11 14.9% | 52 70.3% | 7 9.5% | 3 4.1% | 1 1.4% | 74 100.0% |
| 90歳以上 | 0 0.0% | 6 75.0% | 1 12.5% | 1 12.5% | 0 0.0% | 8 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 88 14.5% | 413 67.9% | 62 10.2% | 31 5.1% | 14 2.3% | 608 100.0% |

不応性貧血 (RA)

最近の日常生活活動度

| 度数・横% | 最近の日常生活活動度 | | | | | | | 合計 |
|-----------|------------|-----------|----------|---------|---------|---------|------------|------------|
| | 制限なし | 独力外出 | 外出介助 | 屋内介助 | 全面介助・臥床 | 無回答 | | |
| 男 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 1 100.0% |
| 20～29歳 | 18 75.0% | 6 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 24 100.0% | 24 100.0% |
| 30～39歳 | 10 83.3% | 2 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 12 100.0% | 12 100.0% |
| 40～49歳 | 24 80.0% | 6 20.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 30 100.0% | 30 100.0% |
| 50～59歳 | 36 76.6% | 11 23.4% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 47 100.0% | 47 100.0% |
| 60～69歳 | 51 67.1% | 18 23.7% | 2 2.6% | 0 0.0% | 2 2.6% | 3 3.9% | 76 100.0% | 76 100.0% |
| 70～79歳 | 50 57.5% | 22 25.3% | 7 8.0% | 3 3.4% | 2 2.3% | 3 3.4% | 87 100.0% | 87 100.0% |
| 80～89歳 | 17 41.5% | 12 29.3% | 9 22.0% | 1 2.4% | 0 0.0% | 2 4.9% | 41 100.0% | 41 100.0% |
| 90歳以上 | 0 0.0% | 1 25.0% | 1 25.0% | 2 50.0% | 0 0.0% | 0 0.0% | 4 100.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 207 64.3% | 78 24.2% | 19 5.9% | 6 1.9% | 4 1.2% | 8 2.5% | 322 100.0% | 322 100.0% |
| 女 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | 2 100.0% |
| 20～29歳 | 14 60.9% | 6 26.1% | 0 0.0% | 1 4.3% | 1 4.3% | 1 4.3% | 23 100.0% | 23 100.0% |
| 30～39歳 | 21 72.4% | 7 24.1% | 0 0.0% | 0 0.0% | 0 0.0% | 1 3.4% | 29 100.0% | 29 100.0% |
| 40～49歳 | 21 67.7% | 5 16.1% | 0 0.0% | 0 0.0% | 1 3.2% | 4 12.9% | 31 100.0% | 31 100.0% |
| 50～59歳 | 32 74.4% | 7 16.3% | 3 7.0% | 0 0.0% | 0 0.0% | 1 2.3% | 43 100.0% | 43 100.0% |
| 60～69歳 | 25 49.0% | 20 39.2% | 3 5.9% | 0 0.0% | 0 0.0% | 3 5.9% | 51 100.0% | 51 100.0% |
| 70～79歳 | 34 49.3% | 24 34.8% | 4 5.8% | 1 1.4% | 2 2.9% | 4 5.8% | 69 100.0% | 69 100.0% |
| 80～89歳 | 15 45.5% | 8 24.2% | 3 9.1% | 2 6.1% | 3 9.1% | 2 6.1% | 33 100.0% | 33 100.0% |
| 90歳以上 | 0 0.0% | 1 25.0% | 1 25.0% | 0 0.0% | 1 25.0% | 1 25.0% | 4 100.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 164 57.5% | 78 27.4% | 14 4.9% | 4 1.4% | 8 2.8% | 17 6.0% | 285 100.0% | 285 100.0% |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| (性別不明を含む) | 3 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% | 3 100.0% |
| 20～29歳 | 32 68.1% | 12 25.5% | 0 0.0% | 1 2.1% | 1 2.1% | 1 2.1% | 47 100.0% | 47 100.0% |
| 30～39歳 | 32 76.2% | 9 21.4% | 0 0.0% | 0 0.0% | 0 0.0% | 1 2.4% | 42 100.0% | 42 100.0% |
| 40～49歳 | 45 73.8% | 11 18.0% | 0 0.0% | 0 0.0% | 1 1.6% | 4 6.6% | 61 100.0% | 61 100.0% |
| 50～59歳 | 68 75.6% | 18 20.0% | 3 3.3% | 0 0.0% | 0 0.0% | 1 1.1% | 90 100.0% | 90 100.0% |
| 60～69歳 | 76 59.8% | 38 29.9% | 5 3.9% | 0 0.0% | 2 1.6% | 6 4.7% | 127 100.0% | 127 100.0% |
| 70～79歳 | 84 53.8% | 46 29.5% | 11 7.1% | 4 2.6% | 4 2.6% | 7 4.5% | 156 100.0% | 156 100.0% |
| 80～89歳 | 32 43.2% | 20 27.0% | 12 16.2% | 3 4.1% | 3 4.1% | 4 5.4% | 74 100.0% | 74 100.0% |
| 90歳以上 | 0 0.0% | 2 25.0% | 2 25.0% | 2 25.0% | 1 12.5% | 1 12.5% | 8 100.0% | 8 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 372 61.2% | 156 25.7% | 33 5.4% | 10 1.6% | 12 2.0% | 25 4.1% | 608 100.0% | 608 100.0% |

不応性貧血 (RA) 重症度

| 度数：横% | 重症度 | | | 合計 |
|-----------|-----------|-----------|---------|------------|
| | 重症 | それ以外 | 無回答 | |
| 男 | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 9 37.5% | 15 62.5% | 0 0.0% | 24 100.0% |
| 30~39歳 | 2 16.7% | 8 66.7% | 2 16.7% | 12 100.0% |
| 40~49歳 | 6 20.0% | 20 66.7% | 4 13.3% | 30 100.0% |
| 50~59歳 | 5 10.6% | 41 87.2% | 1 2.1% | 47 100.0% |
| 60~69歳 | 17 22.4% | 56 73.7% | 3 3.9% | 76 100.0% |
| 70~79歳 | 17 19.5% | 68 78.2% | 2 2.3% | 87 100.0% |
| 80~89歳 | 5 12.2% | 32 78.0% | 4 9.8% | 41 100.0% |
| 90歳以上 | 0 0.0% | 4 100.0% | 0 0.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 61 18.9% | 245 76.1% | 16 5.0% | 322 100.0% |
| 女 | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 1 50.0% | 1 50.0% | 0 0.0% | 2 100.0% |
| 20~29歳 | 11 47.8% | 12 52.2% | 0 0.0% | 23 100.0% |
| 30~39歳 | 4 13.8% | 23 79.3% | 2 6.9% | 29 100.0% |
| 40~49歳 | 5 16.1% | 26 83.9% | 0 0.0% | 31 100.0% |
| 50~59歳 | 8 18.6% | 35 81.4% | 0 0.0% | 43 100.0% |
| 60~69歳 | 8 15.7% | 41 80.4% | 2 3.9% | 51 100.0% |
| 70~79歳 | 13 18.8% | 52 75.4% | 4 5.8% | 69 100.0% |
| 80~89歳 | 4 12.1% | 26 78.8% | 3 9.1% | 33 100.0% |
| 90歳以上 | 2 50.0% | 2 50.0% | 0 0.0% | 4 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 56 19.6% | 218 76.5% | 11 3.9% | 285 100.0% |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| (性別不明を含む) | 1 33.3% | 2 66.7% | 0 0.0% | 3 100.0% |
| 20~29歳 | 20 42.6% | 27 57.4% | 0 0.0% | 47 100.0% |
| 30~39歳 | 6 14.3% | 32 76.2% | 4 9.5% | 42 100.0% |
| 40~49歳 | 11 18.0% | 46 75.4% | 4 6.6% | 61 100.0% |
| 50~59歳 | 13 14.4% | 76 84.4% | 1 1.1% | 90 100.0% |
| 60~69歳 | 25 19.7% | 97 76.4% | 5 3.9% | 127 100.0% |
| 70~79歳 | 30 19.2% | 120 76.9% | 6 3.8% | 156 100.0% |
| 80~89歳 | 9 12.2% | 58 78.4% | 7 9.5% | 74 100.0% |
| 90歳以上 | 2 25.0% | 6 75.0% | 0 0.0% | 8 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 117 19.2% | 464 76.3% | 27 4.4% | 608 100.0% |

不応性貧血 (RA)

治療内容

| 度数：構％ | 治療内容 | | | | | | | 無回答 | 合計 |
|-----------|------|-------|------|------|-----|--------|----|-------|-----|
| | 輸血 | G-CSF | 骨髄移植 | 化学療法 | その他 | | | | |
| 男 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0～9歳 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10～19歳 | 0 | 0 | 0 | 0 | 1 | 100.0% | 0 | 0 | 1 |
| 20～29歳 | 9 | 4 | 3 | 0 | 12 | 42.9% | 0 | 0 | 28 |
| 30～39歳 | 1 | 2 | 2 | 0 | 10 | 66.7% | 0 | 0 | 15 |
| 40～49歳 | 9 | 2 | 2 | 0 | 20 | 57.1% | 2 | 5.7% | 35 |
| 50～59歳 | 13 | 0 | 1 | 1 | 31 | 59.6% | 6 | 11.5% | 52 |
| 60～69歳 | 31 | 5 | 0 | 3 | 49 | 51.0% | 8 | 8.3% | 96 |
| 70～79歳 | 37 | 12 | 0 | 2 | 53 | 47.7% | 7 | 6.3% | 111 |
| 80～89歳 | 16 | 3 | 0 | 1 | 22 | 46.8% | 5 | 10.6% | 47 |
| 90歳以上 | 2 | 0 | 0 | 0 | 3 | 60.0% | 0 | 0.0% | 5 |
| 不明 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0.0% | 0 |
| 小計 | 118 | 28 | 8 | 7 | 201 | 51.5% | 28 | 7.2% | 390 |
| 女 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0.0% | 0 |
| 0～9歳 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0.0% | 0 |
| 10～19歳 | 0 | 0 | 0 | 0 | 2 | 100.0% | 0 | 0.0% | 2 |
| 20～29歳 | 9 | 4 | 9 | 0 | 9 | 29.0% | 0 | 0.0% | 31 |
| 30～39歳 | 6 | 4 | 2 | 0 | 17 | 51.5% | 4 | 12.1% | 33 |
| 40～49歳 | 7 | 2 | 1 | 1 | 25 | 67.6% | 1 | 2.7% | 37 |
| 50～59歳 | 13 | 3 | 0 | 0 | 32 | 64.0% | 2 | 4.0% | 50 |
| 60～69歳 | 22 | 5 | 0 | 3 | 31 | 48.4% | 3 | 4.7% | 64 |
| 70～79歳 | 24 | 10 | 0 | 1 | 49 | 55.7% | 4 | 4.5% | 88 |
| 80～89歳 | 16 | 1 | 0 | 0 | 20 | 50.0% | 3 | 7.5% | 40 |
| 90歳以上 | 3 | 0 | 0 | 0 | 1 | 20.0% | 1 | 20.0% | 5 |
| 不明 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0.0% | 0 |
| 小計 | 100 | 29 | 12 | 5 | 186 | 53.1% | 18 | 5.1% | 350 |
| 合計 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0.0% | 0 |
| (性別不明を含む) | 0 | 0 | 0 | 0 | 3 | 100.0% | 0 | 0.0% | 3 |
| 20～29歳 | 18 | 8 | 12 | 0 | 21 | 35.6% | 0 | 0.0% | 59 |
| 30～39歳 | 7 | 6 | 4 | 0 | 28 | 57.1% | 4 | 8.2% | 49 |
| 40～49歳 | 16 | 4 | 3 | 1 | 45 | 62.5% | 3 | 4.2% | 72 |
| 50～59歳 | 26 | 3 | 1 | 1 | 63 | 61.8% | 8 | 7.8% | 102 |
| 60～69歳 | 53 | 10 | 0 | 6 | 80 | 50.0% | 11 | 6.9% | 160 |
| 70～79歳 | 61 | 22 | 0 | 3 | 102 | 51.3% | 11 | 5.5% | 199 |
| 80～89歳 | 32 | 4 | 0 | 1 | 42 | 48.3% | 8 | 9.2% | 87 |
| 90歳以上 | 5 | 0 | 0 | 0 | 4 | 40.0% | 1 | 10.0% | 10 |
| 不明 | 0 | 0 | 0 | 0 | 0 | 0.0% | 0 | 0.0% | 0 |
| 総計 | 218 | 57 | 20 | 12 | 388 | 52.4% | 46 | 6.2% | 741 |

不応性貧血 (RARS)

推定発症年月

| 度数：横% | 推定発症年月 | | | | | | | | | | 無回答 | 合計 | | |
|-----------|---------|------------|------------|------------|----------|----------|---------|----------|--------|---------|---------|--------|--------|-----------|
| | ～1980年 | 1981～1985年 | 1986～1990年 | 1991～1995年 | 1996年 | 1997年 | 1998年 | 不明 | 無回答 | 合計 | | | | |
| 男 | | | | | | | | | | | | | | |
| 0～9歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 10～19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30～39歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 40～49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 50～59歳 | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 60～69歳 | 0 0.0% | 0 0.0% | 1 25.0% | 0 0.0% | 0 0.0% | 2 50.0% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 70～79歳 | 0 0.0% | 1 7.1% | 1 7.1% | 3 21.4% | 2 14.3% | 1 7.1% | 2 14.3% | 4 28.6% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 14 100.0% |
| 80～89歳 | 0 0.0% | 0 0.0% | 1 16.7% | 1 16.7% | 1 16.7% | 2 33.3% | 1 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 6 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 0 0.0% | 2 6.9% | 3 10.3% | 6 20.7% | 4 13.8% | 5 17.2% | 5 17.2% | 4 13.8% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 29 100.0% |
| 女 | | | | | | | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 20～29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 30～39歳 | 0 0.0% | 0 0.0% | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 40～49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50～59歳 | 1 25.0% | 0 0.0% | 0 0.0% | 1 25.0% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 60～69歳 | 0 0.0% | 0 0.0% | 1 25.0% | 2 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 70～79歳 | 0 0.0% | 1 16.7% | 1 16.7% | 1 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 1 16.7% | 0 0.0% | 1 16.7% | 1 16.7% | 0 0.0% | 0 0.0% | 6 100.0% |
| 80～89歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 1 5.3% | 1 5.3% | 3 15.8% | 4 21.1% | 2 10.5% | 1 5.3% | 3 15.8% | 3 15.8% | 0 0.0% | 1 5.3% | 3 15.8% | 1 5.3% | 0 0.0% | 19 100.0% |
| 合計 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| (性別不明を含む) | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30～39歳 | 0 0.0% | 0 0.0% | 1 33.3% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 66.7% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% |
| 40～49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50～59歳 | 1 20.0% | 0 0.0% | 0 0.0% | 2 40.0% | 1 20.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 5 100.0% |
| 60～69歳 | 0 0.0% | 0 0.0% | 2 25.0% | 2 25.0% | 0 0.0% | 2 25.0% | 2 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 8 100.0% |
| 70～79歳 | 0 0.0% | 2 10.0% | 2 10.0% | 4 20.0% | 2 10.0% | 1 5.0% | 3 15.0% | 5 25.0% | 1 5.0% | 1 5.0% | 0 0.0% | 0 0.0% | 0 0.0% | 20 100.0% |
| 80～89歳 | 0 0.0% | 0 0.0% | 1 12.5% | 1 12.5% | 2 25.0% | 2 25.0% | 1 12.5% | 1 12.5% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 8 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 1 2.1% | 3 6.3% | 6 12.5% | 10 20.8% | 6 12.5% | 6 12.5% | 8 16.7% | 7 14.6% | 1 2.1% | 1 2.1% | 8 16.7% | 4 8.2% | 0 0.0% | 48 100.0% |

不応性貧血 (RARS)

受療状況

| 度数：横% | 受療状況 | | | | | 合計 |
|-----------|---------|----------|----------|----------|--------|-----------|
| | 主に入院 | 主に通院 | 両方 | その他 | 無回答 | |
| 男 | | | | | | |
| 0～9歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 10～19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30～39歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 40～49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 50～59歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 60～69歳 | 0 0.0% | 3 75.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 70～79歳 | 1 7.1% | 9 64.3% | 4 28.6% | 0 0.0% | 0 0.0% | 14 100.0% |
| 80～89歳 | 2 33.3% | 3 50.0% | 1 16.7% | 0 0.0% | 0 0.0% | 6 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 3 10.3% | 19 65.5% | 6 20.7% | 1 3.4% | 0 0.0% | 29 100.0% |
| 女 | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 20～29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 30～39歳 | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 40～49歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50～59歳 | 0 0.0% | 3 75.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 60～69歳 | 0 0.0% | 3 75.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 70～79歳 | 0 0.0% | 4 66.7% | 2 33.3% | 0 0.0% | 0 0.0% | 6 100.0% |
| 80～89歳 | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 0 0.0% | 15 78.9% | 4 21.1% | 0 0.0% | 0 0.0% | 19 100.0% |
| 合計 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| (性別不明を含む) | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30～39歳 | 0 0.0% | 3 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% |
| 40～49歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50～59歳 | 0 0.0% | 4 80.0% | 1 20.0% | 0 0.0% | 0 0.0% | 5 100.0% |
| 60～69歳 | 0 0.0% | 6 75.0% | 2 25.0% | 0 0.0% | 0 0.0% | 8 100.0% |
| 70～79歳 | 1 5.0% | 13 65.0% | 6 30.0% | 0 0.0% | 0 0.0% | 20 100.0% |
| 80～89歳 | 2 25.0% | 5 62.5% | 1 12.5% | 0 0.0% | 0 0.0% | 8 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 3 6.3% | 34 70.8% | 10 20.8% | 1 2.1% | 0 0.0% | 48 100.0% |

不応性貧血

(RARS)

医療費公費負担状況

| 度数：構% | 医療費公費負担状況 | | | | | | | | 合計 | |
|-----------|-----------|----------|--------------|--------------|--------|--------|---------|--------|-----------|--|
| | なし | 老人医療 | 都道府県 指定疾患 | 小児慢性 特定疾患 | 他の特定疾患 | その他 | 無回答 | | | |
| 男 | | | | | | | | | | |
| 0~9歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 10~19歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 20~29歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 30~39歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 40~49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 50~59歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 60~69歳 | 4 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% | |
| 70~79歳 | 7 50.0% | 5 35.7% | 1 7.1% | 0 0.0% | 0 0.0% | 0 0.0% | 1 7.1% | 0 0.0% | 14 100.0% | |
| 80~89歳 | 1 16.7% | 5 83.3% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 6 100.0% | |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 小計 | 16 55.2% | 11 37.9% | 1 3.4% | 0 0.0% | 0 0.0% | 0 0.0% | 1 3.4% | 0 0.0% | 29 100.0% | |
| 女 | | | | | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 10~19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 20~29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 30~39歳 | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | |
| 40~49歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 50~59歳 | 3 75.0% | 0 0.0% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% | |
| 60~69歳 | 4 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% | |
| 70~79歳 | 1 16.7% | 4 66.7% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 16.7% | 0 0.0% | 6 100.0% | |
| 80~89歳 | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 小計 | 11 57.9% | 6 31.6% | 1 5.3% | 0 0.0% | 0 0.0% | 0 0.0% | 1 5.3% | 0 0.0% | 19 100.0% | |
| 合計 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| (性別不明を含む) | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 20~29歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 30~39歳 | 3 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% | |
| 40~49歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 50~59歳 | 4 80.0% | 0 0.0% | 1 20.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 5 100.0% | |
| 60~69歳 | 8 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 8 100.0% | |
| 70~79歳 | 8 40.0% | 9 45.0% | 1 5.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 10.0% | 0 0.0% | 20 100.0% | |
| 80~89歳 | 1 12.5% | 7 87.5% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 8 100.0% | |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 総計 | 27 56.3% | 17 35.4% | 2 4.2% | 0 0.0% | 0 0.0% | 0 0.0% | 2 4.2% | 0 0.0% | 48 100.0% | |

身体障害者手帳

不応性貧血 (RARS)

| 度数：構% | 身体障害者手帳 | | | | | | | | | | 合計 | |
|-----------|----------|--------|----------|----------|----------|----------|----------|----------|----------|----------|---------|-----------|
| | なし | あり | | | | | | | | 無回答 | | |
| | | 1級 | | 2級 | | 3級 | | 4級 | | | | 無回答 |
| 男 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 10~19歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 20~29歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 30~39歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 40~49歳 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 50~59歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 60~69歳 | 4 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 4 100.0% |
| 70~79歳 | 12 85.7% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 14.3% | 14 100.0% |
| 80~89歳 | 6 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 6 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 小計 | 27 93.1% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 6.9% | 29 100.0% |
| 女 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 20~29歳 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 30~39歳 | 1 50.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 50.0% | 2 100.0% |
| 40~49歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 50~59歳 | 4 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 4 100.0% |
| 60~69歳 | 4 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 4 100.0% |
| 70~79歳 | 5 83.3% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 16.7% | 6 100.0% |
| 80~89歳 | 2 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 2 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 小計 | 17 89.5% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 10.5% | 19 100.0% |
| 合計 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| (性別不明を含む) | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 20~29歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 30~39歳 | 2 66.7% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 33.3% | 3 100.0% |
| 40~49歳 | 1 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 1 100.0% |
| 50~59歳 | 5 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 5 100.0% |
| 60~69歳 | 8 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 8 100.0% |
| 70~79歳 | 17 85.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 3 15.0% | 20 100.0% |
| 80~89歳 | 8 100.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 8 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 0.0% | 0 0.0% |
| 総計 | 44 91.7% | 0 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 4 8.3% | 48 100.0% |

不応性貧血

(RARS)

臨床経過

| 度数：横% | 臨床経過 | | | | | 合計 |
|--------|---------|----------|---------|----------|--------|-----------|
| | 改善 | 不変 | 悪化 | 死亡 | 無回答 | |
| 男 | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 10~19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30~39歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 40~49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 50~59歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 60~69歳 | 1 25.0% | 2 50.0% | 0 0.0% | 1 25.0% | 0 0.0% | 4 100.0% |
| 70~79歳 | 1 7.1% | 8 57.1% | 1 7.1% | 4 28.6% | 0 0.0% | 14 100.0% |
| 80~89歳 | 0 0.0% | 5 83.3% | 1 16.7% | 0 0.0% | 0 0.0% | 6 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 2 6.9% | 19 65.5% | 2 6.9% | 6 20.7% | 0 0.0% | 29 100.0% |
| 女 | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 20~29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 30~39歳 | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 40~49歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50~59歳 | 0 0.0% | 3 75.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 60~69歳 | 1 25.0% | 2 50.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 70~79歳 | 0 0.0% | 5 83.3% | 0 0.0% | 1 16.7% | 0 0.0% | 6 100.0% |
| 80~89歳 | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 3 15.8% | 13 68.4% | 2 10.5% | 1 5.3% | 0 0.0% | 19 100.0% |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 10~19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30~39歳 | 1 33.3% | 2 66.7% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% |
| 40~49歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50~59歳 | 0 0.0% | 4 80.0% | 1 20.0% | 0 0.0% | 0 0.0% | 5 100.0% |
| 60~69歳 | 2 25.0% | 4 50.0% | 1 12.5% | 1 12.5% | 0 0.0% | 8 100.0% |
| 70~79歳 | 1 5.0% | 13 65.0% | 1 5.0% | 5 25.0% | 0 0.0% | 20 100.0% |
| 80~89歳 | 1 12.5% | 6 75.0% | 1 12.5% | 0 0.0% | 0 0.0% | 8 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 5 10.4% | 32 66.7% | 4 8.3% | 7 14.6% | 0 0.0% | 48 100.0% |

不応性貧血 (RARS)

最近の日常生活活動度

| 度数：様% | 最近の日常生活活動度 | | | | | | | 合計 |
|-----------|------------|----------|---------|--------|---------|----------|-----------|----|
| | 制限なし | 独力外出 | 外出介助 | 屋内介助 | 全面介助・臥床 | 無回答 | | |
| 男 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 1 100.0% | |
| 10～19歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 20～29歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 30～39歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 40～49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 50～59歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 60～69歳 | 2 50.0% | 1 25.0% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% | |
| 70～79歳 | 4 28.6% | 5 35.7% | 3 21.4% | 0 0.0% | 1 7.1% | 1 7.1% | 14 100.0% | |
| 80～89歳 | 4 66.7% | 1 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 1 16.7% | 6 100.0% | |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 小計 | 14 48.3% | 7 24.1% | 4 13.8% | 0 0.0% | 1 3.4% | 3 10.3% | 29 100.0% | |
| 女 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 10～19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 20～29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 30～39歳 | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | |
| 40～49歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 50～59歳 | 1 25.0% | 2 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 25.0% | 4 100.0% | |
| 60～69歳 | 2 50.0% | 2 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% | |
| 70～79歳 | 5 83.3% | 1 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 6 100.0% | |
| 80～89歳 | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 小計 | 12 63.2% | 6 31.6% | 0 0.0% | 0 0.0% | 0 0.0% | 1 5.3% | 19 100.0% | |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 1 100.0% | |
| (性別不明を含む) | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 20～29歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 30～39歳 | 3 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% | |
| 40～49歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | |
| 50～59歳 | 2 40.0% | 2 40.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 20.0% | 5 100.0% | |
| 60～69歳 | 4 50.0% | 3 37.5% | 1 12.5% | 0 0.0% | 0 0.0% | 0 0.0% | 8 100.0% | |
| 70～79歳 | 9 45.0% | 6 30.0% | 3 15.0% | 0 0.0% | 1 5.0% | 1 5.0% | 20 100.0% | |
| 80～89歳 | 5 62.5% | 2 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 12.5% | 8 100.0% | |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | |
| 総計 | 26 54.2% | 13 27.1% | 4 8.3% | 0 0.0% | 1 2.1% | 4 8.3% | 48 100.0% | |

不応性貧血 (RARS) 重症度

| 度数：横% | 重症度 | | | 合計 |
|-----------|----------|----------|---------|-----------|
| | 重症 | それ以外 | 無回答 | |
| 男 | | | | |
| 0～9歳 | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 10～19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 30～39歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 40～49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 50～59歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 60～69歳 | 1 25.0% | 2 50.0% | 1 25.0% | 4 100.0% |
| 70～79歳 | 2 14.3% | 12 85.7% | 0 0.0% | 14 100.0% |
| 80～89歳 | 1 16.7% | 5 83.3% | 0 0.0% | 6 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 5 17.2% | 23 79.3% | 1 3.4% | 29 100.0% |
| 女 | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 20～29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 30～39歳 | 0 0.0% | 1 50.0% | 1 50.0% | 2 100.0% |
| 40～49歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 50～59歳 | 1 25.0% | 3 75.0% | 0 0.0% | 4 100.0% |
| 60～69歳 | 0 0.0% | 4 100.0% | 0 0.0% | 4 100.0% |
| 70～79歳 | 0 0.0% | 4 66.7% | 2 33.3% | 6 100.0% |
| 80～89歳 | 0 0.0% | 2 100.0% | 0 0.0% | 2 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 1 5.3% | 15 78.9% | 3 15.8% | 19 100.0% |
| 合計 | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| (性別不明を含む) | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 30～39歳 | 0 0.0% | 2 66.7% | 1 33.3% | 3 100.0% |
| 40～49歳 | 0 0.0% | 1 100.0% | 0 0.0% | 1 100.0% |
| 50～59歳 | 1 20.0% | 4 80.0% | 0 0.0% | 5 100.0% |
| 60～69歳 | 1 12.5% | 6 75.0% | 1 12.5% | 8 100.0% |
| 70～79歳 | 2 10.0% | 16 80.0% | 2 10.0% | 20 100.0% |
| 80～89歳 | 1 12.5% | 7 87.5% | 0 0.0% | 8 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 6 12.5% | 38 79.2% | 4 8.3% | 48 100.0% |

不応性貧血

(RARS)

治療内容

| 度数：構% | 治療内容 | | | | | | | 合計 |
|--------|----------|--------|--------|---------|----------|---------|--------|-----------|
| | 輸血 | G-CSF | 骨髄移植 | 化学療法 | その他 | 無回答 | | |
| 男 | | | | | | | | |
| 0~9歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 10~19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30~39歳 | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 50.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 40~49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 50~59歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 60~69歳 | 2 33.3% | 0 0.0% | 0 0.0% | 1 16.7% | 3 50.0% | 0 0.0% | 0 0.0% | 6 100.0% |
| 70~79歳 | 4 28.6% | 0 0.0% | 0 0.0% | 0 0.0% | 9 64.3% | 1 7.1% | 0 0.0% | 14 100.0% |
| 80~89歳 | 3 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 33.3% | 1 16.7% | 0 0.0% | 6 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 11 34.4% | 0 0.0% | 0 0.0% | 1 3.1% | 18 56.3% | 2 6.3% | 0 0.0% | 32 100.0% |
| 女 | | | | | | | | |
| 0~9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10~19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 20~29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 30~39歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 40~49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50~59歳 | 1 20.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 60.0% | 1 20.0% | 0 0.0% | 5 100.0% |
| 60~69歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 70~79歳 | 2 33.3% | 0 0.0% | 0 0.0% | 0 0.0% | 4 66.7% | 0 0.0% | 0 0.0% | 6 100.0% |
| 80~89歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 3 15.0% | 0 0.0% | 0 0.0% | 0 0.0% | 16 80.0% | 1 5.0% | 0 0.0% | 20 100.0% |
| 合計 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 10~19歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20~29歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 30~39歳 | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 75.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 40~49歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 50~59歳 | 1 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 4 66.7% | 1 16.7% | 0 0.0% | 6 100.0% |
| 60~69歳 | 2 20.0% | 0 0.0% | 0 0.0% | 1 10.0% | 7 70.0% | 0 0.0% | 0 0.0% | 10 100.0% |
| 70~79歳 | 6 30.0% | 0 0.0% | 0 0.0% | 0 0.0% | 13 65.0% | 1 5.0% | 0 0.0% | 20 100.0% |
| 80~89歳 | 3 37.5% | 0 0.0% | 0 0.0% | 0 0.0% | 4 50.0% | 1 12.5% | 0 0.0% | 8 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 14 26.9% | 0 0.0% | 0 0.0% | 1 1.9% | 34 65.4% | 3 5.8% | 0 0.0% | 52 100.0% |

不応性貧血 (RAEB)

受療状況

| 度数：構% | 受療状況 | | | | | 合計 |
|-----------|----------|----------|----------|--------|---------|------------|
| | 主に入院 | 主に通院 | 両方 | その他 | 無回答 | |
| 男 | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 0 0.0% | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 30～39歳 | 2 50.0% | 1 25.0% | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 40～49歳 | 0 0.0% | 2 50.0% | 2 50.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 50～59歳 | 7 28.0% | 12 48.0% | 6 24.0% | 0 0.0% | 0 0.0% | 25 100.0% |
| 60～69歳 | 8 32.0% | 6 24.0% | 11 44.0% | 0 0.0% | 0 0.0% | 25 100.0% |
| 70～79歳 | 9 22.5% | 20 50.0% | 11 27.5% | 0 0.0% | 0 0.0% | 40 100.0% |
| 80～89歳 | 2 16.7% | 5 41.7% | 4 33.3% | 1 8.3% | 0 0.0% | 12 100.0% |
| 90歳以上 | 0 0.0% | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 29 25.2% | 48 41.7% | 37 32.2% | 1 0.9% | 0 0.0% | 115 100.0% |
| 女 | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 0 0.0% | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 1 25.0% | 2 50.0% | 0 0.0% | 0 0.0% | 1 25.0% | 4 100.0% |
| 30～39歳 | 1 20.0% | 2 40.0% | 2 40.0% | 0 0.0% | 0 0.0% | 5 100.0% |
| 40～49歳 | 2 66.7% | 0 0.0% | 1 33.3% | 0 0.0% | 0 0.0% | 3 100.0% |
| 50～59歳 | 1 16.7% | 1 16.7% | 4 66.7% | 0 0.0% | 0 0.0% | 6 100.0% |
| 60～69歳 | 1 16.7% | 2 33.3% | 3 50.0% | 0 0.0% | 0 0.0% | 6 100.0% |
| 70～79歳 | 1 10.0% | 5 50.0% | 4 40.0% | 0 0.0% | 0 0.0% | 10 100.0% |
| 80～89歳 | 1 20.0% | 2 40.0% | 2 40.0% | 0 0.0% | 0 0.0% | 5 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 8 20.0% | 15 37.5% | 16 40.0% | 0 0.0% | 1 2.5% | 40 100.0% |
| 合計 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| (性別不明を含む) | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 20～29歳 | 1 16.7% | 3 50.0% | 1 16.7% | 0 0.0% | 1 16.7% | 6 100.0% |
| 30～39歳 | 3 33.3% | 3 33.3% | 3 33.3% | 0 0.0% | 0 0.0% | 9 100.0% |
| 40～49歳 | 2 28.6% | 2 28.6% | 3 42.9% | 0 0.0% | 0 0.0% | 7 100.0% |
| 50～59歳 | 8 25.8% | 13 41.9% | 10 32.3% | 0 0.0% | 0 0.0% | 31 100.0% |
| 60～69歳 | 9 29.0% | 8 25.8% | 14 45.2% | 0 0.0% | 0 0.0% | 31 100.0% |
| 70～79歳 | 10 20.0% | 25 50.0% | 15 30.0% | 0 0.0% | 0 0.0% | 50 100.0% |
| 80～89歳 | 3 17.6% | 7 41.2% | 6 35.3% | 1 5.9% | 0 0.0% | 17 100.0% |
| 90歳以上 | 0 0.0% | 1 50.0% | 1 50.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 37 23.9% | 63 40.6% | 53 34.2% | 1 0.6% | 1 0.6% | 155 100.0% |

不応性貧血 (RAEB)

医療費公費負担状況

| 度数：横% | 医療費負担状況 | | | | | | | 合計 |
|--------|----------|----------|--------------|--------------|---------|---------|---------|------------|
| | なし | 老人医療 | 都道府県 指定疾患 | 小児慢性 特定疾患 | 他の特定疾患 | その他 | 無回答 | |
| 男 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 30～39歳 | 4 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 40～49歳 | 4 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 50～59歳 | 23 92.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 8.0% | 0 0.0% | 25 100.0% |
| 60～69歳 | 21 84.0% | 2 8.0% | 1 4.0% | 0 0.0% | 0 0.0% | 1 4.0% | 0 0.0% | 25 100.0% |
| 70～79歳 | 12 30.0% | 28 70.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 40 100.0% |
| 80～89歳 | 1 8.3% | 9 75.0% | 1 8.3% | 0 0.0% | 1 8.3% | 0 0.0% | 0 0.0% | 12 100.0% |
| 90歳以上 | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 68 59.1% | 41 35.7% | 2 1.7% | 0 0.0% | 1 0.9% | 3 2.6% | 0 0.0% | 115 100.0% |
| 女 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 1 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 100.0% |
| 20～29歳 | 3 75.0% | 1 25.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 4 100.0% |
| 30～39歳 | 4 80.0% | 0 0.0% | 1 20.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 5 100.0% |
| 40～49歳 | 3 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 3 100.0% |
| 50～59歳 | 4 66.7% | 0 0.0% | 0 0.0% | 0 0.0% | 1 16.7% | 1 16.7% | 0 0.0% | 6 100.0% |
| 60～69歳 | 5 83.3% | 0 0.0% | 0 0.0% | 0 0.0% | 1 16.7% | 0 0.0% | 0 0.0% | 6 100.0% |
| 70～79歳 | 1 10.0% | 9 90.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 10 100.0% |
| 80～89歳 | 1 20.0% | 3 60.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 1 20.0% | 5 100.0% |
| 90歳以上 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 小計 | 22 55.0% | 13 32.5% | 1 2.5% | 0 0.0% | 2 5.0% | 1 2.5% | 1 2.5% | 40 100.0% |
| 合計 | | | | | | | | |
| 0～9歳 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 10～19歳 | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 20～29歳 | 5 83.3% | 1 16.7% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 6 100.0% |
| 30～39歳 | 8 88.9% | 0 0.0% | 1 11.1% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 9 100.0% |
| 40～49歳 | 7 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 7 100.0% |
| 50～59歳 | 27 87.1% | 0 0.0% | 0 0.0% | 0 0.0% | 1 3.2% | 3 9.7% | 0 0.0% | 31 100.0% |
| 60～69歳 | 26 83.9% | 2 6.5% | 1 3.2% | 0 0.0% | 1 3.2% | 1 3.2% | 0 0.0% | 31 100.0% |
| 70～79歳 | 13 26.0% | 37 74.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 50 100.0% |
| 80～89歳 | 2 11.8% | 12 70.6% | 1 5.9% | 0 0.0% | 1 5.9% | 0 0.0% | 1 5.9% | 17 100.0% |
| 90歳以上 | 0 0.0% | 2 100.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 2 100.0% |
| 不明 | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% | 0 0.0% |
| 総計 | 90 58.1% | 54 34.8% | 3 1.9% | 0 0.0% | 3 1.9% | 4 2.6% | 1 0.6% | 155 100.0% |

身体障害者手帳

不応性貧血 (RAEB)

| 度数：構% | 身体障害者手帳 | | | | | | | | | | 合計 | |
|--------|---------|----|------------|----------|------------|----------|----------|----------|----------|------------|----|-----|
| | なし | あり | 階級 | | | | | | | 無回答 | | |
| | | | 1級 | 2級 | 3級 | 4級 | 無回答 | | | | | |
| 男 | | | | | | | | | | | | |
| 0~9歳 | 0 | 0 | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 10~19歳 | 1 | 0 | 0 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 1 |
| 20~29歳 | 2 | 0 | 0 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 2 |
| 30~39歳 | 4 | 0 | 0 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 4 |
| 40~49歳 | 4 | 0 | 0 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 4 |
| 50~59歳 | 23 | 1 | 92.0% | 4.0% | 1 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 25 |
| 60~69歳 | 25 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 25 |
| 70~79歳 | 39 | 0 | 97.5% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 40 |
| 80~89歳 | 12 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 12 |
| 90歳以上 | 2 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 2 |
| 不明 | 0 | 0 | 0.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 小計 | 112 | 1 | 97.4% | 0.9% | 1 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 | 115 |
| 女 | | | | | | | | | | | | |
| 0~9歳 | 0 | 0 | 0.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 10~19歳 | 1 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 1 |
| 20~29歳 | 3 | 1 | 75.0% | 25.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 (100.0%) | 0 | 4 |
| 30~39歳 | 5 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 5 |
| 40~49歳 | 3 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 3 |
| 50~59歳 | 4 | 1 | 66.7% | 16.7% | 1 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 6 |
| 60~69歳 | 5 | 0 | 83.3% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 6 |
| 70~79歳 | 10 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 10 |
| 80~89歳 | 5 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 5 |
| 90歳以上 | 0 | 0 | 0.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 不明 | 0 | 0 | 0.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 小計 | 36 | 2 | 90.0% | 5.0% | 1 (50.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 (50.0%) | 2 | 40 |
| 合計 | | | | | | | | | | | | |
| 0~9歳 | 0 | 0 | 0.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 10~19歳 | 2 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 2 |
| 20~29歳 | 5 | 1 | 83.3% | 16.7% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 (100.0%) | 0 | 6 |
| 30~39歳 | 9 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 9 |
| 40~49歳 | 7 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 7 |
| 50~59歳 | 27 | 2 | 87.1% | 6.5% | 2 (100.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 2 | 31 |
| 60~69歳 | 30 | 0 | 96.8% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 31 |
| 70~79歳 | 49 | 0 | 98.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 | 50 |
| 80~89歳 | 17 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 17 |
| 90歳以上 | 2 | 0 | 100.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 2 |
| 不明 | 0 | 0 | 0.0% | 0.0% | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 | 0 |
| 総計 | 148 | 3 | 95.5% | 1.9% | 2 (66.7%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 0 (0.0%) | 1 (33.3%) | 4 | 155 |