

脊髄性進行性筋萎縮症

球麻痺症状

| 度数：横%     | 球麻痺症状    |          |        |         | 合計        |
|-----------|----------|----------|--------|---------|-----------|
|           | なし       | あり       | 不明     | 無回答     |           |
| 男         |          |          |        |         |           |
| 0~9歳      | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 20~29歳    | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 30~39歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 40~49歳    | 5 83.3%  | 1 16.7%  | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 50~59歳    | 8 66.7%  | 3 25.0%  | 1 8.3% | 0 0.0%  | 12 100.0% |
| 60~69歳    | 9 60.0%  | 6 40.0%  | 0 0.0% | 0 0.0%  | 15 100.0% |
| 70~79歳    | 3 60.0%  | 2 40.0%  | 0 0.0% | 0 0.0%  | 5 100.0%  |
| 80~89歳    | 0 0.0%   | 1 100.0% | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 小計        | 27 65.9% | 13 31.7% | 1 2.4% | 0 0.0%  | 41 100.0% |
| 女         |          |          |        |         |           |
| 0~9歳      | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 20~29歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 30~39歳    | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 40~49歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 50~59歳    | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 60~69歳    | 6 75.0%  | 1 12.5%  | 0 0.0% | 1 12.5% | 8 100.0%  |
| 70~79歳    | 4 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 80~89歳    | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 小計        | 12 85.7% | 1 7.1%   | 0 0.0% | 1 7.1%  | 14 100.0% |
| 合計        | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| (性別不明を合む) | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 20~29歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 30~39歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 40~49歳    | 6 85.7%  | 1 14.3%  | 0 0.0% | 0 0.0%  | 7 100.0%  |
| 50~59歳    | 8 66.7%  | 3 25.0%  | 1 8.3% | 0 0.0%  | 12 100.0% |
| 60~69歳    | 15 65.2% | 7 30.4%  | 0 0.0% | 1 4.3%  | 23 100.0% |
| 70~79歳    | 7 77.8%  | 2 22.2%  | 0 0.0% | 0 0.0%  | 9 100.0%  |
| 80~89歳    | 0 0.0%   | 1 100.0% | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 総計        | 39 70.9% | 14 25.5% | 1 1.8% | 1 1.8%  | 55 100.0% |

# 脊髄性進行性筋萎縮症

## 同病の家族歴

| 度数：横%     | 同病の家族歴   |          |         |         | 合計        |
|-----------|----------|----------|---------|---------|-----------|
|           | なし       | あり       | 不明      | 無回答     |           |
| 男         |          |          |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 40～49歳    | 2 33.3%  | 3 50.0%  | 1 16.7% | 0 0.0%  | 6 100.0%  |
| 50～59歳    | 10 83.3% | 2 16.7%  | 0 0.0%  | 0 0.0%  | 12 100.0% |
| 60～69歳    | 11 73.3% | 4 26.7%  | 0 0.0%  | 0 0.0%  | 15 100.0% |
| 70～79歳    | 4 80.0%  | 0 0.0%   | 1 20.0% | 0 0.0%  | 5 100.0%  |
| 80～89歳    | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 小計        | 29 70.7% | 10 24.4% | 2 4.9%  | 0 0.0%  | 41 100.0% |
| 女         |          |          |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 30～39歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 40～49歳    | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 50～59歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 60～69歳    | 6 75.0%  | 1 12.5%  | 0 0.0%  | 1 12.5% | 8 100.0%  |
| 70～79歳    | 2 50.0%  | 2 50.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 小計        | 9 64.3%  | 4 28.6%  | 0 0.0%  | 1 7.1%  | 14 100.0% |
| 合計        |          |          |         |         |           |
| (性別不明を含む) | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 20～29歳    | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 30～39歳    | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 40～49歳    | 3 42.9%  | 3 42.9%  | 1 14.3% | 0 0.0%  | 7 100.0%  |
| 50～59歳    | 10 83.3% | 2 16.7%  | 0 0.0%  | 0 0.0%  | 12 100.0% |
| 60～69歳    | 17 73.9% | 5 21.7%  | 0 0.0%  | 1 4.3%  | 23 100.0% |
| 70～79歳    | 6 66.7%  | 2 22.2%  | 1 11.1% | 0 0.0%  | 9 100.0%  |
| 80～89歳    | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 総計        | 38 69.1% | 14 25.5% | 2 3.6%  | 1 1.8%  | 55 100.0% |



球脊髄性筋萎縮症

受療状況

| 度数：横%     | 受療状況     |          |         |        |        | 合計        |
|-----------|----------|----------|---------|--------|--------|-----------|
|           | 主に入院     | 主に通院     | 両方      | その他    | 無回答    |           |
| 男         |          |          |         |        |        |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 30～39歳    | 0 0.0%   | 3 75.0%  | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0%  |
| 40～49歳    | 1 14.3%  | 6 85.7%  | 0 0.0%  | 0 0.0% | 0 0.0% | 7 100.0%  |
| 50～59歳    | 1 7.1%   | 13 92.9% | 0 0.0%  | 0 0.0% | 0 0.0% | 14 100.0% |
| 60～69歳    | 7 31.8%  | 13 59.1% | 1 4.5%  | 1 4.5% | 0 0.0% | 22 100.0% |
| 70～79歳    | 1 11.1%  | 6 66.7%  | 2 22.2% | 0 0.0% | 0 0.0% | 9 100.0%  |
| 80～89歳    | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0% | 0 0.0% | 1 100.0%  |
| 90歳以上     | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 1 100.0%  |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 小計        | 11 19.0% | 42 72.4% | 4 6.9%  | 1 1.7% | 0 0.0% | 58 100.0% |
| 女         |          |          |         |        |        |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 30～39歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 40～49歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 50～59歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 60～69歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 70～79歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 小計        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 合計        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| (性別不明を含む) | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 30～39歳    | 0 0.0%   | 3 75.0%  | 1 25.0% | 0 0.0% | 0 0.0% | 4 100.0%  |
| 40～49歳    | 1 14.3%  | 6 85.7%  | 0 0.0%  | 0 0.0% | 0 0.0% | 7 100.0%  |
| 50～59歳    | 1 7.1%   | 13 92.9% | 0 0.0%  | 0 0.0% | 0 0.0% | 14 100.0% |
| 60～69歳    | 7 31.8%  | 13 59.1% | 1 4.5%  | 1 4.5% | 0 0.0% | 22 100.0% |
| 70～79歳    | 1 11.1%  | 6 66.7%  | 2 22.2% | 0 0.0% | 0 0.0% | 9 100.0%  |
| 80～89歳    | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0% | 0 0.0% | 1 100.0%  |
| 90歳以上     | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 1 100.0%  |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0% | 0 0.0%    |
| 総計        | 11 19.0% | 42 72.4% | 4 6.9%  | 1 1.7% | 0 0.0% | 58 100.0% |

球脊髄性筋萎縮症

医療費公費負担状況

| 度数：横%     | 医療費負担状況  |          |              |              |          |         |         | 合計        |
|-----------|----------|----------|--------------|--------------|----------|---------|---------|-----------|
|           | なし       | 老人医療     | 都道府県<br>指定疾患 | 小児慢性<br>特定疾患 | 他の特定疾患   | その他     | 無回答     |           |
| 男         |          |          |              |              |          |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 4 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 40～49歳    | 5 71.4%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 1 14.3%  | 0 0.0%  | 1 14.3% | 7 100.0%  |
| 50～59歳    | 11 78.6% | 0 0.0%   | 1 7.1%       | 0 0.0%       | 2 14.3%  | 0 0.0%  | 0 0.0%  | 14 100.0% |
| 60～69歳    | 4 18.2%  | 0 0.0%   | 4 18.2%      | 0 0.0%       | 6 27.3%  | 5 22.7% | 3 13.6% | 22 100.0% |
| 70～79歳    | 2 22.2%  | 1 11.1%  | 1 11.1%      | 0 0.0%       | 3 33.3%  | 1 11.1% | 1 11.1% | 9 100.0%  |
| 80～89歳    | 1 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%   | 1 100.0% | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 小計        | 27 46.6% | 2 3.4%   | 6 10.3%      | 0 0.0%       | 12 20.7% | 6 10.3% | 5 8.6%  | 58 100.0% |
| 女         |          |          |              |              |          |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 40～49歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 50～59歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 60～69歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 70～79歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 小計        | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 合計        | 27 46.6% | 2 3.4%   | 6 10.3%      | 0 0.0%       | 12 20.7% | 6 10.3% | 5 8.6%  | 58 100.0% |
| (性別不明を含む) |          |          |              |              |          |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 4 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 40～49歳    | 5 71.4%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 1 14.3%  | 0 0.0%  | 1 14.3% | 7 100.0%  |
| 50～59歳    | 11 78.6% | 0 0.0%   | 1 7.1%       | 0 0.0%       | 2 14.3%  | 0 0.0%  | 0 0.0%  | 14 100.0% |
| 60～69歳    | 4 18.2%  | 0 0.0%   | 4 18.2%      | 0 0.0%       | 6 27.3%  | 5 22.7% | 3 13.6% | 22 100.0% |
| 70～79歳    | 2 22.2%  | 1 11.1%  | 1 11.1%      | 0 0.0%       | 3 33.3%  | 1 11.1% | 1 11.1% | 9 100.0%  |
| 80～89歳    | 1 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%   | 1 100.0% | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 小計        | 27 46.6% | 2 3.4%   | 6 10.3%      | 0 0.0%       | 12 20.7% | 6 10.3% | 5 8.6%  | 58 100.0% |
| 総計        | 27 46.6% | 2 3.4%   | 6 10.3%      | 0 0.0%       | 12 20.7% | 6 10.3% | 5 8.6%  | 58 100.0% |

球脊髄性筋萎縮症

身体障害者手帳

| 度数：横%     | 身体障害者手帳  |          |             |             |            |           |           |           |           |           | 合計        |           |
|-----------|----------|----------|-------------|-------------|------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|           | なし       | あり       |             |             |            |           | 階級        |           |           |           |           | 無回答       |
|           |          | 1級       | 2級          | 3級          | 4級         | 無回答       | 無回答       |           |           |           |           |           |
| 男         | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 30～39歳    | 4 100.0% | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 40～49歳    | 3 42.9%  | 4 57.1%  | 2 ( 50.0%)  | 2 ( 40.0%)  | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 4 100.0%  |
| 50～59歳    | 9 64.3%  | 5 35.7%  | 2 ( 40.0%)  | 2 ( 40.0%)  | 1 ( 20.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 7 100.0%  |
| 60～69歳    | 5 22.7%  | 15 68.2% | 4 ( 26.7%)  | 7 ( 46.7%)  | 3 ( 20.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 1 ( 6.7%) | 2 9.1%    | 22 100.0% |           |
| 70～79歳    | 1 11.1%  | 5 55.6%  | 1 ( 20.0%)  | 3 ( 60.0%)  | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 3 33.3%   | 9 100.0%  |           |
| 80～89歳    | 1 100.0% | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 1 100.0%  |           |
| 90歳以上     | 0 0.0%   | 1 100.0% | 1 ( 100.0%) | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 1 100.0%  |           |
| 不明        | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    | 0 0.0%    |
| 小計        | 23 39.7% | 30 51.7% | 10 ( 33.3%) | 14 ( 46.7%) | 5 ( 16.7%) | 1 ( 3.3%) | 5 8.6%    | 58 100.0% |           |           |           |           |
| 女         | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 30～39歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 40～49歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 50～59歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 60～69歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 70～79歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 小計        | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 合計        | 23 39.7% | 30 51.7% | 10 ( 33.3%) | 14 ( 46.7%) | 5 ( 16.7%) | 1 ( 3.3%) | 5 8.6%    | 58 100.0% |           |           |           |           |
| (性別不明を含む) | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    |
| 30～39歳    | 4 100.0% | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 4 100.0%  |
| 40～49歳    | 3 42.9%  | 4 57.1%  | 2 ( 50.0%)  | 2 ( 40.0%)  | 1 ( 20.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 7 100.0%  |
| 50～59歳    | 9 64.3%  | 5 35.7%  | 2 ( 40.0%)  | 2 ( 40.0%)  | 1 ( 20.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 14 100.0% |
| 60～69歳    | 5 22.7%  | 15 68.2% | 4 ( 26.7%)  | 7 ( 46.7%)  | 3 ( 20.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 1 ( 6.7%) | 2 9.1%    | 22 100.0% |           |
| 70～79歳    | 1 11.1%  | 5 55.6%  | 1 ( 20.0%)  | 3 ( 60.0%)  | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 3 33.3%   | 9 100.0%  |           |
| 80～89歳    | 1 100.0% | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 1 100.0%  |           |
| 90歳以上     | 0 0.0%   | 1 100.0% | 1 ( 100.0%) | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 1 100.0%  |           |
| 不明        | 0 0.0%   | 0 0.0%   | 0 ( 0.0%)   | 0 ( 0.0%)   | 0 ( 0.0%)  | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 ( 0.0%) | 0 0.0%    | 0 0.0%    | 0 0.0%    |
| 小計        | 23 39.7% | 30 51.7% | 10 ( 33.3%) | 14 ( 46.7%) | 5 ( 16.7%) | 1 ( 3.3%) | 5 8.6%    | 58 100.0% |           |           |           |           |



# 球脊髓性筋萎縮症

## 臨床経過

| 度数：横%     | 臨床経過    |          |          |        |         | 合計        |
|-----------|---------|----------|----------|--------|---------|-----------|
|           | 改善      | 不変       | 悪化       | 死亡     | 無回答     |           |
| 男         |         |          |          |        |         |           |
| 0~9歳      | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 20~29歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 30~39歳    | 1 25.0% | 2 50.0%  | 1 25.0%  | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 40~49歳    | 0 0.0%  | 2 28.6%  | 4 57.1%  | 0 0.0% | 1 14.3% | 7 100.0%  |
| 50~59歳    | 0 0.0%  | 9 64.3%  | 5 35.7%  | 0 0.0% | 0 0.0%  | 14 100.0% |
| 60~69歳    | 0 0.0%  | 16 72.7% | 6 27.3%  | 0 0.0% | 0 0.0%  | 22 100.0% |
| 70~79歳    | 0 0.0%  | 5 55.6%  | 4 44.4%  | 0 0.0% | 0 0.0%  | 9 100.0%  |
| 80~89歳    | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%  | 0 0.0%   | 1 100.0% | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 不明        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 小計        | 1 1.7%  | 35 60.3% | 21 36.2% | 0 0.0% | 1 1.7%  | 58 100.0% |
| 女         |         |          |          |        |         |           |
| 0~9歳      | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 20~29歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 30~39歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 40~49歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 50~59歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 60~69歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 70~79歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 80~89歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 90歳以上     | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 小計        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 合計        | 1 1.7%  | 35 60.3% | 21 36.2% | 0 0.0% | 1 1.7%  | 58 100.0% |
| (性別不明を含む) |         |          |          |        |         |           |
| 0~9歳      | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 20~29歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 30~39歳    | 1 25.0% | 2 50.0%  | 1 25.0%  | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 40~49歳    | 0 0.0%  | 2 28.6%  | 4 57.1%  | 0 0.0% | 1 14.3% | 7 100.0%  |
| 50~59歳    | 0 0.0%  | 9 64.3%  | 5 35.7%  | 0 0.0% | 0 0.0%  | 14 100.0% |
| 60~69歳    | 0 0.0%  | 16 72.7% | 6 27.3%  | 0 0.0% | 0 0.0%  | 22 100.0% |
| 70~79歳    | 0 0.0%  | 5 55.6%  | 4 44.4%  | 0 0.0% | 0 0.0%  | 9 100.0%  |
| 80~89歳    | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%  | 0 0.0%   | 1 100.0% | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 不明        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 小計        | 1 1.7%  | 35 60.3% | 21 36.2% | 0 0.0% | 1 1.7%  | 58 100.0% |
| 総計        | 1 1.7%  | 35 60.3% | 21 36.2% | 0 0.0% | 1 1.7%  | 58 100.0% |

球脊髄性筋萎縮症

最近の日常生活活動度

| 度数：横%     | 最近の日常生活活動度 |          |          |          |          |        |           | 合計        |
|-----------|------------|----------|----------|----------|----------|--------|-----------|-----------|
|           | 制限なし       | 独力外出     | 外出介助     | 屋内介助     | 全面介助・臥床  | 無回答    |           |           |
| 男         |            |          |          |          |          |        |           |           |
| 0~9歳      | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 10~19歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 20~29歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 30~39歳    | 2 50.0%    | 2 50.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 4 100.0%  | 4 100.0%  |
| 40~49歳    | 1 14.3%    | 3 42.9%  | 1 14.3%  | 2 28.6%  | 0 0.0%   | 0 0.0% | 7 100.0%  | 7 100.0%  |
| 50~59歳    | 0 0.0%     | 9 64.3%  | 3 21.4%  | 1 7.1%   | 0 0.0%   | 1 7.1% | 14 100.0% | 14 100.0% |
| 60~69歳    | 1 4.5%     | 5 22.7%  | 8 36.4%  | 5 22.7%  | 3 13.6%  | 0 0.0% | 22 100.0% | 22 100.0% |
| 70~79歳    | 0 0.0%     | 5 55.6%  | 0 0.0%   | 3 33.3%  | 1 11.1%  | 0 0.0% | 9 100.0%  | 9 100.0%  |
| 80~89歳    | 0 0.0%     | 1 100.0% | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 1 100.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 1 100.0% | 0 0.0% | 1 100.0%  | 1 100.0%  |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 小計        | 4 6.9%     | 25 43.1% | 12 20.7% | 11 19.0% | 5 8.6%   | 1 1.7% | 58 100.0% | 58 100.0% |
| 女         |            |          |          |          |          |        |           |           |
| 0~9歳      | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 10~19歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 20~29歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 30~39歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 40~49歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 50~59歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 60~69歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 70~79歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 80~89歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 90歳以上     | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 小計        | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 合計        | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| (性別不明を含む) | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 20~29歳    | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 30~39歳    | 2 50.0%    | 2 50.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 4 100.0%  | 4 100.0%  |
| 40~49歳    | 1 14.3%    | 3 42.9%  | 1 14.3%  | 2 28.6%  | 0 0.0%   | 0 0.0% | 7 100.0%  | 7 100.0%  |
| 50~59歳    | 0 0.0%     | 9 64.3%  | 3 21.4%  | 1 7.1%   | 0 0.0%   | 1 7.1% | 14 100.0% | 14 100.0% |
| 60~69歳    | 1 4.5%     | 5 22.7%  | 8 36.4%  | 5 22.7%  | 3 13.6%  | 0 0.0% | 22 100.0% | 22 100.0% |
| 70~79歳    | 0 0.0%     | 5 55.6%  | 0 0.0%   | 3 33.3%  | 1 11.1%  | 0 0.0% | 9 100.0%  | 9 100.0%  |
| 80~89歳    | 0 0.0%     | 1 100.0% | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 1 100.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 1 100.0% | 0 0.0% | 1 100.0%  | 1 100.0%  |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    | 0 0.0%    |
| 小計        | 4 6.9%     | 25 43.1% | 12 20.7% | 11 19.0% | 5 8.6%   | 1 1.7% | 58 100.0% | 58 100.0% |
| 総計        | 4 6.9%     | 25 43.1% | 12 20.7% | 11 19.0% | 5 8.6%   | 1 1.7% | 58 100.0% | 58 100.0% |



# 球脊髄性筋萎縮症

# 球麻痺症状

| 度数；横%     | 球麻痺症状   |          |          |        | 合計        |
|-----------|---------|----------|----------|--------|-----------|
|           | なし      | あり       | 不明       | 無回答    |           |
| 男         |         |          |          |        |           |
| 0~9歳      | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 10~19歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 20~29歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 30~39歳    | 1 25.0% | 3 75.0%  | 0 0.0%   | 0 0.0% | 4 100.0%  |
| 40~49歳    | 0 0.0%  | 7 100.0% | 0 0.0%   | 0 0.0% | 7 100.0%  |
| 50~59歳    | 3 21.4% | 11 78.6% | 0 0.0%   | 0 0.0% | 14 100.0% |
| 60~69歳    | 4 18.2% | 18 81.8% | 0 0.0%   | 0 0.0% | 22 100.0% |
| 70~79歳    | 0 0.0%  | 9 100.0% | 0 0.0%   | 0 0.0% | 9 100.0%  |
| 80~89歳    | 0 0.0%  | 0 0.0%   | 1 100.0% | 0 0.0% | 1 100.0%  |
| 90歳以上     | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 1 100.0%  |
| 不明        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 小計        | 8 13.8% | 49 84.5% | 1 1.7%   | 0 0.0% | 58 100.0% |
| 女         |         |          |          |        |           |
| 0~9歳      | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 10~19歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 20~29歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 30~39歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 40~49歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 50~59歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 60~69歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 70~79歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 80~89歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 90歳以上     | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 不明        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 小計        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 合計        | 8 13.8% | 49 84.5% | 1 1.7%   | 0 0.0% | 58 100.0% |
| (性別不明を含む) |         |          |          |        |           |
| 0~9歳      | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 10~19歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 20~29歳    | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 30~39歳    | 1 25.0% | 3 75.0%  | 0 0.0%   | 0 0.0% | 4 100.0%  |
| 40~49歳    | 0 0.0%  | 7 100.0% | 0 0.0%   | 0 0.0% | 7 100.0%  |
| 50~59歳    | 3 21.4% | 11 78.6% | 0 0.0%   | 0 0.0% | 14 100.0% |
| 60~69歳    | 4 18.2% | 18 81.8% | 0 0.0%   | 0 0.0% | 22 100.0% |
| 70~79歳    | 0 0.0%  | 9 100.0% | 0 0.0%   | 0 0.0% | 9 100.0%  |
| 80~89歳    | 0 0.0%  | 0 0.0%   | 1 100.0% | 0 0.0% | 1 100.0%  |
| 90歳以上     | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 1 100.0%  |
| 不明        | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%    |
| 総計        | 8 13.8% | 49 84.5% | 1 1.7%   | 0 0.0% | 58 100.0% |

# 球脊髄性筋萎縮症

## 上位運動ニューロン徴候

| 度数：横%     | 上位運動ニューロン徴候 |         |        | 合計        |
|-----------|-------------|---------|--------|-----------|
|           | なし          | あり      | 不明     |           |
| 男         |             |         |        |           |
| 0~9歳      | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 10~19歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 20~29歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 30~39歳    | 3 75.0%     | 1 25.0% | 0 0.0% | 4 100.0%  |
| 40~49歳    | 6 85.7%     | 1 14.3% | 0 0.0% | 7 100.0%  |
| 50~59歳    | 13 92.9%    | 1 7.1%  | 0 0.0% | 14 100.0% |
| 60~69歳    | 17 77.3%    | 4 18.2% | 1 4.5% | 22 100.0% |
| 70~79歳    | 7 77.8%     | 2 22.2% | 0 0.0% | 9 100.0%  |
| 80~89歳    | 1 100.0%    | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 90歳以上     | 1 100.0%    | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 不明        | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 小計        | 48 82.8%    | 9 15.5% | 1 1.7% | 58 100.0% |
| 女         |             |         |        |           |
| 0~9歳      | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 10~19歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 20~29歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 30~39歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 40~49歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 50~59歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 60~69歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 70~79歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 80~89歳    | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 90歳以上     | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 不明        | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 小計        | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 合計        | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| (性別不明を含む) | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 30~39歳    | 3 75.0%     | 1 25.0% | 0 0.0% | 4 100.0%  |
| 40~49歳    | 6 85.7%     | 1 14.3% | 0 0.0% | 7 100.0%  |
| 50~59歳    | 13 92.9%    | 1 7.1%  | 0 0.0% | 14 100.0% |
| 60~69歳    | 17 77.3%    | 4 18.2% | 1 4.5% | 22 100.0% |
| 70~79歳    | 7 77.8%     | 2 22.2% | 0 0.0% | 9 100.0%  |
| 80~89歳    | 1 100.0%    | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 90歳以上     | 1 100.0%    | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 不明        | 0 0.0%      | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 総計        | 48 82.8%    | 9 15.5% | 1 1.7% | 58 100.0% |

球脊髄性筋萎縮症

アンドロゲン不全徴候

| 度数：横%     | アンドロゲン不全徴候 |          |         | 合計        |
|-----------|------------|----------|---------|-----------|
|           | なし         | あり       | 不明      |           |
| 男         |            |          |         |           |
| 0～9歳      | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 3 75.0%    | 1 25.0%  | 0 0.0%  | 4 100.0%  |
| 40～49歳    | 1 14.3%    | 4 57.1%  | 2 28.6% | 7 100.0%  |
| 50～59歳    | 4 28.6%    | 9 64.3%  | 1 7.1%  | 14 100.0% |
| 60～69歳    | 5 22.7%    | 16 72.7% | 1 4.5%  | 22 100.0% |
| 70～79歳    | 2 22.2%    | 5 55.6%  | 2 22.2% | 9 100.0%  |
| 80～89歳    | 0 0.0%     | 1 100.0% | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%     | 1 100.0% | 0 0.0%  | 1 100.0%  |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 小計        | 15 25.9%   | 37 63.8% | 6 10.3% | 58 100.0% |
| 女         |            |          |         |           |
| 0～9歳      | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 40～49歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 50～59歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 60～69歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 70～79歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 80～89歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 90歳以上     | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 小計        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 合計        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| (性別不明を含む) | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 20～29歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 30～39歳    | 3 75.0%    | 1 25.0%  | 0 0.0%  | 4 100.0%  |
| 40～49歳    | 1 14.3%    | 4 57.1%  | 2 28.6% | 7 100.0%  |
| 50～59歳    | 4 28.6%    | 9 64.3%  | 1 7.1%  | 14 100.0% |
| 60～69歳    | 5 22.7%    | 16 72.7% | 1 4.5%  | 22 100.0% |
| 70～79歳    | 2 22.2%    | 5 55.6%  | 2 22.2% | 9 100.0%  |
| 80～89歳    | 0 0.0%     | 1 100.0% | 0 0.0%  | 1 100.0%  |
| 90歳以上     | 0 0.0%     | 1 100.0% | 0 0.0%  | 1 100.0%  |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 総計        | 15 25.9%   | 37 63.8% | 6 10.3% | 58 100.0% |

# 球脊髄性筋萎縮症

## 同病の家族歴

| 度数：横%     | 同病の家族歴   |          |          | 合計        |
|-----------|----------|----------|----------|-----------|
|           | なし       | あり       | 不明       |           |
| 男         |          |          |          |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 30～39歳    | 3 75.0%  | 1 25.0%  | 0 0.0%   | 4 100.0%  |
| 40～49歳    | 1 14.3%  | 5 71.4%  | 1 14.3%  | 7 100.0%  |
| 50～59歳    | 4 28.6%  | 6 42.9%  | 4 28.6%  | 14 100.0% |
| 60～69歳    | 10 45.5% | 9 40.9%  | 3 13.6%  | 22 100.0% |
| 70～79歳    | 4 44.4%  | 2 22.2%  | 3 33.3%  | 9 100.0%  |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 1 100.0% | 1 100.0%  |
| 90歳以上     | 1 100.0% | 0 0.0%   | 0 0.0%   | 1 100.0%  |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 小計        | 23 39.7% | 23 39.7% | 12 20.7% | 58 100.0% |
| 女         |          |          |          |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 30～39歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 40～49歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 50～59歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 60～69歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 70～79歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 小計        | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 合計        | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| (性別不明を含む) | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 20～29歳    | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 30～39歳    | 3 75.0%  | 1 25.0%  | 0 0.0%   | 4 100.0%  |
| 40～49歳    | 1 14.3%  | 5 71.4%  | 1 14.3%  | 7 100.0%  |
| 50～59歳    | 4 28.6%  | 6 42.9%  | 4 28.6%  | 14 100.0% |
| 60～69歳    | 10 45.5% | 9 40.9%  | 3 13.6%  | 22 100.0% |
| 70～79歳    | 4 44.4%  | 2 22.2%  | 3 33.3%  | 9 100.0%  |
| 80～89歳    | 0 0.0%   | 0 0.0%   | 1 100.0% | 1 100.0%  |
| 90歳以上     | 1 100.0% | 0 0.0%   | 0 0.0%   | 1 100.0%  |
| 不明        | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%    |
| 総計        | 23 39.7% | 23 39.7% | 12 20.7% | 58 100.0% |

脊髓空洞症

推定発症年月

| 度数：横%     | 推定発症年月   |            |            |            |         |          |         |         |         |         | 合計      |         |           |
|-----------|----------|------------|------------|------------|---------|----------|---------|---------|---------|---------|---------|---------|-----------|
|           | ～1980年   | 1981～1985年 | 1986～1990年 | 1991～1995年 | 1996年   | 1997年    | 1998年   | 不明      | 無回答     |         |         |         |           |
| 男         | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%     | 1 100.0%   | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 20～29歳    | 0 0.0%   | 1 50.0%    | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 1 50.0% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 30～39歳    | 1 25.0%  | 0 0.0%     | 1 25.0%    | 1 25.0%    | 0 0.0%  | 0 0.0%   | 0 0.0%  | 1 25.0% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 40～49歳    | 2 100.0% | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 50～59歳    | 2 33.3%  | 0 0.0%     | 1 16.7%    | 2 33.3%    | 0 0.0%  | 0 0.0%   | 1 16.7% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 6 100.0%  |
| 60～69歳    | 2 40.0%  | 0 0.0%     | 1 20.0%    | 2 40.0%    | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 5 100.0%  |
| 70～79歳    | 0 0.0%   | 0 0.0%     | 0 0.0%     | 1 100.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 80～89歳    | 0 0.0%   | 1 33.3%    | 1 33.3%    | 0 0.0%     | 0 0.0%  | 0 0.0%   | 1 33.3% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 1 100.0% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 小計        | 7 28.0%  | 2 8.0%     | 5 20.0%    | 6 24.0%    | 0 0.0%  | 1 4.0%   | 0 0.0%  | 4 16.0% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 25 100.0% |
| 女         | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 0 0.0%   | 0 0.0%     | 2 66.7%    | 0 0.0%     | 1 33.3% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 20～29歳    | 0 0.0%   | 1 25.0%    | 1 25.0%    | 0 0.0%     | 0 0.0%  | 0 0.0%   | 1 25.0% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 30～39歳    | 0 0.0%   | 0 0.0%     | 0 0.0%     | 1 33.3%    | 0 0.0%  | 0 0.0%   | 1 33.3% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 40～49歳    | 2 22.2%  | 0 0.0%     | 2 22.2%    | 2 22.2%    | 0 0.0%  | 1 11.1%  | 1 11.1% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 11.1% | 0 0.0%  | 9 100.0%  |
| 50～59歳    | 1 10.0%  | 4 40.0%    | 2 20.0%    | 2 20.0%    | 0 0.0%  | 1 10.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 10 100.0% |
| 60～69歳    | 2 25.0%  | 1 12.5%    | 0 0.0%     | 1 12.5%    | 1 12.5% | 0 0.0%   | 1 12.5% | 0 0.0%  | 0 0.0%  | 1 12.5% | 0 0.0%  | 0 0.0%  | 8 100.0%  |
| 70～79歳    | 1 33.3%  | 1 33.3%    | 0 0.0%     | 1 33.3%    | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 80～89歳    | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 2 66.7% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%     | 0 0.0%     | 1 50.0%    | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 50.0% | 2 100.0%  |
| 小計        | 6 13.3%  | 7 15.6%    | 7 15.6%    | 8 17.8%    | 2 4.4%  | 2 4.4%   | 5 11.1% | 5 11.1% | 3 6.7%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 45 100.0% |
| 合計        | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| (性別不明を含む) | 0 0.0%   | 0 0.0%     | 3 75.0%    | 0 0.0%     | 1 25.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 10～19歳    | 0 0.0%   | 2 33.3%    | 1 16.7%    | 0 0.0%     | 0 0.0%  | 0 0.0%   | 1 16.7% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 6 100.0%  |
| 20～29歳    | 1 14.3%  | 0 0.0%     | 1 14.3%    | 2 28.6%    | 0 0.0%  | 0 0.0%   | 1 14.3% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 7 100.0%  |
| 30～39歳    | 4 36.4%  | 0 0.0%     | 2 18.2%    | 2 18.2%    | 0 0.0%  | 1 9.1%   | 0 0.0%  | 1 9.1%  | 0 0.0%  | 0 0.0%  | 1 9.1%  | 0 0.0%  | 11 100.0% |
| 40～49歳    | 3 17.6%  | 4 23.5%    | 4 23.5%    | 4 23.5%    | 0 0.0%  | 1 5.9%   | 0 0.0%  | 1 5.9%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 17 100.0% |
| 50～59歳    | 4 30.8%  | 1 7.7%     | 1 7.7%     | 3 23.1%    | 1 7.7%  | 0 0.0%   | 1 7.7%  | 1 7.7%  | 1 7.7%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 13 100.0% |
| 60～69歳    | 1 25.0%  | 1 25.0%    | 0 0.0%     | 2 50.0%    | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 70～79歳    | 0 0.0%   | 1 16.7%    | 1 16.7%    | 0 0.0%     | 0 0.0%  | 0 0.0%   | 2 33.3% | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 6 100.0%  |
| 80～89歳    | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 90歳以上     | 0 0.0%   | 0 0.0%     | 0 0.0%     | 0 0.0%     | 0 0.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 0 0.0%     | 0 0.0%     | 1 33.3%    | 0 0.0%  | 1 33.3%  | 0 0.0%  | 0 0.0%  | 1 33.3% | 0 0.0%  | 1 33.3% | 0 0.0%  | 3 100.0%  |
| 小計        | 13 18.3% | 9 12.7%    | 13 18.3%   | 14 19.7%   | 2 2.8%  | 3 4.2%   | 5 7.0%  | 9 12.7% | 3 4.2%  | 0 0.0%  | 0 0.0%  | 0 0.0%  | 71 100.0% |

脊髄空洞症

受療状況

| 度数：横%  | 受療状況     |          |          |         |        | 合計        |
|--------|----------|----------|----------|---------|--------|-----------|
|        | 主に入院     | 主に通院     | 両方       | その他     | 無回答    |           |
| 男      |          |          |          |         |        |           |
| 0～9歳   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 10～19歳 | 0 0.0%   | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 20～29歳 | 1 50.0%  | 1 50.0%  | 0 0.0%   | 0 0.0%  | 0 0.0% | 2 100.0%  |
| 30～39歳 | 1 25.0%  | 3 75.0%  | 0 0.0%   | 0 0.0%  | 0 0.0% | 4 100.0%  |
| 40～49歳 | 0 0.0%   | 1 50.0%  | 1 50.0%  | 0 0.0%  | 0 0.0% | 2 100.0%  |
| 50～59歳 | 3 50.0%  | 2 33.3%  | 1 16.7%  | 0 0.0%  | 0 0.0% | 6 100.0%  |
| 60～69歳 | 0 0.0%   | 2 40.0%  | 2 40.0%  | 1 20.0% | 0 0.0% | 5 100.0%  |
| 70～79歳 | 0 0.0%   | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 80～89歳 | 0 0.0%   | 3 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0% | 3 100.0%  |
| 90歳以上  | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 不明     | 1 100.0% | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 1 100.0%  |
| 小計     | 6 24.0%  | 13 52.0% | 5 20.0%  | 1 4.0%  | 0 0.0% | 25 100.0% |
| 女      |          |          |          |         |        |           |
| 0～9歳   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 10～19歳 | 0 0.0%   | 2 66.7%  | 1 33.3%  | 0 0.0%  | 0 0.0% | 3 100.0%  |
| 20～29歳 | 1 25.0%  | 2 50.0%  | 1 25.0%  | 0 0.0%  | 0 0.0% | 4 100.0%  |
| 30～39歳 | 0 0.0%   | 2 66.7%  | 1 33.3%  | 0 0.0%  | 0 0.0% | 3 100.0%  |
| 40～49歳 | 0 0.0%   | 9 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0% | 9 100.0%  |
| 50～59歳 | 1 10.0%  | 8 80.0%  | 0 0.0%   | 1 10.0% | 0 0.0% | 10 100.0% |
| 60～69歳 | 0 0.0%   | 7 87.5%  | 0 0.0%   | 1 12.5% | 0 0.0% | 8 100.0%  |
| 70～79歳 | 0 0.0%   | 2 66.7%  | 1 33.3%  | 0 0.0%  | 0 0.0% | 3 100.0%  |
| 80～89歳 | 1 33.3%  | 1 33.3%  | 1 33.3%  | 0 0.0%  | 0 0.0% | 3 100.0%  |
| 90歳以上  | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 不明     | 1 50.0%  | 1 50.0%  | 0 0.0%   | 0 0.0%  | 0 0.0% | 2 100.0%  |
| 小計     | 4 8.9%   | 34 75.6% | 5 11.1%  | 2 4.4%  | 0 0.0% | 45 100.0% |
| 合計     |          |          |          |         |        |           |
| 0～9歳   | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 10～19歳 | 0 0.0%   | 3 75.0%  | 1 25.0%  | 0 0.0%  | 0 0.0% | 4 100.0%  |
| 20～29歳 | 2 33.3%  | 3 50.0%  | 1 16.7%  | 0 0.0%  | 0 0.0% | 6 100.0%  |
| 30～39歳 | 1 14.3%  | 5 71.4%  | 1 14.3%  | 0 0.0%  | 0 0.0% | 7 100.0%  |
| 40～49歳 | 0 0.0%   | 10 90.9% | 1 9.1%   | 0 0.0%  | 0 0.0% | 11 100.0% |
| 50～59歳 | 4 23.5%  | 11 64.7% | 1 5.9%   | 1 5.9%  | 0 0.0% | 17 100.0% |
| 60～69歳 | 0 0.0%   | 9 69.2%  | 2 15.4%  | 2 15.4% | 0 0.0% | 13 100.0% |
| 70～79歳 | 0 0.0%   | 2 50.0%  | 2 50.0%  | 0 0.0%  | 0 0.0% | 4 100.0%  |
| 80～89歳 | 1 16.7%  | 4 66.7%  | 1 16.7%  | 0 0.0%  | 0 0.0% | 6 100.0%  |
| 90歳以上  | 0 0.0%   | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0% | 0 0.0%    |
| 不明     | 2 66.7%  | 1 33.3%  | 0 0.0%   | 0 0.0%  | 0 0.0% | 3 100.0%  |
| 総計     | 10 14.1% | 48 67.6% | 10 14.1% | 3 4.2%  | 0 0.0% | 71 100.0% |

脊髄空洞症

医療費公費負担状況

| 度数：横%     | 医療費負担状況  |          |              |              |         |         |         | 合計        |
|-----------|----------|----------|--------------|--------------|---------|---------|---------|-----------|
|           | なし       | 老人医療     | 都道府県<br>指定疾患 | 小児慢性<br>特定疾患 | 他の特定疾患  | その他     | 無回答     |           |
| 男         |          |          |              |              |         |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 1 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 20～29歳    | 2 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 30～39歳    | 3 75.0%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 1 25.0% | 0 0.0%  | 4 100.0%  |
| 40～49歳    | 2 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 50～59歳    | 4 66.7%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 2 33.3% | 0 0.0%  | 6 100.0%  |
| 60～69歳    | 5 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 5 100.0%  |
| 70～79歳    | 0 0.0%   | 1 100.0% | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 80～89歳    | 0 0.0%   | 2 66.7%  | 0 0.0%       | 0 0.0%       | 1 33.3% | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 1 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 小計        | 18 72.0% | 3 12.0%  | 0 0.0%       | 0 0.0%       | 1 4.0%  | 3 12.0% | 0 0.0%  | 25 100.0% |
| 女         |          |          |              |              |         |         |         |           |
| 0～9歳      | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10～19歳    | 2 66.7%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 1 33.3% | 3 100.0%  |
| 20～29歳    | 4 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 30～39歳    | 2 66.7%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 1 33.3% | 3 100.0%  |
| 40～49歳    | 8 88.9%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 1 11.1% | 0 0.0%  | 0 0.0%  | 9 100.0%  |
| 50～59歳    | 7 70.0%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 1 10.0% | 1 10.0% | 1 10.0% | 10 100.0% |
| 60～69歳    | 6 75.0%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 1 12.5% | 1 12.5% | 8 100.0%  |
| 70～79歳    | 3 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 80～89歳    | 0 0.0%   | 2 66.7%  | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 1 33.3% | 3 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 1 50.0%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 1 50.0% | 2 100.0%  |
| 小計        | 33 73.3% | 2 4.4%   | 0 0.0%       | 0 0.0%       | 2 4.4%  | 2 4.4%  | 6 13.3% | 45 100.0% |
| 合計        | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| (性別不明を含む) | 3 75.0%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 1 25.0% | 4 100.0%  |
|           | 6 100.0% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 6 100.0%  |
|           | 5 71.4%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 1 14.3% | 1 14.3% | 7 100.0%  |
|           | 10 90.9% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 1 9.1%  | 0 0.0%  | 0 0.0%  | 11 100.0% |
|           | 12 70.6% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 1 5.9%  | 3 17.6% | 1 5.9%  | 17 100.0% |
|           | 11 84.6% | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 1 7.7%  | 1 7.7%  | 13 100.0% |
|           | 3 75.0%  | 1 25.0%  | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
|           | 0 0.0%   | 4 66.7%  | 0 0.0%       | 0 0.0%       | 1 16.7% | 0 0.0%  | 1 16.7% | 6 100.0%  |
|           | 0 0.0%   | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 0 0.0%  | 0 0.0%    |
|           | 2 66.7%  | 0 0.0%   | 0 0.0%       | 0 0.0%       | 0 0.0%  | 0 0.0%  | 1 33.3% | 3 100.0%  |
| 総計        | 52 73.2% | 5 7.0%   | 0 0.0%       | 0 0.0%       | 3 4.2%  | 5 7.0%  | 6 8.5%  | 71 100.0% |





# 脊髓空洞症

# 臨床経過

| 度数：横%  | 臨床経過    |          |          |        |         | 合計        |
|--------|---------|----------|----------|--------|---------|-----------|
|        | 改善      | 不変       | 悪化       | 死亡     | 無回答     |           |
| 男      |         |          |          |        |         |           |
| 0~9歳   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳 | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 20~29歳 | 0 0.0%  | 2 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 2 100.0%  |
| 30~39歳 | 0 0.0%  | 2 50.0%  | 1 25.0%  | 0 0.0% | 1 25.0% | 4 100.0%  |
| 40~49歳 | 0 0.0%  | 2 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 2 100.0%  |
| 50~59歳 | 0 0.0%  | 3 50.0%  | 3 50.0%  | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 60~69歳 | 0 0.0%  | 4 80.0%  | 1 20.0%  | 0 0.0% | 0 0.0%  | 5 100.0%  |
| 70~79歳 | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 80~89歳 | 0 0.0%  | 3 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 90歳以上  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明     | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 小計     | 0 0.0%  | 19 76.0% | 5 20.0%  | 0 0.0% | 1 4.0%  | 25 100.0% |
| 女      |         |          |          |        |         |           |
| 0~9歳   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳 | 1 33.3% | 2 66.7%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 20~29歳 | 1 25.0% | 3 75.0%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 30~39歳 | 1 33.3% | 2 66.7%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 40~49歳 | 0 0.0%  | 7 77.8%  | 2 22.2%  | 0 0.0% | 0 0.0%  | 9 100.0%  |
| 50~59歳 | 1 10.0% | 9 90.0%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 10 100.0% |
| 60~69歳 | 1 12.5% | 5 62.5%  | 2 25.0%  | 0 0.0% | 0 0.0%  | 8 100.0%  |
| 70~79歳 | 1 33.3% | 2 66.7%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 80~89歳 | 1 33.3% | 1 33.3%  | 1 33.3%  | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 90歳以上  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明     | 0 0.0%  | 1 50.0%  | 0 0.0%   | 0 0.0% | 1 50.0% | 2 100.0%  |
| 小計     | 7 15.6% | 32 71.1% | 5 11.1%  | 0 0.0% | 1 2.2%  | 45 100.0% |
| 合計     |         |          |          |        |         |           |
| 0~9歳   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳 | 1 25.0% | 3 75.0%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 20~29歳 | 1 16.7% | 5 83.3%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 30~39歳 | 1 14.3% | 4 57.1%  | 1 14.3%  | 0 0.0% | 1 14.3% | 7 100.0%  |
| 40~49歳 | 0 0.0%  | 9 81.8%  | 2 18.2%  | 0 0.0% | 0 0.0%  | 11 100.0% |
| 50~59歳 | 1 5.9%  | 13 76.5% | 3 17.6%  | 0 0.0% | 0 0.0%  | 17 100.0% |
| 60~69歳 | 1 7.7%  | 9 69.2%  | 3 23.1%  | 0 0.0% | 0 0.0%  | 13 100.0% |
| 70~79歳 | 1 25.0% | 3 75.0%  | 0 0.0%   | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 80~89歳 | 1 16.7% | 4 66.7%  | 1 16.7%  | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 90歳以上  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明     | 0 0.0%  | 2 66.7%  | 0 0.0%   | 0 0.0% | 1 33.3% | 3 100.0%  |
| 総計     | 7 9.9%  | 52 73.2% | 10 14.1% | 0 0.0% | 2 2.8%  | 71 100.0% |

脊髄空洞症

最近の日常生活活動度

| 度数：横%     | 最近の日常生活活動度 |          |         |          |          |         |         | 合計        |
|-----------|------------|----------|---------|----------|----------|---------|---------|-----------|
|           | 制限なし       | 独力外出     | 外出介助    | 屋内介助     | 全面介助・臥床  | 無回答     |         |           |
| 男         |            |          |         |          |          |         |         |           |
| 0~9歳      | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 0 0.0%     | 1 100.0% | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 20~29歳    | 1 50.0%    | 1 50.0%  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 30~39歳    | 2 50.0%    | 1 25.0%  | 0 0.0%  | 0 0.0%   | 1 25.0%  | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 40~49歳    | 1 50.0%    | 1 50.0%  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 50~59歳    | 1 16.7%    | 1 16.7%  | 1 16.7% | 1 16.7%  | 1 16.7%  | 1 16.7% | 1 16.7% | 6 100.0%  |
| 60~69歳    | 2 40.0%    | 1 20.0%  | 1 20.0% | 0 0.0%   | 1 20.0%  | 0 0.0%  | 0 0.0%  | 5 100.0%  |
| 70~79歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 1 100.0% | 0 0.0%   | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 80~89歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 2 66.7%  | 1 33.3% | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 1 100.0% | 0 0.0%  | 0 0.0%  | 1 100.0%  |
| 小計        | 7 28.0%    | 6 24.0%  | 2 8.0%  | 2 8.0%   | 6 24.0%  | 2 8.0%  | 2 8.0%  | 25 100.0% |
| 女         |            |          |         |          |          |         |         |           |
| 0~9歳      | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 3 100.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 20~29歳    | 4 100.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 4 100.0%  |
| 30~39歳    | 2 66.7%    | 1 33.3%  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 40~49歳    | 6 66.7%    | 2 22.2%  | 1 11.1% | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 9 100.0%  |
| 50~59歳    | 7 70.0%    | 1 10.0%  | 1 10.0% | 1 10.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 10 100.0% |
| 60~69歳    | 2 25.0%    | 4 50.0%  | 1 12.5% | 0 0.0%   | 0 0.0%   | 0 0.0%  | 1 12.5% | 8 100.0%  |
| 70~79歳    | 0 0.0%     | 1 33.3%  | 2 66.7% | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 80~89歳    | 0 0.0%     | 0 0.0%   | 0 0.0%  | 1 33.3%  | 1 33.3%  | 1 33.3% | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| 不明        | 1 50.0%    | 0 0.0%   | 1 50.0% | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 2 100.0%  |
| 小計        | 25 55.6%   | 9 20.0%  | 6 13.3% | 2 4.4%   | 1 2.2%   | 2 4.4%  | 2 4.4%  | 45 100.0% |
| 合計        | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
| (性別不明を含む) | 3 75.0%    | 1 25.0%  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 4 100.0%  |
|           | 5 83.3%    | 1 16.7%  | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 6 100.0%  |
|           | 4 57.1%    | 2 28.6%  | 0 0.0%  | 0 0.0%   | 1 14.3%  | 0 0.0%  | 0 0.0%  | 7 100.0%  |
|           | 7 63.6%    | 3 27.3%  | 1 9.1%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 11 100.0% |
|           | 9 52.9%    | 2 11.8%  | 2 11.8% | 2 11.8%  | 1 5.9%   | 1 5.9%  | 1 5.9%  | 17 100.0% |
|           | 4 30.8%    | 5 38.5%  | 2 15.4% | 0 0.0%   | 1 7.7%   | 1 7.7%  | 0 0.0%  | 13 100.0% |
|           | 0 0.0%     | 1 25.0%  | 2 50.0% | 1 25.0%  | 0 0.0%   | 0 0.0%  | 0 0.0%  | 4 100.0%  |
|           | 0 0.0%     | 0 0.0%   | 0 0.0%  | 1 16.7%  | 3 50.0%  | 2 33.3% | 0 0.0%  | 6 100.0%  |
|           | 0 0.0%     | 0 0.0%   | 0 0.0%  | 0 0.0%   | 0 0.0%   | 0 0.0%  | 0 0.0%  | 0 0.0%    |
|           | 1 33.3%    | 0 0.0%   | 1 33.3% | 0 0.0%   | 1 33.3%  | 0 0.0%  | 0 0.0%  | 3 100.0%  |
| 総計        | 33 46.5%   | 15 21.1% | 8 11.3% | 4 5.6%   | 7 9.9%   | 4 5.6%  | 4 5.6%  | 71 100.0% |

脊髓空洞症

Chiari奇形

| 度数：権%     | Chiari奇形 |          |        |         | 合計        |
|-----------|----------|----------|--------|---------|-----------|
|           | なし       | あり       | 不明     | 無回答     |           |
| 男         |          |          |        |         |           |
| 0~9歳      | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 20~29歳    | 1 50.0%  | 1 50.0%  | 0 0.0% | 0 0.0%  | 2 100.0%  |
| 30~39歳    | 4 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 40~49歳    | 1 50.0%  | 1 50.0%  | 0 0.0% | 0 0.0%  | 2 100.0%  |
| 50~59歳    | 3 50.0%  | 3 50.0%  | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 60~69歳    | 2 40.0%  | 3 60.0%  | 0 0.0% | 0 0.0%  | 5 100.0%  |
| 70~79歳    | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 80~89歳    | 3 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 1 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 1 100.0%  |
| 小計        | 17 68.0% | 8 32.0%  | 0 0.0% | 0 0.0%  | 25 100.0% |
| 女         |          |          |        |         |           |
| 0~9歳      | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 10~19歳    | 2 66.7%  | 1 33.3%  | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 20~29歳    | 0 0.0%   | 4 100.0% | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 30~39歳    | 1 33.3%  | 2 66.7%  | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 40~49歳    | 3 33.3%  | 6 66.7%  | 0 0.0% | 0 0.0%  | 9 100.0%  |
| 50~59歳    | 4 40.0%  | 6 60.0%  | 0 0.0% | 0 0.0%  | 10 100.0% |
| 60~69歳    | 7 87.5%  | 1 12.5%  | 0 0.0% | 0 0.0%  | 8 100.0%  |
| 70~79歳    | 2 66.7%  | 1 33.3%  | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 80~89歳    | 3 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 3 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 0 0.0%   | 1 50.0%  | 0 0.0% | 1 50.0% | 2 100.0%  |
| 小計        | 22 48.9% | 22 48.9% | 0 0.0% | 1 2.2%  | 45 100.0% |
| 合計        | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| (性別不明を含む) | 3 75.0%  | 1 25.0%  | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 20~29歳    | 1 16.7%  | 5 83.3%  | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 30~39歳    | 5 71.4%  | 2 28.6%  | 0 0.0% | 0 0.0%  | 7 100.0%  |
| 40~49歳    | 4 36.4%  | 7 63.6%  | 0 0.0% | 0 0.0%  | 11 100.0% |
| 50~59歳    | 7 41.2%  | 10 58.8% | 0 0.0% | 0 0.0%  | 17 100.0% |
| 60~69歳    | 9 69.2%  | 4 30.8%  | 0 0.0% | 0 0.0%  | 13 100.0% |
| 70~79歳    | 3 75.0%  | 1 25.0%  | 0 0.0% | 0 0.0%  | 4 100.0%  |
| 80~89歳    | 6 100.0% | 0 0.0%   | 0 0.0% | 0 0.0%  | 6 100.0%  |
| 90歳以上     | 0 0.0%   | 0 0.0%   | 0 0.0% | 0 0.0%  | 0 0.0%    |
| 不明        | 1 33.3%  | 1 33.3%  | 0 0.0% | 1 33.3% | 3 100.0%  |
| 総計        | 39 54.9% | 31 43.7% | 0 0.0% | 1 1.4%  | 71 100.0% |

# 脊髄空洞症

## 脊髄腫瘍、外傷、くも膜炎のいずれか既往

| 度数：横%  | 脊髄腫瘍、外傷、くも膜炎のいずれか既往 |          |         | 合計        |
|--------|---------------------|----------|---------|-----------|
|        | なし                  | あり       | 不明      |           |
| 男      |                     |          |         |           |
| 0～9歳   | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 10～19歳 | 1 100.0%            | 0 0.0%   | 0 0.0%  | 1 100.0%  |
| 20～29歳 | 2 100.0%            | 0 0.0%   | 0 0.0%  | 2 100.0%  |
| 30～39歳 | 1 25.0%             | 3 75.0%  | 0 0.0%  | 4 100.0%  |
| 40～49歳 | 1 50.0%             | 0 0.0%   | 1 50.0% | 2 100.0%  |
| 50～59歳 | 5 83.3%             | 1 16.7%  | 0 0.0%  | 6 100.0%  |
| 60～69歳 | 5 100.0%            | 0 0.0%   | 0 0.0%  | 5 100.0%  |
| 70～79歳 | 1 100.0%            | 0 0.0%   | 0 0.0%  | 1 100.0%  |
| 80～89歳 | 0 0.0%              | 2 66.7%  | 1 33.3% | 3 100.0%  |
| 90歳以上  | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 不明     | 1 100.0%            | 0 0.0%   | 0 0.0%  | 1 100.0%  |
| 小計     | 17 68.0%            | 6 24.0%  | 2 8.0%  | 25 100.0% |
| 女      |                     |          |         |           |
| 0～9歳   | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 10～19歳 | 3 100.0%            | 0 0.0%   | 0 0.0%  | 3 100.0%  |
| 20～29歳 | 4 100.0%            | 0 0.0%   | 0 0.0%  | 4 100.0%  |
| 30～39歳 | 2 66.7%             | 0 0.0%   | 0 0.0%  | 3 100.0%  |
| 40～49歳 | 8 88.9%             | 1 11.1%  | 0 0.0%  | 9 100.0%  |
| 50～59歳 | 8 80.0%             | 1 10.0%  | 0 0.0%  | 10 100.0% |
| 60～69歳 | 5 62.5%             | 3 37.5%  | 0 0.0%  | 8 100.0%  |
| 70～79歳 | 3 100.0%            | 0 0.0%   | 0 0.0%  | 3 100.0%  |
| 80～89歳 | 0 0.0%              | 2 66.7%  | 1 33.3% | 3 100.0%  |
| 90歳以上  | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 不明     | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 小計     | 33 73.3%            | 7 15.6%  | 1 2.2%  | 45 100.0% |
| 合計     | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 10～19歳 | 4 100.0%            | 0 0.0%   | 0 0.0%  | 4 100.0%  |
| 20～29歳 | 6 100.0%            | 0 0.0%   | 0 0.0%  | 6 100.0%  |
| 30～39歳 | 3 42.9%             | 3 42.9%  | 0 0.0%  | 7 100.0%  |
| 40～49歳 | 9 81.8%             | 1 9.1%   | 1 9.1%  | 11 100.0% |
| 50～59歳 | 13 76.5%            | 3 17.6%  | 0 0.0%  | 17 100.0% |
| 60～69歳 | 10 76.9%            | 3 23.1%  | 0 0.0%  | 13 100.0% |
| 70～79歳 | 4 100.0%            | 0 0.0%   | 0 0.0%  | 4 100.0%  |
| 80～89歳 | 0 0.0%              | 4 66.7%  | 2 33.3% | 6 100.0%  |
| 90歳以上  | 0 0.0%              | 0 0.0%   | 0 0.0%  | 0 0.0%    |
| 不明     | 1 33.3%             | 0 0.0%   | 0 0.0%  | 3 100.0%  |
| 総計     | 50 70.4%            | 14 19.7% | 3 4.2%  | 71 100.0% |