

遺伝子診断

ライソゾーム病

度数：横%	遺伝子診断				合計
	なし	あり	不明	無回答	
男					
0～9歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	5 83.3%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	2 66.7%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
合計	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
(性別不明を含む)	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
総計	7 77.8%	2 22.2%	0 0.0%	0 0.0%	9 100.0%

ライソゾーム病

骨髄移植

度数：横%	骨髄移植				合計
	なし	あり	不明	無回答	
男					
0～9歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	5 83.3%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
合計	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
(性別不明を含む)	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
総計	8 88.9%	1 11.1%	0 0.0%	0 0.0%	9 100.0%

ライソゾーム病

酵素補充療法

度数：様％	酵素補充療法			合計
	なし	あり	不明	
男				
0～9歳	2 100.0%	0 0.0%	0 0.0%	2 100.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	6 100.0%	0 0.0%	0 0.0%	6 100.0%
女				
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	2 100.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	3 100.0%	0 0.0%	0 0.0%	3 100.0%
合計	2 100.0%	0 0.0%	0 0.0%	2 100.0%
(性別不明を含む)	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	2 100.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%
総計	9 100.0%	0 0.0%	0 0.0%	9 100.0%

ライソゾーム病

同病の家族歴

度数：横％	同病の家族歴				合計
	なし	あり	不明	無回答	
男					
0～9歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
60～69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	2 33.3%	4 66.7%	0 0.0%	0 0.0%	6 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
30～39歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
合計	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
(性別不明を含む)	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
30～39歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
40～49歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
50～59歳	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
60～69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
総計	3 33.3%	6 66.7%	0 0.0%	0 0.0%	9 100.0%

ギラン・バレー症候群

推定発症年月

度数：横%	推定発症年月											合計													
	～1980年	1981～1985年	1986～1990年	1991～1995年	1996年	1997年	1998年	不明	無回答																
男																									
0～9歳	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10～19歳	0	0	0	0	0	0	0	0	0	2	50.0%	1	25.0%	1	25.0%	1	25.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20～29歳	0	0	0	0	0	0	0	0	0	0	0.0%	0	0.0%	2	14.3%	12	85.7%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30～39歳	0	0	0	0	0	0	0	0	0	0	0.0%	1	4.5%	1	4.5%	20	90.9%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40～49歳	0	0	0	0	0	0	0	0	0	0	0.0%	0	0.0%	2	20.0%	7	70.0%	0	0.0%	1	10.0%	1	10.0%	10	100.0%
50～59歳	0	0	0	0	0	1	7.1%	1	7.1%	0	0.0%	0	0.0%	5	35.7%	6	42.9%	0	0.0%	1	7.1%	1	7.1%	14	100.0%
60～69歳	0	0	0	0	0	1	7.7%	1	7.7%	0	0.0%	0	0.0%	0	0.0%	10	76.9%	0	0.0%	1	7.7%	1	7.7%	13	100.0%
70～79歳	0	0	0	0	0	0	0.0%	0	0.0%	1	25.0%	1	25.0%	0	0.0%	2	50.0%	0	0.0%	1	25.0%	1	25.0%	4	100.0%
80～89歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
90歳以上	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
不明	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
小計	0	0	0	0	0	2	2.2%	2	2.2%	3	3.4%	3	3.4%	3	3.4%	11	12.4%	66	74.2%	4	4.5%	4	4.5%	89	100.0%
女																									
0～9歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
10～19歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	1	25.0%	1	25.0%	0	0.0%	3	75.0%	0	0.0%	0	0.0%	0	0.0%
20～29歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	4	30.8%	9	69.2%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30～39歳	0	0	0	0	0	0	0.0%	0	0.0%	1	12.5%	1	12.5%	2	25.0%	5	62.5%	0	0.0%	0	0.0%	0	0.0%	1	16.7%
40～49歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	3	50.0%	2	33.3%	0	0.0%	0	0.0%	0	0.0%	1	16.7%
50～59歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	2	50.0%	2	50.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
60～69歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	3	25.0%	9	75.0%	0	0.0%	0	0.0%	0	0.0%
70～79歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	20.0%	3	60.0%	3	60.0%	0	0.0%	0	0.0%	0	0.0%
80～89歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	25.0%	3	75.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
90歳以上	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
不明	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	4	100.0%	4	100.0%	0	0.0%	0	0.0%	0	0.0%
小計	0	0	0	0	0	0	0.0%	0	0.0%	3	5.0%	3	5.0%	16	26.7%	40	66.7%	1	1.7%	1	1.7%	1	1.7%	60	100.0%
合計	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
(性別不明を含む)																									
10～19歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	3	37.5%	1	12.5%	4	50.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
20～29歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	6	22.2%	21	77.8%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
30～39歳	0	0	0	0	0	0	0.0%	0	0.0%	1	3.3%	1	3.3%	3	10.0%	25	83.3%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
40～49歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	5	31.3%	9	56.3%	0	0.0%	2	12.5%	2	12.5%	16	100.0%
50～59歳	0	0	0	0	0	0	0.0%	1	5.6%	1	5.6%	1	5.6%	7	38.9%	8	44.4%	0	0.0%	1	5.6%	1	5.6%	18	100.0%
60～69歳	0	0	0	0	0	0	0.0%	1	4.0%	1	4.0%	1	4.0%	3	12.0%	19	76.0%	0	0.0%	1	4.0%	1	4.0%	25	100.0%
70～79歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	11.1%	5	55.6%	0	0.0%	1	11.1%	1	11.1%	9	100.0%
80～89歳	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	1	25.0%	3	75.0%	0	0.0%	0	0.0%	0	0.0%	4	100.0%
90歳以上	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
不明	0	0	0	0	0	0	0.0%	0	0.0%	0	0.0%	0	0.0%	0	0.0%	12	100.0%	12	100.0%	0	0.0%	0	0.0%	12	100.0%
小計	0	0	0	0	0	2	1.3%	2	1.3%	3	2.0%	6	4.0%	27	18.1%	106	71.1%	5	3.4%	5	3.4%	5	3.4%	149	100.0%

ギラン・バレー症候群

受療状況

度数：横%	受療状況					合計
	主に入院	主に通院	両方	その他	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	7 50.0%	1 7.1%	6 42.9%	0 0.0%	0 0.0%	14 100.0%
30～39歳	15 68.2%	1 4.5%	6 27.3%	0 0.0%	0 0.0%	22 100.0%
40～49歳	8 80.0%	1 10.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
50～59歳	6 42.9%	5 35.7%	3 21.4%	0 0.0%	0 0.0%	14 100.0%
60～69歳	8 61.5%	2 15.4%	3 23.1%	0 0.0%	0 0.0%	13 100.0%
70～79歳	2 50.0%	0 0.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 12.5%	3 37.5%	4 50.0%	0 0.0%	0 0.0%	8 100.0%
小計	49 55.1%	14 15.7%	26 29.2%	0 0.0%	0 0.0%	89 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 50.0%	0 0.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	8 61.5%	2 15.4%	3 23.1%	0 0.0%	0 0.0%	13 100.0%
30～39歳	6 75.0%	1 12.5%	1 12.5%	0 0.0%	0 0.0%	8 100.0%
40～49歳	1 16.7%	4 66.7%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
50～59歳	3 75.0%	0 0.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	9 75.0%	2 16.7%	1 8.3%	0 0.0%	0 0.0%	12 100.0%
70～79歳	2 40.0%	1 20.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%
80～89歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 25.0%	3 75.0%	0 0.0%	0 0.0%	4 100.0%
小計	35 58.3%	11 18.3%	14 23.3%	0 0.0%	0 0.0%	60 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	4 50.0%	1 12.5%	3 37.5%	0 0.0%	0 0.0%	8 100.0%
20～29歳	15 55.6%	3 11.1%	9 33.3%	0 0.0%	0 0.0%	27 100.0%
30～39歳	21 70.0%	2 6.7%	7 23.3%	0 0.0%	0 0.0%	30 100.0%
40～49歳	9 56.3%	5 31.3%	2 12.5%	0 0.0%	0 0.0%	16 100.0%
50～59歳	9 50.0%	5 27.8%	4 22.2%	0 0.0%	0 0.0%	18 100.0%
60～69歳	17 68.0%	4 16.0%	4 16.0%	0 0.0%	0 0.0%	25 100.0%
70～79歳	4 44.4%	1 11.1%	4 44.4%	0 0.0%	0 0.0%	9 100.0%
80～89歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 8.3%	4 33.3%	7 58.3%	0 0.0%	0 0.0%	12 100.0%
総計	84 56.4%	25 16.8%	40 26.8%	0 0.0%	0 0.0%	149 100.0%

ギラン・バレー症候群

医療費公費負担状況

度数：横％	医療費公費負担状況							合計
	なし	老人医療	都道府県 指定疾患	小児慢性 特定疾患	他の特定疾患	その他	無回答	
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	14 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
30～39歳	21 95.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 4.5%	22 100.0%
40～49歳	9 90.0%	0 0.0%	1 10.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	10 100.0%
50～59歳	14 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
60～69歳	12 92.3%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
70～79歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	8 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
小計	85 95.5%	2 2.2%	1 1.1%	0 0.0%	0 0.0%	0 0.0%	1 1.1%	89 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	11 84.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 15.4%	13 100.0%
30～39歳	8 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
40～49歳	5 83.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 16.7%	6 100.0%
50～59歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	10 83.3%	0 0.0%	1 8.3%	0 0.0%	0 0.0%	0 0.0%	1 8.3%	12 100.0%
70～79歳	3 60.0%	2 40.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
80～89歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
小計	52 86.7%	3 5.0%	1 1.7%	0 0.0%	0 0.0%	0 0.0%	4 6.7%	60 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	8 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
20～29歳	25 92.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 7.4%	27 100.0%
30～39歳	29 96.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 3.3%	30 100.0%
40～49歳	14 87.5%	0 0.0%	1 6.3%	0 0.0%	0 0.0%	0 0.0%	1 6.3%	16 100.0%
50～59歳	18 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	18 100.0%
60～69歳	22 88.0%	1 4.0%	1 4.0%	0 0.0%	0 0.0%	0 0.0%	1 4.0%	25 100.0%
70～79歳	6 66.7%	3 33.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
80～89歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	12 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	12 100.0%
総計	137 91.9%	5 3.4%	2 1.3%	0 0.0%	0 0.0%	0 0.0%	5 3.4%	149 100.0%

ギラン・バレー症候群

身体障害者手帳

度数：横%	身体障害者手帳										合計					
	なし	あり								無回答						
		1級		2級		3級		4級				無回答				
男	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
10~19歳	4	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
20~29歳	13	92.9%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	1	7.1%
30~39歳	18	81.8%	2	9.1%	1	50.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	2	9.1%
40~49歳	10	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
50~59歳	12	85.7%	1	7.1%	0	0 (0.0%)	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	1	7.1%
60~69歳	10	76.9%	1	7.7%	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	2	15.4%
70~79歳	3	75.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	1	25.0%
80~89歳	0	0.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
90歳以上	0	0.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
不明	8	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
小計	78	87.6%	4	4.5%	2	50.0%	1	25.0%	0	0 (0.0%)	0	0 (0.0%)	1	25.0%	7	7.9%
女	0	0.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
10~19歳	4	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
20~29歳	10	76.9%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	3	23.1%
30~39歳	7	87.5%	1	12.5%	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
40~49歳	4	66.7%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	2	33.3%
50~59歳	4	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
60~69歳	10	83.3%	1	8.3%	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	1	8.3%
70~79歳	2	40.0%	1	20.0%	0	0 (0.0%)	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	2	40.0%
80~89歳	3	75.0%	1	25.0%	0	0 (0.0%)	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
90歳以上	0	0.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
不明	4	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
小計	48	80.0%	4	6.7%	2	50.0%	2	50.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	8	13.3%
合計	0	0.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
(性別不明を含む)	8	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
20~29歳	23	85.2%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	4	14.8%
30~39歳	25	83.3%	3	10.0%	2	66.7%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	1	33.3%	2	6.7%
40~49歳	14	87.5%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	2	12.5%
50~59歳	16	88.9%	1	5.6%	0	0 (0.0%)	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	1	5.6%
60~69歳	20	80.0%	2	8.0%	2	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	3	12.0%
70~79歳	5	55.6%	1	11.1%	0	0 (0.0%)	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	3	33.3%
80~89歳	3	75.0%	1	25.0%	0	0 (0.0%)	1	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
90歳以上	0	0.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
不明	12	100.0%	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0 (0.0%)	0	0.0%
総計	126	84.6%	8	5.4%	4	50.0%	3	37.5%	0	0 (0.0%)	0	0 (0.0%)	1	12.5%	15	10.1%

ギラン・バレー症候群

臨床経過

度数：構%	臨床経過					合計
	改善	不変	悪化	死亡	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	13 92.9%	1 7.1%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
30～39歳	20 90.9%	1 4.5%	0 0.0%	0 0.0%	1 4.5%	22 100.0%
40～49歳	10 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	10 100.0%
50～59歳	10 71.4%	4 28.6%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
60～69歳	10 76.9%	3 23.1%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
70～79歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	8 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
小計	77 86.5%	11 12.4%	0 0.0%	0 0.0%	1 1.1%	89 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	12 92.3%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
30～39歳	7 87.5%	1 12.5%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
40～49歳	5 83.3%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
50～59歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	12 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	12 100.0%
70～79歳	5 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
80～89歳	2 50.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
小計	55 91.7%	5 8.3%	0 0.0%	0 0.0%	0 0.0%	60 100.0%
合計						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	7 87.5%	1 12.5%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
20～29歳	25 92.6%	2 7.4%	0 0.0%	0 0.0%	0 0.0%	27 100.0%
30～39歳	27 90.0%	2 6.7%	0 0.0%	0 0.0%	1 3.3%	30 100.0%
40～49歳	15 93.8%	1 6.3%	0 0.0%	0 0.0%	0 0.0%	16 100.0%
50～59歳	14 77.8%	4 22.2%	0 0.0%	0 0.0%	0 0.0%	18 100.0%
60～69歳	22 88.0%	3 12.0%	0 0.0%	0 0.0%	0 0.0%	25 100.0%
70～79歳	8 88.9%	1 11.1%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
80～89歳	2 50.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	12 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	12 100.0%
総計	132 88.6%	16 10.7%	0 0.0%	0 0.0%	1 0.7%	149 100.0%

ギラン・バレー症候群

最近の日常生活活動度

度数：横%	最近の日常生活活動度							合計
	制限なし	独力外出	外出介助	屋内介助	全面介助・臥床	無回答		
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%	
20～29歳	7 50.0%	5 35.7%	0 0.0%	1 7.1%	1 7.1%	0 0.0%	14 100.0%	
30～39歳	14 63.6%	4 18.2%	3 13.6%	0 0.0%	1 4.5%	0 0.0%	22 100.0%	
40～49歳	6 60.0%	2 20.0%	0 0.0%	1 10.0%	1 10.0%	0 0.0%	10 100.0%	
50～59歳	7 50.0%	3 21.4%	1 7.1%	1 7.1%	2 14.3%	0 0.0%	14 100.0%	
60～69歳	4 30.8%	5 38.5%	3 23.1%	1 7.7%	0 0.0%	0 0.0%	13 100.0%	
70～79歳	1 25.0%	1 25.0%	1 25.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%	
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	4 50.0%	3 37.5%	1 12.5%	0 0.0%	0 0.0%	0 0.0%	8 100.0%	
小計	47 52.8%	23 25.8%	9 10.1%	4 4.5%	6 6.7%	0 0.0%	89 100.0%	
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
10～19歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%	
20～29歳	7 53.8%	3 23.1%	2 15.4%	1 7.7%	0 0.0%	0 0.0%	13 100.0%	
30～39歳	4 50.0%	2 25.0%	1 12.5%	0 0.0%	0 0.0%	1 12.5%	8 100.0%	
40～49歳	5 83.3%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	6 100.0%	
50～59歳	1 25.0%	2 50.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%	
60～69歳	5 41.7%	3 25.0%	3 25.0%	0 0.0%	1 8.3%	0 0.0%	12 100.0%	
70～79歳	2 40.0%	1 20.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%	
80～89歳	1 25.0%	1 25.0%	0 0.0%	0 0.0%	2 50.0%	0 0.0%	4 100.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	1 25.0%	3 75.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%	
小計	30 50.0%	16 26.7%	8 13.3%	2 3.3%	3 5.0%	1 1.7%	60 100.0%	
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
(性別不明を含む)	8 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%	
20～29歳	14 51.9%	8 29.6%	2 7.4%	2 7.4%	1 3.7%	0 0.0%	27 100.0%	
30～39歳	18 60.0%	6 20.0%	4 13.3%	0 0.0%	1 3.3%	1 3.3%	30 100.0%	
40～49歳	11 68.8%	3 18.8%	0 0.0%	1 6.3%	1 6.3%	0 0.0%	16 100.0%	
50～59歳	8 44.4%	5 27.8%	2 11.1%	1 5.6%	2 11.1%	0 0.0%	18 100.0%	
60～69歳	9 36.0%	8 32.0%	6 24.0%	1 4.0%	1 4.0%	0 0.0%	25 100.0%	
70～79歳	3 33.3%	2 22.2%	2 22.2%	1 11.1%	1 11.1%	0 0.0%	9 100.0%	
80～89歳	1 25.0%	1 25.0%	0 0.0%	0 0.0%	2 50.0%	0 0.0%	4 100.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	5 41.7%	6 50.0%	1 8.3%	0 0.0%	0 0.0%	0 0.0%	12 100.0%	
総計	77 51.7%	39 26.2%	17 11.4%	6 4.0%	9 6.0%	1 0.7%	149 100.0%	

ギラン・バレー症候群

先行感染

度数：横%	先行感染							合計
	なし	上気道感染	消化器感染	ワクチン 接種後	その他	不明	無回答	
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	2 14.3%	7 50.0%	4 28.6%	0 0.0%	0 0.0%	1 7.1%	0 0.0%	14 100.0%
30～39歳	1 4.5%	6 27.3%	9 40.9%	0 0.0%	4 18.2%	1 4.5%	1 4.5%	22 100.0%
40～49歳	2 20.0%	5 50.0%	2 20.0%	0 0.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
50～59歳	1 7.1%	10 71.4%	3 21.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
60～69歳	2 15.4%	6 46.2%	3 23.1%	0 0.0%	0 0.0%	2 15.4%	0 0.0%	13 100.0%
70～79歳	1 25.0%	2 50.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	3 37.5%	2 25.0%	0 0.0%	1 12.5%	2 25.0%	0 0.0%	8 100.0%
小計	9 10.1%	42 47.2%	25 28.1%	0 0.0%	6 6.7%	6 6.7%	1 1.1%	89 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	3 75.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	3 23.1%	7 53.8%	3 23.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
30～39歳	2 25.0%	5 62.5%	1 12.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
40～49歳	1 16.7%	4 66.7%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
50～59歳	1 25.0%	1 25.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	3 25.0%	6 50.0%	2 16.7%	0 0.0%	1 8.3%	0 0.0%	0 0.0%	12 100.0%
70～79歳	2 40.0%	2 40.0%	0 0.0%	0 0.0%	0 0.0%	1 20.0%	0 0.0%	5 100.0%
80～89歳	0 0.0%	0 0.0%	3 75.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
小計	12 20.0%	31 51.7%	13 21.7%	0 0.0%	2 3.3%	2 3.3%	0 0.0%	60 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
（性別不明を含む）	0 0.0%	6 75.0%	1 12.5%	0 0.0%	1 12.5%	0 0.0%	0 0.0%	8 100.0%
	5 18.5%	14 51.9%	7 25.9%	0 0.0%	0 0.0%	1 3.7%	0 0.0%	27 100.0%
	3 10.0%	11 36.7%	10 33.3%	0 0.0%	4 13.3%	1 3.3%	1 3.3%	30 100.0%
	3 18.8%	9 56.3%	3 18.8%	0 0.0%	1 6.3%	0 0.0%	0 0.0%	16 100.0%
	2 11.1%	11 61.1%	5 27.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	18 100.0%
	5 20.0%	12 48.0%	5 20.0%	0 0.0%	1 4.0%	2 8.0%	0 0.0%	25 100.0%
	3 33.3%	4 44.4%	1 11.1%	0 0.0%	0 0.0%	1 11.1%	0 0.0%	9 100.0%
	0 0.0%	0 0.0%	3 75.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
	0 0.0%	6 50.0%	3 25.0%	0 0.0%	1 8.3%	2 16.7%	0 0.0%	12 100.0%
	21 14.1%	73 49.0%	38 25.5%	0 0.0%	8 5.4%	8 5.4%	1 0.7%	149 100.0%
総計								

ギラン・バレー症候群

血清抗ガングリオリシド抗体

度数：横%	血清抗ガングリオリシド抗体				合計
	陽性	陰性	未検	無回答	
男					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 50.0%	1 25.0%	0 0.0%	1 25.0%	4 100.0%
20～29歳	8 57.1%	3 21.4%	3 21.4%	0 0.0%	14 100.0%
30～39歳	7 31.8%	7 31.8%	7 31.8%	1 4.5%	22 100.0%
40～49歳	3 30.0%	4 40.0%	3 30.0%	0 0.0%	10 100.0%
50～59歳	4 28.6%	6 42.9%	4 28.6%	0 0.0%	14 100.0%
60～69歳	0 0.0%	5 38.5%	8 61.5%	0 0.0%	13 100.0%
70～79歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	5 62.5%	2 25.0%	1 12.5%	0 0.0%	8 100.0%
小計	31 34.8%	29 32.6%	27 30.3%	2 2.2%	89 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 50.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	6 46.2%	3 23.1%	4 30.8%	0 0.0%	13 100.0%
30～39歳	2 25.0%	2 25.0%	4 50.0%	0 0.0%	8 100.0%
40～49歳	0 0.0%	3 50.0%	2 33.3%	1 16.7%	6 100.0%
50～59歳	1 25.0%	1 25.0%	2 50.0%	0 0.0%	4 100.0%
60～69歳	4 33.3%	5 41.7%	2 16.7%	1 8.3%	12 100.0%
70～79歳	0 0.0%	2 40.0%	3 60.0%	0 0.0%	5 100.0%
80～89歳	0 0.0%	2 50.0%	1 25.0%	1 25.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 75.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
小計	18 30.0%	21 35.0%	18 30.0%	3 5.0%	60 100.0%
合計					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	4 50.0%	3 37.5%	0 0.0%	1 12.5%	8 100.0%
20～29歳	14 51.9%	6 22.2%	7 25.9%	0 0.0%	27 100.0%
30～39歳	9 30.0%	9 30.0%	11 36.7%	1 3.3%	30 100.0%
40～49歳	3 18.8%	7 43.8%	5 31.3%	1 6.3%	16 100.0%
50～59歳	5 27.8%	7 38.9%	6 33.3%	0 0.0%	18 100.0%
60～69歳	4 16.0%	10 40.0%	10 40.0%	1 4.0%	25 100.0%
70～79歳	2 22.2%	3 33.3%	4 44.4%	0 0.0%	9 100.0%
80～89歳	0 0.0%	2 50.0%	1 25.0%	1 25.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	8 66.7%	3 25.0%	1 8.3%	0 0.0%	12 100.0%
総計	49 32.9%	50 33.6%	45 30.2%	5 3.4%	149 100.0%

ギラン・バレー症候群

髄液蛋白

度数：横%	髄液蛋白（経過中の最高値）					合計
	正常	45mg/dl以上	100mg/dl以上	未検	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	2 50.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	5 35.7%	3 21.4%	5 35.7%	1 7.1%	0 0.0%	14 100.0%
30～39歳	7 31.8%	6 27.3%	7 31.8%	0 0.0%	2 9.1%	22 100.0%
40～49歳	2 20.0%	5 50.0%	3 30.0%	0 0.0%	0 0.0%	10 100.0%
50～59歳	3 21.4%	6 42.9%	5 35.7%	0 0.0%	0 0.0%	14 100.0%
60～69歳	1 7.7%	4 30.8%	7 53.8%	1 7.7%	0 0.0%	13 100.0%
70～79歳	0 0.0%	3 75.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	5 62.5%	0 0.0%	3 37.5%	0 0.0%	8 100.0%
小計	18 20.2%	34 38.2%	30 33.7%	5 5.6%	2 2.2%	89 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 25.0%	2 50.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
20～29歳	3 23.1%	7 53.8%	3 23.1%	0 0.0%	0 0.0%	13 100.0%
30～39歳	0 0.0%	3 37.5%	4 50.0%	1 12.5%	0 0.0%	8 100.0%
40～49歳	3 50.0%	1 16.7%	2 33.3%	0 0.0%	0 0.0%	6 100.0%
50～59歳	0 0.0%	2 50.0%	1 25.0%	1 25.0%	0 0.0%	4 100.0%
60～69歳	1 8.3%	8 66.7%	3 25.0%	0 0.0%	0 0.0%	12 100.0%
70～79歳	1 20.0%	2 40.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%
80～89歳	0 0.0%	2 50.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	3 75.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%
小計	9 15.0%	30 50.0%	18 30.0%	3 5.0%	0 0.0%	60 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	1 12.5%	4 50.0%	3 37.5%	0 0.0%	0 0.0%	8 100.0%
20～29歳	8 29.6%	10 37.0%	8 29.6%	1 3.7%	0 0.0%	27 100.0%
30～39歳	7 23.3%	9 30.0%	11 36.7%	1 3.3%	2 6.7%	30 100.0%
40～49歳	5 31.3%	6 37.5%	5 31.3%	0 0.0%	0 0.0%	16 100.0%
50～59歳	3 16.7%	8 44.4%	6 33.3%	1 5.6%	0 0.0%	18 100.0%
60～69歳	2 8.0%	12 48.0%	10 40.0%	1 4.0%	0 0.0%	25 100.0%
70～79歳	1 11.1%	5 55.6%	3 33.3%	0 0.0%	0 0.0%	9 100.0%
80～89歳	0 0.0%	2 50.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	8 66.7%	0 0.0%	4 33.3%	0 0.0%	12 100.0%
総計	27 18.1%	64 43.0%	48 32.2%	8 5.4%	2 1.3%	149 100.0%

ギラン・バレー症候群

治療法

度数：横%	治療法							合計
	いづれもなし	全血漿交換	二重膜濾過	吸着濾過	免疫グロブリン	ステロイド	無回答	
男								
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	1 20.0%	1 20.0%	1 20.0%	2 40.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
20~29歳	1 5.0%	5 25.0%	3 15.0%	2 10.0%	5 25.0%	4 20.0%	0 0.0%	20 100.0%
30~39歳	1 3.4%	4 13.8%	7 24.1%	10 34.5%	3 10.3%	4 13.8%	0 0.0%	29 100.0%
40~49歳	1 9.1%	1 9.1%	1 9.1%	5 45.5%	2 18.2%	1 9.1%	0 0.0%	11 100.0%
50~59歳	1 5.0%	2 10.0%	3 15.0%	8 40.0%	3 15.0%	3 15.0%	0 0.0%	20 100.0%
60~69歳	1 5.6%	2 11.1%	3 16.7%	7 38.9%	1 5.6%	4 22.2%	0 0.0%	18 100.0%
70~79歳	0 0.0%	1 16.7%	0 0.0%	3 50.0%	2 33.3%	0 0.0%	0 0.0%	6 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	4 44.4%	0 0.0%	1 11.1%	1 11.1%	3 33.3%	0 0.0%	0 0.0%	9 100.0%
小計	10 8.5%	16 13.6%	19 16.1%	38 32.2%	19 16.1%	16 13.6%	0 0.0%	118 100.0%
女								
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	1 25.0%	2 50.0%	0 0.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
20~29歳	2 13.3%	2 13.3%	4 26.7%	4 26.7%	2 13.3%	1 6.7%	0 0.0%	15 100.0%
30~39歳	2 22.2%	1 11.1%	1 11.1%	3 33.3%	1 11.1%	1 11.1%	0 0.0%	9 100.0%
40~49歳	0 0.0%	1 11.1%	0 0.0%	2 22.2%	1 11.1%	5 55.6%	0 0.0%	9 100.0%
50~59歳	0 0.0%	1 20.0%	0 0.0%	3 60.0%	0 0.0%	1 20.0%	0 0.0%	5 100.0%
60~69歳	1 7.7%	1 7.7%	4 30.8%	5 38.5%	1 7.7%	1 7.7%	0 0.0%	13 100.0%
70~79歳	2 28.6%	0 0.0%	1 14.3%	0 0.0%	3 42.9%	1 14.3%	0 0.0%	7 100.0%
80~89歳	1 14.3%	1 14.3%	2 28.6%	1 14.3%	2 28.6%	0 0.0%	0 0.0%	7 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	2 50.0%	0 0.0%	0 0.0%	0 0.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
小計	11 15.1%	9 12.3%	12 16.4%	19 26.0%	12 16.4%	10 13.7%	0 0.0%	73 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	2 22.2%	3 33.3%	1 11.1%	3 33.3%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
10~19歳	3 8.6%	7 20.0%	7 20.0%	6 17.1%	7 20.0%	5 14.3%	0 0.0%	35 100.0%
20~29歳	3 7.9%	5 13.2%	8 21.1%	13 34.2%	4 10.5%	5 13.2%	0 0.0%	38 100.0%
30~39歳	1 5.0%	2 10.0%	1 5.0%	7 35.0%	3 15.0%	6 30.0%	0 0.0%	20 100.0%
40~49歳	1 4.0%	3 12.0%	3 12.0%	11 44.0%	3 12.0%	4 16.0%	0 0.0%	25 100.0%
50~59歳	2 6.5%	3 9.7%	7 22.6%	12 38.7%	2 6.5%	5 16.1%	0 0.0%	31 100.0%
60~69歳	2 15.4%	1 7.7%	1 7.7%	3 23.1%	5 38.5%	1 7.7%	0 0.0%	13 100.0%
70~79歳	1 14.3%	1 14.3%	2 28.6%	1 14.3%	2 28.6%	0 0.0%	0 0.0%	7 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	6 46.2%	0 0.0%	1 7.7%	1 7.7%	5 38.5%	0 0.0%	0 0.0%	13 100.0%
不明	21 11.0%	25 13.1%	31 16.2%	57 29.8%	31 16.2%	26 13.6%	0 0.0%	191 100.0%
総計								

ギラン・バレー症候群

病型別

度数：横%	病型				合計
	脱髄型	軸索型	不明	無回答	
男					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 25.0%	2 50.0%	1 25.0%	0 0.0%	4 100.0%
20～29歳	7 50.0%	4 28.6%	3 21.4%	0 0.0%	14 100.0%
30～39歳	11 50.0%	8 36.4%	3 13.6%	0 0.0%	22 100.0%
40～49歳	6 60.0%	2 20.0%	1 10.0%	1 10.0%	10 100.0%
50～59歳	9 64.3%	4 28.6%	1 7.1%	0 0.0%	14 100.0%
60～69歳	6 46.2%	6 46.2%	1 7.7%	0 0.0%	13 100.0%
70～79歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 12.5%	5 62.5%	2 25.0%	0 0.0%	8 100.0%
小計	43 48.3%	32 36.0%	13 14.6%	1 1.1%	89 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	3 75.0%	1 25.0%	0 0.0%	4 100.0%
20～29歳	7 53.8%	2 15.4%	4 30.8%	0 0.0%	13 100.0%
30～39歳	3 37.5%	4 50.0%	1 12.5%	0 0.0%	8 100.0%
40～49歳	1 16.7%	2 33.3%	2 33.3%	1 16.7%	6 100.0%
50～59歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	10 83.3%	1 8.3%	1 8.3%	0 0.0%	12 100.0%
70～79歳	4 80.0%	1 20.0%	0 0.0%	0 0.0%	5 100.0%
80～89歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	3 75.0%	1 25.0%	0 0.0%	4 100.0%
小計	31 51.7%	18 30.0%	10 16.7%	1 1.7%	60 100.0%
合計					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 12.5%	5 62.5%	2 25.0%	0 0.0%	8 100.0%
20～29歳	14 51.9%	6 22.2%	7 25.9%	0 0.0%	27 100.0%
30～39歳	14 46.7%	12 40.0%	4 13.3%	0 0.0%	30 100.0%
40～49歳	7 43.8%	4 25.0%	3 18.8%	2 12.5%	16 100.0%
50～59歳	12 66.7%	5 27.8%	1 5.6%	0 0.0%	18 100.0%
60～69歳	16 64.0%	7 28.0%	2 8.0%	0 0.0%	25 100.0%
70～79歳	6 66.7%	2 22.2%	1 11.1%	0 0.0%	9 100.0%
80～89歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 8.3%	8 66.7%	3 25.0%	0 0.0%	12 100.0%
総計	74 49.7%	50 33.6%	23 15.4%	2 1.3%	149 100.0%

ギラン・バレー症候群

(脱髄型)

受療状況

度数：横%	受療状況					合計
	主に入院	主に通院	両方	その他	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	5 71.4%	1 14.3%	1 14.3%	0 0.0%	0 0.0%	7 100.0%
30～39歳	8 72.7%	0 0.0%	3 27.3%	0 0.0%	0 0.0%	11 100.0%
40～49歳	4 66.7%	1 16.7%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
50～59歳	4 44.4%	3 33.3%	2 22.2%	0 0.0%	0 0.0%	9 100.0%
60～69歳	4 66.7%	0 0.0%	2 33.3%	0 0.0%	0 0.0%	6 100.0%
70～79歳	0 0.0%	0 0.0%	2 100.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
小計	25 58.1%	5 11.6%	13 30.2%	0 0.0%	0 0.0%	43 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	4 57.1%	0 0.0%	3 42.9%	0 0.0%	0 0.0%	7 100.0%
30～39歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	2 66.7%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
60～69歳	8 80.0%	1 10.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
70～79歳	1 25.0%	1 25.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	21 67.7%	3 9.7%	7 22.6%	0 0.0%	0 0.0%	31 100.0%
合計						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	9 64.3%	1 7.1%	4 28.6%	0 0.0%	0 0.0%	14 100.0%
30～39歳	11 78.6%	0 0.0%	3 21.4%	0 0.0%	0 0.0%	14 100.0%
40～49歳	4 57.1%	2 28.6%	1 14.3%	0 0.0%	0 0.0%	7 100.0%
50～59歳	6 50.0%	3 25.0%	3 25.0%	0 0.0%	0 0.0%	12 100.0%
60～69歳	12 75.0%	1 6.3%	3 18.8%	0 0.0%	0 0.0%	16 100.0%
70～79歳	1 16.7%	1 16.7%	4 66.7%	0 0.0%	0 0.0%	6 100.0%
80～89歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
総計	46 62.2%	8 10.8%	20 27.0%	0 0.0%	0 0.0%	74 100.0%

ギラン・バレー症候群

(脱髓型)

医療費公費負担状況

度数：横%	医療公費負担状況							合計		
	なし	老人医療	都道府県指定疾患	小児慢性特定疾患	他の特定疾患	その他	無回答	合計	合計	合計
男										
0～9歳	0	0	0	0	0	0	0	0	0	0
10～19歳	1	0	0	0	0	0	0	0	0	1
20～29歳	7	0	0	0	0	0	0	0	0	7
30～39歳	11	0	0	0	0	0	0	0	0	11
40～49歳	5	0	1	16.7%	0	0	0	0	0	6
50～59歳	9	0	0	0	0	0	0	0	0	9
60～69歳	6	0	0	0	0	0	0	0	0	6
70～79歳	1	1	0	0	0	0	0	0	0	2
80～89歳	0	0	0	0	0	0	0	0	0	0
90歳以上	0	0	0	0	0	0	0	0	0	0
不明	1	0	0	0	0	0	0	0	0	1
小計	41	1	2.3%	0	0	0	0	0	0	43
女										
0～9歳	0	0	0	0	0	0	0	0	0	0
10～19歳	0	0	0	0	0	0	0	0	0	0
20～29歳	6	0	0	0	0	0	0	0	0	6
30～39歳	3	0	0	0	0	0	0	0	0	3
40～49歳	0	0	0	0	0	0	0	0	0	0
50～59歳	3	0	0	0	0	0	0	0	0	3
60～69歳	8	0	1	10.0%	0	0	0	0	0	10
70～79歳	3	1	25.0%	0	0	0	0	0	0	4
80～89歳	2	1	33.3%	0	0	0	0	0	0	3
90歳以上	0	0	0	0	0	0	0	0	0	0
不明	0	0	0	0	0	0	0	0	0	0
小計	25	2	6.5%	0	0	0	0	0	0	31
合計	66	3	4.1%	0	0	0	0	0	0	74
(性別別不明を含む)										
0～9歳	0	0	0	0	0	0	0	0	0	0
10～19歳	1	0	0	0	0	0	0	0	0	1
20～29歳	13	0	0	0	0	0	0	0	0	14
30～39歳	14	0	0	0	0	0	0	0	0	14
40～49歳	5	0	1	14.3%	0	0	0	0	0	7
50～59歳	12	0	0	0	0	0	0	0	0	12
60～69歳	14	0	1	6.3%	0	0	0	0	0	16
70～79歳	4	2	33.3%	0	0	0	0	0	0	6
80～89歳	2	1	33.3%	0	0	0	0	0	0	3
90歳以上	0	0	0	0	0	0	0	0	0	0
不明	1	0	0	0	0	0	0	0	0	1
総計	66	3	4.1%	0	0	0	0	0	0	74

ギラン・バレー症候群 (脱髄型)

度数：構%	身体障害者手帳 階級							合計
	なし	あり						
		1級	2級	3級	4級	無回答	無回答	
男								
0～9歳	0	0	0	0	0	0	0	0
10～19歳	1	0	0	0	0	0	0	1
20～29歳	6	0	0	0	0	0	1	7
30～39歳	11	0	0	0	0	0	0	11
40～49歳	6	0	0	0	0	0	0	6
50～59歳	8	0	0	0	0	0	1	9
60～69歳	4	0	0	0	0	0	2	6
70～79歳	2	0	0	0	0	0	0	2
80～89歳	0	0	0	0	0	0	0	0
90歳以上	0	0	0	0	0	0	0	0
不明	1	0	0	0	0	0	0	1
小計	39	0	0	0	0	0	4	43
女								
0～9歳	0	0	0	0	0	0	0	0
10～19歳	0	0	0	0	0	0	0	0
20～29歳	6	0	0	0	0	0	1	7
30～39歳	2	1	33.3%	0	0	0	0	3
40～49歳	0	0	0	0	0	0	1	1
50～59歳	3	0	0	0	0	0	0	3
60～69歳	8	1	10.0%	0	0	0	1	10
70～79歳	2	0	0	0	0	0	2	4
80～89歳	3	0	0	0	0	0	0	3
90歳以上	0	0	0	0	0	0	0	0
不明	0	0	0	0	0	0	0	0
小計	24	2	6.5%	0	0	0	5	31
合計	63	2	2.7%	2	2	0	9	74
(性別不明を含む)								
0～9歳	0	0	0	0	0	0	0	0
10～19歳	1	0	0	0	0	0	0	1
20～29歳	12	0	0	0	0	0	2	14
30～39歳	13	1	7.1%	0	0	0	0	14
40～49歳	6	0	0	0	0	0	1	7
50～59歳	11	0	0	0	0	0	1	12
60～69歳	12	1	6.3%	0	0	0	3	16
70～79歳	4	0	0	0	0	0	2	6
80～89歳	3	0	0	0	0	0	0	3
90歳以上	0	0	0	0	0	0	0	0
不明	1	0	0	0	0	0	0	1
総計	63	2	2.7%	2	2	0	9	74

ギラン・バレー症候群

(脱髓型)

臨床経過

度数：構%	臨床経過					合計
	改善	不変	悪化	死亡	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	7 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
30～39歳	11 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	11 100.0%
40～49歳	6 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
50～59歳	6 66.7%	3 33.3%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
60～69歳	5 83.3%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
70～79歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	39 90.7%	4 9.3%	0 0.0%	0 0.0%	0 0.0%	43 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	6 85.7%	1 14.3%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
30～39歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	10 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	10 100.0%
70～79歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
80～89歳	2 66.7%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	29 93.5%	2 6.5%	0 0.0%	0 0.0%	0 0.0%	31 100.0%
合計						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	13 92.9%	1 7.1%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
30～39歳	14 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
40～49歳	7 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
50～59歳	9 75.0%	3 25.0%	0 0.0%	0 0.0%	0 0.0%	12 100.0%
60～69歳	15 93.8%	1 6.3%	0 0.0%	0 0.0%	0 0.0%	16 100.0%
70～79歳	6 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
80～89歳	2 66.7%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
総計	68 91.9%	6 8.1%	0 0.0%	0 0.0%	0 0.0%	74 100.0%