

ギラン・バレー症候群

(脱髓型)

最近の日常生活活動度

度数：構％	最近の日常生活活動度						合計
	制限なし	独力外出	外出介助	屋内介助	全面介助・臥床	無回答	
男							
0～9歳	0	0	0	0	0	0	0
10～19歳	1	0	0	0	0	0	1
20～29歳	4	2	0	1	0	0	7
30～39歳	9	2	0	0	0	0	11
40～49歳	4	1	0	0	1	0	6
50～59歳	5	2	1	0	1	0	9
60～69歳	2	2	2	0	0	0	6
70～79歳	0	1	1	0	0	0	2
80～89歳	0	0	0	0	0	0	0
90歳以上	0	0	0	0	0	0	0
不明	0	1	0	0	0	0	1
小計	25	11	4	1	2	0	43
女							
0～9歳	0	0	0	0	0	0	0
10～19歳	0	0	0	0	0	0	0
20～29歳	3	3	0	1	0	0	7
30～39歳	2	0	1	0	0	0	3
40～49歳	1	0	0	0	0	0	1
50～59歳	1	2	0	0	0	0	3
60～69歳	5	1	3	0	1	0	10
70～79歳	2	1	1	0	0	0	4
80～89歳	1	1	0	0	1	0	3
90歳以上	0	0	0	0	0	0	0
不明	0	0	0	0	0	0	0
小計	15	8	5	1	2	0	31
合計	40	19	9	2	4	0	74
(性別不明を含む)	54.1%	25.7%	12.2%	2.7%	5.4%	0.0%	100.0%

ギラン・バレー症候群（脱髄型）

先行感染

度数：横%	先行感染							合計
	なし	上気道感染	消化器感染	ワクチン接種後	その他	不明	無回答	
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	2 28.6%	4 57.1%	1 14.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
30～39歳	0 0.0%	4 36.4%	5 45.5%	0 0.0%	2 18.2%	0 0.0%	0 0.0%	11 100.0%
40～49歳	1 16.7%	4 66.7%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
50～59歳	1 11.1%	7 77.8%	1 11.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
60～69歳	1 16.7%	4 66.7%	0 0.0%	0 0.0%	0 0.0%	1 16.7%	0 0.0%	6 100.0%
70～79歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	6 14.0%	26 60.5%	8 18.6%	0 0.0%	2 4.7%	1 2.3%	0 0.0%	43 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	1 14.3%	4 57.1%	2 28.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
30～39歳	2 66.7%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
60～69歳	3 30.0%	5 50.0%	1 10.0%	0 0.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
70～79歳	1 25.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	7 22.6%	14 45.2%	7 22.6%	0 0.0%	1 3.2%	2 6.5%	0 0.0%	31 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
10～19歳	3 21.4%	8 57.1%	3 21.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	14 100.0%
20～29歳	2 14.3%	5 35.7%	5 35.7%	0 0.0%	2 14.3%	0 0.0%	0 0.0%	14 100.0%
30～39歳	1 14.3%	5 71.4%	1 14.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
40～49歳	1 8.3%	8 66.7%	3 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	12 100.0%
50～59歳	4 25.0%	9 56.3%	1 6.3%	0 0.0%	1 6.3%	1 6.3%	0 0.0%	16 100.0%
60～69歳	2 33.3%	3 50.0%	0 0.0%	0 0.0%	0 0.0%	1 16.7%	0 0.0%	6 100.0%
70～79歳	0 0.0%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	3 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	13 17.6%	40 54.1%	15 20.3%	0 0.0%	3 4.1%	3 4.1%	0 0.0%	74 100.0%

ギラン・バレー症候群（脱髓型） 血清抗ガングリオシド抗体

度数：構％	血清抗ガングリオシド抗体				合計
	陽性	陰性	未検	無回答	
男					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
20～29歳	5 71.4%	1 14.3%	1 14.3%	0 0.0%	7 100.0%
30～39歳	4 36.4%	3 27.3%	4 36.4%	0 0.0%	11 100.0%
40～49歳	0 0.0%	4 66.7%	2 33.3%	0 0.0%	6 100.0%
50～59歳	2 22.2%	4 44.4%	3 33.3%	0 0.0%	9 100.0%
60～69歳	0 0.0%	4 66.7%	2 33.3%	0 0.0%	6 100.0%
70～79歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
小計	12 27.9%	18 41.9%	12 27.9%	1 2.3%	43 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20～29歳	2 28.6%	2 28.6%	3 42.9%	0 0.0%	7 100.0%
30～39歳	0 0.0%	2 66.7%	1 33.3%	0 0.0%	3 100.0%
40～49歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	1 33.3%	0 0.0%	2 66.7%	0 0.0%	3 100.0%
60～69歳	3 30.0%	4 40.0%	2 20.0%	1 10.0%	10 100.0%
70～79歳	0 0.0%	1 25.0%	3 75.0%	0 0.0%	4 100.0%
80～89歳	0 0.0%	2 66.7%	1 33.3%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	6 19.4%	12 38.7%	12 38.7%	1 3.2%	31 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含まむ)	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
20～29歳	7 50.0%	3 21.4%	4 28.6%	0 0.0%	14 100.0%
30～39歳	4 28.6%	5 35.7%	5 35.7%	0 0.0%	14 100.0%
40～49歳	0 0.0%	5 71.4%	2 28.6%	0 0.0%	7 100.0%
50～59歳	3 25.0%	4 33.3%	5 41.7%	0 0.0%	12 100.0%
60～69歳	3 18.8%	8 50.0%	4 25.0%	1 6.3%	16 100.0%
70～79歳	1 16.7%	2 33.3%	3 50.0%	0 0.0%	6 100.0%
80～89歳	0 0.0%	2 66.7%	1 33.3%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
総計	18 24.3%	30 40.5%	24 32.4%	2 2.7%	74 100.0%

ギラン・バレー症候群 (脱髓型)

髄液蛋白

度数：横%	髄液蛋白 (経過中の最高値)				無回答	合計
	正常	45mg/dl以上	100mg/dl以上	未検		
男						
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20~29歳	1 14.3%	2 28.6%	3 42.9%	1 14.3%	0 0.0%	7 100.0%
30~39歳	4 36.4%	2 18.2%	4 36.4%	0 0.0%	1 9.1%	11 100.0%
40~49歳	0 0.0%	3 50.0%	3 50.0%	0 0.0%	0 0.0%	6 100.0%
50~59歳	1 11.1%	4 44.4%	4 44.4%	0 0.0%	0 0.0%	9 100.0%
60~69歳	0 0.0%	1 16.7%	4 66.7%	1 16.7%	0 0.0%	6 100.0%
70~79歳	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	6 14.0%	14 32.6%	20 46.5%	2 4.7%	1 2.3%	43 100.0%
女						
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20~29歳	1 14.3%	3 42.9%	3 42.9%	0 0.0%	0 0.0%	7 100.0%
30~39歳	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
40~49歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
50~59歳	0 0.0%	1 33.3%	1 33.3%	1 33.3%	0 0.0%	3 100.0%
60~69歳	0 0.0%	7 70.0%	3 30.0%	0 0.0%	0 0.0%	10 100.0%
70~79歳	0 0.0%	2 50.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
80~89歳	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	1 3.2%	15 48.4%	14 45.2%	1 3.2%	0 0.0%	31 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
20~29歳	2 14.3%	5 35.7%	6 42.9%	1 7.1%	0 0.0%	14 100.0%
30~39歳	4 28.6%	3 21.4%	6 42.9%	0 0.0%	1 7.1%	14 100.0%
40~49歳	0 0.0%	3 42.9%	4 57.1%	0 0.0%	0 0.0%	7 100.0%
50~59歳	1 8.3%	5 41.7%	5 41.7%	1 8.3%	0 0.0%	12 100.0%
60~69歳	0 0.0%	8 50.0%	7 43.8%	1 6.3%	0 0.0%	16 100.0%
70~79歳	0 0.0%	3 50.0%	3 50.0%	0 0.0%	0 0.0%	6 100.0%
80~89歳	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
総計	7 9.5%	29 39.2%	34 45.9%	3 4.1%	1 1.4%	74 100.0%

ギラン・バレー症候群 (脱髄型)

治療法

度数：横%	治療法							合計
	いずれもなし	全血漿交換	二重膜濾過	吸着濾過	免疫グロブリン	ステロイド	無回答	
男								
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	0 0.0%	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20~29歳	0 0.0%	1 11.1%	2 22.2%	1 11.1%	4 44.4%	1 11.1%	0 0.0%	9 100.0%
30~39歳	1 7.1%	1 7.1%	3 21.4%	5 35.7%	2 14.3%	2 14.3%	0 0.0%	14 100.0%
40~49歳	1 16.7%	0 0.0%	1 16.7%	3 50.0%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
50~59歳	0 0.0%	1 9.1%	0 0.0%	7 63.6%	1 9.1%	2 18.2%	0 0.0%	11 100.0%
60~69歳	0 0.0%	0 0.0%	2 20.0%	5 50.0%	0 0.0%	3 30.0%	0 0.0%	10 100.0%
70~79歳	0 0.0%	0 0.0%	0 0.0%	2 66.7%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
小計	2 3.6%	4 7.1%	8 14.3%	24 42.9%	10 17.9%	8 14.3%	0 0.0%	56 100.0%
女								
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
20~29歳	1 14.3%	1 14.3%	1 14.3%	4 57.1%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
30~39歳	1 33.3%	0 0.0%	0 0.0%	1 33.3%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
40~49歳	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	0 0.0%	2 100.0%
50~59歳	0 0.0%	1 25.0%	0 0.0%	2 50.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%
60~69歳	1 9.1%	1 9.1%	3 27.3%	4 36.4%	1 9.1%	1 9.1%	0 0.0%	11 100.0%
70~79歳	2 40.0%	0 0.0%	1 20.0%	0 0.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%
80~89歳	1 25.0%	0 0.0%	1 25.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
小計	6 16.7%	4 11.1%	6 16.7%	12 33.3%	5 13.9%	3 8.3%	0 0.0%	36 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	0 0.0%	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
	1 6.3%	2 12.5%	3 18.8%	5 31.3%	4 25.0%	1 6.3%	0 0.0%	16 100.0%
	2 11.8%	1 5.9%	3 17.6%	6 35.3%	3 17.6%	2 11.8%	0 0.0%	17 100.0%
	1 12.5%	1 12.5%	1 12.5%	3 37.5%	1 12.5%	1 12.5%	0 0.0%	8 100.0%
	0 0.0%	2 13.3%	0 0.0%	9 60.0%	1 6.7%	3 20.0%	0 0.0%	15 100.0%
	1 4.8%	1 4.8%	5 23.8%	9 42.9%	1 4.8%	4 19.0%	0 0.0%	21 100.0%
	2 25.0%	0 0.0%	1 12.5%	2 25.0%	3 37.5%	0 0.0%	0 0.0%	8 100.0%
	1 25.0%	0 0.0%	1 25.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
総計	8 8.7%	8 8.7%	14 15.2%	36 39.1%	15 16.3%	11 12.0%	0 0.0%	92 100.0%

ギラン・バレー症候群

(軸索型)

受療状況

度数：横%	受療状況					合計
	主に入院	主に通院	両方	その他	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	2 50.0%	0 0.0%	2 50.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	5 62.5%	1 12.5%	2 25.0%	0 0.0%	0 0.0%	8 100.0%
40～49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	3 50.0%	2 33.3%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 20.0%	2 40.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%
小計	17 53.1%	7 21.9%	8 25.0%	0 0.0%	0 0.0%	32 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 33.3%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
20～29歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
30～39歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
40～49歳	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
小計	9 50.0%	3 16.7%	6 33.3%	0 0.0%	0 0.0%	18 100.0%
合計						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 40.0%	1 20.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%
20～29歳	4 66.7%	0 0.0%	2 33.3%	0 0.0%	0 0.0%	6 100.0%
30～39歳	7 58.3%	2 16.7%	3 25.0%	0 0.0%	0 0.0%	12 100.0%
40～49歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
50～59歳	3 60.0%	1 20.0%	1 14.3%	0 0.0%	0 0.0%	5 100.0%
60～69歳	4 57.1%	2 28.6%	1 14.3%	0 0.0%	0 0.0%	7 100.0%
70～79歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 12.5%	3 37.5%	4 50.0%	0 0.0%	0 0.0%	8 100.0%
総計	26 52.0%	10 20.0%	14 28.0%	0 0.0%	0 0.0%	50 100.0%

ギラン・バレー症候群

(軸索型)

医療費公費負担状況

度数：構％	医療費公費負担状況								合計	
	なし	老人医療	都道府県指定疾患	小児慢性特定疾患	他の特定疾患	その他	無回答			
男										
0～9歳	0	0	0	0	0	0	0	0	0	0
10～19歳	2	0	0	0	0	0	0	0	0	2
20～29歳	4	0	0	0	0	0	0	0	0	4
30～39歳	7	0	0	0	0	0	0	0	1	8
40～49歳	2	0	0	0	0	0	0	0	0	2
50～59歳	4	0	0	0	0	0	0	0	0	4
60～69歳	5	1	16.7%	0	0	0	0	0	0	6
70～79歳	1	0	0.0%	0	0	0	0	0	0	1
80～89歳	0	0	0.0%	0	0	0	0	0	0	0
90歳以上	0	0	0.0%	0	0	0	0	0	0	0
不明	5	0	0.0%	0	0	0	0	0	0	5
小計	30	1	3.1%	0	0	0	0	0	1	32
女										
0～9歳	0	0	0.0%	0	0	0	0	0	0	0
10～19歳	3	0	0.0%	0	0	0	0	0	0	3
20～29歳	2	0	0.0%	0	0	0	0	0	0	2
30～39歳	4	0	0.0%	0	0	0	0	0	0	4
40～49歳	2	0	0.0%	0	0	0	0	0	0	2
50～59歳	1	0	0.0%	0	0	0	0	0	0	1
60～69歳	1	0	0.0%	0	0	0	0	0	0	1
70～79歳	0	1	100.0%	0	0	0	0	0	0	1
80～89歳	1	0	0.0%	0	0	0	0	0	0	1
90歳以上	0	0	0.0%	0	0	0	0	0	0	0
不明	3	0	0.0%	0	0	0	0	0	0	3
小計	17	1	5.6%	0	0	0	0	0	0	18
合計	47	2	4.0%	0	0	0	0	0	1	50
(性別不明を含む)										
0～9歳	0	0	0.0%	0	0	0	0	0	0	0
10～19歳	5	0	0.0%	0	0	0	0	0	0	5
20～29歳	6	0	0.0%	0	0	0	0	0	0	6
30～39歳	11	0	0.0%	0	0	0	0	0	1	12
40～49歳	4	0	0.0%	0	0	0	0	0	0	4
50～59歳	5	0	0.0%	0	0	0	0	0	0	5
60～69歳	6	1	14.3%	0	0	0	0	0	0	7
70～79歳	1	1	50.0%	0	0	0	0	0	0	2
80～89歳	1	0	0.0%	0	0	0	0	0	0	1
90歳以上	0	0	0.0%	0	0	0	0	0	0	0
不明	8	0	0.0%	0	0	0	0	0	0	8
総計	47	2	4.0%	0	0	0	0	0	1	50

ギラン・バレー症候群

(軸索型)

身体障害者手帳

度数：横%	身体障害者手帳							合計
	なし	あり	階級				無回答	
			1級	2級	3級	4級		
男								
0~9歳	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
10~19歳	2 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 100.0%
20~29歳	4 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 100.0%
30~39歳	5 62.5%	2 25.0%	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (50.0%)	8 100.0%
40~49歳	2 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 100.0%
50~59歳	3 75.0%	1 25.0%	0 (100.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 100.0%
60~69歳	5 83.3%	1 16.7%	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	6 100.0%
70~79歳	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 100.0%
80~89歳	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
不明	5 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 100.0%
小計	26 81.3%	4 12.5%	2 (100.0%)	2 (50.0%)	1 (25.0%)	0 (0.0%)	1 (25.0%)	32 100.0%
女								
0~9歳	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
10~19歳	3 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 100.0%
20~29歳	2 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 100.0%
30~39歳	4 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 100.0%
40~49歳	1 50.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 100.0%
50~59歳	1 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 100.0%
60~69歳	1 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 100.0%
70~79歳	0 0.0%	1 100.0%	0 (100.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 100.0%
80~89歳	0 0.0%	1 100.0%	0 (100.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
不明	3 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	3 100.0%
小計	15 83.3%	2 11.1%	0 (100.0%)	2 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	18 100.0%
合計	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
(性別不明を含む)	5 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 100.0%
20~29歳	6 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	6 100.0%
30~39歳	9 75.0%	2 16.7%	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 (50.0%)	12 100.0%
40~49歳	3 75.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	4 100.0%
50~59歳	4 80.0%	1 20.0%	0 (100.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	5 100.0%
60~69歳	6 85.7%	1 14.3%	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	7 100.0%
70~79歳	0 0.0%	1 50.0%	0 (100.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	2 100.0%
80~89歳	0 0.0%	1 100.0%	0 (100.0%)	1 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 0.0%
不明	8 100.0%	0 0.0%	0 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	8 100.0%
総計	41 82.0%	6 12.0%	2 (33.3%)	3 (50.0%)	0 (0.0%)	0 (0.0%)	1 (16.7%)	50 100.0%

ギラン・バレー症候群

(軸索型)

臨床経過

度数：構%	臨床経過					合計
	改善	不変	悪化	死亡	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	6 75.0%	1 12.5%	0 0.0%	0 0.0%	1 12.5%	8 100.0%
40～49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	4 66.7%	2 33.3%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
70～79歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	5 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
小計	24 75.0%	7 21.9%	0 0.0%	0 0.0%	1 3.1%	32 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
20～29歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
30～39歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
40～49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
小計	16 88.9%	2 11.1%	0 0.0%	0 0.0%	0 0.0%	18 100.0%
合計						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	4 80.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
20～29歳	5 83.3%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
30～39歳	9 75.0%	2 16.7%	0 0.0%	0 0.0%	1 8.3%	12 100.0%
40～49歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
50～59歳	4 80.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
60～69歳	5 71.4%	2 28.6%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
70～79歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	8 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
総計	40 80.0%	9 18.0%	0 0.0%	0 0.0%	1 2.0%	50 100.0%

ギラン・バレー症候群

(軸索型)

最近の日常生活活動度

度数：横%	最近の日常生活活動度							合計
	制限なし	独力外出	外出介助	屋内介助	全面介助・臥床	無回答		
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	0 0.0%	3 75.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	2 25.0%	2 25.0%	3 37.5%	0 0.0%	1 12.5%	0 0.0%	0 0.0%	8 100.0%
40～49歳	0 0.0%	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	1 25.0%	1 25.0%	0 0.0%	1 25.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
60～69歳	1 16.7%	3 50.0%	1 16.7%	1 16.7%	0 0.0%	0 0.0%	0 0.0%	6 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	2 40.0%	2 40.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
小計	8 25.0%	12 37.5%	5 15.6%	3 9.4%	4 12.5%	0 0.0%	0 0.0%	32 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
20～29歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
30～39歳	1 25.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	4 100.0%
40～49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 33.3%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
小計	9 50.0%	5 27.8%	1 5.6%	1 5.6%	1 5.6%	1 5.6%	1 5.6%	18 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	5 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
20～29歳	2 33.3%	3 50.0%	0 0.0%	0 0.0%	1 16.7%	0 0.0%	0 0.0%	6 100.0%
30～39歳	3 25.0%	4 33.3%	3 25.0%	0 0.0%	1 8.3%	1 8.3%	1 8.3%	12 100.0%
40～49歳	2 50.0%	1 25.0%	0 0.0%	1 25.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
50～59歳	1 20.0%	1 20.0%	1 20.0%	1 20.0%	1 20.0%	0 0.0%	0 0.0%	5 100.0%
60～69歳	1 14.3%	4 57.1%	1 14.3%	1 14.3%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 37.5%	4 50.0%	1 12.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
総計	17 34.0%	17 34.0%	6 12.0%	4 8.0%	5 10.0%	1 2.0%	1 2.0%	50 100.0%

ギラン・バレー症候群（軸索型） 血清抗ガングリオシド抗体

度数：構％	血清抗ガングリオシド抗体				合計
	陽性	陰性	未検	無回答	
男					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	3 75.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	3 37.5%	2 25.0%	2 25.0%	1 12.5%	8 100.0%
40～49歳	1 50.0%	0 0.0%	1 50.0%	0 0.0%	2 100.0%
50～59歳	2 50.0%	1 25.0%	1 25.0%	0 0.0%	4 100.0%
60～69歳	0 0.0%	1 16.7%	5 83.3%	0 0.0%	6 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	5 100.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
小計	17 53.1%	5 15.6%	9 28.1%	1 3.1%	32 100.0%
女					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
20～29歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
30～39歳	2 50.0%	0 0.0%	2 50.0%	0 0.0%	4 100.0%
40～49歳	0 0.0%	1 50.0%	0 0.0%	1 50.0%	2 100.0%
50～59歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
小計	8 44.4%	6 33.3%	2 11.1%	2 11.1%	18 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	3 60.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%
20～29歳	4 66.7%	2 33.3%	0 0.0%	0 0.0%	6 100.0%
30～39歳	5 41.7%	2 16.7%	4 33.3%	1 8.3%	12 100.0%
40～49歳	1 25.0%	1 25.0%	1 25.0%	1 25.0%	4 100.0%
50～59歳	2 40.0%	2 40.0%	1 20.0%	0 0.0%	5 100.0%
60～69歳	1 14.3%	1 14.3%	5 71.4%	0 0.0%	7 100.0%
70～79歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	8 100.0%	0 0.0%	0 0.0%	0 0.0%	8 100.0%
総計	25 50.0%	11 22.0%	11 22.0%	3 6.0%	50 100.0%

ギラン・バレー症候群 (軸索型)

髄液蛋白

度数：構%	髄液蛋白 (経過中の最高値)				合計
	正常	45mg/dl以上	100mg/dl以上	未検	
男					
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	0 0.0%	2 100.0%	0 0.0%	0 0.0%	2 100.0%
20~29歳	2 50.0%	0 0.0%	2 50.0%	0 0.0%	4 100.0%
30~39歳	1 12.5%	3 37.5%	3 37.5%	0 0.0%	8 100.0%
40~49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50~59歳	1 25.0%	2 50.0%	1 25.0%	0 0.0%	4 100.0%
60~69歳	0 0.0%	3 50.0%	3 50.0%	0 0.0%	6 100.0%
70~79歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	3 100.0%	0 0.0%	0 0.0%	3 100.0%
小計	6 20.0%	14 46.7%	9 30.0%	0 0.0%	30 100.0%
女					
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	1 33.3%	1 33.3%	1 33.3%	0 0.0%	3 100.0%
20~29歳	0 0.0%	2 100.0%	0 0.0%	0 0.0%	2 100.0%
30~39歳	0 0.0%	2 50.0%	1 25.0%	1 25.0%	4 100.0%
40~49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50~59歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
60~69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
70~79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80~89歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	2 66.7%	0 0.0%	1 33.3%	3 100.0%
小計	4 22.2%	10 55.6%	2 11.1%	2 11.1%	18 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	1 20.0%	3 60.0%	1 20.0%	0 0.0%	5 100.0%
	2 33.3%	2 33.3%	2 33.3%	0 0.0%	6 100.0%
	1 8.3%	5 41.7%	4 33.3%	1 8.3%	12 100.0%
	4 100.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
	1 20.0%	3 60.0%	1 20.0%	0 0.0%	5 100.0%
	0 0.0%	4 57.1%	3 42.9%	0 0.0%	7 100.0%
	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
	0 0.0%	5 83.3%	0 0.0%	1 16.7%	6 100.0%
総計	10 20.8%	24 50.0%	11 22.9%	2 4.2%	48 100.0%

ギラン・バレー症候群 (軸索型)

治療法

度数：構%	治療法							合計
	いづれもなし	全血漿交換	二重膜濾過	吸着濾過	免疫グロブリン	ステロイド	無回答	
男								
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	0 0.0%	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20~29歳	0 0.0%	3 42.9%	1 14.3%	1 14.3%	1 14.3%	1 14.3%	0 0.0%	7 100.0%
30~39歳	0 0.0%	2 16.7%	4 33.3%	4 33.3%	1 8.3%	1 8.3%	0 0.0%	12 100.0%
40~49歳	0 0.0%	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50~59歳	1 14.3%	1 14.3%	2 28.6%	1 14.3%	2 28.6%	0 0.0%	0 0.0%	7 100.0%
60~69歳	0 0.0%	2 28.6%	1 14.3%	2 28.6%	1 14.3%	1 14.3%	0 0.0%	7 100.0%
70~79歳	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 50.0%	0 0.0%	0 0.0%	1 16.7%	2 33.3%	0 0.0%	0 0.0%	6 100.0%
小計	4 8.9%	9 20.0%	9 20.0%	12 26.7%	8 17.8%	3 6.7%	0 0.0%	45 100.0%
女								
0~9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10~19歳	1 33.3%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
20~29歳	0 0.0%	0 0.0%	2 66.7%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
30~39歳	0 0.0%	1 20.0%	1 20.0%	2 40.0%	0 0.0%	1 20.0%	0 0.0%	5 100.0%
40~49歳	0 0.0%	0 0.0%	0 0.0%	2 66.7%	0 0.0%	1 33.3%	0 0.0%	3 100.0%
50~59歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60~69歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70~79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 50.0%	0 0.0%	2 100.0%
80~89歳	0 0.0%	1 33.3%	1 33.3%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	2 66.7%	0 0.0%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
小計	3 12.5%	4 16.7%	4 16.7%	6 25.0%	4 16.7%	3 12.5%	0 0.0%	24 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	1 20.0%	2 40.0%	1 20.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
	0 0.0%	3 30.0%	3 30.0%	1 10.0%	2 20.0%	1 10.0%	0 0.0%	10 100.0%
	0 0.0%	3 17.6%	5 29.4%	6 35.3%	1 5.9%	2 11.8%	0 0.0%	17 100.0%
	0 0.0%	1 20.0%	0 0.0%	3 60.0%	0 0.0%	1 20.0%	0 0.0%	5 100.0%
	1 12.5%	1 12.5%	2 25.0%	2 25.0%	2 25.0%	0 0.0%	0 0.0%	8 100.0%
	0 0.0%	2 25.0%	1 12.5%	3 37.5%	1 12.5%	1 12.5%	0 0.0%	8 100.0%
	0 0.0%	0 0.0%	0 0.0%	1 25.0%	2 50.0%	1 25.0%	0 0.0%	4 100.0%
	0 0.0%	1 33.3%	1 33.3%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
	5 55.6%	0 0.0%	0 0.0%	1 11.1%	3 33.3%	0 0.0%	0 0.0%	9 100.0%
総計	7 10.1%	13 18.8%	13 18.8%	18 26.1%	12 17.4%	6 8.7%	0 0.0%	69 100.0%

ギラン・バレー症候群

(病型不明)

受療状況

度数：横%	受療状況					合計
	主に入院	主に通院	両方	その他	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	0 0.0%	0 0.0%	3 100.0%	0 0.0%	0 0.0%	3 100.0%
30～39歳	2 66.7%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
40～49歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
小計	6 46.2%	2 15.4%	5 38.5%	0 0.0%	0 0.0%	13 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	2 50.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
40～49歳	0 0.0%	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
小計	4 40.0%	5 50.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	2 28.6%	2 28.6%	3 42.9%	0 0.0%	0 0.0%	7 100.0%
30～39歳	3 75.0%	0 0.0%	1 25.0%	0 0.0%	0 0.0%	4 100.0%
40～49歳	1 33.3%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
50～59歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
総計	10 43.5%	7 30.4%	6 26.1%	0 0.0%	0 0.0%	23 100.0%

ギラン・バレー症候群

(病型不明)

医療費公費負担状況

度数：様%	医療費負担状況							合計
	なし	老人医療	都道府県 指定疾患	小児慢性 特定疾患	他の特定疾患	その他	無回答	
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
30～39歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
小計	13 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	3 75.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	4 100.0%
30～39歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
40～49歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	9 90.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 10.0%	10 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
(性別不明を含む)	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
10～19歳	6 85.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 14.3%	7 100.0%
20～29歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
総計	22 95.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 4.3%	23 100.0%

ギラン・バレー症候群

(病型不明)

臨床経過

度数：横%	臨床経過					合計
	改善	不変	悪化	死亡	無回答	
男						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
30～39歳	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
50～59歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
小計	13 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
女						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
20～29歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
30～39歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
40～49歳	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
50～59歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
60～69歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
70～79歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	9 90.0%	1 10.0%	0 0.0%	0 0.0%	0 0.0%	10 100.0%
合計						
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	7 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
30～39歳	4 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%
40～49歳	2 66.7%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
50～59歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
60～69歳	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
70～79歳	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
総計	22 95.7%	1 4.3%	0 0.0%	0 0.0%	0 0.0%	23 100.0%