

急速進行性糸球体腎炎症候群

医療費公費負担状況

度数：横%	医療費負担状況							合計
	なし	老人医療	都道府県指定疾患	小児慢性特定疾患	他の特定疾患	その他	無回答	
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 50.0%	0 0.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	2 50.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	1 25.0%	4 100.0%
30～39歳	3 37.5%	0 0.0%	2 25.0%	0 0.0%	2 25.0%	1 12.5%	0 0.0%	8 100.0%
40～49歳	2 66.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	3 100.0%
50～59歳	7 58.3%	1 8.3%	3 25.0%	0 0.0%	0 0.0%	0 0.0%	1 8.3%	12 100.0%
60～69歳	15 41.7%	3 8.3%	9 25.0%	0 0.0%	5 13.9%	2 5.6%	2 5.6%	36 100.0%
70～79歳	5 17.2%	17 58.6%	3 10.3%	0 0.0%	2 6.9%	2 6.9%	0 0.0%	29 100.0%
80～89歳	0 0.0%	2 40.0%	0 0.0%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	5 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
小計	35 35.0%	23 23.0%	19 19.0%	1 1.0%	12 12.0%	6 6.0%	4 4.0%	100 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
10～19歳	1 33.3%	0 0.0%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
20～29歳	2 33.3%	0 0.0%	0 0.0%	0 0.0%	1 16.7%	1 16.7%	2 33.3%	6 100.0%
30～39歳	1 33.3%	0 0.0%	1 33.3%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
40～49歳	0 0.0%	1 20.0%	2 40.0%	0 0.0%	1 20.0%	0 0.0%	1 20.0%	5 100.0%
50～59歳	9 75.0%	0 0.0%	1 8.3%	0 0.0%	1 8.3%	1 8.3%	0 0.0%	12 100.0%
60～69歳	19 57.6%	1 3.0%	8 24.2%	0 0.0%	2 6.1%	3 9.1%	0 0.0%	33 100.0%
70～79歳	3 14.3%	11 52.4%	2 9.5%	0 0.0%	2 9.5%	3 14.3%	0 0.0%	21 100.0%
80～89歳	0 0.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	2 50.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	0 0.0%	2 100.0%
小計	35 38.9%	16 17.8%	14 15.6%	3 3.3%	8 8.9%	11 12.2%	3 3.3%	90 100.0%
合計	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
(性別不明を含む)	2 40.0%	0 0.0%	0 0.0%	3 60.0%	0 0.0%	0 0.0%	0 0.0%	5 100.0%
	4 40.0%	0 0.0%	0 0.0%	0 0.0%	2 20.0%	1 10.0%	3 30.0%	10 100.0%
	4 36.4%	0 0.0%	3 27.3%	0 0.0%	3 27.3%	1 9.1%	0 0.0%	11 100.0%
	2 25.0%	1 12.5%	2 25.0%	0 0.0%	1 12.5%	1 12.5%	1 12.5%	8 100.0%
	16 66.7%	1 4.2%	4 16.7%	0 0.0%	1 4.2%	1 4.2%	1 4.2%	24 100.0%
	34 49.3%	4 5.8%	17 24.6%	0 0.0%	7 10.1%	5 7.2%	2 2.9%	69 100.0%
	8 16.0%	28 56.0%	5 10.0%	0 0.0%	4 8.0%	5 10.0%	0 0.0%	50 100.0%
	0 0.0%	4 44.4%	2 22.2%	0 0.0%	1 11.1%	2 22.2%	0 0.0%	9 100.0%
	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
	0 0.0%	1 33.3%	0 0.0%	0 0.0%	1 33.3%	1 33.3%	0 0.0%	3 100.0%
総計	70 36.8%	39 20.5%	33 17.4%	4 2.1%	20 10.5%	17 8.9%	7 3.7%	190 100.0%

急速進行性糸球体腎炎症候群

臨床経過

度数：構%	臨床経過						合計
	改善	不変	悪化	死亡	無回答		
男							
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%	2 100.0%
20～29歳	2 50.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	4 100.0%	4 100.0%
30～39歳	2 25.0%	2 25.0%	3 37.5%	1 12.5%	0 0.0%	8 100.0%	8 100.0%
40～49歳	1 33.3%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	3 100.0%	3 100.0%
50～59歳	2 16.7%	6 50.0%	3 25.0%	1 8.3%	0 0.0%	12 100.0%	12 100.0%
60～69歳	19 52.8%	5 13.9%	5 13.9%	7 19.4%	0 0.0%	36 100.0%	36 100.0%
70～79歳	13 44.8%	8 27.6%	6 20.7%	2 6.9%	0 0.0%	29 100.0%	29 100.0%
80～89歳	2 40.0%	2 40.0%	0 0.0%	1 20.0%	0 0.0%	5 100.0%	5 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
小計	42 42.0%	26 26.0%	20 20.0%	12 12.0%	0 0.0%	100 100.0%	100 100.0%
女							
0～9歳	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
10～19歳	2 66.7%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%	3 100.0%
20～29歳	0 0.0%	3 50.0%	3 50.0%	0 0.0%	0 0.0%	6 100.0%	6 100.0%
30～39歳	1 33.3%	1 33.3%	1 33.3%	0 0.0%	0 0.0%	3 100.0%	3 100.0%
40～49歳	3 60.0%	1 20.0%	1 20.0%	0 0.0%	0 0.0%	5 100.0%	5 100.0%
50～59歳	4 33.3%	4 33.3%	3 25.0%	1 8.3%	0 0.0%	12 100.0%	12 100.0%
60～69歳	14 42.4%	11 33.3%	4 12.1%	3 9.1%	1 3.0%	33 100.0%	33 100.0%
70～79歳	12 57.1%	4 19.0%	2 9.5%	3 14.3%	0 0.0%	21 100.0%	21 100.0%
80～89歳	0 0.0%	0 0.0%	2 50.0%	2 50.0%	0 0.0%	4 100.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 50.0%	0 0.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%	2 100.0%
小計	37 41.1%	25 27.8%	18 20.0%	9 10.0%	1 1.1%	90 100.0%	90 100.0%
合計	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	1 100.0%
(性別不明を含む)	3 60.0%	0 0.0%	2 40.0%	0 0.0%	0 0.0%	5 100.0%	5 100.0%
20～29歳	2 20.0%	5 50.0%	3 30.0%	0 0.0%	0 0.0%	10 100.0%	10 100.0%
30～39歳	3 27.3%	3 27.3%	4 36.4%	1 9.1%	0 0.0%	11 100.0%	11 100.0%
40～49歳	4 50.0%	1 12.5%	3 37.5%	0 0.0%	0 0.0%	8 100.0%	8 100.0%
50～59歳	6 25.0%	10 41.7%	6 25.0%	2 8.3%	0 0.0%	24 100.0%	24 100.0%
60～69歳	33 47.8%	16 23.2%	9 13.0%	10 14.5%	1 1.4%	69 100.0%	69 100.0%
70～79歳	25 50.0%	12 24.0%	8 16.0%	5 10.0%	0 0.0%	50 100.0%	50 100.0%
80～89歳	2 22.2%	2 22.2%	2 22.2%	3 33.3%	0 0.0%	9 100.0%	9 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 33.3%	1 33.3%	1 33.3%	0 0.0%	0 0.0%	3 100.0%	3 100.0%
総計	79 41.6%	51 26.8%	38 20.0%	21 11.1%	1 0.5%	190 100.0%	190 100.0%

急速進行性糸球体腎炎症候群

最近の日常生活活動度

度数：様%	最近の日常生活活動度							合計
	制限なし	独力外出	外出介助	屋内介助	全面介助・臥床	無回答		
男								
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	1 50.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	2 100.0%	
20～29歳	1 25.0%	2 50.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	4 100.0%	
30～39歳	5 62.5%	2 25.0%	0 0.0%	0 0.0%	1 12.5%	0 0.0%	8 100.0%	
40～49歳	1 33.3%	1 33.3%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	3 100.0%	
50～59歳	5 41.7%	4 33.3%	1 8.3%	0 0.0%	0 0.0%	2 16.7%	12 100.0%	
60～69歳	16 44.4%	13 36.1%	1 2.8%	0 0.0%	5 13.9%	1 2.8%	36 100.0%	
70～79歳	14 48.3%	11 37.9%	2 6.9%	0 0.0%	1 3.4%	1 3.4%	29 100.0%	
80～89歳	0 0.0%	2 40.0%	0 0.0%	0 0.0%	2 40.0%	1 20.0%	5 100.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	
小計	43 43.0%	36 36.0%	5 5.0%	0 0.0%	9 9.0%	7 7.0%	100 100.0%	
女								
0～9歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	
10～19歳	2 66.7%	0 0.0%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	3 100.0%	
20～29歳	1 16.7%	3 50.0%	1 16.7%	0 0.0%	0 0.0%	1 16.7%	6 100.0%	
30～39歳	1 33.3%	1 33.3%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%	
40～49歳	3 60.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 40.0%	5 100.0%	
50～59歳	9 75.0%	2 16.7%	0 0.0%	0 0.0%	1 8.3%	0 0.0%	12 100.0%	
60～69歳	16 48.5%	11 33.3%	2 6.1%	0 0.0%	1 3.0%	3 9.1%	33 100.0%	
70～79歳	6 28.6%	12 57.1%	0 0.0%	0 0.0%	1 4.8%	2 9.5%	21 100.0%	
80～89歳	0 0.0%	1 25.0%	0 0.0%	0 0.0%	3 75.0%	0 0.0%	4 100.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%	
小計	38 42.2%	31 34.4%	5 5.6%	1 1.1%	7 7.8%	8 8.9%	90 100.0%	
合計	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	
(性別不明を含む)	3 60.0%	0 0.0%	0 0.0%	0 0.0%	1 20.0%	1 20.0%	5 100.0%	
20～29歳	2 20.0%	5 50.0%	1 10.0%	0 0.0%	0 0.0%	2 20.0%	10 100.0%	
30～39歳	6 54.5%	3 27.3%	0 0.0%	1 9.1%	1 9.1%	0 0.0%	11 100.0%	
40～49歳	4 50.0%	1 12.5%	1 12.5%	0 0.0%	0 0.0%	2 25.0%	8 100.0%	
50～59歳	14 58.3%	6 25.0%	1 4.2%	0 0.0%	1 4.2%	2 8.3%	24 100.0%	
60～69歳	32 46.4%	24 34.8%	3 4.3%	0 0.0%	6 8.7%	4 5.8%	69 100.0%	
70～79歳	20 40.0%	23 46.0%	2 4.0%	0 0.0%	2 4.0%	3 6.0%	50 100.0%	
80～89歳	0 0.0%	3 33.3%	0 0.0%	0 0.0%	5 55.6%	1 11.1%	9 100.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	0 0.0%	2 66.7%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	3 100.0%	
総計	81 42.6%	67 35.3%	10 5.3%	1 0.5%	16 8.4%	15 7.9%	190 100.0%	

急速進行性糸球体腎炎症候群 クレアチニン値

	治療開始時のクレアチニン値				
	実数	最大値	最小値	平均	標準偏差
全体	176	21.5	0.8	4.2	3.3
男	96	21.5	0.8	4.4	3.7
女	80	12.4	0.9	3.9	2.7

年齢別

年齢	男	女	実数	最大値	最小値	平均	標準偏差
0～9歳	0	0	0	-	-	-	-
10～19歳	2	2	4	-	-	-	-
20～29歳	3	5	8	12.4	1.6	5.1	4.5
30～39歳	8	2	10	4.4	0.8	2.2	1.3
40～49歳	3	4	7	7.9	2.5	4.4	2.4
50～59歳	12	10	22	21.5	1.0	5.4	6.3
60～69歳	35	33	68	11.6	1.1	4.0	2.4
70～79歳	27	18	45	15.0	0.9	5.0	3.4
80～89歳	5	4	9	5.1	1.3	2.8	1.5
90歳以上	0	0	0	-	-	-	-

急速進行性糸球体腎炎症候群

P(MPO)-ANCA

度数：横%	P(MPO)-ANCA				合計
	陽性	陰性	不明	無回答	
男					
0~9歳	0	0	0	0	0
10~19歳	0	2	0	0	2
20~29歳	0	3	1	0	4
30~39歳	1	7	0	0	8
40~49歳	2	0	0	1	3
50~59歳	4	6	2	0	12
60~69歳	26	8	1	1	36
70~79歳	24	4	0	1	29
80~89歳	4	1	0	0	5
90歳以上	0	0	0	0	0
不明	0	1	0	0	1
小計	61	32	4	3	100
女					
0~9歳	1	0	0	0	1
10~19歳	0	3	0	0	3
20~29歳	3	0	3	0	6
30~39歳	0	3	0	0	3
40~49歳	5	0	0	0	5
50~59歳	5	6	1	0	12
60~69歳	29	2	2	0	33
70~79歳	16	3	2	0	21
80~89歳	3	0	1	0	4
90歳以上	0	0	0	0	0
不明	2	0	0	0	2
小計	64	17	9	0	90
合計	125	49	13	3	190
(性別不明を含む)					
0~9歳	1	0	0	0	1
10~19歳	0	5	0	0	5
20~29歳	3	3	4	0	10
30~39歳	1	10	0	0	11
40~49歳	7	0	0	1	8
50~59歳	9	12	3	0	24
60~69歳	55	10	3	1	69
70~79歳	40	7	2	1	50
80~89歳	7	1	1	0	9
90歳以上	0	0	0	0	0
不明	2	1	0	0	3
総計	125	49	13	3	190

急速進行性糸球体腎炎症候群

度数：横%	C(PR3)-ANCA				合計
	陽性	陰性	不明	無回答	
男					
0～9歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
10～19歳	0 0.0%	2 100.0%	0 0.0%	0 0.0%	2 100.0%
20～29歳	0 0.0%	3 75.0%	1 25.0%	0 0.0%	4 100.0%
30～39歳	1 12.5%	7 87.5%	0 0.0%	0 0.0%	8 100.0%
40～49歳	0 0.0%	2 66.7%	0 0.0%	1 33.3%	3 100.0%
50～59歳	1 8.3%	9 75.0%	2 16.7%	0 0.0%	12 100.0%
60～69歳	2 5.6%	32 88.9%	2 5.6%	0 0.0%	36 100.0%
70～79歳	0 0.0%	28 96.6%	0 0.0%	1 3.4%	29 100.0%
80～89歳	0 0.0%	5 100.0%	0 0.0%	0 0.0%	5 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	5 5.0%	88 88.0%	5 5.0%	2 2.0%	100 100.0%
女					
0～9歳	0 0.0%	0 0.0%	1 100.0%	0 0.0%	1 100.0%
10～19歳	0 0.0%	3 100.0%	0 0.0%	0 0.0%	3 100.0%
20～29歳	0 0.0%	2 33.3%	4 66.7%	0 0.0%	6 100.0%
30～39歳	0 0.0%	3 100.0%	0 0.0%	0 0.0%	3 100.0%
40～49歳	0 0.0%	5 100.0%	0 0.0%	0 0.0%	5 100.0%
50～59歳	0 0.0%	11 91.7%	1 8.3%	0 0.0%	12 100.0%
60～69歳	0 0.0%	30 90.9%	3 9.1%	0 0.0%	33 100.0%
70～79歳	0 0.0%	18 85.7%	3 14.3%	0 0.0%	21 100.0%
80～89歳	0 0.0%	4 100.0%	0 0.0%	0 0.0%	4 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 50.0%	1 50.0%	0 0.0%	2 100.0%
小計	0 0.0%	77 85.6%	13 14.4%	0 0.0%	90 100.0%
合計	0 0.0%	0 0.0%	1 100.0%	0 0.0%	1 100.0%
(性別不明を含む)	0 0.0%	5 100.0%	0 0.0%	0 0.0%	5 100.0%
20～29歳	0 0.0%	5 50.0%	5 50.0%	0 0.0%	10 100.0%
30～39歳	1 9.1%	10 90.9%	0 0.0%	0 0.0%	11 100.0%
40～49歳	0 0.0%	7 87.5%	0 0.0%	1 12.5%	8 100.0%
50～59歳	1 4.2%	20 83.3%	3 12.5%	0 0.0%	24 100.0%
60～69歳	2 2.9%	62 89.9%	5 7.2%	0 0.0%	69 100.0%
70～79歳	0 0.0%	46 92.0%	3 6.0%	1 2.0%	50 100.0%
80～89歳	0 0.0%	9 100.0%	0 0.0%	0 0.0%	9 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 33.3%	1 33.3%	1 33.3%	0 0.0%	3 100.0%
総計	5 2.6%	165 86.8%	18 9.5%	2 1.1%	190 100.0%

難治性ネフローゼ症候群

受療状況

度数：横%	受療状況					合計
	主に入院	主に通院	両方	その他	無回答	
男						
0～9歳	3 33.3%	2 22.2%	4 44.4%	0 0.0%	0 0.0%	9 100.0%
10～19歳	1 4.8%	8 38.1%	12 57.1%	0 0.0%	0 0.0%	21 100.0%
20～29歳	3 14.3%	11 52.4%	7 33.3%	0 0.0%	0 0.0%	21 100.0%
30～39歳	0 0.0%	6 54.5%	5 45.5%	0 0.0%	0 0.0%	11 100.0%
40～49歳	2 15.4%	8 61.5%	3 23.1%	0 0.0%	0 0.0%	13 100.0%
50～59歳	1 3.6%	16 57.1%	10 35.7%	0 0.0%	1 3.6%	28 100.0%
60～69歳	1 4.3%	14 60.9%	8 34.8%	0 0.0%	0 0.0%	23 100.0%
70～79歳	4 30.8%	5 38.5%	4 30.8%	0 0.0%	0 0.0%	13 100.0%
80～89歳	1 33.3%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	2 100.0%
小計	16 11.1%	73 50.7%	54 37.5%	0 0.0%	1 0.7%	144 100.0%
女						
0～9歳	2 28.6%	3 42.9%	2 28.6%	0 0.0%	0 0.0%	7 100.0%
10～19歳	3 15.8%	9 47.4%	7 36.8%	0 0.0%	0 0.0%	19 100.0%
20～29歳	4 18.2%	14 63.6%	4 18.2%	0 0.0%	0 0.0%	22 100.0%
30～39歳	0 0.0%	11 68.8%	5 31.3%	0 0.0%	0 0.0%	16 100.0%
40～49歳	3 16.7%	14 77.8%	1 5.6%	0 0.0%	0 0.0%	18 100.0%
50～59歳	0 0.0%	7 53.8%	4 30.8%	0 0.0%	2 15.4%	13 100.0%
60～69歳	0 0.0%	8 80.0%	2 20.0%	0 0.0%	0 0.0%	10 100.0%
70～79歳	2 16.7%	7 58.3%	3 25.0%	0 0.0%	0 0.0%	12 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	1 100.0%
小計	14 11.9%	73 61.9%	29 24.6%	0 0.0%	2 1.7%	118 100.0%
合計	5 31.3%	5 31.3%	6 37.5%	0 0.0%	0 0.0%	16 100.0%
（性別を別	4 10.0%	17 42.5%	19 47.5%	0 0.0%	0 0.0%	40 100.0%
性	7 16.3%	25 58.1%	11 25.6%	0 0.0%	0 0.0%	43 100.0%
別	0 0.0%	17 63.0%	10 37.0%	0 0.0%	0 0.0%	27 100.0%
不明	5 16.1%	22 71.0%	4 12.9%	0 0.0%	0 0.0%	31 100.0%
を	1 2.4%	23 56.1%	14 34.1%	0 0.0%	3 7.3%	41 100.0%
含	1 3.0%	22 66.7%	10 30.3%	0 0.0%	0 0.0%	33 100.0%
む	6 24.0%	12 48.0%	7 28.0%	0 0.0%	0 0.0%	25 100.0%
）	1 33.3%	2 66.7%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 33.3%	2 66.7%	0 0.0%	0 0.0%	3 100.0%
総計	30 11.5%	146 55.7%	83 31.7%	0 0.0%	3 1.1%	262 100.0%

難治性ネフローゼ症候群

医療費公費負担状況

度数：横%	医療費負担状況							合計
	なし	老人医療	都道府県 指定疾患	小児慢性 特定疾患	他の特定疾患	その他	無回答	
男								
0～9歳	1 11.1%	0 0.0%	0 0.0%	8 88.9%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
10～19歳	2 9.5%	0 0.0%	3 14.3%	16 76.2%	0 0.0%	0 0.0%	0 0.0%	21 100.0%
20～29歳	14 66.7%	0 0.0%	2 9.5%	2 9.5%	0 0.0%	2 9.5%	1 4.8%	21 100.0%
30～39歳	7 63.6%	0 0.0%	0 0.0%	1 9.1%	2 18.2%	0 0.0%	1 9.1%	11 100.0%
40～49歳	10 76.9%	0 0.0%	1 7.7%	0 0.0%	1 7.7%	0 0.0%	1 7.7%	13 100.0%
50～59歳	23 82.1%	0 0.0%	3 10.7%	0 0.0%	0 0.0%	1 3.6%	1 3.6%	28 100.0%
60～69歳	18 78.3%	1 4.3%	2 8.7%	0 0.0%	0 0.0%	1 4.3%	1 4.3%	23 100.0%
70～79歳	6 46.2%	6 46.2%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
80～89歳	0 0.0%	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	2 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
小計	83 57.6%	10 6.9%	12 8.3%	27 18.8%	3 2.1%	4 2.8%	5 3.5%	144 100.0%
女								
0～9歳	0 0.0%	0 0.0%	0 0.0%	7 100.0%	0 0.0%	0 0.0%	0 0.0%	7 100.0%
10～19歳	3 15.8%	0 0.0%	0 0.0%	15 78.9%	0 0.0%	0 0.0%	1 5.3%	19 100.0%
20～29歳	14 63.6%	0 0.0%	2 9.1%	3 13.6%	1 4.5%	1 4.5%	1 4.5%	22 100.0%
30～39歳	7 43.8%	0 0.0%	4 25.0%	0 0.0%	3 18.8%	0 0.0%	2 12.5%	16 100.0%
40～49歳	10 55.6%	0 0.0%	2 11.1%	0 0.0%	3 16.7%	1 5.6%	2 11.1%	18 100.0%
50～59歳	5 38.5%	0 0.0%	6 46.2%	0 0.0%	2 15.4%	0 0.0%	0 0.0%	13 100.0%
60～69歳	7 70.0%	1 10.0%	1 10.0%	0 0.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
70～79歳	4 33.3%	6 50.0%	1 8.3%	0 0.0%	0 0.0%	0 0.0%	1 8.3%	12 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	51 43.2%	7 5.9%	16 13.6%	25 21.2%	10 8.5%	2 1.7%	7 5.9%	118 100.0%
合計	134 51.1%	17 6.5%	28 10.7%	52 19.8%	13 5.0%	6 2.3%	12 4.6%	262 100.0%
(性別不明を含む)								
0～9歳	1 6.3%	0 0.0%	0 0.0%	15 93.8%	0 0.0%	0 0.0%	0 0.0%	16 100.0%
10～19歳	5 12.5%	0 0.0%	3 7.5%	31 77.5%	0 0.0%	0 0.0%	1 2.5%	40 100.0%
20～29歳	28 65.1%	0 0.0%	4 9.3%	5 11.6%	1 2.3%	3 7.0%	2 4.7%	43 100.0%
30～39歳	14 51.9%	0 0.0%	4 14.8%	1 3.7%	5 18.5%	0 0.0%	3 11.1%	27 100.0%
40～49歳	20 64.5%	0 0.0%	3 9.7%	0 0.0%	4 12.9%	1 3.2%	3 9.7%	31 100.0%
50～59歳	28 68.3%	0 0.0%	9 22.0%	0 0.0%	2 4.9%	1 2.4%	1 2.4%	41 100.0%
60～69歳	25 75.8%	2 6.1%	3 9.1%	0 0.0%	1 3.0%	1 3.0%	1 3.0%	33 100.0%
70～79歳	10 40.0%	12 48.0%	2 8.0%	0 0.0%	0 0.0%	0 0.0%	1 4.0%	25 100.0%
80～89歳	0 0.0%	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	3 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%

難治性ネフローゼ症候群

身体障害者手帳

度数：横%	身体障害者手帳										合計	
	なし	あり	階級							無回答		合計
			1級	2級	3級	4級	無回答					
男	9	0	0	0	0	0	0	0	0	0	0	9
0~9歳	100.0%	0.0%	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	100.0%
10~19歳	21	0	(100.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	(0.0%)	21
20~29歳	19	2	(100.0%)	(9.5%)	(100.0%)	(10.5%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	21
30~39歳	11	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	11
40~49歳	12	1	(100.0%)	(7.7%)	(100.0%)	(8.3%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	13
50~59歳	26	1	(100.0%)	(3.6%)	(100.0%)	(3.7%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	28
60~69歳	22	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	23
70~79歳	13	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	13
80~89歳	3	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	3
90歳以上	0	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	0
不明	2	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	2
小計	138	4	(100.0%)	(2.8%)	(100.0%)	(2.9%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	144
女	7	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	7
0~9歳	18	1	(100.0%)	(5.3%)	(100.0%)	(5.6%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	19
10~19歳	19	2	(100.0%)	(9.1%)	(100.0%)	(9.5%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	22
20~29歳	13	3	(100.0%)	(18.8%)	(100.0%)	(21.7%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	16
30~39歳	17	1	(100.0%)	(5.6%)	(100.0%)	(6.3%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	18
40~49歳	11	1	(100.0%)	(7.7%)	(100.0%)	(8.8%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	13
50~59歳	10	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	10
60~69歳	10	2	(100.0%)	(16.7%)	(100.0%)	(17.7%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	12
70~79歳	0	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	0
80~89歳	0	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	0
90歳以上	0	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	0
不明	1	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	1
小計	106	10	(100.0%)	(8.5%)	(100.0%)	(9.5%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	118
合計	16	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	16
0~9歳	39	1	(100.0%)	(2.5%)	(100.0%)	(2.6%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	40
10~19歳	38	4	(100.0%)	(9.3%)	(100.0%)	(9.7%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	43
20~29歳	24	3	(100.0%)	(11.1%)	(100.0%)	(12.2%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	27
30~39歳	29	2	(100.0%)	(6.5%)	(100.0%)	(7.1%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	31
40~49歳	37	2	(100.0%)	(4.9%)	(100.0%)	(5.4%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	41
50~59歳	32	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	33
60~69歳	23	2	(100.0%)	(8.0%)	(100.0%)	(8.6%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	25
70~79歳	3	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	3
80~89歳	0	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	0
90歳以上	3	0	(100.0%)	(0.0%)	(100.0%)	(0.0%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	3
不明	244	14	(100.0%)	(5.3%)	(100.0%)	(5.8%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	262
総計	244	14	(100.0%)	(5.3%)	(100.0%)	(5.8%)	(100.0%)	(100.0%)	(0.0%)	(0.0%)	(0.0%)	262

難治性ネフローゼ症候群

臨床経過

度数：構%	臨床経過					合計
	改善	不変	悪化	死亡	無回答	
男						
0~9歳	4 44.4%	5 55.6%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
10~19歳	10 47.6%	6 28.6%	5 23.8%	0 0.0%	0 0.0%	21 100.0%
20~29歳	7 33.3%	8 38.1%	6 28.6%	0 0.0%	0 0.0%	21 100.0%
30~39歳	3 27.3%	5 45.5%	2 18.2%	1 9.1%	0 0.0%	11 100.0%
40~49歳	2 15.4%	6 46.2%	4 30.8%	0 0.0%	1 7.7%	13 100.0%
50~59歳	8 28.6%	16 57.1%	3 10.7%	0 0.0%	1 3.6%	28 100.0%
60~69歳	6 26.1%	13 56.5%	4 17.4%	0 0.0%	0 0.0%	23 100.0%
70~79歳	1 7.7%	7 53.8%	2 15.4%	3 23.1%	0 0.0%	13 100.0%
80~89歳	0 0.0%	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	2 100.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
小計	41 28.5%	71 49.3%	26 18.1%	4 2.8%	2 1.4%	144 100.0%
女						
0~9歳	3 42.9%	2 28.6%	2 28.6%	0 0.0%	0 0.0%	7 100.0%
10~19歳	4 21.1%	9 47.4%	5 26.3%	0 0.0%	1 5.3%	19 100.0%
20~29歳	5 22.7%	15 68.2%	2 9.1%	0 0.0%	0 0.0%	22 100.0%
30~39歳	3 18.8%	7 43.8%	6 37.5%	0 0.0%	0 0.0%	16 100.0%
40~49歳	2 11.1%	12 66.7%	3 16.7%	1 5.6%	0 0.0%	18 100.0%
50~59歳	4 30.8%	6 46.2%	3 23.1%	0 0.0%	0 0.0%	13 100.0%
60~69歳	1 10.0%	8 80.0%	1 10.0%	0 0.0%	0 0.0%	10 100.0%
70~79歳	2 16.7%	6 50.0%	2 16.7%	2 16.7%	0 0.0%	12 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	24 20.3%	66 55.9%	24 20.3%	3 2.5%	1 0.8%	118 100.0%
合計	7 43.8%	7 43.8%	2 12.5%	0 0.0%	0 0.0%	16 100.0%
10~19歳	14 35.0%	15 37.5%	10 25.0%	0 0.0%	1 2.5%	40 100.0%
20~29歳	12 27.9%	23 53.5%	8 18.6%	0 0.0%	0 0.0%	43 100.0%
30~39歳	6 22.2%	12 44.4%	8 29.6%	1 3.7%	0 0.0%	27 100.0%
40~49歳	4 12.9%	18 58.1%	7 22.6%	1 3.2%	1 3.2%	31 100.0%
50~59歳	12 29.3%	22 53.7%	6 14.6%	0 0.0%	1 2.4%	41 100.0%
60~69歳	7 21.2%	21 63.6%	5 15.2%	0 0.0%	0 0.0%	33 100.0%
70~79歳	3 12.0%	13 52.0%	4 16.0%	5 20.0%	0 0.0%	25 100.0%
80~89歳	0 0.0%	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	3 100.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
総計	65 24.8%	137 52.3%	50 19.1%	7 2.7%	3 1.1%	262 100.0%

難治性ネフローゼ症候群

最近の日常生活活動度

度数：様%	最近の日常生活活動度							合計
	制限なし	独力外出	外出介助	屋内介助	全面介助・臥床	無回答		
男								
0～9歳	4 44.4%	3 33.3%	2 22.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	9 100.0%
10～19歳	9 42.9%	12 57.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	21 100.0%
20～29歳	12 57.1%	7 33.3%	0 0.0%	1 4.8%	0 0.0%	0 0.0%	1 4.8%	21 100.0%
30～39歳	10 90.9%	1 9.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	11 100.0%
40～49歳	10 76.9%	2 15.4%	0 0.0%	0 0.0%	1 7.7%	0 0.0%	0 0.0%	13 100.0%
50～59歳	21 75.0%	7 25.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	28 100.0%
60～69歳	14 60.9%	8 34.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 4.3%	23 100.0%
70～79歳	4 30.8%	5 38.5%	0 0.0%	2 15.4%	1 7.7%	1 7.7%	1 7.7%	13 100.0%
80～89歳	0 0.0%	1 33.3%	0 0.0%	1 33.3%	0 0.0%	1 33.3%	1 33.3%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	1 50.0%	1 50.0%	2 100.0%
小計	84 58.3%	47 32.6%	2 1.4%	4 2.8%	2 1.4%	5 3.5%	144 100.0%	
女								
0～9歳	2 28.6%	2 28.6%	0 0.0%	2 28.6%	0 0.0%	1 14.3%	1 14.3%	7 100.0%
10～19歳	7 36.8%	10 52.6%	1 5.3%	0 0.0%	0 0.0%	1 5.3%	1 5.3%	19 100.0%
20～29歳	15 68.2%	6 27.3%	1 4.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	22 100.0%
30～39歳	6 37.5%	8 50.0%	0 0.0%	0 0.0%	0 0.0%	2 12.5%	2 12.5%	16 100.0%
40～49歳	14 77.8%	3 16.7%	0 0.0%	0 0.0%	1 5.6%	0 0.0%	0 0.0%	18 100.0%
50～59歳	10 76.9%	3 23.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	13 100.0%
60～69歳	6 60.0%	3 30.0%	1 10.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	10 100.0%
70～79歳	5 41.7%	5 41.7%	0 0.0%	0 0.0%	0 0.0%	2 16.7%	2 16.7%	12 100.0%
80～89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	66 55.9%	40 33.9%	3 2.5%	2 1.7%	1 0.8%	6 5.1%	118 100.0%	
合計	6 37.5%	5 31.3%	2 12.5%	2 12.5%	0 0.0%	1 6.3%	16 100.0%	
(性別不明を含む)	16 40.0%	22 55.0%	1 2.5%	0 0.0%	0 0.0%	1 2.5%	40 100.0%	
20～29歳	27 62.8%	13 30.2%	1 2.3%	1 2.3%	0 0.0%	1 2.3%	43 100.0%	
30～39歳	16 59.3%	9 33.3%	0 0.0%	0 0.0%	0 0.0%	2 7.4%	27 100.0%	
40～49歳	24 77.4%	5 16.1%	0 0.0%	0 0.0%	2 6.5%	0 0.0%	31 100.0%	
50～59歳	31 75.6%	10 24.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	41 100.0%	
60～69歳	20 60.6%	11 33.3%	1 3.0%	0 0.0%	0 0.0%	1 3.0%	33 100.0%	
70～79歳	9 36.0%	10 40.0%	0 0.0%	2 8.0%	1 4.0%	3 12.0%	25 100.0%	
80～89歳	0 0.0%	1 33.3%	0 0.0%	1 33.3%	0 0.0%	1 33.3%	3 100.0%	
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	
不明	1 33.3%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	1 33.3%	3 100.0%	
総計	150 57.3%	87 33.2%	5 1.9%	6 2.3%	3 1.1%	11 4.2%	262 100.0%	

難治性ネフローゼ症候群

(原発性の場合) 原疾患

度数：横%	(原発性の場合) 原疾患										合計		
	微小変型	果状糸球体硬化症	膜性腎症	膜性増殖性糸球体腎炎	メサンギウム増殖性糸球体腎炎	その他	不明	無回答 (結発性の場合を含む)					
男													
0~9歳	5 55.6%	1 11.1%	0 0.0%	0 0.0%	2 22.2%	1 11.1%	0 0.0%	0 0.0%	2 22.2%	1 11.1%	0 0.0%	0 0.0%	9 100.0%
10~19歳	7 33.3%	6 28.6%	1 4.8%	2 9.5%	2 9.5%	3 14.3%	0 0.0%	0 0.0%	2 9.5%	3 14.3%	0 0.0%	0 0.0%	21 100.0%
20~29歳	3 14.3%	8 38.1%	1 4.8%	3 14.3%	2 9.5%	0 0.0%	0 0.0%	0 0.0%	2 9.5%	0 0.0%	0 0.0%	4 19.0%	21 100.0%
30~39歳	2 18.2%	4 36.4%	0 0.0%	1 9.1%	1 9.1%	0 0.0%	0 0.0%	0 0.0%	1 9.1%	0 0.0%	0 0.0%	3 27.3%	11 100.0%
40~49歳	0 0.0%	0 0.0%	9 69.2%	1 7.7%	1 7.7%	1 7.7%	0 0.0%	0 0.0%	1 7.7%	1 7.7%	0 0.0%	1 7.7%	13 100.0%
50~59歳	3 10.7%	7 25.0%	14 50.0%	1 3.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 10.7%	28 100.0%
60~69歳	1 4.3%	6 26.1%	11 47.8%	2 8.7%	1 4.3%	1 4.3%	0 0.0%	0 0.0%	1 4.3%	1 4.3%	0 0.0%	1 4.3%	23 100.0%
70~79歳	0 0.0%	1 7.7%	8 61.5%	2 15.4%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	1 7.7%	0 0.0%	0 0.0%	1 7.7%	13 100.0%
80~89歳	0 0.0%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 50.0%	1 50.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 100.0%
小計	21 14.6%	34 23.6%	47 32.6%	12 8.3%	10 6.9%	7 4.9%	0 0.0%	0 0.0%	13 9.0%	13 9.0%	0 0.0%	13 9.0%	144 100.0%
女													
0~9歳	2 28.6%	4 57.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 14.3%	7 100.0%
10~19歳	1 5.3%	12 63.2%	0 0.0%	2 10.5%	2 10.5%	0 0.0%	1 5.3%	0 0.0%	2 10.5%	0 0.0%	1 5.3%	1 5.3%	19 100.0%
20~29歳	2 9.1%	9 40.9%	0 0.0%	6 27.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 22.7%	22 100.0%
30~39歳	0 0.0%	7 43.8%	0 0.0%	1 6.3%	0 0.0%	1 6.3%	0 0.0%	0 0.0%	0 0.0%	1 6.3%	0 0.0%	7 43.8%	16 100.0%
40~49歳	1 5.6%	4 22.2%	4 22.2%	4 22.2%	2 11.1%	0 0.0%	0 0.0%	0 0.0%	2 11.1%	0 0.0%	0 0.0%	3 16.7%	18 100.0%
50~59歳	1 7.7%	4 30.8%	2 15.4%	0 0.0%	1 7.7%	2 15.4%	0 0.0%	0 0.0%	1 7.7%	2 15.4%	0 0.0%	3 23.1%	13 100.0%
60~69歳	0 0.0%	2 20.0%	4 40.0%	0 0.0%	1 10.0%	0 0.0%	1 10.0%	0 0.0%	1 10.0%	0 0.0%	1 10.0%	2 20.0%	10 100.0%
70~79歳	0 0.0%	2 16.7%	6 50.0%	2 16.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 16.7%	12 100.0%
80~89歳	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	1 100.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 100.0%
小計	7 5.9%	45 38.1%	16 13.6%	15 12.7%	6 5.1%	3 2.5%	2 1.7%	0 0.0%	24 20.3%	24 20.3%	2 1.7%	24 20.3%	118 100.0%
合計	7 43.8%	5 31.3%	0 0.0%	0 0.0%	2 12.5%	1 6.3%	0 0.0%	0 0.0%	2 12.5%	1 6.3%	0 0.0%	1 6.3%	16 100.0%
(性別不明を含む)	8 20.0%	18 45.0%	1 2.5%	4 10.0%	4 10.0%	3 7.5%	1 2.5%	1 2.5%	4 10.0%	3 7.5%	1 2.5%	1 2.5%	40 100.0%
別	5 11.6%	17 39.5%	1 2.3%	9 20.9%	2 4.7%	0 0.0%	0 0.0%	0 0.0%	2 4.7%	0 0.0%	0 0.0%	9 20.9%	43 100.0%
30~39歳	2 7.4%	11 40.7%	0 0.0%	2 7.4%	1 3.7%	1 3.7%	0 0.0%	0 0.0%	1 3.7%	1 3.7%	0 0.0%	10 37.0%	27 100.0%
40~49歳	1 3.2%	4 12.9%	13 41.9%	5 16.1%	3 9.7%	1 3.2%	0 0.0%	0 0.0%	3 9.7%	1 3.2%	0 0.0%	4 12.9%	31 100.0%
50~59歳	4 9.8%	11 26.8%	16 39.0%	1 2.4%	1 2.4%	2 4.9%	0 0.0%	0 0.0%	1 2.4%	2 4.9%	0 0.0%	6 14.6%	41 100.0%
60~69歳	1 3.0%	8 24.2%	15 45.5%	2 6.1%	2 6.1%	1 3.0%	1 3.0%	0 0.0%	2 6.1%	1 3.0%	1 3.0%	3 9.1%	33 100.0%
70~79歳	0 0.0%	3 12.0%	14 56.0%	4 16.0%	1 4.0%	0 0.0%	0 0.0%	0 0.0%	1 4.0%	0 0.0%	0 0.0%	3 12.0%	25 100.0%
80~89歳	0 0.0%	0 0.0%	2 66.7%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	1 33.3%	0 0.0%	0 0.0%	3 100.0%
90歳以上	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
不明	0 0.0%	2 66.7%	1 33.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 100.0%
小計	28 10.7%	79 30.2%	63 24.0%	27 10.3%	16 6.1%	10 3.8%	2 0.8%	0 0.0%	37 14.1%	37 14.1%	2 0.8%	37 14.1%	262 100.0%

厚生科学研究費補助金 特定疾患対策研究事業
特定疾患治療研究事業未対象疾患の
疫学像を把握するための調査研究班
平成 11 年度研究業績集

2000 年 3 月 31 日発行

班 長 大野 良之

事務局 〒 466-8550 名古屋市昭和区鶴舞町 65
名古屋大学大学院医学研究科
予防医学／医学推計・判断学教室

担当者 川村 孝, 玉腰暁子, 光田洋子, 服部秀美
電話 : 052-744-2132 FAX : 052-744-2971