

- Bhatia KP, Marsden CD: The behavioural and motor consequences of focal lesions of the basal ganglia in man. *Brain* 117: 859-876, 1994
- Graybiel AM, Aosaki T, et al: The basal ganglia and adaptive motor control. *Science* 265: 1826-1831, 1994
- Hutchison WD, Lozano AM, et al: Differential neuronal activity in segments of globus pallidus in Parkinson's disease patients. *Neuroreport* 5: 1533-1537, 1994
- Inzelberg R, Korczyn AD: Persistent hemiballism in Parkinson's disease. *J Neurol Neurosurg Psychiatry* 57: 1013-1014, 1994
- Klockgether T, Loschmann PA, et al: New medical and surgical treatments for Parkinson's disease. *Curr Opin Neurol* 7: 346-352, 1994
- Lee MS, Marsden CD: Movement disorders following lesions of the thalamus or subthalamic region. *Mov Disord* 9: 493-507, 1994
- Maciunas RJ, Galloway RL, et al: The application accuracy of stereotactic frames. *Neurosurgery* 35: 682-695, 1994
- Marsden CD, Obeso JA: The functions of the basal ganglia and the paradox of stereotactic surgery in Parkinson's disease. *Brain* 117: 877-897, 1994
- 丸山哲弘、柳澤信夫: Parkinson 病の臨床症状とその病態生理: 高次機能. *Parkinson's disease — update. Clinical Neuroscience* 12: 996-1001, 1994
- Matsumura M, Tremblay L, et al: Activity of pallidal neurons in the monkey during dyskinesia induced by injection of bicuculine in the external pallidum. *Neuroscience* 73: 59-70, 1994
- Richards M, Marder K, et al: Interrater reliability of the Unified Parkinson's Disease Rating Scale motor examination. *Mov Disord* 9: 89-91, 1994
- Siegfried J, Lippitz B: Bilateral chronic electrostimulation of ventroposterolateral pallidum: a new therapeutic approach for alleviating all Parkinsonian symptoms. *Neurosurgery* 35: 1126-1130, 1994
- Sterio D, Berie A, et al: Neurophysiological properties of pallidal neurons in Parkinson's disease. *Ann Neurol* 35: 586-591, 1994
- Wichmann T, Bergman H, et al: The primate subthalamic nucleus: III Changes in motor behavior and neuronal activity in the internal pallidum induced by subthalamic inactivation in the MPTP model of parkinsonism. *J Neurophysiol* 72: 521-530, 1994
- Albin RL, Young AB, et al: The functional anatomy of disorders of the basal ganglia. *Trends Neurosci* 18: 63-64, 1995
- Alesch F, Pinter MM, et al: Stimulation of the ventral intermediate thalamic nucleus in tremor dominated Parkinson's disease and essential tremor. *Acta Neurochir* 136: 75-81, 1995
- Cantello R, Gianelli M, et al: Parkinson's disease rigidity: EMG in a small hand muscle at 'rest'. *Electroencephalogr Clin Neurophysiol* 97: 215-222, 1995
- Haaxma R, van Boxtel, et al: Motor function in a patient with bilateral lesion of the globus pallidus. *Mov Disord* 6: 761-777, 1995
- Jahanshahi M, Jenkins III, et al: Self-initiated versus externally triggered movements. I. An investigation using measurements of regional cerebral blood flow with PET and movement-related potentials in normal and Parkinson's disease subjects. *Brain* 118: 913-933, 1995
- Kwon Y, Whang CJ: Stereotactic Gamma Knife radiosurgery for the treatment of dystonia. *Stereotact Funct Neurosurg* 64 (Suppl 11): 222-227, 1995
- Mouroux M, Hassani OK, et al: Electrophysiological study of the excitatory parafascicular projection to the subthalamic nucleus and evidence for ipsi- and contralateral controls. *Neuroscience* 67: 399-407, 1995
- Parent A, Hazrati LN: Functional anatomy of the basal ganglia. I. The cortico-basal ganglia-thalamocortical loop. *Brain Res Rev* 20: 91-127, 1995
- Tasker RR, Kiss ZHT: The role of the thalamus in functional neurosurgery. *Neurosurg Clin North Am* 6: 73-105, 1995
- Vitek JL, Kaneoke Y, et al: Neuronal activity in the pallidum of a patient with hemiballismus. *Ann Neurol* 38: 296-297, 1995 (Abstract)
- Narabayashi H: The neural mechanisms and progressive nature of symptoms of Parkinson's disease - based on clinical, neurophysiological and morphological studies. *J Neural*

Transm [P-D Sect] 10: 63-75,1995

d. 1996 年

- Bayles KA, Tomoeda CK, et al: Change in cognitive function in idiopathic Parkinson disease. *Arch Neurol* 53: 1140-1146, 1996
- Benabid AL, Pollak P, et al: Chronic electrical stimulation of the ventralis intermedius nucleus of the thalamus as a treatment of movement disorders. *J Neurosurg* 84: 203-214, 1996
- Beric A, Sterio D, et al: Characteristics of pallidal neuronal discharges in Parkinson's disease patients. *Adv Neurol* 69: 123-128, 1996
- Burchiel JM: Functional anatomy of the pallidal base in Parkinson's disease. *Neurosurgery* 39: 1164-1168, 1996
- Chesselet MF, Delfs JM: Basal ganglia and movement disorders: an update. *Trends Neurosci* 19: 417-422, 1996
- Deuschl G, Krack P, et al: Clinical neurophysiology of tremor. *J Clin Neurophysiol* 13: 110-121, 1996
- Friehs GM, Nor G, et al: Lesion size following Gamma Knife treatment for functional disorders. *Stereotact Funct Neurosurg* 66 (Suppl 1): 320-328, 1996
- Guridi J, Herrero MT, et al: Subthalamotomy in parkinsonian monkeys: behavioral and biochemical analysis. *Brain* 119: 1717-1727, 1996
- Krauss JK, Mundinger F: Functional stereotactic surgery for hemiballism. *J Neurosurg* 85: 278-286, 1996
- Laitinen LV, Hariz MI: Movement Disorders. In Youman's Neurological Surgery. 4th Edition. WB Saunders, Philadelphia, 1996
- Lehericy S, Vidailhet M, et al: Striatopallidal and thalamic dystonia. A magnetic resonance imaging anatomoclinical study. *Arch Neurol* 53: 241-250, 1996
- Lieberman DM, Oldfield EH, et al: Selective lesioning of large brain structures using high-flow verses experimental parkinsonism. *J Neurosurg* 84: 333A, 1996 (Abstract)
- Limousin P, Pollak P, et al: Abnormal involuntary movements induced by subthalamic nucleus stimulation in parkinsonian patients. *Mov Disord* 11: 231-235, 1996
- Nakano K et al: The basal ganglia-thalamo-cortical connections with special reference to output neuronal distributions in macaque monkeys. In *The Basal Ganglia V* (ed. by Ohye C). Plenum Press, New York, 1996, pp 19-26
- Pahwa R, Wilkinson S, et al: High-frequency pallidal stimulation in Parkinson's disease. *Ann Neurol* 40: 533, 1996 (Abstract)
- Rye D, Turner R, et al: Anatomical investigations of the pallidotegmental pathways in monkey and man. In *The Basal Ganglia* (ed. by Ohye C). Plenum Press, New York, 1996, pp 59-75
- Shima F, Ishido K, et al: Surgical control of akinesia in Parkinson's disease. *Eur Neurol* 36 (Suppl 1): 55-61, 1996
- Taha JM, Favre J, et al: Characteristics and somatotopic organization of kinesthetic cells in the globus pallidus of patients with Parkinson's disease. *J Neurosurg* 85: 1005-1012, 1996
- The Huntington's Study Group: Unified Huntington's Disease Rating Scale: reliability and consistency. *Mov Disord* 11: 136-142, 1996
- Volkmann J, Joliet M, et al: Central motor loop oscillation in parkinsonian rest tremor revealed by magnetoencephalography. *Neurology* 46: 1359-1370, 1996
- Wichmann T, DeLong MR: Functional and pathophysiological models of the basal ganglia. *Curr Opin Neurobiol* 6: 751-758, 1996

e. 1997 年

- Benabid LA et al: Textbook of Stereotactic and Functional Neurosurgery (ed. by Gildenberg PL, Tasker RR). McGraw-Hill, New York, 1997, pp 1199-1212
- Feger J: Updating the functional model of the basal ganglia. *Trends Neurosci* 20: 152-153, 1997
- Hutchison WD, Lozano AM, et al: Identification and characterization of neurons with tremor related activity in human globus pallidus. *Exp Brain Res* 113: 557-563, 1997

- Levy R, Hazrati LN, et al: Reevaluation of the functional anatomy of the basal ganglia in normal and parkinsonian states. *Neuroscience* 76: 335-343, 1997
- Macias R, Tejeiro J, et al: Physiological targeting of the basal ganglia for Parkinson's disease. *Adv Neurol* 74: 235-247, 1997
- Obeso J, Alvarez L, et al: Lesion of the subthalamic nucleus in Parkinson's disease (Abstract). *Neurology* 48: A138, 1997
- Obeso JA, Guridi J, et al: Surgery for Parkinson's disease. *J Neurol Neurosurg Psychiatry* 62: 2-8, 1997
- Obeso JA, Rodriguez L, et al: Pathophysiology of the basal ganglia: a critical review. *Adv Neurol* 74: 3-18, 1997
- Shima F, Ishido I, et al: Roles of the basal ganglia outputs in movement disorders: a view point based on experiences of stereotactic surgery for idiopathic dystonia. *Brain Dev* 29: 206-212, 1997
- Stefani A, Stanzione P, et al: Effects of increasing doses of apomorphine during stereotaxic neurosurgery in Parkinson's disease: clinical score and internal globus pallidus activity [Short communication]. *J Neural Transm* 104: 895-904, 1997
- Vitek JL: Stereotaxic surgery and deep brain stimulation for Parkinson's disease and movement disorders. In: Watts RL, Koller WC, eds. *Movement Disorders*. McGraw-Hill, New York, 1997, pp 237-254
- Young RF, Vermeulen SS, et al: Electrophysiological target localization is not required for the treatment of functional disorders. *Stereotact Funct Neurosurg* 66 (Suppl 1): 309-319, 1997

f. 1998 年

- Benabid AL, Caparros-Lefebvre D, et al: History of surgery for movement disorders. In Germano IM, ed. *Neurosurgical Treatment of Movement Disorders [Neurosurgical Topics]*. American Association of Neurological Surgeons, 1998, pp 19-36
- Deuschl G, Bain P, et al: Consensus Statement of the Movement Disorder Society on Tremor, Ad Hoc Scientific Committee. *Mov Disord* 13 (Suppl 3): 2-23, 1998
- Gabriel EM, Nashold BS Jr: Evolution of neuroablative surgery for involuntary movement disorders: a historical review. *Neurosurgery* 42: 575-590, 1998
- Hutchinson WO, Allan RJ, et al: Neurophysiological identification of the sub-thalamic nucleus in surgery for Parkinson's disease. *Ann Neurol* 44: 622-628, 1998
- Krauss JK, Grossman RQ: Surgery for hyperkinetic movement disorders. In *Parkinson's disease and Movement Disorders* (ed, by Jankovic J, Tolosa E). Williams & Wilkins, Baltimore, 1998, pp 1017-1047
- Lenz FA, Suarez JJ, et al: Pallidal activity during dystonia: somatosensory reorganization and changes with severity. *J Neurol Neurosurg Psychiatry* 65: 767-770, 1998
- Parent A, Cicchetti F: The current model of basal ganglia organization under scrutiny. *Mov Disord* 13: 199-202, 1998
- Speelman JD, Bosch DA: Resurgence of functional neurosurgery for Parkinson's disease: a historical perspective. *Mov Disord* 13: 582-588, 1998
- Yokoyama T, Sugiyama K, et al: Neuronal activity of the subthalamic nucleus in Parkinson's disease patients. *Acta Neurochir (Wien)* 140: 1287-1291, 1998
- Narabayashi H: Stereotactic surgery and Parkinson's disease. *Stereotact Funct Neurosurg* 70: 114-121, 1998

g. 1999 年

- Fahn S: Parkinson disease, the effect of levodopa, and the elldopa trial. *Arch Neurol* 56: 529-535, 1999
- Gelb DJ, Oliver E, et al: Diagnostic criteria for Parkinson's disease. *Arch Neurol* 56: 33-39, 1999
- Guridi J, Gorospe A, et al: Stereotactic targeting of the globus pallidus internus in Parkinson's disease: imaging versus electrophysiological mapping. *Neurosurgery* 45: 278-289, 1999
- Hanakawa T, Fukuyama H, et al: Enhanced lateral premotor activity during paradoxical gait in Parkinson's disease. *Ann Neurol* 45: 329-336, 1999

- Krack P, Pollak P, et al: From off-period dystonia to chorea: the clinical spectrum of varying subthalamic nucleus activity. *Brain* 122: 1133-1146, 1999
- Louis ED, Tang MX, et al: Progression of parkinsonian signs in Parkinson disease. *Arch Neurol* 56: 334-337, 1999
- Nakao N, Nakai E, et al: Ablation of the supports the survival of nigral dopaminergic neurons after nigrostriatal lesions induced by the mitochondrial toxin 3-nitropropionic acid. *Ann Neurol* 45: 640-651, 1999
- Papa SM, Desimone R, et al: Internal globus pallidus discharge is nearly suppressed during levodopa-induced dyskinesias. *Ann Neurol* 46: 732-738, 1999
- Pollak P: Neurosurgical treatment of dyskinesia: pathophysiological consideration. *Mov Disord* 14 (Suppl 1): 33-39, 1999
- Vitek JL, Chockkan V, et al: Neuronal activity in the basal ganglia in patients with generalized dystonia and hemiballismus. *Ann Neurol* 46: 22-35, 1999
- Narabayashi H: Status of mental dysfunction in Parkinson's disease. In: *Mental Dysfunction in Parkinson's Disease II* (ed. by Wolters E Ch. Scheltens Ph. et al). Academic Pharmaceutical Productions, Utrecht, 1999, pp 11-15

(2) Deep brain stimulation (DBS)

a. ~1985 年

- Hassler R: The influence of stimulation and coagulation in the human thalamus on tremor at rest and its physiopathologic mechanism. *Excerpta Medical Foundation* 2: 637-642, 1955.
- Brice J, McLellan L: Suppression of intention tremor by contingent deep-brain stimulation. *Lancet* 1: 1221-1222, 1980

b. 1986~1990 年

- Benabid AL, Pollak P, et al: Traitement du tremblement parkinsonien par stimulation chronique du noyau ventral intermediaire du thalamus. *Rev Neurol* 145: 320-323, 1989

c. 1991~1995 年

- Benabid AL, Pollak P, et al: Long-term suppression of tremor by chronic stimulation of the ventral intermediate thalamic nucleus. *Lancet* 337: 403-406, 1991
- Blond S, Caparros-Levasseur M, et al: Control of tremor and involuntary movement disorders by chronic stereotactic stimulation of the ventral inter-mediate thalamic nucleus. *J Neurosurg* 77: 62-68, 1992
- Caparros-Leieuvre D, Blond S, et al: Evaluation neuropsychologique avant et apres stimulation thalamique chez 9 Parkinsoniens. *Rev Neurol* 148: 117-122, 1992
- Benabid AL, Pollak P, et al: Chronic vim stimulation in Parkinson's disease, essential tremor and extrapyramidal dyskinesias. *Acta Neurochir* 58 (Suppl): 39-44, 1993
- Burleigh AL, Horak FB, et al: Effects of thalamic stimulation on tremor, balance, and step omission: a single subjective study. *Mov Disord* 8: 519-524, 1993
- Caparros-Lefebvre D, Blond S, et al: Chronic thalamic stimulation improves tremor and levodopa induced dyskinesias in Parkinson's disease. *J Neurol Neurosurg Psychiatry* 56: 268-273, 1993
- Deiber P, Pollak P, et al: Thalamic stimulation and suppression of parkinsonian tremor: a positron emission tomography study of effective versus ineffective stimulation. *Brain* 116: 267-279, 1993
- 片山容一、坪川孝志ほか：不随意運動運動の慢性視床刺激による治療：hemi-ballismus を中心に。 *機能的脳神経外科* 32: 86-91, 1993
- Nguyen JP, Degos J-D: Thalamic stimulation and proximal tremor: a specific target in the Vim nucleus. *Arch Neurol* 50: 498-500, 1993
- Tsubokawa T, Katayama Y, et al: Chronic motor cortex stimulation in patients with thalamic pain. *J Neurosurg* 78: 393-401, 1993
- Benabid AL et al: Acute and long-term effects of subthalamic nucleus stimulation in Parkinson's disease. *Stereotact Funct Neurosurg* 62: 76-84, 1994

- Caparros-Lefebvre D, Ruchoux MM, et al: Long-term thalamic stimulation in Parkinson's disease: postmortem anatomoclinical study. *Neurology* 44: 1856-1860, 1994
- Siegfried J, Lippitz B: Bilateral chronic electrostimulation of ventroposterolateral pallidum: a new therapeutic approach for alleviating all parkinsonian symptoms. *Neurosurgery* 35: 1126-1130, 1994
- Tsubokawa T, Katayama Y: Surgical managements of posttraumatic tremor: stereotactic thalamotomy and brain stimulation. *Neurosurgery* 4: 351-357, 1994
- Tsubokawa T, Katayama Y, et al: Control of persistent hemiballismus by chronic thalamic stimulation. *J Neurosurg* 82: 501-505, 1994
- Alesch F, Pinter MM, et al: Stimulation of the ventral intermediate thalamic nucleus in tremor dominated Parkinson's disease and essential tremor. *Acta Neurochir (Wien)* 136: 75-81, 1995
- Benabid AL, Pollak P, et al: Chronic high-frequency thalamic stimulation in Parkinson's disease. In *Therapy of Parkinson's disease*, 2nd ed. (ed. by Koller WC, Paulson G) Marcel Dekker, New York, 1995, pp 381-402
- Geny C, Nguyen J-P, et al: Thalamic stimulation of severe action tremor after lesion of the superior cerebellar peduncle. *J Neurol Neurosurg Psychiatry* 59: 641-642, 1995
- 片山容一、守谷 俊ほか：パーキンソンならびに小脳性振戦に対する脳深部刺激療法のための target 設定. *機能的脳神経外科* 34: 106-109, 1995
- Limousin P, Pollak P, et al: Bilateral subthalamic nucleus stimulation for severe Parkinson's disease. *Mov Disord* 10: 672-674, 1995
- Limousin P, Pollak P, et al: Effect on parkinsonian signs and symptoms of bilateral subthalamic nucleus stimulation. *Lancet* 345: 91-95, 1995
- 富田 亨、松井利浩ほか：本態性振戦に対する定位脳手術。一側 Vim thalamotomy と他側 Vim stimulation による一期的 combination therapy. *機能的脳神経外科* 34: 150, 1995
- Tsubokawa T, Katayama Y, et al: Control of persistent hemiballismus by chronic thalamic stimulation: report of two cases. *J Neurosurg* 82: 501-505, 1995

d. 1996 年

- Benabid AL, Pollak P, et al: Chronic electrical stimulation of the ventralis intermedius nucleus of the thalamus as a treatment of movement disorders. *J Neurosurg* 84: 203-214, 1996
- Benazzouz A, Boraud T, et al: Alleviation of experimental hemi-parkinsonism by high-frequency stimulation of the subthalamic nucleus in primates: a comparison with L-dopa treatment. *Mov Disord* 11: 627-632, 1996
- Beric A, Sterio D, et al: Electrical stimulation of globus pallidus preceding stereotactic posteroventral pallidotomy. *Stereotact Funct Neurosurg* 66: 161-169, 1996
- Boraud T, Bezard E, et al: High-frequency stimulation of the internal globus pallidus (GPI) simultaneously improves parkinsonian symptoms and reduces the firing frequency of GPI neurons in the MPTP-treated monkey. *Neurosci Lett* 215: 17-20, 1996
- Defebvre L, Blatt JL, et al: Effect of thalamic stimulation on gait in Parkinson disease. *Arch Neurol* 53: 898-903, 1996
- Geny C, Nguyen JP, et al: Improvement of severe postural cerebellar tremor multiple sclerosis by chronic thalamic stimulation. *Mov Disord* 11: 489-494, 1996
- 片山容一、深谷 親ほか：すくみ足（歩行のすくみ）を主徴とするパーキンソン病における後腹側淡蒼球の慢性刺激法. *機能的脳神経外科* 35: 26-31, 1996
- Limousin P, Pollak P, et al: Abnormal involuntary movements induced by subthalamic nucleus stimulation. *Mov Disord* 11: 231-235, 1996
- 中井易二、乾 芳郎ほか：パーキンソン病に対する淡蒼球の高頻度慢性刺激術の効果. *機能的脳神経外科* 35: 94-101, 1996
- Olanow CW, Germano IM, et al: Deep brain stimulation of the subthalamic nucleus for Parkinson's disease. *Mov Disord* 11: 598-599, 1996

e. 1997 年

- Bejjani B, Amulfi I, et al: Thalamic stimulation not only suppresses tremor but also improves

dexterity. Neurology 49: P06. 097, 1997 (Abstract)

- Bejjani B, Damier P, et al: Pallidal stimulation for Parkinson's disease. Two targets? Neurology 49: 1564-1569, 1997
- Coubes P, Humbertclaude V, et al: Bilateral chronic stimulation of the internal globus pallidus as a treatment of idiopathic dystonia musculorum deformans: case report. Stereotact Funct Neurosurg 69: 67-70, 1997
- Davis KD, Taub E, et al: Globus pallidus stimulation activates the cortical motor system during alleviation of parkinsonian symptoms. Nature Med 3: 671-674, 1997
- Gross C, Rougier A, et al: High-frequency stimulation of the globus pallidus internalis in Parkinson's disease: a study of seven cases. J Neurosurg 87: 491-498, 1997
- Hubble JP, Busenbark KL, et al: Effects of thalamic deep brain stimulation: tremor type and diagnosis. Mov Disord 12. No.3, 1997
- 片山容一: 体内埋め込み用 programmable pulse generator を用いた脳機能外科: 不随意運動に対する脳深部刺激療法を中心に. 脳神経外科 25: 101-108, 1997
- Katayama Y, Fukaya C, et al: Control of post-stroke involuntary and voluntary movement disorders with deep brain or epidural cortical stimulation. Stereotact Funct Neurosurg 69: 73-79, 1997
- Koller W, Pahwa R, et al: High-frequency unilateral thalamic stimulation in the treatment of essential and parkinsonian tremor. Ann Neurol 42: 292-299, 1997
- Limousin P, Greene J, et al: Changes in cerebral activity pattern due to subthalamic nucleus or internal pallidum stimulation in Parkinson's disease. Ann Neurol 42: 283-291, 1997
- Pahwa R, Wilkinson S, et al: High-frequency stimulation of the globus pallidus for the treatment of Parkinson's disease. Neurology 49: 249-253, 1997
- Tronnier VM, Fogel W, et al: Pallidal stimulation: an alternative to pallidotomy? J Neurosurg 87: 700-705, 1997
- Troster AI, Fields JA, et al: Unilateral pallidal stimulation for Parkinson's disease: neurobehavioral functioning before and 3 months after electrode implantation. Neurology 49: 1078-1083, 1997
- Vitek JL: Stereotaxic surgery and deep brain stimulation for Parkinson's disease and movement disorders. In Movement Disorders (ed. by Watts RL, Koller WC). McGraw-Hill, 1997, pp 237-254

f. 1998 年

- Galvez-Jimenez N, Lozano A, et al: Pallidal stimulation in Parkinson's disease patients with a prior unilateral pallidotomy. Can J Neurol Sci 25: 300-305, 1998
- Krack P, Pollak P, et al: Opposite motor effects of pallidal stimulation in Parkinson's disease. Ann Neurol 43: 180-192, 1998
- Krack P et al: Subthalamic nucleus of internal pallidal stimulation in young onset Parkinson's disease. Brain 121: 451-457, 1998
- Limousin P, Krack P, et al: Chronic subthalamic nucleus stimulation in advanced Parkinson's disease. N Engl J Med 339: 1105-1111, 1998
- Pollak P, Benabid AL, et al: Deep brain stimulation. In Movement Disorders, 3rd ed. (ed. by Jankovic L, Tolosa E). Williams & Wilkins, Baltimore, 1998, pp 1085-1101
- Starr PA, Vitek JL, et al: Deep brain stimulation for movement disorders. Neurosurg Clin N Am 9: 381-402, 1998
- Starr PA, Vitek JL, et al: Ablative surgery and deep brain stimulation for Parkinson's disease. Neurosurgery 43: 989-1015, 1998

g: 1999 年

- Ardouin C, Pilon B, et al: Bilateral subthalamic or pallidal stimulation for Parkinson's disease affects neither memory nor executive functions: a consecutive series of 62 patients. Ann Neurol 46: 217-223, 1999
- Ceballos-Baumann AO, Boecker H, et al: A positron emission tomographic study of subthalamic nucleus stimulation in Parkinson's disease: enhanced movement-related activity of motor-

association cortex and decreased motor cortex resting activity. Arch Neurol 56: 997-1003, 1999
·Kumar R, Lozano AM, et al: Comparative effects of unilateral and bilateral subthalamic nucleus deep brain stimulation. Neurology 53: 561-, 1999
·Limousin P, Speelman JD, et al: Multicentre European study of thalamic stimulation in parkinsonian and essential tremor. J Neurol Neurosurg Psychiatry 66: 289-296, 1999

(3) Pallidotomy

a. ~1990年

·Spiegel EA, Wycis HT: Thalamotomy and pallidotomy for treatment of choreic movements. Acta Neurochir 2: 417-422, 1952
·Guiot G, Brion S: Traitement des mouvements anormaux par la coagulation pallidale. Rev Neurol 89: 578-580, 1953
·Narabayashi H, Okuma T: Procaine oil blocking of the globus pallidus for preliminary report. Proceeding Japan Academy of Medicine 29: 134, 1953
·Narabayashi H, Okuma T: Procaine oil the blocking of the globus pallidus for the treatment of rigidity and tremor of parkinsonism. Psychiatr Neurol Japonica 56: 471-475, 1954
·Narabayashi H, Okuma T. et al: Procaine oil blocking of the globus pallidus. Arch Neurol Psychiat 75: 3648, 1956
·Gildenberg PL: Studies in stereoccephalotomy VIII. Comparison of the variability of subcortical lesions produced by various procedures. Confin Neurol 17: 299-309, 1957
·Cooper IS, Bravo G: Chemopallidectomy and chemothalamectomy. J Neurosurg 15: 244-250, 1958
·Guiot G: Le traitement des syndromes parkinsoniens par la destruction du pallidum interne. Neurochirurgia 1: 94-98, 1958
·Spiegel EA, Wycis HT: Long-range effects of electropallidoansotomy in extrapyramidal and convulsive disorders. Neurology 8: 734 - 740, 1958
·Svennilson E, Torkiv A, et al: Treatment of parkinsonism by stereotactic thermolesions in the pallidal region. Acta Psychiatr Neurol Scand 35: 358-377, 1960
·White RJ, MacCarty CS, et al: Neuropathologic review of brain lesions and inherent dangers in chemopallidectomy. Arch Neurol 2: 12-18, 1960
·Jinnai D, Nishimoto A, et al: Pallidotomy and thalamocapsulotomy for parkinsonism. Excerpta Medica 36: E94-E95, 1961
·Narabayashi H: Neurophysiological ideas on pallidotomy and ventrolateral thalamotomy for hyperkinesia. Confin Neurol 22: 291 -303, 1962
·Tsubokawa T, Moriyasu N: Lateral pallidotomy for relief of ballistic movements -its basic evidences and clinical application. Confin Neurol 37: 10-15, 1975
·Burzaco J: Stereotactic pallidotomy in extrapyramidal disorders. Appl Neurophysiol 48: 283-287, 1985

c. 1991~1995年

·Bakay RAE, DeLong MR. et al: Posteroventral pallidotomy for Parkinson's disease (letter). J Neurosurg 77: 487-488, 1992
·Laitinen LV, Bergenheim T, et al: Leksell's posteroventral pallidotomy in the treatment of Parkinson's disease. J Neurosurg 76: 53-61, 1992
·Laitinen LV, Bergenheim AT, et al: Ventroposterolateral pallidotomy can abolish all parkinsonian symptoms. Stereotact Funct Neurosurg 58: 14-21, 1992
·Fazzini E, Dogali M, et al: Ventral pallidotomy operations in patients with Parkinson's plus syndromes: lack of significant symptomatic benefit. Ann Neurol 34: 266, 1993 (Abstract)
·Rand RW, Jacques DB, et al: Gamma Knife thalamotomy and pallidotomy in patients with movement disorders: preliminary results. Stereotact Funct Neurosurg 61 (Suppl 1): 65-92, 1993
·島 史雄: パーキンソン病に対する後腹側淡蒼球手術、淡蒼球手術の復活。脳神経外科 22: 103-110, 1993
·Blancher PJ, Boucher R, et al: Excitotoxic lateral pallidotomy does not relieve L-DOPA-induced dyskinesia in MPTP parkinsonian monkeys.

Brain Res 650: 32-39, 1994

- Ceballos-Baumann AO, Obeso JA, et al: Restoration of thalamocortical activity after posteroventral pallidotomy in Parkinson's disease. Lancet 344: 814, 1994 (Letter)
 - Dogali M, Beric A, et al: Anatomic and physiological considerations in pallidotomy for Parkinson's disease. Stereotact Funct Neurosurg 62: 53-60, 1994
 - Iacono RP, Lonser RR, et al: Stereotactic pallidotomy results for Parkinson's exceed those of fetal graft. Am Surg 60: 777-782, 1994
 - Iacono RP, Lonser RR, et al: Contemporaneous bilateral postero-ventral pallidotomy for early-onset 'Juvenile Type' Parkinson's disease. Case Report. Acta Neurochir 57: 247-252, 1994
 - Dogali M, Fazzini E, et al: Stereotactic ventral pallidotomy for Parkinson's disease. Neurology 45: 753-761, 1995
 - Grafton ST, Waters C, et al: Pallidotomy increases activity of motor association cortex in Parkinson's disease: a positron emission tomographic study. Ann Neurol 37: 776-783, 1995
 - Iacono RP, Shima F, et al: The results, indication, and physiology of poster-oventral pallidotomy for patients with Parkinson's disease. Neurosurgery 36: 1118-1125, 1995
 - Laitinen LV: Pallidotomy for Parkinson's disease. Neurosurg Clin N Am 6: 105-112, 1995
 - Lozano AM, Lang AE, et al: Effect of GPI pallidotomy on motor function in Parkinson's disease. Lancet 346: 1383-1387, 1995
 - Sutton JP, Couldwell W, et al: Ventroposterior medial pallidotomy in patients with advanced Parkinson's disease. J Neurol Neurosurg Psychiatry 36: 1112-1116, 1995
 - Sutton IP, Couldwell W, et al: Ventroposterior medial pallidotomy in patients with advanced Parkinson's disease. Neurosurgery 36: 1112-1117, 1995
 - Tsubokawa T, Katayama Y, et al: Control of persistent hemiballismus by chronic thalamic stimulation: report of two cases. J Neurosurg 82: 501-505, 1995
- d. 1996 年
- Baron MS, Vitek JL, et al: Treatment of advanced Parkinson's disease by posterior Gpi pallidotomy: 1-year results of a pilot study. Ann Neurol 40: 355-366, 1996
 - Dogali M, Sterio D, et al: Effects of posteroventral pallidotomy on Parkinson's disease. Adv Neurol 69: 585-590, 1996
 - Eidelberg D, Moeller JR, et al: Regional metabolic correlates of surgical outcome following unilateral pallidotomy for Parkinson's disease. Ann Neurol 39: 450-459, 1996
 - Favre J, Taha JM, et al: Pallidotomy: a survey of current practice in North America. Neurosurgery 39: 883-892, 1996
 - Freidman JH, Epstein M, et al: Gamma Knife pallidotomy in advanced Parkinson's disease. Ann Neurol 39: 535-538, 1996
 - Galvez-Jimenez N, Lozano AM, et al: Bilateral pallidotomy: pronounced amelioration of incapacitating levodopa-induced dyskinesias but accompanying cognitive decline. Mov Disord 11 (Suppl 1): 242, 1996
 - Iacono RP, Kuniyoshi SM, et al: Simultaneous bilateral pallidotomy for idiopathic dystonia musculorum deformans. Pediatr Neurol 114: 145-148, 1996
 - Lang AE: Medial pallidotomy. Mov Disord 11 (Suppl 1): 12, 1996 (Abstract)
 - Lang AE, Lozano A, et al: Posteroventral-medial pallidotomy for late-stage Parkinson's disease: a 2-year follow-up. Ann Neurol 40: 538, 1996 (Abstract)
 - Lozano A, Hutchison W, et al: Methods for microelectrode-guided postero-ventral pallidotomy. J Neurosurg 84: 194-202, 1996
 - Obeso JA, Linazasoro G, et al: Assessing the effects of pallidotomy in Parkinson's disease. Lancet 337: 1490, 1996
 - Roberts-Warrior D, Overby AS, et al: Postural control in patients with Parkinson's disease after pallidotomy. Ann Neurol 40: 534, 1996 (Abstract)
 - Vitek JL, Baron M, et al: Pallidotomy for medically intractable Parkinson's disease: 2 year followup. Ann Neurol 40: 488, 1996 (Abstract)

e. 1997 年

- Burns JM, Wilkins S, et al: Magnetic resonance image evaluation of pallidotomy lesions: a

- volumetric and shape analysis. *Neurosurg Focus* 2: 1-9, 1997
- Fazzini E, Dogali M, et al: Stereotactic pallidotomy for Parkinson's disease: a long-term follow-up of unilateral pallidotomy. *Neurology* 48: 1273-1277, 1997
 - Hariz MI, De Salles AAF: The side-effects and complications of postero-ventral pallidotomy. *Acta Neurochir (Suppl)* 68: 42-48, 1997
 - Johansson F, Malm J, et al: Usefulness of pallidotomy in advanced Parkinson's disease. *J Neurol Neurosurg Psychiatry* 62: 125-132, 1997
 - Kishore A, Tumbull IM, et al: Efficacy, stability and predictors of outcome of pallidotomy for Parkinson's disease: six-month follow-up with additional one year observation. *Brain* 120: 729-738, 1997
 - Kopyov O, Jacques D, et al: Microelectrode-guided posteroventral medial radiofrequency pallidotomy for Parkinson's disease. *J Neurosurg* 87: 52-59, 1997
 - Krauss JK, Desaloms JM, et al: Microelectrode-guided posteroventral pallidotomy for treatment of Parkinson's disease: postoperative magnetic resonance imaging analysis. *J Neurosurg* 87: 358-367, 1997
 - Lang AE, Lozano AM, et al: Posteroventral medial pallidotomy in advanced Parkinson's disease. *N Engl J Med* 337: 1036-1042, 1997
 - Lang AE, Lozano AM, et al: Posteroventral pallidotomy in Parkinson's disease. Lozano AM, Hutchinson WD: Microelectrode-guided pallidotomy, in Rengachary SS, Wilkins RH (eds): *Neurological Operative Atlas. Park Ridge III: American Association of Neurological Disorders, Vol 6, 1997, pp 27-32*
 - Linazasoro G, Gorospe A, et al: Factors determining the therapeutic efficacy of pallidotomy in Parkinson's disease. *Mov Disord* 12 (Suppl 1): 132, 1997
 - Lozano AM, Kumar R, et al: Globus pallidus internus pallidotomy for generalized dystonia. *Mov Disord* 12: 865-870, 1997
 - Narabayashi H, Miyashita N, et al: Posteroventral pallidotomy: its effect on motor symptoms and scores of MMPI test in patients with Parkinson's disease. *Parkinsonism and Related disorders* 3: 7-20, 1997
 - Richard P, Schuurman, et al: Bilateral posteroventral pallidotomy in advanced disease in three patients. *Mov Disord* 12: 752-755, 1997
 - Samuels M, Gorospe A, et al: Pallidotomy in Parkinson's disease increases SMA and prefrontal activation during performance of volitional movements: an h2 150 PET study. *Brain* 120: 1301-1313, 1997
 - Soukup VM, Ingram F, et al: Cognitive sequelae of unilateral posteroventral pallidotomy. *Arch Neurol* 54: 947-950, 1997
 - Suarez JJ, Verhagen Metman L, et al: Pallidotomy for hemiballismus: efficacy and characteristics of neuronal activity. *Ann Neurol* 42: 807-811, 1997
 - Taha JM, Fauvre J, et al: Tremor control after pallidotomy in patients with Parkinson's disease: correlation with microrecording findings. *J Neurosurg* 86: 642-647, 1997
 - Uitti RJ, Wharen RE, et al: Unilateral pallidotomy for Parkinson's disease: comparison of outcome in younger versus elderly patients. *Neurology* 49: 1072-1077, 1997
 - Vitek JL, Bakay RAE: The role of pallidotomy in Parkinson's disease and dystonia. *Curr Opin Neurol* 10: 332-339, 1997
 - Vitek JL, Bakay RAE, et al: Microelectrode guided GPI pallidotomy for medically intractable Parkinson's disease. *Adv Neurol* 74: 183-198, 1997
 - Wang Y, Turnbull I, et al: Pallidotomy for tardive dyskinesias. *Lancet* 349: 777-778, 1997
 - Narabayashi H: Pallidotomy revisited: Analysis of posteroventral pallidotomy. *Stereotact Funct Neurosurg* 69: 54-61, 1997

f. 1998 年

- Bathia KP, Marsden CD, et al: Posteroventral pallidotomy can ameliorate attacks of paroxysmal dystonia induced by exercise. *J Neurol Neurosurg Psychiatry* 65: 604-605, 1998
- Cohn MC, Patricia A, et al: Pre- and postoperative MR evaluation of stereotactic pallidotomy. *Am J Neuroradiol* 19: 1075-1080, 1998

- Giller CA, Dewey RB, et al: Stereotactic pallidotomy and thalamotomy using individual variations of anatomic landmarks for localization. *Neurosurgery* 42: 56-62, 1998
- Ondo WG, Desaloms JM, et al: Pallidotomy for generalized dystonia. *Mov Disord* 13: 693-698, 1998
- Perrine K, Dogali M, et al: Cognitive functioning after pallidotomy for refractory Parkinson's disease. *J Neurol Neurosurg Psychiatry* 65: 150-154, 1998
- Pfann KD, Penn RD, et al: Pallidotomy and bradykinesia: implications for basal ganglia function. *Neurology* 51: 796-803, 1998
- Samuel M, Caputo E, et al: A study of medial pallidotomy for Parkinson's disease: clinical outcome, MRI location and complications. *Brain* 121: 59-75, 1998
- Scott R, Gregory R, et al: Neuropsychological, neurological and functional outcome following pallidotomy for Parkinson's disease. A consecutive series of eight simultaneous bilateral and twelve unilateral procedures. *Brain* 121: 659-675, 1998
- Shannon KM, Penn RD, et al: Stereotactic pallidotomy for the treatment of Parkinson's disease: efficacy and adverse effects at 6 months in 26 patients. *Neurology* 50: 434-438, 1998
- 島 史雄 : 定位的淡蒼球手術. *医学のあゆみ* 186: 111-115, 1998
- Trapanier LL, Saint-Cyr JA(?), et al: Neuropsychological consequences of posteroventral pallidotomy for the treatment of Parkinson's disease. *Neurology* 51: 207-215, 1998
- Vitek JL, Bakay RAE, et al: Microelectrode-guided pallidotomy: technical approach and its application in medically intractable Parkinson's disease. *J Neurosurg* 88: 1027-1043, 1998
- Vitek JL, Lenz FA, et al: Contemporary pallidotomy for treatment of dystonia and other movement disorders. Jankovic J, ed. *Pallidotomy for Treatment of Parkinson's Disease and Other Movement Disorders*. Lippincott-Raven, New York, 1998
- Hayase N, Mtyashita N, et al: Neuronal activity in GP and Vim of parkinsonian patients and clinical changes of tremor through surgical interventions. *Stereotact Funct Neurosurg* 71: 20-28, 1998

g. 1999年

- Kimber TE, Tsai CS, et al: Voluntary movement after pallidotomy in severe Parkinson's disease. *Brain* 122: 895-906, 1999
- Lin JJ, Lin JJ, et al: Benefit of bilateral pallidotomy in the treatment of generalized dystonia. *J Neurosurg* 90: 974-976, 1999
- Melnick ME, Dowling GA, et al: Effect of pallidotomy on postural control and motor function in Parkinson disease. *Arch Neurol* 56: 1361-1365, 1999
- Schrager A, Samuel M, et al: Unilateral pallidotomy for Parkinson's disease: results after more than 1 year. *J Neurol Neurosurg Psychiatry* 67: 511-517, 1999
- Yokoyama T, Sugiyama K, et al: Visual evoked potentials during postero-ventral pallidotomy for Parkinson's disease. *Neurosurgery* 44: 815-824, 1999

(4) thalamotomy

a. ~1985年

- Spiegel EA, Wycis HT, et al: Stereoccephalotomy. In *Thalamotomy and related procedures*. *JAMA* 148: 446-451, 1952
- Cooper IS, Bravo G: Chemopallidectomy and chemothalamectomy. *J Neurosurg* 15: 244-250, 1958
- Jinnai D, Nishimoto A, et al: Pallidotomy and thalamocapsulotomy for parkinsonism. *Excerpta Medica* 36: E94-E95, 1961
- Krayenbuhl H, Yasargil M: Relief of intention tremor due to multiple sclerosis by stereotaxic thalamotomy. *Confin Neurol* 22: 368-374, 1962
- Yanagisawa N, Narabayashi H, et al: Thalamic influences on the gamma motor system. *Arch Neurol* 9: 348-357, 1963

- Yoshida M., Yanagisawa N. et al: Physiological identification of thalamic nucleus. Arch Neurol 11: 435-443, 1964
- Narabayashi H, Kubota K: Reconsideration of ventrolateral thalamotomy for hyperkinesia. Prog Brain Res 21B: 339-349, 1966
- Waltz JM, Riklan M, et al: Cryothalamectomy for Parkinson's disease. Neurology 16: 994-1002, 1966
- Narabayashi H. (1968) Functional differentiation in and around the ventrolateral nucleus of the thalamus based on experience in human stereotaxic thalamotomy. Johns Hopkins Med J 122: 295-300
- Krayenbuhl H, Siegfried J: Dentatometomies or thalamotomies in the treatment of hyperkinesia. Confinia Neurologica 34: 29-33, 1972
- Van Buren, Li C, et al: A qualitative and quantitative evaluation of parkinsonians three to six years following thalamotomy. Confin Neurol 35: 202-235, 1973
- Narabayashi H: Importance of muscle tone in production or modification of tremorous movements. In: Parkinson's Disease. Vol 2 (ed. by Siegfried J). Hans Huber, 1973, pp27-36
- Fukamachi A, Ohye C. et al. (1973) Delineation of the thalamic nuclei with a microelectrode in stereotaxic surgery for parkinsonism and cerebral palsy. J Neurosurg 39: 214-225
- Narabayashi H: Possible role of cerebellar circuits in parkinsonian symptoms. Confin Neurol 36: 292-301, 1974
- Saito Y, Ohye C (1974) Automatically controlled recording and processing of thalamic unit in discharges in human stereotaxic operation. Confin Neurol 36:314-325, 1974
- Vilkki J, Laitinen LV, et al: Effects of pulvinotomy and ventrolateral-thalamotomy on some cognitive functions. Neuropsychologia 14: 67-78, 1976
- Fukamachi A, Ohye C. et al: Estimation of the neural noise within the human thalamus. Acta Neurochir (Suppl 24): 121-136, 1977
- Narabayashi H, Ohye C: Parkinsonian tremor and nucleus ventralis intermedius of the human thalamus. In: Progress in Clinical Neurophysiology. Vol 5 (ed. by Desmedt JE). Karger, Basel, 1978, pp 165-172
- Narabayashi H, Ohye C: Importance of microstereotaxic thalamotomy for tremor alleviation. Appl Neurophysiol 43: 222-227, 1980
- Guot G, Derome P, et al: The principle of stereotaxic thalamotomy. Correlative Neurosurgery, 3rd ed. (ed. by Schneider RC, Kahn EA, Crosby EC, et al), Springfield, 1982, pp481-503
- Ohye C, Hirai T, et al: Vim thalamotomy for the treatment of various kinds of tremor. Appl Neurophysiol 45: 275-280, 1982
- Andrew J, Fowler CJ, et al: Stereotaxic thalamotomy in 55 cases of dystonia. Brain 106: 981-1000, 1983
- Hirai T, Miyazaki M, et al: The correlation between tremor characteristics and the predicted volume of effective lesions in stereotaxic nucleus ventralis intermediate thalamotomy. Brain 106: 1001-1018, 1983
- Tasker RR, Siqueira J, et al: What happened to VIM thalamotomy for Parkinson's disease? Appl Neurophysiol 46: 68-83, 1983
- Bullard DE, Nashold BS: Stereotaxic thalamotomy for treatment of posttraumatic movement disorders. J Neurosurg 61: 316-321, 1984
- Matsumoto K, Shichijo F, et al: Long-term follow-up review of cases of Parkinson's disease after unilateral or bilateral thalamotomy. J Neurosurg 60: 1033-1044, 1984
- Narabayashi H, Yokochi F, et al: Levodopa-induced dyskinesias and thalamotomy. J Neurol Neurosurg Psychiatry 47: 831-839, 1984

b. 1986年~1990年

- Katayama Y, Tsubokawa T, et al: Changes in regional cerebral blood flow and oxygen metabolism following ventrolateral thalamotomy in Parkinson syndrome as revealed by positron emission tomography. Appl Neurophysiol 49: 76-85, 1986
- Benabid AL, Pollak, et al: Combined (thalamotomy and stimulation) stereotaxic surgery of the VIM thalamic nucleus for bilateral Parkinson disease. Appl Neurophysiol 50: 344-346, 1987

- Kelly PJ, Ahlskog JE, et al: Computer-assisted stereotactic ventralis lateralis thalamotomy with Parkinson's disease. *Mayo Clin Proc* 62: 655-664, 1987
- Matsumoto K: Reappraisal ventrolateral thalamotomy for Parkinson's disease, in Tansker RR (ed): *Neurosurgery: State of the Art Reviews*. Stereotactic Surgery, Philadelphia, Hanley & Belfus, 1987, pp209-234
- Narabayashi H, Maeda T, et al: Long-term follow-up study of nucleus ventralis internus and ventrolateralis thalamotomy using a microelectrode technique in parkinsonism. *Appl Neurophysiol* 50: 30-337, 1987
- Uematsu S, Rosenbaum AE, et al: Magnetic resonance planned thalamotomy followed by X-ray/CT-guided thalamotomy. *Acta Neurochir (Suppl)* 39: 21-24, 1987
- Lunsford LD: Magnetic resonance imaging stereotactic thalamotomy: report of a case with comparison to computed tomography. *Neurosurgery* 23: 363-367, 1988
- Rossitch E Jr, Zeidman SM, et al: Evaluation of memory and language function pre- and postthalamotomy with an attempt to define those patients at risk for postoperative dysfunction. *Surg Neurol* 29: 11-16, 1988
- Tasker RR, Doorly T, et al: Thalamotomy in generalized dystonia. *Adv Neurol* 50: 615-631, 1988
- Narabayashi H: Stereotaxic Vim thalamotomy for treatment of tremor. *Eur Neurol* 29 (Suppl 1): 29-32, 1989
- Uematsu S, DeLong MR, et al: Microphysiological recording at CT gantry site during stereotactic thalamotomy. *Stereotact Funct Neurosurg* 52: 183-190, 1989
- Hariz MI: Correlation between clinical outcome and size and site of the lesion in computed tomography guided thalamotomy and pallidotomy. *Stereotact Funct Neurosurg* 54/55: 172-185, 1990
- Kelly PJ: Stereotactic thalamotomies. In *Therapy of Parkinson's Disease* (ed. by Koller WC, Paulson G), Marcel Dekker, New York, 1990, pp 415-441
- Ohye C, Shibazaki T, et al: Strategy of selective VIM thalamotomy guided by microrecording. *Stereotact Funct Neurosurg* 54/55: 186-191, 1990

c. 1991~1995 年

- Fox MW, Ahlskog JE, et al: Stereotactic ventrolateralis thalamotomy for medically refractory tremor in post-levodopa era Parkinson's disease patients. *J Neurosurg* 75: 723-730, 1991
- Patil AA, Gelber B: Accuracy of thalamotomy target determination using axial image only. *Stereotact Funct Neurosurg* 56: 104-108, 1991
- Rosenfeld TV, Barnett GH, et al: Computed tomography guided stereotactic thalamotomy using the Brown-Roberts-Wells system for nonparkinsonian movement disorders. Technical note. *Stereotact Funct Neurosurg* 56: 184-192, 1991
- Tasker RR, Dostrovsky JO, et al: Computerized tomography (CT) is just as accurate as ventriculography for functional stereotactic thalamotomy. *Stereotact Funct Neurosurg* 57: 157-166, 1991
- Tomlinson FH, Jack CR Jr, et al: Sequential magnetic resonance imaging following stereotactic radiofrequency ventralis lateralis thalamotomy. *J Neurosurg* 74: 579-584, 1991
- Diederich N, Goetz CG, et al: Blinded evaluation confirms long-term asymmetric effect of unilateral thalamotomy or subthalamotomy on tremor in Parkinson's disease. *Neurology* 42: 1311-1314, 1992
- Goldman MS, Ahlskog JE, et al: The symptomatic and functional outcome of stereotactic thalamotomy for medically intractable essential tremor. *J Neurosurg* 76: 924-928, 1992
- Goldman MS, Kelly PJ: Stereotactic thalamotomy for medically intractable essential tremor. *Stereotact Funct Neurosurg* 58: 22-25, 1992
- Goldman MS, Kelly PJ: Symptomatic and functional outcome of stereotactic ventralis lateralis thalamotomy for intention tremor. *J Neurosurg* 77: 223-229, 1992
- Kall BA, Goerss SJ, et al: A new multimodality correlative imaging technique for VOP/VIM (VL)

- thalamotomy procedures. *Stereotact Funct Neurosurg* 58: 45-51, 1992
- Kawashima Y, Chen HJ, et al: Application of magnetic resonance imaging in functional stereotactic thalamotomy for the evaluation of individual variations of the thalamus. *Stereotact Funct Neurosurg* 58: 33-38, 1992
 - Levesque MF, Markham C, et al: MR-guided ventral intermediate thalamotomy for post-traumatic hemiballismus. *Stereotact Funct Neurosurg* 58: 88, 1992 (Abstract)
 - Levesque MF, Markham CH: Ventral intermediate thalamotomy for posttraumatic hemiballismus. *Stereotact Funct Neurosurg* 58: 26-29, 1992
 - Page RD: The use of thalamotomy in the treatment of levodopa-induced dyskinesia. *Acta Neurochir* 114: 77-117, 1992
 - Dostrovsky JO, Sher GD, et al: Microinjection of lidocaine into human thalamus: a useful tool in stereotactic surgery. *Stereotact Funct Neurosurg* 60: 168-174, 1993
 - Hariz MI, Bergenhiem AT: Clinical evaluation of CT guided versus ventriculography guided thalamotomy for movement disorders. *Acta Neurochir* 123:147, 1993
 - Yamashiro K, Tasker RR: Stereotactic thalamotomy for dystonic patients. *Stereotact Funct Neurosurg* 60: 81-85, 1993
 - Alterman RL, Kall BA, et al: Stereotactic ventrolateral thalamotomy: Is ventriculography necessary? *Neurosurgery* 37:717-721, 1995
 - Burchiel KJ: Thalamotomy for movement disorders. *Neurosurg Clin North Am* 6: 55-71, 1995
 - Cardoso F, Jankovic J, et al: Outcome after stereotactic thalamotomy for dystonia and hemiballismus. *Neurosurgery* 35: 501-508, 1995
 - Jankovic J, Cardoso F, et al: Outcome after stereotactic thalamotomy for Parkinsonism, essential, and other types of tremor. *Neurosurgery* 37: 680-685, 1995

d. 1996 年

- Lund-Johansen M, Hugdahl K, et al: Cognitive function in patients with Parkinson's disease undergoing stereotactic thalamotomy. *J Neurol Neurosurg Psychiatry* 60: 564-571, 1996

1999 年

- Miyagi Y, Shima F, et al: Tremor induced by toluene misuse successfully treated by a Vim thalamotomy. *J Neurol Neurosurg Psychiatry* 66: 794-796, 1999

(5) Transcranial magnetic stimulation (TMS)

- Pascual-Leone A, Valls-Sole J, et al: Akinesia in Parkinson's disease. I. Shortening of simple reaction time with focal, single-pulse transcranial magnetic stimulation. *Neurology* 44: 884-891, 1994
- Pascual-Leone A, Valls-Sole, et al: Akinesia in Parkinson's disease. II. Effects of subcortical repetitive transcranial motor cortex stimulation. *Neurology* 44: 892-898, 1994
- Priori A, Berardelli A, et al: Motor cortical inhibition and the dopaminergic system. Pharmacological changes in the silent period after transcranial brain stimulation in normal subjects, patients with Parkinson's disease and drug-induced parkinsonism. *Brain* 117: 317-323, 1994
- Berardelli A, Rona S, et al: Cortical inhibition in Parkinson's disease. A study with paired magnetic stimulation. *Brain* 119: 71-77, 1996
- Cunnington R, Iansek R, et al: Effects of magnetic stimulation over supplementary motor area on movement in Parkinson's disease. *Brain* 119: 815-822, 1996
- 島本宝哲, 盛満人之ほか: 経頭蓋磁気刺激によるパーキンソン氏病の評価. *脳神経* 48: 825-829, 1996
- Young MS, Triggs WJ, et al: Stereotactic pallidotomy lengthens the transcranial magnetic cortical stimulation silent period in Parkinson's disease. *Neurology* 49: 1278-1283, 1997
- Reynolds C, Ashby P: Inhibition in the human motor cortex is reduced just before a voluntary contraction. *Neurology* 53: 730-, 1999
- Siebner HR, Mentschel C, et al: Repetitive transcranial magnetic stimulation has a beneficial effect on bradykinesia in Parkinson's disease. *NeuroReport* 10: 589-594, 1999

·Oliveri M, Rossini PM, et al: Interhemispheric asymmetries in the perception of unimanual and bimanual cutaneous stimuli. A study using transcranial magnetic stimulation. *Brain* 122: 1721-1729, 1999

·Oliveri M, Rossini PM, et al: Left frontal transcranial magnetic stimulation reduces contralesional extinction in patients with unilateral right brain damage. *Brain* 122: 1731-1739, 1999

(6) Transplantation for Parkinson's disease

·Langston JW, Widner H, et al: Core assessment program for intracerebral transplantation (CAPIT). *Mov Disord* 7: 2-13, 1992

パーキンソン病定位脳手術関連文献集

Part 2 解剖関係

三重大解剖中野勝麿(編)

- @Nauta W.J.H., and D.G. Whitlock (1954) An anatomical analysis of the non-specific thalamic projection system. In :J. F. Delafresnaye Ed. Brain Mechanisms and Consciousness, Blackwell, Oxford, pp. 81-116.
- *Powell T.P.S., and W.M. Cowan (1956) A study of thalamo-striate relations in the monkey. Brain, 79: 364-390.
- *Szabo J. (1962) Topical distribution of the striatal efferents in the monkey. Exp Neurol, 5: 21-36.
- *Cowan W.M., and T.P. Powell (1966) Strio-pallidal projection in the monkey. J Neurol Neurosurg & Psychiatry, 29: 426-439.
- Nauta W.J., and W.R. Mehler (1966) Projections of the lentiform nucleus in the monkey. [Review]. Brain Research, 1: 3-42.
- *Szabo J. (1967) The efferent projections of the putamen in the monkey. Exp Neurol, 19: 463-476.
- *Szabo J. (1970) Projections from the body of the caudate nucleus in the rhesus monkey. Exp Neurol, 27: 1-15.
- *Carpenter M.B., and P. Peter (1972) Nigrostriatal and nigrothalamic fibers in the rhesus monkey. J Comp Neurol, 144: 93-116.
- *Szabo J. (1972) The course and distribution of efferents from the tail of the caudate nucleus in the monkey. Exp Neurol, 37: 562-572.
- *Kuo J.S., and M.B. Carpenter (1973) Organization of pallidothalamic projections in the rhesus monkey. J Comp Neurol, 151: 201-236.
- *Jones E.G., and R.Y. Leavitt (1974) Retrograde axonal transport and the demonstration of non-specific projections to the cerebral cortex and striatum from thalamic intralaminar nuclei in the rat, cat and monkey. J Comp Neurol, 154: 349-377.
- Grofova I. (1975) The identification of striatal and pallidal neurons projecting to substantia nigra. An experimental study by means of retrograde axonal transport of horseradish peroxidase. Brain Res, 91: 286-291.
- *Kunzle H. (1975) Bilateral projections from precentral motor cortex to the putamen and other parts of the basal ganglia. An autoradiographic study in Macaca fascicularis. Brain Research, 88: 195-209.
- @Carpenter M.B., K. Nakano, and R. Kim (1976) Nigrothalamic projections in the monkey demonstrated by autoradiographic technics. J Comp Neurol, 165: 401-416.
- GPI から視床の運動系中継核への投射をサルにおいて初めてオートラジオグラフィック法で観察し、同中継核における投射部位を明らかにした
- DiFiglia M., P. Pasik, and T. Pasik (1976) A Golgi study of neuronal types in the neostriatum of monkeys. Brain Res, 114: 245-256.
- @Kim R., K. Nakano, A. Jayaraman, and B.C. Malcolm (1976) Projections of the globus pallidus and adjacent structures: an autoradiographic study in the monkey. J Comp Neurol, 169: 263-290.
- 黒質から視床への投射をサルにおいて初めてオートラジオグラフィック法で観察し、視床の投射部位を明確にした
- DiFiglia M., P. Pasik, and T. Pasik (1976) A Golgi study of neuronal types in the neostriatum of monkeys. Brain Res, 114: 245-256.
- Kitai S.T., J.D. Kocsis, R.J. Preston, and M. Sugimori (1976) Monosynaptic inputs to caudate neurons identified by intracellular injection of horseradish peroxidase. Brain Research, 109: 601-606.
- Pasik P., T. Pasik, and M. DiFiglia (1976) Quantitative aspects of neuronal organization in the neostriatum of the macaque monkey. IN: The Basal Ganglia, ed M. D. Yahr, Raven Press, New York, Research Publications Association for Research in Nervous & Mental Disease, 55: 57-90.

- *Goldman P.S., and W.J.H. Nauta (1977) An intricately patterned prefronto-caudate projection in the rhesus monkey. *J Comp Neurol*, 171: 369-386.
- *Jones E.G., J.D. Coulter, H. Burton, and R. Porter (1977) Cells of origin and terminal distribution of corticostriatal fibers arising in the sensory-motor cortex of monkeys. *J Comp Neurol*, 173: 53-80.
- Kanazawa I., P.C. Emson, and A.C. Cuello (1977) Evidence for the existence of substance P-containing fibres in striato-nigral and pallido-nigral pathways in rat brain. *Brain Research*, 119: 447-453.
- Kocsis J.D., M. Sugimori, and S.T. Kitai (1977) Convergence of excitatory synaptic inputs to caudate spiny neurons. *Brain Research*, 124: 403-413.
- *Kunzle H. (1977) Projections from the primary somatosensory cortex to basal ganglia and thalamus in the monkey. *Exp Brain Res*, 30: 481-492.
- *Kunzle H., and K. Akert (1977) Efferent connections of cortical, area 8 (frontal eye field) in *Macaca fascicularis*. A reinvestigation using the autoradiographic technique. *Journal of Comparative Neurology*, 173: 147-164.
- Filion M., and C. Harnois (1978) A comparison of projections of entopeduncular neurons to the thalamus, the midbrain and the habenula in the cat. *Journal of Comparative Neurology*, 181: 763-780.
- Grofova I. (1978) Extrinsic connections of the neostriatum. , In *The neostriatum*, Ed. I. Divac and R. G. E. Oberg, Pergamon Press: pp37-51.
- Kalil K. (1978) Patch-like termination of thalamic fibers in the putamen of the rhesus monkey: an autoradiographic study. *Brain Research*, 140: 333-339.
- *Hartmann-von Monakow K., K. Akert, and H. Kunzle (1978) Projections of the precentral motor cortex and other cortical areas of the frontal lobe to the subthalamic nucleus in the monkey. *Exp Brain Res*, 33: 395-403.
- *Kunzle H. (1978) An autoradiographic analysis of the efferent connections from premotor and adjacent prefrontal regions (areas 6 and 9) in *macaca fascicularis*. *Brain, Behav Evol*, 15: 185-234.
- * Nauta H.J.W., and M. Cole (1978) Efferent projections of the subthalamic nucleus: an autoradiographic study in monkey and cat. *J. Comp. Neurol.*, 180:1-16.
- Royce G.J. (1978) Cells of origin of subcortical afferents to the caudate nucleus: a horseradish peroxidase study in the cat. *Brain Research*, 153: 465-475.
- Royce G.J. (1978) Autoradiographic evidence for a discontinuous projection to the caudate nucleus from the centromedian nucleus in the cat. *Brain Research*, 146: 145-150.
- Yeterian E.H., and G.W. Van Hoesen (1978) Cortico-striate projections in the rhesus monkey: the organization of certain cortico-caudate connections. *Brain Research*, 139: 43-63.
- Graybiel, A.M. and Ragsdale, C.J., 1979, Fiber connections of the basal ganglia. [Review], *Progress in Brain Research*, 51:239-283.
- Krauthamer G.M. (1979) Sensory functions of the neostriatum. In I. Divac and R. G. E. Oberg(Eds.), *The Neostriatum*, Pergamon, New York,; pp 263-289.
- Pasik P., T. Pasik, and M. DiFiglia (1979) The internal organization of the neostriatum in mammals: In: *The Neostriatum*, eds., I. Divac and R. G. E. Oberg, Pergamon Press, Oxford and New York, 5-36.
- Somogyi P., A.J. Hodgson, and A.D. Smith (1979) An approach to tracing neuron networks in the cerebral cortex and basal ganglia. Combination of Golgi staining, retrograde transport of horseradish peroxidase and anterograde degeneration of synaptic boutons in the same material. *Neuroscience*, 4: 1805-1852.
- Somogyi P., and A.D. Smith (1979) Projection of neostriatal spiny neurons to the substantia nigra. Application of a combined Golgi-staining and horseradish peroxidase transport procedure at both light and electron microscopic levels. *Brain Res*, 178: 3-15.
- *DeVito J.L., M.E. Anderson, and K.E. Walsh (1980) A horseradish peroxidase study of afferent connections of the globus pallidus in *Macaca mulatta*. *Exp Brain Res*, 38: 65-73.
- *Poirier L.J., and M. Giguere (1980) An autoradiographic study of the striatal ofugal fibers in the monkey. *J Neural Transm, Suppl*, 16: 25-31.

- Preston R.J., G.A. Bishop, and S.T. Kitai (1980) Medium spiny neuron projection from the rat striatum: An intracellular horseradish peroxidase study. *Brain Res*, 183: 253-263.
- Veening J.G., F.M. Cornelissen, and P.A. Lieven (1980) The topographical organization of the afferents to the caudatoputamen of the rat. A horseradish peroxidase study. *Neuroscience*, 5: 1253-1268.
- Wilson C.J., and P.M. Groves (1980) Fine structure and synaptic connections of the common spiny neuron of the rat neostriatum: A study employing intracellular injection of horseradish peroxidase. *J Comp Neurol*, 194: 699-615.
- @Carpenter M.B. (1981) Anatomy of the corpus striatum and brain stem integrating systems. IN: V. B. Brooks (ed.), *Handbook of Physiology*, Vol. 2. The Nervous System II: pp 947-995.
- 大脳基底核の review、文献が網羅されている
- *Carpenter M.B., S.C. Carleton, J.T. Kreller, and P. Conte (1981) Connections of the subthalamic in the monkey. *Brain Res*, 221: 1-29.
- *Carpenter M.B., R.R.I. Batton, S.C. Carleton, and J.T. Keller (1981) Interconnections and organization of pallidal and subthalamic nucleus neurons in the monkey. *J Comp Neurol*, 197: 579-603.
- Chang H.T., C.J. Wilson, and S.T. Kitai (1981) Single neostriatal efferent axons in the globus pallidus: A light and electron microscopic study. *Science*, 213: 915-918.
- Frotscher M., U. Rinne, R. Hassler, and A. Wagner (1981) Termination of cortical afferents on identified neurons in the caudate nucleus of the cat. A combined Golgi-EM degeneration study. *Experimental Brain Research*, 41: 329-337.
- Haber S., and R. Elde (1981) Correlation between met-enkephalin and substance P immunoreactivity in the primate globus pallidus. *Neuroscience*, 6: 1291-1297.
- Jinnai K., and Y. Matsuda (1981) Thalamocaudate projection neurons with a branching axon to the cerebral motor cortex. *Neuroscience Letters*, 26: 95-99.
- Van Hoesen G., E.H. Yeterian, and L.-M. R. (1981) Widespread corticostriate projections from temporal cortex of the rhesus monkey. *Journal of Comparative Neurology*, 199: 205-219.
- Freund T.F., J.F. Powell, and A.D. Smith (1984) Tyrosine hydroxylase-immunoreactive boutons in synaptic contact with identified striatonigral neurons, with particular reference to dendritic spines. *Neuroscience*, 13: 1189-1215.
- Ragsdale C.W., and A.M. Graybiel (1981) The fronto-striatal projection in the cat and monkey and its relationship to inhomogeneities established by acetylcholinesterase histochemistry. *Brain Res*, 208: 259-266.
- Somogyi P., J.P. Bolam, and A.D. Smith (1981) Monosynaptic cortical input and local axon collaterals of identified striatonigral neurons. A light and electron microscopic study using the Golgi-peroxidase transport-degeneration procedure. *J. Comp Neurol.*, 195: 567-584.
- Somogyi P., J.P. Bolam, S. Totterdell et al. (1981) Monosynaptic input from the nucleus accumbens-ventral striatum region to retrogradely labelled nigro striatal neurones. *Brain Research*, 217: 245-263.
- Bishop G.A., H.T. Chang, and S.T. Kitai (1982) Morphological and physiological properties of neostriatal neurons: An intracellular horseradish peroxidase study in the rat. *Neuroscience*, 7: 179-191.
- Chang H.T., C.J. Wilson, and S.T. Kitai (1982) A Golgi study of rat neostriatal neurons: Light microscopic analysis. *J Comp Neurol*, 208: 107-126.
- @DeVito J.L., and M.E. Anderson (1982) An autoradiographic study of efferent connections of the globus pallidus in *Macaca mulatta*. *Exp Brain Res*, 46:107-117.
- DiFiglia M., N. Aronin, and M.J. B (1982) Light and electron microscopic localization of immunoreactive leu-enkephalin in the monkey basal ganglia. *J Neurosci*, 2: 303-320.
- DiFiglia M., P. Pasik, and T. Pasik (1982) A Golgi and ultrastructural study of the monkey globus pallidus. *J Comp Neurol*, 212: 53-75.
- DiFiglia M., and N. Aronin (1982) Ultrastructural features of immunoreactive somatostatin neurons in the rat caudate nucleus. *Journal of Neuroscience*, 2: 1267-1274.
- Goldman-Rakic P.S. (1982) Cytoarchitectonic heterogeneity of the primate neostriatum: subdivision into island and matrix cellular compartments. *J Comp Neurol*, 205: 398-413.

- *Mehler W.R. (1981) The basal ganglia-circa 1982. A review and commentary. *Applied Neurophysiology*, 44: 261-290.
- @Parent A., and B.L. De (1982) Organization of efferent projections from the internal segment of globus pallidus in primate as revealed by fluorescence retrograde labeling method. *Brain Research*, 245: 201-213.
- *Graybiel A.M., and J.C.W. Ragsdale (1983) *Biochemical Anatomy of the Striatum*. Chemical Neuroanatomy, ed. P. C. Emson, Raven Press, New York, pp. 427-504.:
- Groves P.M. (1983) A theory of the functional organization of the neostriatum and the neostriatal control of voluntary movement. *Brain Res Rev*, 5: 109-132.
- *Kultas I.K., I. Ilinsky, S. Warton et al. (1983) Fine structure of nigral and pallidal afferents in the thalamus: an EM autoradiography study in the cat. *J Comp Neurol*, 216: 390-405.
- *Nakano K., M. Kohno, and A. Tokushige (1983) Entopeduncular nucleus projections to the contralateral thalamic nuclei: an HRP study. *Brain Res*, 262: 283-287. 脚内核 (霊長類の GPI) が対側視床にも投射することを最初に報告し、同脚内核ニューロンの分布を記載
- Nitecka L., R. Hassler, J. Bialowas, and A. Wagner (1983) The different types of synapses in the thalamic nucleus ventralis anterior (VA) of *Saimiri sciureus* and their degeneration after pallidum coagulation. *Journal fur Hirnforschung*, 24: 149-164.
- *Parent A., A. Mackey, Y. Smith, and R. Boucher (1983) The output organization of the substantia nigra in primate as revealed by a retrograde double labeling method. *Brain Res Bull*, 10: 529-537.
- @Parent A., and L. De Bellefeuille (1983) The pallidointralaminar and pallido nigral projections in primate as studied by retrograde double-labeling method. *Brain Research*, 278: 11-27. 視床の VA-VL, CM-Pf, 黒質, 脚橋被蓋核に投射する淡蒼球のニューロンの分布。
- *Parent A., A. Mackey, and L. De Bellefeuille (1983) The subcortical afferents to caudate nucleus and putamen in primate: a fluorescence retrograde double labeling study. *Neuroscience*, 10: 1137-1150.
- Royce G.J. (1983) Single thalamic neurons which project to both the rostral cortex and caudate nucleus studied with the fluorescent double labeling method. *Exp Neurol*, 79: 773-784.
- Sugimoto T., T. Hattori, N. Mizuno et al. (1983) Direct projections from the centre median-parafascicular complex to the subthalamic nucleus in the cat and rat. *J Comp Neurol*, 214: 209-216.
- Beckstead R.M. (1984) The thalamostriatal projection in the cat. *J Comp Neurol*, 223: 313-346.
- *Carpenter M.B. (1984) Interconnections between the striatum and brain stem nuclei. In *The Basal Ganglia I: Structure and Function*, eds. McKenzie, J S, Kemm, R E, and Wilcock, L N.; 1-68.
- *Feger J., and A.R. Crossman (1984) Identification of different subpopulations of neostriatal neurones projecting to globus pallidus or substantia nigra in the monkey: a retrograde fluorescence double-labelling study. *Neurosci. Lett*, 49: 7-12.
- Freund T.F., J.F. Powell, and A.D. Smith (1984) Tyrosine hydroxylase-immunoreactive boutons in synaptic contact with identified striatonigral neurons, with particular reference to dendritic spines. *Neuroscience*, 13: 1189-1215.
- *Gerfen C.R. (1984) The neostriatal mosaic: compartmentalization of corticostriatal input and striatonigral output systems. *Nature*, 311: 461-464.
- *Ilinsky I.A., and I.K. Kultas (1984) An autoradiographic study of topographical relationships between pallidal and cerebellar projections to the cat thalamus. *Exp Brain Res*, 54: 95-106.
- Macchi G., M. Bentivoglio, M. Molinari et al. (1984) The thalamo-caudate versus thalamo-cortical projections as studied in the cat with fluorescent retrograde double labeling. *Exp Brain Res*, 54: 225-239.
- *Parent A., C. Bouchard, and Y. Smith (1984) The striatopallidal and striatonigral projections: two distinct fiber systems in primate. *Brain Research*, 303: 385-390.
- *Percheron G., J. Yelnik, and C. Francois (1984) A Golgi analysis of the primate globus pallidus. III. Spatial organization of the striato-pallidal complex. *J Comp Neurol*, 227: 214-227.
- *Royce G.J., and E.J. Laine (1984) Efferent connections of the caudate nucleus, including cortical projections of the striatum and other basal ganglia: an autoradiographic and horseradish peroxidase investigation in the cat. *J Comp Neurol*, 226: 28-49.
- Takagi H., P. Somogyi, and A.D. Smith (1984) Aspiny neurons and their local axons in the neostriatum of the rat: a correlated light and electron microscopic study of Golgi-impregnated

material. *Journal of Neurocytology*, 13: 239-265.

*Gerfen C.R. (1985) The neostriatal mosaic. I. Compartmental organization of projections from the striatum to the substantia nigra in the rat. *J Comp Neurol*, 236: 454-476.

*Goldberg, G., 1985, Supplementary motor area structure and function: Review and hypotheses, *Behav Brain Sciences*, 8:567.

@Schell G.R., and P.L. Strick (1984) The origin of thalamic inputs to the arcuate premotor and supplementary motor areas. *Journal of Neuroscience*, 4: 539-560. VLoがSMAに投射することを強調

Beckstead R.M., and K.S. Kersey (1985) Immunohistochemical demonstration of differential substance P-, met-enkephalin-, and glutamic acid-decarboxylase-containing cell body and axon distributions in the corpus striatum of the cat. *J Comp Neurol*, 232: 481-498.

Gerfen C.R., K.G. Baimbridge, and J.J. Miller (1985) The neostriatal mosaic: Compartmental distribution of calcium-binding protein and parvalbumin in the basal ganglia of the rat and monkey. *Proc. Natl. Acad. Sci. USA*, 82: 8780-8784.

Goldman-Rakic P.S., and P.L. J (1985) The primate mediodorsal (MD) nucleus and its projection to the frontal lobe. *J Comp Neurol*, 242: 535-560.

@Ilinsky I.A., M.L. Jouandet, and P.S. Goldman-Rakic (1985) Organization of the nigrothalamocortical system in the rhesus monkey. *J Comp Neurol*, 236:315-330.

*Kievit J., and H.G.J.M. Kuypers (1977) Organization of the thalamo-cortical connexions to the frontal lobe in the rhesus monkey. *Exp Brain Res*, 29: 299-322.

Jayaraman A. (1985) Organization of thalamic projections in the nucleus accumbens and the caudate nucleus in cats and its relation with hippocampal and other subcortical afferents. *J Comp Neurol*, 231: 396-420.

Loopuijt L., and D. Van der Kooy (1985) Organization of the striatum: collateralization of its efferent axons. *Brain Res*, 348: 86-99.

Phelps P.E., C.R. Houser, and J.E. Vaughn (1985) Immunocytochemical localization of choline acetyltransferase within the rat neostriatum: a correlated light and electron microscopic study of cholinergic neurons and synapses. *J Comp Neurol*, 238: 286-307.

Royce G.J., and R.J. Mourey (1985) Efferent connections of the centromedian and parafascicular thalamic nuclei: an autoradiographic investigation in the cat. *Journal of Comparative Neurology*, 235: 277-300.

@Selemon L.D., and P.S. Goldman-Rakic (1985) Longitudinal topography and interdigitation of corticostriatal projections in the rhesus monkey. *J Neurosci*, 5: 776-794.

※ * * * * *

皮質線条体投射は、線条体の吻側から尾側にかけて longitudinal に投射しており、内外の局在性配列を示す。また、個々の連合野からの線条体投射は線条体で overlap した終止のよに見えるが、実際は interdigitate しており、overlap しない。

@Wiesendanger R., and M. Wiesendanger (1985) The thalamic connections with medial area 6 (supplementary motor cortex) in the monkey (*macaca fascicularis*). *Exp Brain Res*, 59: 91-104.

@Alexander G.E., M.R. DeLong, and P.L. Strick (1986) Parallel organization of functionally segregated circuits linking basal ganglia and cortex. [Review]. *Annual Review of Neuroscience*, 9: 357-381.最初にBG-thalamocortical loopを記載した論文

Beckstead R.M., and C.J. Cruz (1986) Striatal axons to the globus pallidus, entopeduncular nucleus and substantia nigra come mainly from separate cell populations in cat. *Neuroscience*, 19: 147-158.

Bolam J.P., C.A. Ingham, P. Izzo et al. (1986) Substance P-containing terminals in synaptic contact with cholinergic neurons in the neostriatum and basal forebrain: A double immunocytochemical study in the rat. *Brain Res*. 379: 279-289.

Chesselet M.F., and A.M. Graybiel (1986) Striatal neurons expressing somatostatin-like immunoreactivity: evidence for a peptidergic interneuronal system in the cat. *Neurosci.*, 17: 547-571.

- @Garcia-Rill E. (1986) The basal ganglia and the locomotor regions. *Brain Res. Rev.*, 11: 47-63.
 PPN, mesencephalic locomotor region に関する review
- *Goldman-Rakic, P.S. and Selemon, L.D., 1986, Topography of corticostriatal projections in nonhuman primates and implications for functional parcellation of the neostriatum. In *Cerebral Cortex, Volume 5: Sensory-motor Areas and Aspects of Cortical Connectivity* (eds Jones E. G. and Peters A.), pp. 447-466. Plenum Press, New York.
- Malach R., and A.M. Graybiel (1986) Mosaic architecture of the somatic sensory-recipient sector of the cat's striatum. *J Neuroscience*, 6: 3436-3458.
- *Nauta H.J.W. (1986) The relationship of the basal ganglia to the limbic system. In: *Handbook of clinical neurology*, vol. 5(19): Extrapyramidal Disorders. P. J. Vinken, G. W. Bruyn and H. L. Klawans, eds Elsevier Publishers B. V.: 19-31.
- *Parent A. (1986) *Comparative Neurobiology of the Basal Ganglia*, A Wiley-Interscience Publication, John Wiley Sons, New York, 335 pp.
- *Smith Y., and A. Parent (1986) Differential connections of caudate nucleus and putamen in the squirrel monkey (*Saimiri sciureus*). *Neuroscience*, 18: 347-371.
- Smith Y., and A. Parent (1986) Neuropeptide Y-immunoreactive neurons in the striatum of cat and monkey: morphological characteristics, intrinsic organization and co-localization with somatostatin. *Brain Research*, 372: 241-252.
- Smith Y., and A. Parent (1986) Neuropeptide Y-immunoreactive neurons in the striatum of cat and monkey: morphological characteristics, intrinsic organization and co-localization with somatostatin. *Brain Res*, 372: 241-252.
- Tanaka D.J., L.G. Isaacson, and B.K. Trosko (1986) Thalamostriatal projections from the ventral anterior nucleus in the dog. *J Comp Neurol*, 247: 56-68.
- @Ilinsky I.A., and K. Kultas-Ilinsky (1987) Sagittal cytoarchitectonic maps of the *Macaca mulatta* thalamus with a revised nomenclature of the motor-related nuclei validated by observations on their connectivity. *J Comp Neurol*, 262: 331-364.
- Izzo P.N., A.M. Graybiel, and J.P. Bolam (1987) Characterization of substance P- and [Met]enkephalin-immunoreactive neurons in the caudate nucleus of cat and ferret by a single section Golgi procedure. *Neuroscience*, 20: 577-587.
- *Jimenez-Castellanos J., and A.M. Graybiel (1987) Subdivisions of the dopamine-containing A8-A9-A10 complex identified by their differential mesostriatal innervation of striosomes and extrastriosomal matrix. *Neuroscience*, 23: 223-242.
- *Parent A., and Y. Smith (1987) Organization of efferent projections of the subthalamic nucleus in the squirrel monkey as revealed by retrograde labeling methods. *Brain Research*, 436: 296-310.
- Sugimoto T., and N. Mizuno (1987) Neurotensin in projection neurons of the striatum and nucleus accumbens with reference to coexistence with enkephalin and GABA: an immunohistochemical study in the cat. *J Comp Neurol*, 275: 383-395.
- Bolam J.P., P.N. Izzo, and A.M. Graybiel (1988) Cellular substrate of the histochemically defined striosome/matrix system of the caudate nucleus: a combined Golgi and immunocytochemical study in cat and ferret. *Neuroscience*, 24:853-875.
- @DiFiglia M., and J.A. Rafols (1988) Synaptic organization of the globus pallidus. *J Electron Microscop Tech*, 10: 247-263. 淡蒼球のシナプトロジー (電顕) , Review
- Dube L., A.D. Smith, and B.J. P. (1988) Identification of synaptic terminals of thalamic or cortical origin in contact with distinct medium-size spiny neurons in the rat neostriatum. *J. Comp. Neurol.*, 267: 455-471.
- *Francois C., G. Percheron, J. Yelnik et al. (1988) A topographic study of the course of nigral axons and of the distribution of pallidal axonal endings in the centre median-parafascicular complex of macaques. *Brain Res*, 473: 181-186.
- *Gerfen C.R., and W.S.I. Young (1988) Distribution of striatonigral and striatopallidal peptidergic neurons in both patch and matrix compartments: an insitu hybridization histochemistry and fluorescent retrograde tracing study. *Brain Res*, 460: 161-167.
- @Gerfen C.R. (1988) Synaptic organization of the striatum. *J Electron Microscop Tech*, 10: 265-281.
- 線条体のシナプトロジー (電顕) , Review