

交通事故

全国	男性				女性			
	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位
	850	1083	262	389				
北海道	1132 41	1373 35	346 37	471 31				
青森	1146 42	1385 38	270 14	409 17				
岩手	937 26	1250 28	315 28	420 19				
宮城	858 11	1076 9	230 7	339 6				
秋田	999 31	1267 31	315 29	416 18				
山形	798 6	1020 6	330 32	445 24				
福島	927 23	1189 23	346 38	474 32				
茨城	1356 47	1747 47	410 46	590 46				
栃木	1167 44	1504 45	354 41	513 38				
群馬	891 15	1160 22	329 31	503 36				
埼玉	707 4	901 4	206 5	348 8				
千葉	898 19	1142 19	263 12	375 11				
東京	449 1	545 1	127 1	192 1				
神奈川	609 2	743 2	154 3	228 3				
新潟	988 30	1321 34	323 30	483 34				
富山	762 5	1076 10	251 9	380 12				
石川	838 10	1099 13	314 27	512 37				
福井	1110 39	1497 44	386 45	568 44				
山梨	987 29	1228 27	274 16	392 13				
長野	821 8	1094 11	282 18	393 14				
岐阜	935 24	1255 30	354 42	521 40				
静岡	884 13	1120 16	296 20	460 27				
愛知	799 7	1004 5	276 17	431 22				
三重	1163 43	1462 42	338 36	478 33				
滋賀	1110 38	1464 43	351 39	553 43				
京都	835 9	1025 7	263 11	356 9				
大阪	684 3	836 3	199 4	270 4				
兵庫	892 16	1119 14	300 23	463 29				
奈良	904 20	1098 12	274 15	406 16				
和歌山	1025 34	1297 32	296 21	461 28				
鳥取	1071 36	1314 33	330 33	443 23				
島根	936 25	1219 25	312 25	460 26				
岡山	1064 35	1389 39	352 40	519 39				
広島	979 28	1215 24	265 13	398 15				
山口	1115 40	1425 40	334 35	483 35				
徳島	1013 32	1375 36	359 43	526 42				
香川	1253 46	1646 46	435 47	646 47				
愛媛	1087 37	1379 37	331 34	523 41				
高知	1220 45	1448 41	313 26	468 30				
福岡	893 17	1126 17	231 8	347 7				
佐賀	922 22	1226 26	376 44	586 45				
長崎	973 27	1155 21	220 6	308 5				
熊本	890 14	1145 20	299 22	427 21				
大分	868 12	1120 15	291 19	421 20				
宮崎	1025 33	1252 29	306 24	451 25				
鹿児島	914 21	1134 18	257 10	360 10				
沖縄	897 18	1047 8	146 2	206 2				

自殺

全国	男性				女性			
	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位
	1265	1510	497	671				
北海道	1283 22	1525 24	464 11	656 22				
青森	1722 42	2077 43	503 29	748 35				
岩手	1804 45	2142 44	544 38	807 43				
宮城	1227 17	1432 14	481 17	632 16				
秋田	1858 46	2266 47	658 47	956 47				
山形	1488 37	1800 39	474 14	675 29				
福島	1337 26	1553 25	479 16	648 18				
茨城	1213 15	1456 17	479 15	667 27				
栃木	1351 27	1639 28	490 21	733 34				
群馬	1298 25	1576 26	524 33	762 39				
埼玉	1113 7	1348 8	502 28	695 32				
千葉	1090 5	1287 4	418 2	601 6				
東京	1192 13	1399 13	531 35	676 30				
神奈川	1080 4	1290 5	447 5	605 8				
新潟	1552 40	1930 40	639 46	929 46				
富山	1361 28	1651 29	537 37	768 41				
石川	1212 14	1495 22	450 6	591 5				
福井	1242 20	1468 19	436 3	625 13				
山梨	1438 30	1708 32	615 44	802 42				
長野	1237 19	1435 16	581 41	750 37				
岐阜	1115 8	1368 10	502 27	707 33				
静岡	1109 6	1337 7	415 1	581 3				
愛知	1040 2	1257 3	482 19	630 14				
三重	1042 3	1246 2	442 4	604 7				
滋賀	1186 12	1383 11	473 13	660 24				
京都	1165 11	1386 12	497 25	667 28				
大阪	1217 16	1465 18	502 26	658 23				
兵庫	1235 18	1472 20	513 31	661 26				
奈良	936 1	1145 1	452 8	576 2				
和歌山	1483 36	1790 37	619 45	815 45				
鳥取	1461 33	1722 35	495 24	687 31				
島根	1645 41	1976 41	578 40	753 38				
岡山	1127 9	1326 6	455 9	621 12				
広島	1293 24	1509 23	466 12	614 11				
山口	1457 32	1716 34	536 36	655 20				
徳島	1136 10	1364 9	495 23	661 25				
香川	1254 21	1434 15	481 18	611 9				
愛媛	1479 35	1656 31	484 20	630 15				
高知	1512 38	1764 36	585 42	749 36				
福岡	1540 39	1800 38	505 30	656 21				
佐賀	1454 31	1632 27	518 32	651 19				
長崎	1417 29	1654 30	452 7	571 1				
熊本	1477 34	1713 33	493 22	645 17				
大分	1293 23	1487 21	459 10	590 4				
宮崎	1750 43	2153 45	593 43	814 44				
鹿児島	1767 44	2059 42	573 39	764 40				
沖縄	1870 47	2166 46	530 34	612 10				

統計表 2 LSM65 死因別割合 1995 年

死因別LSM65の割合 男性						
全国	悪性新生物 35.7%	心疾患 12.5%	脳血管疾患 8.8%	交通事故 5.2%	自殺 7.7%	その他 30.0%
北海道	35.9%	13.6%	8.5%	6.8%	7.7%	27.6%
青森	32.9%	13.5%	9.7%	5.7%	8.6%	29.7%
岩手	30.5%	13.3%	11.2%	5.5%	10.5%	29.0%
宮城	36.2%	12.5%	9.8%	5.5%	7.9%	28.0%
秋田	35.7%	9.9%	10.2%	5.6%	10.5%	28.1%
山形	35.0%	13.7%	9.4%	5.2%	9.7%	27.0%
福島	34.1%	13.4%	9.9%	5.5%	8.0%	29.1%
茨城	33.1%	12.7%	9.6%	8.0%	7.1%	29.6%
栃木	33.1%	13.0%	10.6%	6.8%	7.9%	28.6%
群馬	32.8%	14.5%	9.7%	5.6%	8.2%	29.2%
埼玉	36.5%	14.0%	10.2%	4.6%	7.3%	27.4%
千葉	37.1%	13.1%	9.2%	5.7%	6.9%	28.0%
東京	36.7%	12.1%	9.5%	2.7%	7.3%	31.6%
神奈川	36.9%	11.8%	9.6%	3.9%	6.9%	30.8%
新潟	36.2%	10.9%	9.6%	6.4%	10.0%	26.9%
富山	34.9%	13.1%	8.7%	5.0%	8.9%	29.4%
石川	36.8%	14.1%	7.0%	5.7%	8.2%	28.2%
福井	35.0%	11.6%	7.5%	7.5%	8.4%	29.9%
山梨	33.3%	14.2%	8.3%	5.8%	8.5%	29.9%
長野	33.1%	13.4%	10.6%	5.9%	8.9%	28.2%
岐阜	35.8%	12.8%	9.4%	6.1%	7.3%	28.6%
静岡	36.6%	12.6%	9.4%	5.6%	7.0%	28.9%
愛知	36.7%	14.5%	8.8%	5.2%	6.7%	28.1%
三重	34.2%	13.4%	8.0%	7.5%	6.7%	30.2%
滋賀	36.0%	12.5%	7.8%	7.6%	8.2%	27.8%
京都	37.4%	11.7%	8.3%	5.5%	7.6%	29.5%
大阪	38.7%	12.2%	7.3%	3.8%	6.8%	31.1%
兵庫	35.8%	11.6%	7.2%	4.9%	6.8%	33.7%
奈良	39.1%	13.0%	7.3%	5.9%	6.1%	28.6%
和歌山	35.9%	14.4%	7.0%	5.7%	8.3%	28.6%
鳥取	36.3%	11.8%	8.4%	5.8%	7.9%	29.9%
島根	35.0%	11.5%	7.9%	5.6%	9.8%	30.2%
岡山	35.7%	12.4%	7.7%	6.7%	7.1%	30.3%
広島	36.8%	11.7%	7.9%	5.8%	7.7%	30.0%
山口	35.2%	11.2%	8.2%	6.3%	8.2%	30.9%
徳島	33.0%	14.0%	8.4%	5.8%	6.5%	32.3%
香川	34.6%	14.2%	7.4%	7.8%	7.8%	28.1%
愛媛	33.2%	13.9%	7.2%	6.2%	8.4%	31.2%
高知	30.1%	13.6%	8.4%	6.6%	8.2%	33.1%
福岡	37.8%	9.9%	7.9%	4.9%	8.5%	30.9%
佐賀	37.8%	10.5%	7.9%	5.3%	8.4%	30.2%
長崎	36.2%	11.4%	8.4%	5.4%	7.9%	30.8%
熊本	33.9%	12.0%	8.9%	5.6%	9.3%	30.2%
大分	33.5%	13.0%	8.1%	5.3%	7.9%	32.2%
宮崎	32.1%	11.0%	9.7%	6.0%	10.3%	30.8%
鹿児島	31.6%	11.1%	9.6%	5.2%	10.0%	32.5%
沖縄	28.6%	12.7%	8.5%	5.2%	10.9%	34.1%

死因別LSM65の割合 女性

全国	悪性新生物 43.4%	心疾患 9.3%	脳血管疾患 9.5%	交通事故 3.2%	自殺 6.1%	その他 28.4%
北海道	43.6%	10.2%	9.7%	4.2%	5.6%	26.7%
青森	41.5%	9.5%	10.9%	3.2%	5.9%	29.1%
岩手	41.7%	8.7%	10.9%	4.0%	7.0%	27.7%
宮城	44.4%	9.4%	10.3%	3.0%	6.2%	26.7%
秋田	47.0%	6.6%	9.6%	3.9%	8.2%	24.6%
山形	44.1%	8.8%	8.4%	4.4%	6.4%	27.9%
福島	41.5%	9.4%	10.2%	4.2%	5.9%	28.8%
茨城	41.1%	10.1%	10.6%	5.0%	5.9%	27.2%
栃木	39.9%	10.4%	11.1%	4.3%	5.9%	28.4%
群馬	38.7%	11.0%	11.9%	4.1%	6.5%	27.8%
埼玉	43.4%	10.6%	10.6%	2.5%	6.2%	26.8%
千葉	44.9%	9.9%	10.1%	3.3%	5.3%	26.4%
東京	45.9%	8.4%	10.0%	1.5%	6.4%	27.6%
神奈川	45.9%	8.0%	10.4%	2.0%	5.7%	28.1%
新潟	45.6%	7.8%	8.7%	4.3%	8.6%	25.0%
富山	44.0%	9.2%	8.2%	3.4%	7.3%	27.8%
石川	44.8%	9.4%	8.4%	4.2%	6.0%	27.2%
福井	42.6%	9.2%	8.1%	5.2%	5.9%	29.0%
山梨	40.6%	9.7%	9.0%	3.4%	7.7%	29.5%
長野	42.7%	9.3%	10.1%	3.8%	7.9%	26.1%
岐阜	43.6%	10.2%	9.9%	4.3%	6.1%	26.0%
静岡	43.0%	9.8%	10.4%	3.8%	5.3%	27.7%
愛知	44.4%	10.3%	9.8%	3.4%	5.9%	26.3%
三重	42.3%	10.8%	9.0%	4.4%	5.7%	27.9%
滋賀	43.5%	8.9%	8.8%	4.6%	6.2%	28.0%
京都	44.6%	8.4%	9.3%	3.4%	6.5%	27.8%
大阪	45.3%	9.5%	7.9%	2.3%	5.8%	29.1%
兵庫	39.7%	8.8%	7.5%	3.1%	5.3%	35.7%
奈良	43.4%	10.2%	8.2%	3.4%	5.7%	29.1%
和歌山	41.9%	10.4%	7.5%	3.5%	7.3%	29.3%
鳥取	44.1%	8.1%	9.0%	4.2%	6.2%	28.4%
島根	45.7%	8.6%	7.8%	4.0%	7.3%	26.5%
岡山	43.1%	9.9%	8.2%	4.6%	6.0%	28.3%
広島	44.2%	10.1%	8.4%	3.2%	5.7%	28.4%
山口	40.8%	9.2%	10.0%	4.1%	6.6%	29.3%
徳島	40.1%	9.8%	8.0%	4.2%	5.8%	31.9%
香川	41.4%	9.9%	7.6%	5.4%	6.0%	29.7%
愛媛	40.1%	11.0%	7.9%	4.0%	5.8%	31.2%
高知	37.5%	10.7%	10.3%	3.7%	6.9%	30.9%
福岡	44.5%	8.0%	8.5%	2.8%	6.1%	30.1%
佐賀	43.6%	7.8%	9.1%	4.6%	6.4%	28.6%
長崎	43.7%	8.7%	9.1%	2.6%	5.4%	30.5%
熊本	41.0%	8.5%	10.2%	3.9%	6.5%	29.9%
大分	41.9%	10.9%	8.6%	3.7%	5.8%	29.1%
宮崎	38.8%	9.4%	11.2%	3.8%	7.4%	29.4%
鹿児島	38.4%	9.3%	12.1%	3.0%	6.6%	30.7%
沖縄	37.7%	8.7%	11.2%	1.8%	6.5%	34.2%

統計表3 PYLL65、PYLL70 推定値とランキング 1995年

	全死因(年齢調整前)				全死因(年齢調整後)			
	男性		女性		男性		女性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	36.2	49.3	19.4	25.6	35.8	47.2	19.9	25.2
北海道	38.3	27	52.0	28	20.4	37	26.9	38
青森	45.1	47	61.5	47	21.7	45	28.4	45
岩手	40.4	41	54.7	40	19.2	21	25.4	24
宮城	34.2	14	46.1	10	18.0	3	23.6	3
秋田	40.6	42	55.9	44	19.8	29	26.3	31
山形	34.6	15	47.4	15	18.7	11	24.5	10
福島	37.6	26	50.7	24	21.0	41	27.0	40
茨城	39.7	37	52.9	32	20.2	33	26.2	29
栃木	39.2	31	52.6	30	20.2	35	26.5	34
群馬	35.8	19	48.3	17	19.1	16	25.2	20
埼玉	32.8	6	44.7	6	19.1	17	25.0	13
千葉	34.0	11	46.3	12	18.4	8	24.2	8
東京	34.2	13	47.2	14	18.7	12	25.1	18
神奈川	32.5	3	44.3	3	18.2	6	24.1	7
新潟	35.7	18	48.6	19	18.5	9	24.1	5
富山	35.6	17	48.3	18	19.2	20	25.1	15
石川	33.0	8	44.5	5	18.0	2	23.7	4
福井	34.0	10	45.4	9	19.4	25	25.0	14
山梨	38.4	28	51.5	27	19.5	26	25.2	22
長野	31.9	1	43.1	2	17.8	1	23.3	1
岐阜	34.1	12	46.4	13	19.0	14	25.2	21
静岡	33.6	9	46.3	11	18.7	10	24.5	11
愛知	32.6	5	44.5	4	19.0	15	25.1	17
三重	35.0	16	47.7	16	18.4	7	24.4	9
滋賀	31.9	2	42.7	1	18.1	4	23.3	2
京都	32.9	7	44.9	8	18.1	5	24.1	6
大阪	36.8	22	51.4	26	19.6	27	26.2	30
兵庫	39.5	33	53.9	34	22.4	47	29.2	47
奈良	32.5	4	44.8	7	19.1	19	25.1	16
和歌山	39.6	34	54.9	42	20.2	31	26.8	36
鳥取	41.2	44	56.4	45	19.4	24	25.5	25
島根	39.3	32	53.7	33	20.2	32	26.3	32
岡山	36.3	21	49.2	21	19.1	18	24.8	12
広島	37.6	25	51.0	25	19.3	23	25.5	26
山口	39.7	36	54.7	39	20.5	38	27.3	42
徳島	39.6	35	54.4	38	21.1	42	27.8	43
香川	37.1	23	50.2	22	19.9	30	26.1	28
愛媛	40.3	39	54.7	41	21.5	43	27.9	44
高知	44.1	46	59.9	46	21.8	46	28.5	46
福岡	38.6	29	52.6	31	19.6	28	26.0	27
佐賀	38.7	30	52.4	29	20.7	40	27.0	39
長崎	40.0	38	54.4	37	20.4	36	26.7	35
熊本	36.2	20	48.7	20	19.3	22	25.1	19
大分	37.1	24	50.5	23	18.8	13	25.3	23
宮崎	40.3	40	54.0	36	20.2	34	26.4	33
鹿児島	40.8	43	55.0	43	20.6	39	27.2	41
沖縄	42.2	45	54.0	35	21.6	44	26.8	37
北海道	38.1	27	49.7	27	20.6	33	26.1	35
青森	45.0	47	59.0	47	22.3	44	27.9	46
岩手	40.1	40	52.2	39	19.6	18	24.6	16
宮城	34.6	15	45.3	15	18.6	4	23.6	4
秋田	40.2	41	52.5	42	20.1	27	25.3	27
山形	34.5	14	45.1	13	19.3	14	24.1	11
福島	37.8	26	49.3	26	21.6	41	26.9	41
茨城	39.5	37	51.3	35	20.6	31	25.9	32
栃木	39.3	35	51.3	34	20.8	35	26.3	38
群馬	35.5	18	46.3	19	19.3	12	24.5	13
埼玉	32.5	6	43.1	6	19.4	16	24.7	19
千葉	33.6	10	44.5	12	18.7	5	23.8	6
東京	34.2	13	45.5	16	19.7	19	25.0	25
神奈川	32.3	5	43.0	5	18.7	7	23.9	8
新潟	35.5	19	46.3	18	18.9	11	23.7	5
富山	35.5	17	46.0	17	19.8	21	24.6	14
石川	33.1	9	43.4	7	18.4	2	23.3	2
福井	34.2	12	44.0	10	20.0	26	24.8	20
山梨	38.2	28	49.8	28	20.2	28	25.3	26
長野	31.6	1	41.1	1	18.0	1	22.7	1
岐阜	33.7	11	44.2	11	19.3	13	24.6	15
静岡	33.1	8	43.8	9	18.9	8	23.9	9
愛知	32.2	3	42.8	4	19.4	15	24.7	18
三重	34.6	16	45.3	14	18.7	6	23.8	7
滋賀	32.1	2	41.9	2	18.6	3	23.4	3
京都	33.0	7	43.5	8	18.9	10	24.0	10
大阪	35.7	20	48.1	23	19.9	24	25.5	28
兵庫	39.0	31	51.2	31	23.0	47	28.9	47
奈良	32.3	4	42.8	3	19.8	22	25.0	24
和歌山	39.0	32	51.5	37	20.6	30	26.0	33
鳥取	41.0	43	54.0	44	19.8	23	24.9	22
島根	38.8	30	50.5	29	20.7	34	25.7	29
岡山	36.1	21	46.9	20	19.8	20	24.7	17
広島	36.8	24	48.5	25	19.6	17	24.9	21
山口	39.1	33	51.1	30	20.9	38	26.3	37
徳島	39.3	36	51.4	36	21.8	42	27.4	42
香川	36.4	22	47.5	21	20.6	32	25.8	31
愛媛	39.8	38	52.0	38	22.3	43	27.7	44
高知	43.4	46	56.4	46	22.3	45	27.8	45
福岡	38.7	29	51.3	33	20.3	29	25.7	30
佐賀	39.2	34	51.2	32	21.2	39	26.6	39
長崎	40.0	39	52.5	41	20.8	36	26.3	36
熊本	36.6	23	47.5	22	20.0	25	24.9	23
大分	37.0	25	48.3	24	18.9	9	24.1	12
宮崎	40.6	42	52.4	40	20.9	37	26.1	34
鹿児島	41.4	44	53.7	43	21.2	40	26.8	40
沖縄	43.3	45	55.2	45	22.3	46	27.6	43

悪性新生物(年齢調整前) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	8.5	13.7	6.6	9.4
北海道	9.2 35	14.7 35	7.2 46	10.2 46
青森	10.0 45	16.1 45	7.2 45	10.2 44
岩手	8.5 28	13.5 24	6.4 19	9.2 21
宮城	8.0 15	12.7 11	6.3 12	8.9 11
秋田	10.1 46	16.5 46	7.8 47	11.0 47
山形	8.4 27	13.6 27	6.5 22	9.3 22
福島	8.3 23	13.4 22	6.6 30	9.4 28
茨城	8.1 18	12.9 16	6.5 21	9.1 15
栃木	7.9 9	12.8 13	6.4 15	9.1 14
群馬	7.5 5	12.1 5	5.8 5	8.3 4
埼玉	7.9 11	12.5 7	6.5 20	9.1 17
千葉	8.2 19	13.1 18	6.5 25	9.2 20
東京	8.6 29	13.8 29	6.8 37	9.9 40
神奈川	7.9 10	12.5 8	6.5 24	9.3 24
新潟	8.7 31	14.0 31	6.6 29	9.4 26
富山	8.3 22	13.3 21	6.8 36	9.5 31
石川	7.9 14	12.7 10	6.1 11	8.9 12
福井	7.5 4	12.1 4	6.1 10	8.7 8
山梨	8.0 16	13.0 17	5.8 3	8.3 3
長野	6.8 2	11.1 2	6.0 9	8.5 6
岐阜	7.9 12	12.8 14	6.4 16	9.3 25
静岡	8.1 17	13.2 19	6.4 17	9.1 16
愛知	7.7 7	12.4 6	6.5 23	9.3 23
三重	7.6 6	12.6 9	5.9 6	8.7 9
滋賀	7.0 3	11.4 3	5.6 2	8.1 2
京都	7.9 13	12.9 15	6.3 14	9.1 18
大阪	9.7 43	15.8 44	7.0 42	10.2 43
兵庫	9.3 37	15.1 37	6.7 33	9.6 35
奈良	8.2 21	13.6 26	6.5 26	9.4 27
和歌山	9.4 40	15.7 43	6.7 35	9.8 39
鳥取	11.0 47	17.2 47	6.7 31	9.6 32
島根	9.7 44	15.7 42	7.1 44	10.2 45
岡山	8.3 24	13.5 23	6.3 13	8.9 13
広島	9.1 33	14.6 32	6.8 39	9.7 36
山口	9.3 38	15.4 40	6.6 27	9.6 34
徳島	8.9 32	14.6 33	6.9 40	9.7 37
香川	8.3 26	13.5 25	6.4 18	9.2 19
愛媛	9.1 34	14.7 34	6.8 38	9.6 33
高知	9.3 36	15.0 36	6.7 32	9.5 29
福岡	9.3 39	15.2 38	6.7 34	9.7 38
佐賀	9.5 41	15.4 39	7.0 41	10.0 41
長崎	9.6 42	15.5 41	7.0 43	10.0 42
熊本	7.8 8	12.8 12	5.9 7	8.6 7
大分	8.6 30	13.8 30	6.6 28	9.5 30
宮崎	8.2 20	13.3 20	5.8 4	8.4 5
鹿児島	8.3 25	13.6 28	6.0 8	8.7 10
沖縄	6.6 1	10.3 1	5.5 1	7.6 1

悪性新生物(年齢調整後) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	7.7	12.0	6.1	8.4
北海道	8.3 38	12.8 37	6.5 43	9.0 43
青森	9.2 46	14.1 46	6.6 46	9.0 44
岩手	7.7 27	11.6 22	5.8 12	8.0 12
宮城	7.6 24	11.7 25	6.0 21	8.2 20
秋田	8.8 43	13.4 41	6.9 47	9.4 47
山形	7.6 23	11.5 18	6.0 24	8.2 19
福島	7.7 26	11.9 28	6.3 40	8.6 37
茨城	7.4 21	11.6 21	6.1 31	8.4 28
栃木	7.2 12	11.5 16	6.0 27	8.3 25
群馬	6.8 3	10.6 4	5.4 2	7.5 2
埼玉	7.2 9	11.3 11	6.0 20	8.3 27
千葉	7.4 20	11.7 24	5.9 18	8.3 23
東京	7.8 30	12.2 32	6.2 35	8.7 38
神奈川	7.3 15	11.5 17	6.0 25	8.4 30
新潟	7.8 29	12.0 30	6.1 30	8.3 24
富山	7.2 10	11.1 8	6.1 29	8.2 21
石川	7.4 16	11.4 13	5.7 10	8.0 11
福井	6.9 5	10.6 3	5.7 9	7.8 8
山梨	7.4 19	11.6 19	5.5 5	7.6 5
長野	6.1 1	9.5 1	5.6 7	7.6 7
岐阜	7.1 8	11.1 7	5.9 19	8.3 26
静岡	7.2 11	11.4 12	5.9 14	8.1 15
愛知	7.1 7	11.2 9	6.1 32	8.5 34
三重	6.8 4	10.7 5	5.4 3	7.6 3
滋賀	6.6 2	10.4 2	5.4 4	7.6 4
京都	7.3 13	11.4 14	5.9 17	8.2 22
大阪	8.6 40	13.7 42	6.4 41	9.0 45
兵庫	8.3 39	13.1 40	6.1 33	8.5 35
奈良	7.4 18	11.8 26	6.0 28	8.5 31
和歌山	8.2 37	13.0 38	6.0 26	8.4 29
鳥取	10.1 47	15.2 47	6.2 34	8.5 33
島根	8.6 41	13.0 39	6.5 42	8.9 41
岡山	7.5 22	11.6 20	5.9 15	8.0 13
広島	8.2 35	12.8 36	6.3 38	8.7 39
山口	8.1 33	12.6 35	5.8 11	8.1 14
徳島	7.8 31	12.2 31	6.3 39	8.6 36
香川	7.4 17	11.5 15	5.9 16	8.1 16
愛媛	8.1 34	12.5 34	6.2 36	8.5 32
高知	8.2 36	12.4 33	6.0 23	8.2 17
福岡	8.7 42	13.8 44	6.2 37	8.8 40
佐賀	9.0 45	13.9 45	6.6 45	9.1 46
長崎	8.9 44	13.7 43	6.5 44	9.0 42
熊本	7.3 14	11.3 10	5.5 6	7.6 6
大分	7.9 32	11.9 27	6.0 22	8.2 18
宮崎	7.6 25	11.7 23	5.3 1	7.4 1
鹿児島	7.8 28	11.9 29	5.6 8	7.8 9
沖縄	7.0 6	10.7 6	5.8 13	7.9 10

心疾患(年齢調整前) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	3.9	5.6	1.4	2.1
北海道	4.4 37	6.4 38	1.7 43	2.5 43
青森	5.1 47	7.5 47	1.6 40	2.3 41
岩手	4.8 42	6.8 41	1.4 16	2.1 17
宮城	3.4 9	5.0 9	1.3 10	1.9 10
秋田	3.7 13	5.3 12	1.0 1	1.6 1
山形	4.5 38	6.2 37	1.4 15	2.0 13
福島	4.1 32	6.0 33	1.5 29	2.2 28
茨城	4.1 33	5.9 32	1.6 36	2.3 36
栃木	4.2 34	6.0 34	1.4 17	2.2 25
群馬	4.6 39	6.4 39	1.7 42	2.4 42
埼玉	4.0 29	5.8 28	1.5 27	2.2 23
千葉	3.8 18	5.5 18	1.4 14	2.0 14
東京	3.6 11	5.2 11	1.2 5	1.8 6
神奈川	3.3 3	4.7 4	1.1 4	1.7 3
新潟	3.2 2	4.7 2	1.1 3	1.6 2
富山	4.0 26	5.8 29	1.5 20	2.1 19
石川	4.1 30	5.7 26	1.4 19	2.0 15
福井	3.3 5	4.7 3	1.5 22	2.1 18
山梨	4.9 44	6.8 42	1.6 35	2.2 29
長野	3.4 7	5.0 8	1.4 13	2.0 12
岐阜	3.7 14	5.4 15	1.6 41	2.3 38
静岡	3.7 12	5.4 13	1.4 11	2.0 16
愛知	3.9 21	5.7 23	1.5 30	2.2 27
三重	3.9 22	5.7 25	1.6 38	2.3 40
滋賀	3.4 6	4.8 6	1.3 9	1.8 5
京都	3.2 1	4.6 1	1.1 2	1.7 4
大阪	4.0 27	5.9 31	1.5 24	2.2 24
兵庫	3.8 16	5.6 22	1.5 33	2.2 33
奈良	3.5 10	5.2 10	1.6 34	2.3 34
和歌山	5.0 45	7.3 45	1.8 45	2.6 45
鳥取	4.3 36	6.1 36	1.5 21	2.1 20
島根	3.9 25	5.7 24	1.6 39	2.2 30
岡山	3.9 19	5.6 21	1.5 26	2.2 22
広島	3.9 23	5.5 19	1.5 28	2.2 26
山口	3.9 24	5.7 27	1.6 37	2.3 39
徳島	4.7 41	6.9 43	1.4 18	2.3 37
香川	4.7 40	6.6 40	1.5 25	2.2 32
愛媛	4.8 43	6.9 44	1.9 46	2.7 46
高知	5.1 46	7.3 46	1.9 47	2.8 47
福岡	3.3 4	4.8 5	1.2 6	1.8 7
佐賀	3.4 8	4.9 7	1.3 8	1.8 9
長崎	4.1 31	5.8 30	1.5 23	2.1 21
熊本	3.9 20	5.4 14	1.2 7	1.8 8
大分	4.3 35	6.1 35	1.8 44	2.6 44
宮崎	3.8 17	5.4 16	1.5 32	2.2 31
鹿児島	3.8 15	5.5 17	1.5 31	2.3 35
沖縄	4.0 28	5.6 20	1.4 12	1.9 11

心疾患(年齢調整後) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	3.7	5.2	1.4	1.9
北海道	4.2 36	5.9 38	1.7 43	2.3 43
青森	4.9 47	6.9 47	1.5 35	2.1 35
岩手	4.6 43	6.2 42	1.4 16	1.9 14
宮城	3.4 11	4.8 10	1.3 10	1.8 10
秋田	3.6 14	4.9 12	0.9 1	1.3 1
山形	4.3 38	5.8 37	1.4 17	1.9 13
福島	4.0 31	5.5 32	1.5 28	2.0 28
茨城	4.0 32	5.5 31	1.5 36	2.1 38
栃木	3.9 29	5.6 34	1.4 15	2.0 26
群馬	4.3 39	5.9 39	1.6 39	2.2 42
埼玉	3.8 28	5.4 28	1.5 27	2.1 32
千葉	3.6 16	5.1 21	1.4 14	1.9 16
東京	3.4 9	4.8 11	1.2 5	1.7 5
神奈川	3.1 3	4.4 4	1.1 4	1.6 4
新潟	3.0 2	4.3 1	1.1 3	1.5 2
富山	3.7 26	5.2 24	1.4 23	1.9 15
石川	4.0 33	5.4 30	1.5 26	1.9 19
福井	3.2 5	4.4 3	1.4 20	1.9 17
山梨	4.8 45	6.5 44	1.6 38	2.1 33
長野	3.2 4	4.5 5	1.4 13	1.8 11
岐阜	3.5 13	4.9 14	1.6 41	2.2 40
静岡	3.5 12	4.9 13	1.3 11	1.9 12
愛知	3.7 22	5.3 26	1.5 29	2.1 34
三重	3.7 21	5.2 25	1.6 37	2.1 39
滋賀	3.3 8	4.6 7	1.3 9	1.8 9
京都	3.0 1	4.3 2	1.0 2	1.5 3
大阪	3.7 25	5.3 27	1.4 18	2.0 24
兵庫	3.6 15	5.1 20	1.5 34	2.1 36
奈良	3.3 7	4.7 9	1.6 40	2.2 41
和歌山	4.7 44	6.5 45	1.8 45	2.4 45
鳥取	4.2 35	5.7 35	1.4 21	1.9 18
島根	3.7 23	5.1 17	1.7 42	2.1 37
岡山	3.7 24	5.1 22	1.5 31	2.0 27
広島	3.7 20	5.1 19	1.4 19	2.0 23
山口	3.6 18	5.1 18	1.5 33	2.0 30
徳島	4.4 40	6.1 41	1.3 12	1.9 20
香川	4.5 41	6.1 40	1.5 25	2.0 25
愛媛	4.5 42	6.3 43	1.9 46	2.5 47
高知	4.8 46	6.6 46	1.9 47	2.5 46
福岡	3.2 6	4.5 6	1.2 6	1.7 7
佐賀	3.4 10	4.7 8	1.2 8	1.7 8
長崎	4.0 30	5.4 29	1.4 24	2.0 22
熊本	3.8 27	5.2 23	1.2 7	1.7 6
大分	4.1 34	5.6 33	1.7 44	2.3 44
宮崎	3.7 19	5.0 15	1.5 32	2.0 29
鹿児島	3.6 17	5.1 16	1.5 30	2.1 31
沖縄	4.2 37	5.8 36	1.4 22	2.0 21

脳血管疾患(年齢調整前) 人口1000人あたり

	男性		女性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	2.3	3.6	1.3	2.0
北海道	2.4 26	3.7 26	1.4 36	2.1 36
青森	3.4 47	5.1 47	1.8 46	2.6 46
岩手	3.4 46	5.1 46	1.5 41	2.4 41
宮城	2.5 34	3.7 32	1.2 24	1.9 25
秋田	3.1 45	4.9 45	1.4 33	2.2 38
山形	2.4 25	3.8 33	1.0 1	1.6 6
福島	2.6 38	4.1 39	1.5 40	2.2 39
茨城	2.8 41	4.2 40	1.4 37	2.1 37
栃木	3.0 44	4.5 44	1.6 42	2.4 42
群馬	2.6 36	3.9 36	1.6 43	2.4 44
埼玉	2.4 27	3.7 28	1.4 34	2.1 35
千葉	2.3 22	3.5 22	1.4 35	2.0 32
東京	2.6 35	3.9 35	1.3 29	2.0 33
神奈川	2.4 23	3.6 24	1.3 28	2.0 27
新潟	2.5 33	3.8 34	1.1 6	1.7 8
富山	2.2 17	3.4 17	1.1 9	1.7 11
石川	1.7 3	2.6 3	1.1 10	1.6 7
福井	1.6 2	2.6 2	1.0 4	1.6 4
山梨	2.2 18	3.5 19	1.1 8	1.7 10
長野	2.4 29	3.7 31	1.3 26	1.9 26
岐阜	2.3 19	3.5 21	1.3 27	2.0 29
静岡	2.3 20	3.5 23	1.4 32	2.0 34
愛知	2.0 10	3.1 9	1.2 25	1.9 23
三重	1.9 6	3.1 8	1.2 20	1.8 20
滋賀	1.6 1	2.6 1	1.1 7	1.6 1
京都	2.1 14	3.1 10	1.1 14	1.7 16
大阪	2.1 13	3.2 12	1.1 15	1.7 13
兵庫	2.0 8	3.1 7	1.1 13	1.7 12
奈良	1.7 4	2.7 4	1.0 5	1.6 2
和歌山	2.0 11	3.2 13	1.0 2	1.6 5
鳥取	2.6 37	4.0 37	1.3 31	2.0 28
島根	2.4 30	3.6 25	1.1 18	1.7 17
岡山	1.9 7	3.0 6	1.1 12	1.7 9
広島	2.3 21	3.4 18	1.1 17	1.7 15
山口	2.4 24	3.7 29	1.4 39	2.3 40
徳島	2.6 39	4.1 38	1.2 23	1.9 22
香川	1.9 5	3.0 5	1.0 3	1.6 3
愛媛	2.0 12	3.3 14	1.1 11	1.7 14
高知	2.7 40	4.2 41	1.7 45	2.5 45
福岡	2.1 16	3.3 16	1.2 19	1.8 18
佐賀	2.0 9	3.2 11	1.2 22	1.9 21
長崎	2.4 28	3.7 27	1.2 21	1.9 24
熊本	2.5 32	3.7 30	1.3 30	2.0 30
大分	2.1 15	3.3 15	1.1 16	1.8 19
宮崎	2.9 43	4.4 43	1.6 44	2.4 43
鹿児島	2.8 42	4.4 42	1.8 47	2.7 47
沖縄	2.4 31	3.5 20	1.4 38	2.0 31

脳血管疾患(年齢調整後) 人口1000人あたり

	男性		女性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	2.1	3.2	1.2	1.7
北海道	2.2 29	3.2 27	1.2 35	1.8 35
青森	3.1 47	4.5 47	1.6 46	2.2 46
岩手	3.1 46	4.5 46	1.3 39	1.9 39
宮城	2.4 38	3.5 38	1.2 27	1.7 27
秋田	2.6 43	4.0 44	1.2 26	1.7 26
山形	2.2 26	3.2 26	0.8 1	1.3 1
福島	2.5 39	3.7 40	1.4 40	2.0 40
茨城	2.5 40	3.8 41	1.3 38	1.9 38
栃木	2.7 45	4.1 45	1.4 41	2.1 43
群馬	2.3 34	3.4 34	1.5 43	2.1 45
埼玉	2.2 28	3.3 30	1.2 36	1.9 37
千葉	2.1 23	3.2 24	1.3 37	1.8 36
東京	2.3 37	3.5 35	1.2 29	1.7 29
神奈川	2.2 27	3.3 28	1.2 30	1.7 32
新潟	2.2 30	3.3 29	0.9 7	1.4 6
富山	1.9 14	2.8 13	0.9 4	1.3 3
石川	1.6 4	2.4 4	1.0 11	1.4 9
福井	1.5 2	2.3 1	0.9 5	1.4 5
山梨	2.1 22	3.1 23	1.0 14	1.5 17
長野	2.2 25	3.2 25	1.1 24	1.7 24
岐阜	2.1 20	3.1 22	1.2 28	1.7 28
静岡	2.0 18	3.1 19	1.2 33	1.8 33
愛知	1.9 12	2.9 14	1.1 25	1.7 25
三重	1.8 7	2.7 7	1.1 20	1.6 20
滋賀	1.5 1	2.4 2	1.0 17	1.5 12
京都	2.0 16	2.9 15	1.0 13	1.5 16
大阪	1.9 11	2.8 11	1.0 12	1.5 14
兵庫	1.8 8	2.7 8	1.0 15	1.5 15
奈良	1.5 3	2.4 3	0.9 6	1.4 7
和歌山	1.8 9	2.7 9	0.9 3	1.3 4
鳥取	2.3 33	3.5 37	1.2 34	1.7 30
島根	2.1 24	3.1 21	1.0 9	1.4 8
岡山	1.7 6	2.6 6	1.0 16	1.4 11
広島	2.1 21	3.0 18	1.0 18	1.5 18
山口	2.0 19	3.1 20	1.2 32	1.8 34
徳島	2.3 36	3.4 33	1.1 22	1.6 21
香川	1.7 5	2.5 5	0.9 2	1.3 2
愛媛	1.8 10	2.8 10	1.0 8	1.4 10
高知	2.3 32	3.5 36	1.5 44	2.1 42
福岡	2.0 17	3.0 17	1.1 19	1.5 19
佐賀	1.9 15	2.9 16	1.1 23	1.6 23
長崎	2.3 31	3.4 32	1.1 21	1.6 22
熊本	2.3 35	3.3 31	1.2 31	1.7 31
大分	1.9 13	2.8 12	1.0 10	1.5 13
宮崎	2.7 44	3.9 43	1.5 42	2.1 41
鹿児島	2.6 42	3.9 42	1.7 47	2.4 47
沖縄	2.5 41	3.6 39	1.5 45	2.1 44

交通事故(年齢調整前) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	4.0	4.4	1.1	1.2
北海道	5.3 44	6.0 44	1.5 40	1.7 41
青森	4.7 36	5.4 36	1.1 20	1.3 19
岩手	4.0 17	4.5 17	1.2 28	1.4 28
宮城	4.2 26	4.7 25	1.0 10	1.1 9
秋田	4.3 27	4.8 27	1.3 34	1.5 31
山形	3.4 5	3.8 5	1.2 29	1.4 29
福島	4.0 18	4.5 19	1.5 41	1.7 40
茨城	6.3 47	7.1 47	1.8 47	2.0 47
栃木	5.7 46	6.4 46	1.6 42	1.8 42
群馬	3.9 11	4.4 12	1.3 33	1.5 32
埼玉	3.3 4	3.8 4	0.9 6	1.0 6
千葉	4.2 25	4.8 26	1.1 16	1.3 17
東京	2.2 1	2.5 1	0.5 1	0.6 1
神奈川	3.1 2	3.5 2	0.6 2	0.7 2
新潟	4.1 22	4.7 23	1.3 35	1.5 34
富山	3.5 6	4.0 6	0.9 7	1.1 7
石川	3.7 8	4.2 8	1.3 31	1.5 33
福井	4.9 39	5.5 38	1.6 43	1.8 44
山梨	4.5 31	5.0 30	1.0 12	1.2 12
長野	3.6 7	4.0 7	1.1 17	1.2 16
岐阜	4.5 32	5.0 32	1.3 32	1.5 35
静岡	3.9 13	4.4 13	1.2 23	1.3 23
愛知	4.0 14	4.4 15	1.1 21	1.3 22
三重	5.1 41	5.7 42	1.4 37	1.6 37
滋賀	4.9 40	5.5 40	1.4 36	1.5 36
京都	4.0 15	4.5 16	1.1 18	1.3 18
大阪	3.3 3	3.7 3	0.8 4	1.0 5
兵庫	3.8 10	4.3 10	1.1 15	1.2 15
奈良	4.3 29	4.9 28	1.0 13	1.2 13
和歌山	4.5 30	5.0 31	1.1 19	1.3 20
鳥取	4.3 28	4.9 29	1.1 22	1.3 21
島根	3.8 9	4.3 9	1.2 24	1.4 24
岡山	4.8 37	5.4 37	1.6 44	1.8 43
広島	4.7 34	5.2 34	1.1 14	1.2 14
山口	4.9 38	5.5 39	1.4 39	1.6 39
徳島	4.1 21	4.7 24	1.4 38	1.6 38
香川	5.4 45	6.1 45	1.7 45	1.9 46
愛媛	4.7 35	5.2 35	1.3 30	1.5 30
高知	5.2 43	5.9 43	1.2 26	1.4 25
福岡	4.1 20	4.6 20	1.0 11	1.1 10
佐賀	4.1 23	4.6 21	1.7 46	1.9 45
長崎	4.2 24	4.7 22	0.8 3	1.0 4
熊本	4.1 19	4.5 18	1.2 27	1.4 26
大分	3.9 12	4.3 11	1.0 9	1.1 11
宮崎	4.6 33	5.1 33	1.2 25	1.4 27
鹿児島	4.0 16	4.4 14	1.0 8	1.1 8
沖縄	5.1 42	5.7 41	0.9 5	0.9 3

交通事故(年齢調整後) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	3.9	4.4	1.1	1.3
北海道	5.4 43	6.0 43	1.6 39	1.8 40
青森	4.9 35	5.6 39	1.2 23	1.4 22
岩手	4.2 20	4.8 22	1.4 34	1.6 32
宮城	4.1 15	4.5 15	1.0 7	1.1 7
秋田	4.8 33	5.4 33	1.6 40	1.7 38
山形	3.7 7	4.1 7	1.3 31	1.5 30
福島	4.2 21	4.8 20	1.6 41	1.8 41
茨城	6.3 47	7.1 47	1.8 47	2.1 47
栃木	5.8 46	6.5 46	1.6 42	1.8 42
群馬	3.9 12	4.4 12	1.4 33	1.6 33
埼玉	3.2 4	3.6 4	0.9 5	1.0 5
千葉	4.1 16	4.6 16	1.1 16	1.3 16
東京	2.1 1	2.4 1	0.5 1	0.6 1
神奈川	2.9 2	3.3 2	0.6 2	0.7 2
新潟	4.4 25	4.9 25	1.4 36	1.6 35
富山	3.6 6	4.1 6	1.0 8	1.1 8
石川	3.6 5	4.1 5	1.3 24	1.5 24
福井	5.1 40	5.7 40	1.7 44	1.9 44
山梨	4.5 27	5.1 27	1.1 13	1.2 12
長野	3.8 9	4.3 9	1.2 19	1.3 19
岐阜	4.6 29	5.1 29	1.3 27	1.5 29
静岡	4.0 13	4.5 13	1.2 21	1.4 21
愛知	3.8 10	4.3 10	1.1 17	1.3 18
三重	5.2 42	5.8 42	1.4 35	1.6 36
滋賀	4.9 39	5.5 37	1.4 32	1.6 34
京都	3.7 8	4.2 8	1.1 18	1.3 17
大阪	3.2 3	3.6 3	0.9 4	1.0 4
兵庫	3.8 11	4.3 11	1.1 15	1.3 15
奈良	4.3 22	4.8 21	1.1 12	1.2 13
和歌山	4.7 32	5.3 32	1.2 20	1.4 20
鳥取	4.6 31	5.3 31	1.2 22	1.4 23
島根	4.2 18	4.7 19	1.3 29	1.5 28
岡山	4.9 34	5.5 35	1.7 43	1.8 43
広島	4.6 30	5.2 30	1.1 14	1.2 14
山口	5.1 41	5.8 41	1.6 38	1.7 39
徳島	4.4 26	5.1 26	1.5 37	1.7 37
香川	5.6 45	6.3 45	1.7 45	2.0 46
愛媛	4.9 38	5.6 38	1.3 28	1.5 31
高知	5.5 44	6.3 44	1.3 25	1.5 25
福岡	4.0 14	4.5 14	1.0 9	1.1 9
佐賀	4.3 24	4.9 24	1.7 46	2.0 45
長崎	4.5 28	5.1 28	0.9 6	1.1 6
熊本	4.2 19	4.7 18	1.3 30	1.5 27
大分	4.1 17	4.6 17	1.0 11	1.2 11
宮崎	4.9 36	5.5 36	1.3 26	1.5 26
鹿児島	4.3 23	4.8 23	1.0 10	1.2 10
沖縄	4.9 37	5.4 34	0.8 3	0.9 3

自殺(年齢調整前) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	4.2	5.0	1.6	2.0
北海道	4.2 21	5.0 22	1.5 12	1.8 13
青森	5.4 42	6.5 42	1.6 18	1.9 20
岩手	5.6 44	6.8 45	1.5 16	1.9 19
宮城	4.2 18	4.9 18	1.5 17	1.8 16
秋田	5.7 46	6.9 46	1.7 32	2.1 40
山形	4.5 30	5.4 30	1.4 9	1.7 8
福島	4.3 24	5.1 24	1.5 13	1.8 12
茨城	4.4 27	5.2 26	1.6 19	1.9 17
栃木	4.6 32	5.4 31	1.6 24	1.9 25
群馬	4.4 25	5.2 25	1.6 29	2.0 29
埼玉	3.7 8	4.5 8	1.8 39	2.1 37
千葉	3.7 7	4.4 7	1.4 4	1.6 4
東京	4.2 20	5.0 21	2.0 47	2.4 47
神奈川	3.8 9	4.5 9	1.6 25	1.9 24
新潟	5.2 41	6.1 40	1.9 42	2.2 45
富山	4.4 29	5.4 29	1.8 40	2.1 38
石川	3.9 11	4.6 13	1.4 8	1.7 9
福井	4.1 16	4.8 16	1.4 7	1.7 7
山梨	4.8 37	5.7 37	1.9 46	2.3 46
長野	4.3 23	5.0 20	1.8 41	2.2 41
岐阜	3.6 5	4.3 5	1.5 14	1.8 15
静岡	3.5 4	4.3 4	1.3 1	1.5 1
愛知	3.4 3	4.1 3	1.6 27	1.9 26
三重	3.4 2	4.0 2	1.3 2	1.6 2
滋賀	3.6 6	4.3 6	1.4 10	1.7 10
京都	3.8 10	4.6 11	1.6 20	1.9 23
大阪	3.9 14	4.8 15	1.8 37	2.1 36
兵庫	4.0 15	4.7 14	1.6 22	1.9 21
奈良	2.9 1	3.6 1	1.6 28	1.9 27
和歌山	4.6 33	5.5 34	1.7 35	2.1 39
鳥取	4.5 31	5.4 32	1.4 5	1.7 6
島根	5.2 40	6.2 41	1.9 45	2.2 44
岡山	3.9 12	4.6 12	1.5 11	1.7 11
広島	4.2 22	5.1 23	1.5 15	1.8 14
山口	4.6 35	5.5 36	1.7 34	2.1 35
徳島	3.9 13	4.6 10	1.6 21	1.9 18
香川	4.2 19	5.0 19	1.7 31	1.9 28
愛媛	4.6 34	5.5 33	1.8 38	2.0 33
高知	4.8 39	5.7 38	1.9 44	2.2 43
福岡	4.8 38	5.7 39	1.8 36	2.1 34
佐賀	4.6 36	5.5 35	1.7 33	2.0 32
長崎	4.4 28	5.3 27	1.4 6	1.7 5
熊本	4.4 26	5.3 28	1.6 23	1.9 22
大分	4.1 17	4.9 17	1.4 3	1.6 3
宮崎	5.6 45	6.7 44	1.6 26	2.0 31
鹿児島	5.5 43	6.6 43	1.7 30	2.0 30
沖縄	6.1 47	7.3 47	1.9 43	2.2 42

自殺(年齢調整後) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	4.1	4.9	1.6	1.9
北海道	4.2 21	5.0 21	1.4 9	1.7 9
青森	5.6 42	6.6 42	1.6 27	1.9 26
岩手	5.8 43	6.9 43	1.6 22	1.9 25
宮城	4.1 17	4.9 17	1.5 17	1.8 16
秋田	5.9 44	7.1 45	1.7 34	2.1 38
山形	4.6 31	5.6 31	1.5 14	1.8 14
福島	4.5 27	5.3 27	1.6 21	1.9 21
茨城	4.4 24	5.1 24	1.5 18	1.8 18
栃木	4.5 28	5.3 28	1.6 24	1.9 24
群馬	4.3 23	5.1 23	1.6 28	1.9 27
埼玉	3.6 7	4.2 7	1.7 30	2.0 28
千葉	3.5 4	4.2 4	1.3 2	1.5 2
東京	3.8 12	4.5 12	1.8 41	2.2 40
神奈川	3.5 6	4.2 5	1.5 15	1.8 13
新潟	5.3 41	6.2 40	1.9 43	2.3 44
富山	4.4 26	5.3 26	1.8 40	2.2 41
石川	3.8 13	4.6 13	1.4 4	1.7 4
福井	4.1 18	4.9 18	1.4 6	1.7 6
山梨	4.7 33	5.6 34	2.0 47	2.3 47
長野	4.4 25	5.1 25	1.9 42	2.2 42
岐阜	3.6 8	4.3 8	1.5 12	1.8 15
静岡	3.5 5	4.2 6	1.2 1	1.5 1
愛知	3.3 2	3.9 2	1.6 20	1.9 20
三重	3.4 3	4.0 3	1.3 3	1.6 3
滋賀	3.6 9	4.3 9	1.4 5	1.7 5
京都	3.7 10	4.4 10	1.5 16	1.8 17
大阪	3.7 11	4.5 11	1.7 31	2.0 30
兵庫	3.9 14	4.7 15	1.6 19	1.9 19
奈良	2.9 1	3.5 1	1.6 23	1.9 22
和歌山	4.7 32	5.6 33	1.7 35	2.1 37
鳥取	4.7 34	5.6 36	1.4 10	1.7 10
島根	5.2 40	6.3 41	1.9 45	2.3 46
岡山	3.9 15	4.7 14	1.5 11	1.8 11
広島	4.2 20	5.0 20	1.5 13	1.8 12
山口	4.7 36	5.6 35	1.7 36	2.1 35
徳島	4.0 16	4.8 16	1.6 25	1.9 23
香川	4.2 19	5.0 19	1.7 33	2.0 32
愛媛	4.7 35	5.6 32	1.8 39	2.1 39
高知	5.0 39	5.9 39	1.9 46	2.3 45
福岡	4.8 37	5.7 37	1.7 37	2.0 33
佐賀	4.9 38	5.8 38	1.8 38	2.1 36
長崎	4.6 29	5.4 29	1.4 7	1.7 7
熊本	4.6 30	5.5 30	1.7 29	2.0 29
大分	4.2 22	5.0 22	1.4 8	1.7 8
宮崎	5.9 45	7.0 44	1.6 26	2.0 31
鹿児島	6.0 46	7.1 46	1.7 32	2.1 34
沖縄	6.5 47	7.6 47	1.9 44	2.2 43

統計表 4 PYLL65 死因別割合 1995 年

PYLL65(年齢調整前) 男性

全国	悪性新生物 23.4%	心疾患 10.7%	脳血管疾患 6.5%	交通事故 10.9%	自殺 11.6%	その他 36.8%
北海道	24.0%	11.6%	6.3%	13.9%	11.0%	33.2%
青森	22.1%	11.4%	7.5%	10.4%	12.0%	36.6%
岩手	21.0%	11.8%	8.3%	9.9%	13.9%	35.1%
宮城	23.2%	10.0%	7.3%	12.4%	12.1%	34.9%
秋田	24.8%	9.2%	7.5%	10.6%	14.1%	33.7%
山形	24.1%	12.9%	6.9%	9.9%	13.0%	33.3%
福島	22.1%	10.9%	7.0%	10.7%	11.5%	37.7%
茨城	20.4%	10.4%	7.0%	15.9%	11.1%	35.2%
栃木	20.1%	10.6%	7.5%	14.6%	11.6%	35.5%
群馬	21.0%	12.7%	7.2%	10.8%	12.2%	36.2%
埼玉	24.0%	12.3%	7.4%	10.1%	11.4%	34.9%
千葉	24.0%	11.2%	6.8%	12.4%	10.8%	34.7%
東京	25.0%	10.4%	7.5%	6.6%	12.3%	38.2%
神奈川	24.2%	10.1%	7.2%	9.5%	11.7%	37.2%
新潟	24.3%	9.1%	6.9%	11.6%	14.4%	33.7%
富山	23.2%	11.2%	6.1%	9.9%	12.5%	37.1%
石川	24.1%	12.4%	5.1%	11.3%	11.7%	35.4%
福井	22.1%	9.8%	4.8%	14.4%	12.0%	37.0%
山梨	20.9%	12.8%	5.8%	11.7%	12.4%	36.4%
長野	21.3%	10.6%	7.6%	11.3%	13.4%	35.7%
岐阜	23.2%	11.0%	6.7%	13.2%	10.6%	35.4%
静岡	24.1%	11.1%	6.7%	11.6%	10.6%	36.0%
愛知	23.6%	11.9%	6.2%	12.1%	10.6%	35.7%
三重	21.8%	11.1%	5.5%	14.5%	9.6%	37.5%
滋賀	22.0%	10.6%	5.1%	15.5%	11.4%	35.5%
京都	24.2%	9.6%	6.3%	12.1%	11.7%	36.2%
大阪	26.3%	10.9%	5.6%	8.8%	10.7%	37.6%
兵庫	23.5%	9.7%	5.0%	9.7%	10.0%	42.1%
奈良	25.3%	10.8%	5.2%	13.3%	9.0%	36.3%
和歌山	23.7%	12.7%	5.2%	11.3%	11.5%	35.7%
鳥取	26.6%	10.4%	6.2%	10.5%	11.0%	35.3%
島根	24.7%	10.1%	6.2%	9.6%	13.1%	36.3%
岡山	22.9%	10.7%	5.4%	13.3%	10.7%	37.1%
広島	24.1%	10.3%	6.1%	12.4%	11.3%	35.8%
山口	23.5%	9.9%	5.9%	12.3%	11.7%	36.7%
徳島	22.5%	11.9%	6.7%	10.4%	9.9%	38.6%
香川	22.5%	12.7%	5.1%	14.6%	11.3%	33.7%
愛媛	22.7%	11.9%	5.1%	11.6%	11.4%	37.3%
高知	21.1%	11.5%	6.1%	11.9%	10.9%	38.6%
福岡	24.2%	8.6%	5.5%	10.7%	12.4%	38.6%
佐賀	24.4%	8.8%	5.1%	10.7%	12.0%	38.9%
長崎	24.0%	10.3%	6.0%	10.5%	11.1%	38.2%
熊本	21.6%	10.7%	6.8%	11.2%	12.2%	37.6%
大分	23.3%	11.5%	5.6%	10.5%	11.0%	38.1%
宮崎	20.3%	9.5%	7.3%	11.3%	14.0%	37.6%
鹿児島	20.4%	9.2%	7.0%	9.8%	13.6%	40.1%
沖縄	15.7%	9.6%	5.8%	12.1%	14.5%	42.3%

PYLL65(年齢調整前) 女性

全国	悪性新生物 33.8%	心疾患 7.4%	脳血管疾患 6.6%	交通事故 5.5%	自殺 8.4%	その他 38.2%
北海道	35.5%	8.5%	6.9%	7.2%	7.3%	34.6%
青森	33.2%	7.4%	8.1%	5.2%	7.2%	39.0%
岩手	33.5%	7.4%	7.8%	6.4%	8.0%	36.9%
宮城	34.7%	7.3%	6.9%	5.4%	8.6%	37.2%
秋田	39.2%	5.0%	6.9%	6.8%	8.6%	33.5%
山形	34.6%	7.6%	5.2%	6.6%	7.6%	38.4%
福島	31.7%	7.2%	7.0%	7.1%	7.2%	39.8%
茨城	32.1%	7.9%	7.0%	8.9%	7.8%	36.3%
栃木	31.7%	7.1%	7.7%	7.7%	7.9%	38.0%
群馬	30.5%	8.7%	8.5%	7.0%	8.6%	36.9%
埼玉	33.9%	7.9%	7.2%	4.6%	9.2%	37.2%
千葉	35.5%	7.7%	7.5%	6.0%	7.4%	35.9%
東京	36.2%	6.4%	7.0%	2.8%	10.7%	36.9%
神奈川	35.7%	6.3%	7.2%	3.5%	8.8%	38.5%
新潟	35.7%	6.1%	5.7%	7.3%	10.0%	35.2%
富山	35.2%	7.6%	5.7%	4.8%	9.3%	37.6%
石川	34.2%	8.1%	6.1%	7.3%	7.9%	36.5%
福井	31.3%	7.5%	5.3%	8.2%	7.2%	40.5%
山梨	29.5%	8.1%	5.5%	5.2%	10.0%	41.6%
長野	33.7%	7.9%	7.1%	6.2%	10.3%	34.8%
岐阜	34.0%	8.6%	6.9%	6.9%	7.9%	35.7%
静岡	34.5%	7.5%	7.3%	6.2%	6.7%	37.7%
愛知	34.2%	8.0%	6.6%	6.0%	8.5%	36.9%
三重	32.2%	8.7%	6.5%	7.4%	7.2%	37.9%
滋賀	31.2%	7.1%	5.9%	7.5%	7.9%	40.4%
京都	35.0%	6.1%	6.2%	6.2%	8.7%	38.0%
大阪	35.7%	7.6%	5.8%	4.3%	9.0%	37.7%
兵庫	29.9%	6.9%	5.0%	4.8%	7.1%	46.4%
奈良	34.3%	8.3%	5.4%	5.4%	8.6%	38.0%
和歌山	33.3%	9.0%	5.0%	5.6%	8.7%	38.4%
鳥取	34.4%	7.5%	6.9%	5.9%	7.1%	38.2%
島根	35.1%	7.9%	5.7%	6.0%	9.4%	36.0%
岡山	33.0%	7.9%	5.8%	8.4%	7.6%	37.3%
広島	35.3%	7.8%	5.9%	5.6%	7.9%	37.5%
山口	32.1%	7.8%	7.0%	7.0%	8.4%	37.7%
徳島	32.5%	6.8%	5.8%	6.5%	7.4%	40.9%
香川	32.4%	7.5%	5.1%	8.3%	8.4%	38.3%
愛媛	31.6%	8.8%	5.1%	5.9%	8.2%	40.5%
高知	30.6%	8.9%	7.8%	5.6%	8.6%	38.6%
福岡	34.2%	6.3%	5.9%	5.0%	8.9%	39.6%
佐賀	33.8%	6.1%	5.9%	8.0%	8.3%	37.9%
長崎	34.4%	7.2%	6.0%	4.1%	6.8%	41.4%
熊本	30.8%	6.5%	6.9%	6.4%	8.3%	41.2%
大分	35.1%	9.4%	6.0%	5.2%	7.2%	37.0%
宮崎	28.7%	7.6%	8.1%	6.0%	8.0%	41.7%
鹿児島	29.1%	7.4%	8.7%	4.6%	8.0%	42.1%
沖縄	25.6%	6.5%	6.6%	4.0%	8.6%	48.7%

統計表 5 YLL 推定値とランキング 1995年

粗YLL	人口1000人あたり											
	全死因		悪性新生物		心疾患		脳血管疾患		交通事故		自殺	
全国	70.1	順位	22.4	順位	9.2	順位	6.9	順位	3.6	順位	4.3	順位
北海道	74.1	24	24.4	30	10.5	36	6.8	17	4.7	44	4.3	24
青森	88.0	46	26.6	40	12.5	47	9.7	45	4.4	38	5.7	43
岩手	80.7	37	23.2	24	11.3	42	9.8	46	3.8	22	6.0	45
宮城	66.0	10	21.3	10	8.6	9	7.5	27	3.7	21	4.1	17
秋田	86.5	45	29.0	47	9.8	26	11.0	47	3.9	26	6.2	47
山形	76.1	32	25.1	36	10.8	39	9.0	44	3.1	5	4.7	35
福島	75.9	31	23.5	26	10.4	35	8.7	39	3.7	20	4.3	23
茨城	72.0	19	21.1	9	9.4	21	7.8	32	5.7	47	4.3	25
栃木	73.8	23	21.6	15	9.9	28	8.5	38	5.0	46	4.6	31
群馬	69.7	16	20.4	8	10.1	32	7.5	30	3.6	16	4.5	26
埼玉	59.1	1	18.7	2	8.4	6	6.1	8	3.0	4	3.9	10
千葉	61.8	3	19.8	6	8.4	7	6.1	9	3.8	24	3.8	7
東京	65.8	8	21.8	17	8.6	8	6.6	14	2.0	1	4.2	21
神奈川	59.6	2	19.4	3	7.4	1	5.9	6	2.7	2	3.8	8
新潟	74.2	27	24.6	34	8.7	10	8.5	37	3.9	27	5.3	40
富山	74.2	25	23.6	27	9.9	29	7.5	28	3.4	8	4.7	32
石川	67.8	12	21.9	18	9.5	23	6.3	11	3.4	7	4.0	13
福井	69.5	15	21.3	11	9.0	13	6.5	13	4.5	39	4.1	15
山梨	74.3	28	22.0	19	10.8	40	7.1	21	4.0	30	4.8	37
長野	68.1	13	20.3	7	9.4	20	8.8	42	3.3	6	4.2	19
岐阜	68.9	14	21.5	14	9.5	24	7.2	24	4.1	33	3.8	6
静岡	66.9	11	21.3	12	9.1	16	7.0	19	3.5	13	3.7	4
愛知	61.8	4	19.5	4	9.0	15	5.8	5	3.5	11	3.6	3
三重	71.0	18	21.5	13	10.1	31	7.1	20	4.6	42	3.5	2
滋賀	62.5	5	19.6	5	8.2	4	5.6	4	4.5	40	3.7	5
京都	65.9	9	21.8	16	8.3	5	6.1	7	3.5	10	3.9	12
大阪	70.3	17	24.4	31	9.0	14	5.5	3	2.9	3	4.2	20
兵庫	75.8	30	24.6	33	9.4	22	6.2	10	3.5	9	4.1	14
奈良	65.3	7	22.4	20	8.8	11	5.5	2	3.8	23	3.1	1
和歌山	82.7	40	27.2	44	12.4	45	7.4	25	4.0	32	4.8	36
鳥取	84.0	44	27.8	46	10.7	38	8.8	40	4.0	31	4.7	33
島根	83.7	43	27.4	45	10.3	34	8.2	34	3.5	15	5.4	41
岡山	73.6	22	23.0	23	9.7	25	6.9	18	4.3	37	3.9	9
広島	73.1	21	24.0	28	9.1	17	6.7	15	4.1	34	4.3	22
山口	83.0	42	26.7	41	10.3	33	8.0	33	4.5	41	4.7	34
徳島	82.7	39	25.3	38	11.9	44	8.2	35	4.0	28	3.9	11
香川	74.6	29	23.5	25	10.9	41	6.8	16	4.9	45	4.2	18
愛媛	80.9	38	25.0	35	11.5	43	7.6	31	4.3	36	4.6	29
高知	88.6	47	25.8	39	12.5	46	8.8	41	4.6	43	4.9	39
福岡	74.2	26	25.1	37	8.1	3	6.4	12	3.7	19	4.9	38
佐賀	78.4	35	26.8	43	8.9	12	7.1	22	3.9	25	4.6	30
長崎	80.1	36	26.7	42	9.8	27	7.4	26	3.7	18	4.5	27
熊本	73.0	20	22.6	21	9.2	18	7.1	23	3.6	17	4.5	28
大分	77.2	33	24.3	29	10.5	37	7.5	29	3.5	12	4.1	16
宮崎	77.5	34	23.0	22	9.3	19	8.3	36	4.0	29	5.8	44
鹿児島	82.8	41	24.6	32	10.1	30	9.0	43	3.5	14	5.6	42
沖縄	64.3	6	16.2	1	7.5	2	4.8	1	4.2	35	6.1	46

全国	女性											
	全死因	順位	悪性新生物	順位	心疾患	順位	脳血管疾患	順位	70歳未満	順位	自殺	順位
	45.4		14.5		6.4		5.9		1.1		1.8	
北海道	45.2	12	15.4	32	6.7	21	5.4	10	1.4	39	1.7	19
青森	50.9	37	15.7	38	7.3	36	7.4	39	1.2	19	1.9	33
岩手	48.7	30	14.8	24	6.9	28	7.6	40	1.2	23	2.0	38
宮城	42.4	6	13.8	10	5.8	6	6.5	27	0.9	7	1.7	14
秋田	51.9	40	17.5	47	6.7	24	8.5	47	1.2	28	2.4	47
山形	51.4	39	16.1	42	7.4	39	7.9	44	1.2	27	1.7	23
福島	50.0	32	15.0	27	7.3	35	7.6	41	1.4	38	1.7	17
茨城	45.8	15	13.8	9	6.5	15	6.6	31	1.7	46	1.7	22
栃木	47.6	24	14.1	14	6.8	26	7.4	38	1.5	42	1.8	31
群馬	46.7	19	13.5	6	7.1	32	6.8	33	1.4	33	1.9	36
埼玉	39.3	2	12.8	2	5.5	3	5.0	4	0.9	6	1.9	35
千葉	39.8	3	13.1	4	5.6	4	5.2	7	1.1	12	1.5	3
東京	43.5	9	15.0	29	5.8	7	5.6	12	0.5	1	2.0	40
神奈川	39.0	1	13.4	5	4.8	2	5.0	3	0.6	2	1.7	12
新潟	47.6	25	15.4	33	6.2	10	7.2	37	1.4	31	2.3	46
富山	48.5	28	15.5	35	6.7	23	6.4	26	1.0	11	2.0	43
石川	45.9	16	14.5	21	6.7	22	5.7	15	1.4	36	1.5	5
福井	48.4	27	14.3	17	7.0	30	6.3	23	1.7	44	1.6	10
山梨	46.9	20	13.8	11	6.6	17	6.0	18	1.0	10	2.0	42
長野	47.3	21	14.1	15	6.9	27	8.1	45	1.1	16	2.0	37
岐阜	45.6	14	14.4	19	6.7	20	6.2	21	1.4	40	1.8	27
静岡	43.5	8	13.5	7	6.3	13	6.0	17	1.2	24	1.4	1
愛知	42.3	5	13.7	8	6.3	12	5.2	8	1.2	21	1.7	24
三重	47.8	26	13.8	12	7.4	37	6.7	32	1.4	34	1.6	7
滋賀	42.9	7	13.1	3	6.1	8	5.4	11	1.4	35	1.6	8
京都	45.4	13	14.7	22	6.2	11	5.6	13	1.1	15	1.7	21
大阪	44.3	10	15.2	30	6.2	9	4.5	2	0.8	4	1.8	30
兵庫	49.8	31	15.0	28	6.8	25	5.2	5	1.2	18	1.7	16
奈良	44.5	11	14.4	18	6.6	18	5.2	6	1.1	14	1.7	15
和歌山	53.0	44	16.2	43	8.5	46	6.5	28	1.2	20	2.1	45
鳥取	50.8	36	16.1	41	7.1	33	7.7	42	1.2	25	1.7	11
島根	52.5	43	16.8	46	7.6	40	6.9	35	1.2	26	2.0	44
岡山	47.5	23	14.1	16	7.0	31	6.1	19	1.6	43	1.6	6
広島	46.3	18	14.9	26	6.6	16	5.6	14	1.1	17	1.6	9
山口	52.1	42	15.7	40	7.7	42	7.1	36	1.4	37	1.8	32
徳島	53.3	46	15.7	37	8.2	44	6.6	29	1.5	41	1.7	20
香川	50.3	33	14.9	25	7.4	38	6.2	20	1.8	47	1.7	18
愛媛	52.0	41	15.2	31	8.3	45	6.4	24	1.4	32	1.8	29
高知	55.4	47	15.7	39	8.7	47	7.8	43	1.3	29	2.0	39
福岡	46.0	17	15.5	34	5.7	5	5.3	9	1.0	9	1.8	28
佐賀	50.9	38	16.5	45	6.7	19	6.4	25	1.7	45	1.8	26
長崎	50.6	35	16.4	44	7.1	34	6.2	22	0.9	5	1.5	4
熊本	47.5	22	14.4	20	6.5	14	6.0	16	1.2	22	1.7	13
大分	50.3	34	15.6	36	7.9	43	6.6	30	1.1	13	1.5	2
宮崎	48.7	29	14.0	13	6.9	29	6.8	34	1.3	30	2.0	41
鹿児島	53.2	45	14.7	23	7.6	41	8.3	46	1.0	8	1.9	34
沖縄	39.9	4	10.9	1	4.8	1	3.9	1	0.7	3	1.8	25

全国	男 性											
	全死因	順位	悪性新生物	順位	心疾患	順位	脳血管疾患	順位	交通事故	順位	自殺	順位
	61.7		19.4		8.2		6.0		3.4		4.1	
北海道	63.7	28	20.4	38	9.0	40	5.8	22	4.6	43	4.2	24
青森	76.0	47	22.2	46	10.7	47	8.2	47	4.4	39	5.7	42
岩手	66.1	38	18.1	10	9.1	43	7.7	45	3.8	23	6.0	44
宮城	59.6	16	19.0	25	7.8	16	6.8	40	3.4	12	4.1	17
秋田	67.5	44	21.3	41	7.5	10	7.9	46	4.1	32	6.1	46
山形	59.5	14	18.8	20	8.4	30	6.6	37	3.2	6	4.8	34
福島	63.3	27	19.1	29	8.6	34	7.0	42	3.7	20	4.4	26
茨城	64.9	31	18.8	21	8.5	31	7.1	43	5.5	47	4.2	22
栃木	65.7	37	19.0	24	8.8	39	7.6	44	4.9	45	4.5	27
群馬	59.7	18	17.2	3	8.7	36	6.3	33	3.5	13	4.3	25
埼玉	58.6	11	18.7	19	8.7	35	6.4	34	2.8	4	3.6	7
千葉	59.4	13	19.0	26	8.4	28	6.2	30	3.6	16	3.5	5
東京	60.2	21	19.8	34	7.9	22	6.1	29	1.8	1	3.8	11
神奈川	57.7	6	18.9	23	7.4	7	6.0	27	2.5	2	3.5	4
新潟	60.2	20	19.2	31	6.9	1	6.6	36	3.9	26	5.3	40
富山	59.3	12	18.2	13	7.9	20	5.7	18	3.3	9	4.6	28
石川	57.6	5	18.5	16	8.1	25	5.2	6	3.2	7	3.9	14
福井	56.7	3	17.1	2	7.2	4	5.0	2	4.4	40	4.1	18
山梨	62.1	24	18.1	11	9.0	41	5.7	21	3.9	27	4.7	33
長野	53.7	1	15.5	1	7.2	3	6.5	35	3.3	10	4.2	21
岐阜	58.1	9	17.7	6	8.0	23	6.0	28	4.0	30	3.7	9
静岡	57.8	7	18.1	9	7.9	21	6.0	26	3.5	14	3.5	6
愛知	58.3	10	18.4	15	8.7	37	5.7	20	3.3	8	3.3	2
三重	59.7	17	17.5	5	8.4	29	5.8	23	4.5	41	3.4	3
滋賀	56.6	2	17.8	7	7.5	11	5.1	4	4.3	37	3.6	8
京都	58.0	8	19.1	28	7.3	5	5.3	9	3.2	5	3.8	10
大阪	65.3	35	22.4	47	8.6	32	5.3	8	2.7	3	3.9	13
兵庫	66.8	42	21.2	40	8.4	27	5.4	10	3.4	11	3.9	15
奈良	57.5	4	19.4	33	7.8	19	4.9	1	3.6	19	3.0	1
和歌山	66.2	40	20.8	39	9.8	46	5.6	11	4.1	34	4.8	35
鳥取	68.1	45	22.1	45	8.6	33	6.7	38	4.2	35	4.8	36
島根	63.0	26	19.8	35	7.4	8	5.7	15	3.7	22	5.4	41
岡山	59.9	19	18.3	14	7.8	15	5.3	7	4.3	36	3.9	12
広島	62.2	25	20.2	37	7.7	13	5.6	12	4.0	29	4.2	20
山口	64.9	32	20.0	36	7.8	18	5.9	24	4.5	42	4.7	32
徳島	65.4	36	19.2	30	9.3	44	6.2	31	4.0	31	4.0	16
香川	60.5	22	18.2	12	8.7	38	5.1	3	5.0	46	4.1	19
愛媛	64.9	33	19.3	32	9.1	42	5.7	17	4.3	38	4.7	31
高知	68.9	46	19.1	27	9.4	45	6.3	32	4.8	44	5.0	39
福岡	66.1	39	22.1	44	7.2	2	5.7	19	3.5	15	4.9	38
佐賀	65.2	34	22.0	43	7.3	6	5.7	16	3.8	25	4.8	37
長崎	66.6	41	21.5	42	8.0	24	5.9	25	3.8	24	4.6	29
熊本	59.5	15	18.0	8	7.5	9	5.6	14	3.6	18	4.7	30
大分	61.7	23	18.7	18	8.3	26	5.6	13	3.6	17	4.2	23
宮崎	64.8	30	18.6	17	7.7	12	6.7	39	4.1	33	6.0	45
鹿児島	66.8	43	18.9	22	7.8	17	6.8	41	3.7	21	5.9	43
沖縄	64.3	29	17.5	4	7.8	14	5.2	5	4.0	28	6.3	47

全国	女性											
	全死因	順位	悪性新生物	順位	心疾患	順位	脳血管疾患	順位	70歳未満	順位	自殺	順位
	33.5		11.5		4.2		3.9		1.0		1.7	
北海道	34.2	35	12.1	41	4.6	41	3.7	23	1.4	39	1.6	12
青森	36.4	46	12.0	39	4.6	42	4.8	46	1.1	20	1.8	30
岩手	32.5	18	10.7	11	3.9	13	4.4	41	1.2	25	1.8	34
宮城	32.0	11	11.3	23	3.9	15	4.4	40	0.9	7	1.6	13
秋田	33.4	27	12.2	43	3.5	2	4.4	42	1.3	31	2.1	46
山形	32.2	13	11.2	22	3.9	14	3.9	26	1.2	26	1.6	18
福島	34.5	38	11.4	29	4.3	29	4.5	43	1.4	40	1.7	22
茨城	34.6	39	11.3	25	4.5	33	4.5	44	1.6	47	1.7	20
栃木	35.2	44	11.3	24	4.5	36	4.9	47	1.4	42	1.8	27
群馬	33.3	26	10.4	4	4.5	37	4.4	39	1.3	36	1.8	32
埼玉	34.0	32	11.5	32	4.7	44	4.3	38	0.8	6	1.8	28
千葉	32.8	21	11.3	27	4.4	32	4.1	35	1.0	14	1.4	2
東京	33.6	29	12.1	42	4.1	23	3.9	29	0.5	1	1.8	36
神奈川	32.5	17	11.7	36	3.8	11	4.0	32	0.6	2	1.6	9
新潟	31.0	2	11.1	20	3.3	1	3.7	24	1.3	35	2.2	47
富山	31.5	4	11.1	19	3.7	8	3.4	5	1.0	10	2.0	42
石川	31.6	7	11.1	18	4.0	19	3.4	4	1.3	30	1.5	4
福井	31.9	10	10.6	9	4.0	16	3.4	9	1.5	44	1.6	10
山梨	32.1	12	10.5	6	4.0	17	3.5	16	1.0	11	2.0	45
長野	30.3	1	10.2	1	3.7	9	4.2	37	1.1	17	1.9	40
岐阜	33.3	25	11.4	28	4.4	30	4.0	33	1.3	33	1.7	21
静岡	31.6	6	10.7	12	4.1	22	3.9	27	1.1	22	1.4	1
愛知	34.1	33	11.8	38	4.7	45	4.0	31	1.1	19	1.7	19
三重	32.8	22	10.5	7	4.6	38	4.0	30	1.3	37	1.5	3
滋賀	31.7	8	10.8	13	4.0	18	3.6	19	1.3	34	1.5	7
京都	32.5	15	11.5	31	3.8	12	3.5	17	1.0	13	1.6	16
大阪	35.4	45	12.7	47	4.6	43	3.4	7	0.8	4	1.7	26
兵庫	37.7	47	12.0	40	4.6	40	3.5	11	1.1	18	1.6	17
奈良	33.7	30	11.7	37	4.6	39	3.5	15	1.0	12	1.6	15
和歌山	34.6	40	11.7	34	4.8	47	3.5	14	1.1	21	2.0	41
鳥取	32.4	14	11.5	30	3.8	10	3.9	28	1.2	24	1.6	14
島根	31.6	5	11.5	33	3.7	7	3.2	1	1.2	29	2.0	44
岡山	31.7	9	10.7	10	4.0	20	3.4	6	1.5	43	1.5	8
広島	32.7	20	11.7	35	4.1	26	3.4	10	1.0	16	1.6	11
山口	33.6	28	11.0	16	4.1	27	3.8	25	1.4	41	1.8	33
徳島	34.9	43	11.3	26	4.4	31	3.6	20	1.3	38	1.7	23
香川	33.2	24	10.9	14	4.2	28	3.3	2	1.6	46	1.7	25
愛媛	34.7	41	11.1	21	4.8	46	3.5	12	1.3	32	1.8	35
高知	34.9	42	10.9	15	4.5	35	4.1	34	1.2	28	2.0	43
福岡	33.8	31	12.3	45	3.7	6	3.4	8	0.9	8	1.8	29
佐賀	34.3	36	12.3	46	3.7	5	3.6	22	1.6	45	1.8	31
長崎	34.2	34	12.2	44	4.1	24	3.6	21	0.8	5	1.5	6
熊本	31.4	3	10.5	5	3.5	3	3.5	13	1.2	23	1.7	24
大分	32.7	19	11.1	17	4.5	34	3.5	18	1.0	15	1.5	5
宮崎	33.1	23	10.4	3	4.0	21	4.2	36	1.2	27	1.9	39
鹿児島	34.4	37	10.6	8	4.1	25	4.6	45	1.0	9	1.9	38
沖縄	32.5	16	10.3	2	3.6	4	3.3	3	0.7	3	1.9	37

統計表6 ASMR,年齢調整死亡率(全年齢、60歳未満、65歳未満)とランキング 1995年

	人口10万人あたり								
	男 性						女 性		
	年齢調整死亡率			年齢調整死亡率			年齢調整死亡率		
全国	全年齢 順位	60歳未満 順位	65歳未満 順位	全年齢 順位	60歳未満 順位	65歳未満 順位	全年齢 順位	60歳未満 順位	65歳未満 順位
	697.4	173.3	230.4	372.3	88.9	111.7			
北海道	699.8 28	183.1 27	237.9 26	370.4 28	93.7 38	117.0 40			
青森	833.1 47	223.0 47	288.3 47	402.0 46	98.5 45	119.8 44			
岩手	723.6 36	196.2 41	250.0 37	364.1 17	87.6 21	107.6 16			
宮城	680.6 16	167.1 16	219.1 16	366.1 19	84.4 9	104.8 8			
秋田	746.0 44	195.6 40	253.3 40	376.4 35	91.3 32	110.9 23			
山形	685.3 20	164.4 14	217.0 14	369.6 25	83.6 6	103.5 6			
福島	707.2 31	181.0 26	235.6 24	379.6 38	93.8 39	115.5 36			
茨城	714.3 33	183.3 28	242.0 29	386.4 41	92.4 35	115.0 32			
栃木	732.8 41	183.8 29	243.7 30	394.4 44	92.9 36	116.5 37			
群馬	674.5 13	169.1 18	222.5 19	374.4 32	88.0 22	110.6 21			
埼玉	689.3 26	155.4 7	210.6 8	384.5 40	86.5 16	110.8 22			
千葉	685.4 21	161.6 12	217.8 15	373.7 31	84.1 8	106.7 14			
東京	686.8 24	171.7 20	227.8 22	376.7 36	88.7 24	112.4 29			
神奈川	666.5 6	158.2 9	213.4 10	368.3 23	83.7 7	106.5 12			
新潟	682.0 19	170.0 19	221.3 17	350.2 8	83.4 4	102.2 2			
富山	676.7 15	164.4 15	215.8 11	347.7 5	84.8 12	102.7 4			
石川	670.7 7	154.5 6	206.6 4	359.2 13	79.7 1	103.4 5			
福井	650.0 3	154.4 5	204.7 3	356.2 11	84.6 11	103.9 7			
山梨	681.0 17	183.8 30	239.9 27	349.5 6	88.1 23	109.4 17			
長野	618.3 1	150.4 2	196.0 1	343.5 4	81.2 3	100.4 1			
岐阜	670.8 8	158.3 10	212.4 9	376.4 34	87.4 18	111.3 25			
静岡	661.9 5	159.1 11	216.9 13	353.1 9	85.5 13	106.3 10			
愛知	687.9 25	153.1 4	209.6 5	388.3 43	87.2 17	111.6 26			
三重	691.3 27	162.3 13	216.6 12	379.1 37	84.5 10	107.2 15			
滋賀	676.1 14	145.7 1	197.6 2	366.8 21	80.5 2	102.2 3			
京都	671.5 9	157.9 8	210.2 7	366.8 20	83.5 5	106.4 11			
大阪	749.4 45	180.3 25	246.2 32	398.8 45	90.3 29	116.8 39			
兵庫	753.7 46	185.6 31	248.1 34	411.6 47	99.9 47	125.5 47			
奈良	674.1 12	151.6 3	209.8 6	381.3 39	87.4 19	110.4 20			
和歌山	737.7 43	186.8 32	253.7 41	387.5 42	91.8 33	115.0 33			
鳥取	736.4 42	207.3 45	266.8 45	355.7 10	89.3 28	110.2 19			
島根	681.3 18	190.1 37	242.0 28	337.3 2	89.0 26	110.1 18			
岡山	672.7 11	168.6 17	222.4 18	349.9 7	85.6 14	105.8 9			
広島	686.3 23	177.3 23	236.4 25	357.8 12	88.9 25	112.0 28			
山口	710.4 32	187.1 33	248.3 36	360.5 15	92.2 34	114.4 31			
徳島	718.2 34	189.8 36	248.2 35	374.7 33	95.3 41	118.7 43			
香川	671.8 10	172.9 21	227.6 21	363.0 16	89.2 27	111.9 27			
愛媛	702.1 30	194.3 39	250.5 38	371.5 29	95.0 40	118.1 42			
高知	726.8 39	211.1 46	271.2 46	368.0 22	99.2 46	120.9 46			
福岡	728.7 40	189.2 35	253.7 42	368.7 24	91.0 31	115.1 34			
佐賀	721.2 35	187.3 34	246.9 33	370.0 26	95.4 42	117.3 41			
長崎	726.4 38	196.5 42	255.5 44	373.2 30	93.5 37	115.5 35			
熊本	655.5 4	173.5 22	224.5 20	337.5 3	86.0 15	106.7 13			
大分	686.3 22	177.8 24	230.4 23	364.6 18	87.5 20	111.1 24			
宮崎	701.3 29	191.5 38	245.0 31	359.6 14	90.9 30	112.6 30			
鹿児島	723.8 37	199.9 43	253.8 43	370.1 27	97.1 44	120.2 45			
沖縄	646.6 2	200.3 44	250.6 39	322.8 1	96.6 43	116.7 38			

悪性新生物

人口10万人あたり

全国	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢 順位	60歳未満 順位	65歳未満 順位	全年齢 順位	60歳未満 順位	65歳未満 順位	全年齢 順位	60歳未満 順位	65歳未満 順位	全年齢 順位	60歳未満 順位	65歳未満 順位
	220.2	51.2	79.0	106.2	37.0	47.8						
北海道	229.9 38	55.2 38	82.0 36	111.6 41	39.6 45	50.5 42						
青森	246.8 45	59.9 46	90.9 44	108.6 36	39.0 42	49.1 38						
岩手	202.7 10	49.8 23	72.9 11	97.6 9	35.8 19	44.7 12						
宮城	216.3 29	50.4 27	76.2 22	104.4 28	36.4 26	46.0 21						
秋田	237.3 41	58.1 42	86.8 40	109.2 39	41.0 47	51.0 46						
山形	215.5 25	47.3 11	72.7 10	104.6 31	35.8 18	45.5 17						
福島	215.6 26	51.0 28	76.9 27	102.8 23	37.6 36	47.4 29						
茨城	213.1 22	48.9 18	76.3 24	102.8 22	36.6 29	46.8 26						
栃木	217.9 30	48.4 16	77.2 28	103.8 27	36.2 22	46.4 24						
群馬	196.2 3	46.0 6	70.2 5	97.7 10	32.7 1	42.4 2						
埼玉	215.7 27	47.4 12	73.9 14	107.1 33	36.2 23	47.5 30						
千葉	215.9 28	49.0 19	77.3 29	104.5 30	36.4 28	47.1 27						
東京	226.4 37	52.7 33	80.4 34	113.9 45	38.9 41	50.6 44						
神奈川	218.1 31	49.2 20	75.6 19	108.9 38	37.5 35	48.5 35						
新潟	218.8 32	51.6 29	76.8 26	103.1 24	36.3 24	45.8 19						
富山	209.6 15	47.1 10	71.2 7	102.0 20	35.7 17	44.3 9						
石川	212.5 20	48.0 15	73.6 12	103.6 26	33.3 5	45.5 16						
福井	195.0 2	44.6 3	69.1 4	98.2 13	33.6 9	42.9 4						
山梨	201.8 8	49.9 24	76.2 21	97.8 11	33.4 7	43.6 7						
長野	179.8 1	40.5 1	61.6 1	93.8 2	33.4 6	42.3 1						
岐阜	200.3 4	46.7 8	72.7 8	103.6 25	36.0 20	47.7 31						
静岡	201.6 7	47.7 14	76.2 23	96.4 3	36.1 21	45.4 15						
愛知	211.9 19	46.7 7	73.8 13	108.9 37	37.3 33	48.8 36						
三重	200.7 6	45.0 5	71.2 6	97.1 6	33.6 8	44.6 11						
滋賀	211.1 17	44.1 2	68.8 3	101.9 19	33.3 4	43.7 8						
京都	220.7 33	49.9 25	75.5 18	107.8 34	35.4 16	46.3 23						
大阪	254.3 47	57.7 41	91.6 45	118.5 47	39.2 43	52.2 47						
兵庫	240.5 43	55.2 39	85.7 39	112.3 43	37.7 37	49.4 39						
奈良	223.5 35	48.5 17	78.7 31	109.5 40	37.3 32	47.7 32						
和歌山	233.8 40	54.8 37	87.1 41	107.9 35	37.2 31	48.1 34						
鳥取	231.4 39	67.4 47	94.2 47	104.4 29	37.3 34	48.0 33						
島根	214.3 24	56.7 40	81.6 35	102.3 21	38.6 40	49.6 40						
岡山	205.4 11	49.7 22	75.7 20	96.6 5	34.9 11	44.5 10						
広島	223.9 36	54.6 36	83.7 38	105.0 32	38.1 38	49.0 37						
山口	221.4 34	53.3 35	83.4 37	100.4 16	35.2 13	46.1 22						
徳島	211.4 18	51.9 31	79.1 32	101.6 18	37.0 30	47.2 28						
香川	207.0 12	46.8 9	74.5 16	99.2 14	35.2 14	45.7 18						
愛媛	212.7 21	53.3 34	80.1 33	99.4 15	36.3 25	46.7 25						
高知	208.0 13	52.6 32	78.7 30	98.1 12	36.4 27	45.1 14						
福岡	247.0 46	58.2 43	92.2 46	114.1 46	38.5 39	50.6 43						
佐賀	245.2 44	58.4 44	89.7 43	112.9 44	40.0 46	50.7 45						
長崎	240.4 42	59.3 45	88.6 42	112.0 42	39.4 44	49.7 41						
熊本	201.8 9	47.4 13	72.7 9	97.5 8	32.8 2	42.9 5						
大分	209.2 14	50.3 26	74.0 15	101.3 17	35.0 12	45.9 20						
宮崎	210.4 16	49.6 21	74.9 17	97.2 7	32.9 3	42.7 3						
鹿児島	213.6 23	51.9 30	76.4 25	96.5 4	35.3 15	45.0 13						
沖縄	200.4 5	44.8 4	67.5 2	91.3 1	34.4 10	43.2 6						

心疾患

人口10万人あたり

	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
全国	107.0		21.1		28.7		63.6		7.1		10.1	
北海道	113.1	38	24.4	39	32.3	38	67.0	36	8.5	43	11.7	42
青森	134.9	47	29.1	47	38.7	47	70.6	45	8.2	41	11.0	33
岩手	113.6	40	25.5	42	33.1	41	60.2	16	6.5	9	9.0	10
宮城	105.1	21	19.6	10	27.0	12	60.6	19	6.6	12	9.4	18
秋田	98.9	9	19.1	8	25.1	6	59.3	11	5.1	1	7.1	1
山形	107.0	25	22.4	32	29.7	30	61.2	23	7.1	19	9.0	12
福島	110.7	34	23.1	34	31.1	35	65.2	31	7.8	34	10.5	26
茨城	109.6	32	22.4	31	30.6	33	66.1	35	8.2	40	11.3	40
栃木	114.0	42	23.5	35	31.5	37	67.8	38	8.0	37	11.5	41
群馬	108.2	28	24.1	38	32.3	39	65.6	32	8.4	42	11.8	44
埼玉	115.5	44	21.3	27	29.4	28	70.2	43	7.5	27	11.2	39
千葉	113.0	37	20.9	23	28.4	23	68.3	40	7.0	18	10.2	23
東京	106.8	24	19.9	13	27.3	16	64.7	29	6.1	5	9.0	11
神奈川	99.7	10	17.7	5	24.9	5	61.0	21	5.6	3	8.2	3
新潟	93.1	2	17.3	3	23.8	2	52.9	2	5.5	2	7.6	2
富山	100.5	15	20.1	15	28.0	22	54.9	5	6.7	13	9.0	9
石川	103.6	19	21.7	28	29.3	27	61.1	22	6.4	8	9.3	16
福井	100.3	14	17.3	2	23.7	1	59.9	15	7.1	20	9.3	15
山梨	109.3	31	25.5	43	33.9	42	56.9	10	8.0	38	10.6	28
長野	96.0	6	18.6	7	25.7	8	56.2	8	6.9	15	9.2	14
岐阜	109.2	30	19.7	12	27.0	11	65.9	34	7.9	36	11.1	36
静岡	105.6	23	20.0	14	27.3	15	62.5	26	7.0	17	10.0	21
愛知	118.5	45	21.2	26	30.1	32	72.9	47	7.6	29	11.0	34
三重	113.2	39	20.8	22	28.9	25	67.8	39	7.9	35	11.2	38
滋賀	104.7	20	17.0	1	24.5	4	64.4	28	6.5	10	8.8	7
京都	100.0	11	17.4	4	24.3	3	61.4	25	5.9	4	8.5	4
大阪	113.7	41	22.1	30	30.0	31	70.6	46	7.3	25	10.7	30
兵庫	112.9	36	20.7	19	28.5	24	69.9	42	7.6	30	10.7	29
奈良	107.7	27	19.2	9	27.1	13	69.0	41	7.3	23	10.8	31
和歌山	123.5	46	27.3	45	36.6	46	70.6	44	8.9	46	12.0	45
鳥取	108.6	29	23.7	36	31.2	36	56.2	7	7.1	21	9.2	13
島根	94.2	4	20.4	18	27.4	17	53.8	3	6.8	14	9.4	17
岡山	100.2	13	20.3	17	27.5	19	59.3	12	7.4	26	10.1	22
広島	98.8	8	20.2	16	27.5	18	60.6	17	8.0	39	11.0	35
山口	101.1	16	21.0	25	27.6	20	60.6	18	7.8	33	10.3	24
徳島	114.8	43	25.1	40	34.2	43	65.8	33	7.6	28	11.1	37
香川	107.5	26	25.2	41	32.5	40	60.9	20	7.3	24	10.6	27
愛媛	110.5	33	26.3	44	34.6	44	67.6	37	9.2	47	12.7	47
高知	112.8	35	27.5	46	36.0	45	63.7	27	8.8	45	12.5	46
福岡	95.4	5	18.5	6	25.2	7	56.1	6	6.3	7	8.9	8
佐賀	96.4	7	19.6	11	26.0	9	56.7	9	6.5	11	8.8	6
長崎	102.0	18	22.0	29	29.0	26	61.2	24	7.0	16	9.8	20
熊本	93.5	3	20.8	20	26.8	10	53.9	4	6.3	6	8.7	5
大分	105.4	22	23.1	33	29.7	29	65.1	30	8.7	44	11.7	43
宮崎	100.2	12	20.8	21	27.1	14	59.7	14	7.7	31	10.3	25
鹿児島	101.6	17	20.9	24	27.6	21	59.5	13	7.8	32	10.8	32
沖縄	86.4	1	24.0	37	31.1	34	48.9	1	7.2	22	9.8	19

脳血管疾患

人口10万人あたり

	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
全国	88.9		14.2		20.0		58.7		7.4		10.3	
北海道	80.4	7	14.3	26	19.8	24	53.4	11	7.9	35	11.0	36
青森	114.6	46	20.4	47	27.5	47	69.3	43	10.0	46	12.8	46
岩手	105.7	44	19.9	46	27.2	46	66.0	39	8.5	40	11.4	38
宮城	104.4	43	15.2	34	21.1	35	71.2	45	7.5	26	10.3	27
秋田	118.4	47	17.7	43	25.2	44	73.0	46	7.6	28	10.3	26
山形	102.4	40	14.2	25	20.0	27	67.4	40	5.9	4	8.4	6
福島	104.2	42	16.7	41	22.8	40	69.4	44	8.3	39	11.4	39
茨城	104.1	41	16.4	39	22.9	41	69.1	42	8.3	38	11.7	40
栃木	111.1	45	18.0	45	25.4	45	74.7	47	9.3	44	12.6	43
群馬	91.1	30	15.6	38	21.2	36	63.0	35	9.3	43	12.7	44
埼玉	93.5	35	14.6	29	21.0	33	62.9	34	8.1	36	11.4	37
千葉	92.2	32	13.9	23	19.8	23	62.1	31	7.7	30	10.5	29
東京	85.7	21	15.6	37	21.4	37	59.1	27	7.8	33	10.8	34
神奈川	86.1	22	14.6	30	20.3	29	59.9	29	7.7	29	10.7	33
新潟	101.5	39	14.9	32	20.7	31	63.5	37	6.1	7	8.5	8
富山	87.9	25	12.8	15	18.1	15	54.4	18	5.9	5	8.0	1
石川	83.5	15	10.3	4	14.4	1	52.9	7	6.2	10	8.6	9
福井	80.7	8	9.9	2	14.7	2	55.7	21	5.8	3	8.2	3
山梨	84.5	18	13.7	21	19.6	21	53.9	15	6.9	20	9.5	20
長野	101.4	38	14.5	28	20.3	28	68.7	41	7.1	23	9.8	23
岐阜	91.6	31	13.4	17	19.4	19	62.7	33	7.5	25	10.7	32
静岡	90.8	29	13.5	18	19.9	26	59.1	28	7.8	31	10.7	31
愛知	86.6	23	12.2	10	18.0	14	61.1	30	7.6	27	10.4	28
三重	93.2	34	11.9	9	16.9	7	64.5	38	7.0	21	9.4	18
滋賀	82.4	11	9.7	1	15.2	4	58.3	25	6.4	13	8.8	11
京都	77.5	5	12.4	14	17.3	8	53.0	8	6.8	17	9.4	19
大阪	77.4	4	12.3	12	17.7	12	51.1	5	6.5	16	9.0	13
兵庫	82.9	13	11.8	8	17.4	9	53.6	14	6.4	14	9.1	15
奈良	77.3	3	10.2	3	14.8	3	56.6	22	6.1	6	8.7	10
和歌山	88.2	26	11.7	7	17.4	10	56.9	23	5.6	1	8.3	4
鳥取	98.4	37	15.6	36	21.8	38	62.7	32	7.2	24	9.7	22
島根	84.0	17	13.8	22	18.7	17	50.6	3	6.4	15	8.5	7
岡山	82.6	12	11.7	6	16.6	6	53.2	9	6.2	9	8.3	5
広島	81.1	9	13.6	19	18.5	16	52.1	6	6.4	12	9.0	14
山口	87.3	24	14.0	24	19.8	22	55.6	19	8.1	37	10.9	35
徳島	88.8	27	15.0	33	20.6	30	53.6	13	6.8	18	9.2	17
香川	79.7	6	11.0	5	16.2	5	53.3	10	5.8	2	8.0	2
愛媛	85.4	20	12.4	13	17.7	11	54.4	17	6.1	8	8.9	12
高知	89.8	28	15.5	35	22.5	39	58.3	26	8.9	41	11.9	41
福岡	82.1	10	13.6	20	19.5	20	51.1	4	6.9	19	9.5	21
佐賀	83.9	16	13.0	16	18.8	18	54.3	16	7.9	34	10.2	25
長崎	83.0	14	14.5	27	20.8	32	53.4	12	7.1	22	9.9	24
熊本	77.0	2	14.9	31	19.9	25	47.9	2	7.8	32	10.6	30
大分	85.0	19	12.3	11	18.0	13	55.7	20	6.3	11	9.2	16
宮崎	92.7	33	17.4	42	23.4	42	58.1	24	9.2	42	12.2	42
鹿児島	94.7	36	17.8	44	24.0	43	63.5	36	10.2	47	13.9	47
沖縄	60.0	1	16.5	40	21.1	34	37.6	1	9.9	45	12.7	45

交通事故

人口10万人あたり

全国	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
	15.9		12.7		13.2		5.4		3.6		3.9	
北海道	19.9	35	17.4	43	17.9	42	6.6	31	4.9	40	5.3	40
青森	20.6	41	17.2	42	17.9	43	5.7	19	3.9	22	4.2	20
岩手	18.0	28	14.3	24	15.0	25	5.9	23	4.4	27	4.7	25
宮城	15.3	7	12.8	13	13.4	12	4.5	6	3.2	7	3.4	7
秋田	18.0	26	15.3	33	16.1	33	5.6	16	4.6	33	4.7	27
山形	15.4	8	11.9	5	12.6	7	6.0	24	4.6	32	4.9	32
福島	17.1	22	13.8	19	14.5	21	6.6	32	4.8	39	5.3	39
茨城	26.1	47	20.2	47	21.4	47	8.0	45	5.9	46	6.3	46
栃木	22.7	45	17.9	44	18.3	44	7.5	43	5.2	43	5.6	43
群馬	17.5	23	12.5	11	13.5	14	7.2	41	4.4	30	4.9	31
埼玉	13.7	4	10.6	4	10.9	4	4.8	7	2.9	5	3.1	5
千葉	16.8	19	13.3	17	13.8	16	5.3	12	3.7	12	4.0	12
東京	8.0	1	6.7	1	6.9	1	2.7	1	1.8	1	1.9	1
神奈川	10.8	2	9.1	2	9.5	2	3.2	3	2.1	2	2.3	3
新潟	19.0	30	14.6	25	15.3	28	6.7	34	4.7	36	4.9	33
富山	17.0	21	12.1	8	12.7	8	5.6	15	3.5	10	3.8	9
石川	15.9	11	12.0	6	12.6	6	7.0	37	4.3	26	4.7	28
福井	21.2	43	15.8	36	17.0	38	8.0	44	5.8	45	5.9	44
山梨	17.9	25	14.7	27	15.4	29	5.3	13	3.5	9	3.9	11
長野	15.7	10	12.2	9	12.8	9	5.3	11	3.8	19	4.1	18
岐阜	19.1	31	14.9	29	15.1	27	7.2	42	4.7	37	5.1	37
静岡	16.2	14	12.8	14	13.5	13	6.2	27	3.9	21	4.3	22
愛知	15.1	6	12.1	7	12.4	5	6.1	26	3.7	13	4.1	17
三重	20.7	42	16.6	40	17.6	40	6.8	35	4.9	41	5.2	38
滋賀	20.0	36	15.9	37	16.6	35	7.1	39	4.7	35	5.1	35
京都	14.6	5	12.4	10	12.8	10	5.1	10	3.8	18	4.1	16
大阪	12.2	3	10.3	3	10.6	3	3.8	4	2.8	4	2.9	4
兵庫	16.0	12	12.7	12	13.2	11	5.9	22	3.7	16	4.0	15
奈良	16.0	13	13.9	20	14.3	19	5.4	14	3.7	15	4.0	14
和歌山	19.3	33	15.3	34	16.2	34	5.8	21	3.9	20	4.1	19
鳥取	20.2	38	16.4	39	17.1	39	6.3	28	4.2	23	4.7	24
島根	17.5	24	14.1	23	14.6	22	6.0	25	4.4	28	4.8	30
岡山	20.1	37	15.7	35	16.6	36	7.2	40	5.1	42	5.3	41
広島	18.0	29	14.9	30	15.4	30	5.7	18	3.7	14	4.0	13
山口	20.5	40	17.1	41	17.9	41	6.7	33	4.6	34	5.1	36
徳島	20.2	39	15.0	31	15.7	31	7.0	36	4.7	38	5.3	42
香川	24.4	46	18.3	45	19.4	45	9.0	47	5.9	47	6.4	47
愛媛	19.9	34	16.2	38	16.9	37	7.1	38	4.5	31	5.1	34
高知	21.7	44	19.0	46	19.4	46	6.4	29	4.3	24	4.7	26
福岡	16.5	16	13.4	18	13.8	17	5.1	9	3.3	8	3.6	8
佐賀	19.2	32	14.1	22	14.8	24	8.2	46	5.6	44	6.0	45
長崎	16.5	15	14.7	28	15.1	26	4.2	5	3.1	6	3.3	6
熊本	16.6	18	13.3	16	13.9	18	5.8	20	4.3	25	4.5	23
大分	16.6	17	13.1	15	13.8	15	5.6	17	3.8	17	4.2	21
宮崎	18.0	27	15.2	32	15.9	32	6.5	30	4.4	29	4.8	29
鹿児島	16.9	20	14.0	21	14.3	20	4.9	8	3.5	11	3.8	10
沖縄	15.6	9	14.6	26	14.7	23	2.9	2	2.4	3	2.2	2