

統計表 15 それぞれの障害レベルがない期間 1995年

0歳時DFLE 男性

都道府県	平均余命 (順位)	IV (順位)	IV+III (順位)	IV+III+II (順位)	IV+III+II+I (順位)
全国	76.70	76.25	75.85	75.34	75.04
北海道	76.56 28	76.10 29	75.67 29	75.15 29	74.68 31
青森県	74.71 47	74.24 46	73.80 46	73.23 46	72.68 46
岩手県	76.35 33	75.88 32	75.49 33	75.04 30	74.51 35
宮城県	77.00 15	76.57 14	76.09 17	75.50 17	75.23 19
秋田県	75.92 44	75.37 45	74.99 45	74.41 45	74.17 44
山形県	76.99 16	76.62 11	76.21 11	75.60 14	75.37 13
福島県	76.47 30	76.13 28	75.83 27	75.31 23	74.71 29
茨城県	76.32 34	75.99 30	75.59 30	75.00 31	74.79 27
栃木県	76.12 40	75.69 37	75.18 39	74.61 38	74.43 37
群馬県	76.98 17	76.46 18	75.97 22	75.46 20	75.24 17
埼玉県	76.95 19	76.57 13	76.33 7	75.94 4	75.37 12
千葉県	76.89 23	76.53 17	76.22 10	75.85 5	75.67 4
東京都	76.91 20	76.46 19	76.05 18	75.64 13	75.42 11
神奈川県	77.20 6	76.81 5	76.36 6	75.80 7	75.46 7
新潟県	76.98 17	76.54 16	76.16 12	75.76 9	75.36 15
富山県	77.16 8	76.56 15	76.12 15	75.34 21	75.05 21
石川県	77.16 8	76.60 12	76.10 16	75.34 22	75.11 20
福井県	77.51 2	77.14 2	76.61 2	76.03 3	75.78 3
山梨県	76.82 25	76.45 21	75.98 21	75.64 12	75.46 8
長野県	78.08 1	77.69 1	77.20 1	76.63 1	76.44 1
岐阜県	77.17 7	76.86 3	76.43 4	75.81 6	75.51 6
静岡県	77.22 4	76.85 4	76.55 3	76.05 2	75.85 2
愛知県	76.90 21	76.45 20	76.01 20	75.50 18	75.31 16
三重県	76.76 27	76.37 23	76.02 19	75.48 19	74.96 23
滋賀県	77.13 12	76.72 7	76.29 8	75.70 10	75.44 9
京都府	77.14 10	76.72 8	76.28 9	75.68 11	75.43 10
大阪府	75.90 45	75.53 40	75.21 37	74.77 36	74.29 40
兵庫県	75.54 46				
奈良県	77.14 10	76.75 6	76.41 5	75.80 8	75.61 5
和歌山県	76.07 43	75.61 39	75.18 38	74.57 40	74.35 38
鳥取県	76.09 42	75.63 38	75.16 40	74.60 39	74.33 39
島根県	76.90 21	76.27 26	75.92 23	75.31 24	74.91 25
岡山県	77.03 14	76.41 22	75.85 25	74.98 32	74.74 28
広島県	76.77 26	76.26 27	75.86 24	75.19 27	74.86 26
山口県	76.36 32	75.86 33	75.53 31	75.21 25	74.68 30
徳島県	76.21 36	75.75 36	75.28 36	74.85 34	74.61 32
香川県	77.12 13	76.64 10	76.15 13	75.54 16	75.36 14
愛媛県	76.43 31	75.77 34	75.33 34	74.75 37	74.47 36
高知県	76.18 37	75.53 41	75.04 43	74.56 41	74.04 45
福岡県	76.12 40	75.50 43	75.06 41	74.48 43	74.24 41
佐賀県	76.26 35	75.75 35	75.31 35	74.84 35	74.59 33
長崎県	76.15 38	75.48 44	74.99 44	74.45 44	74.20 43
熊本県	77.31 3	76.70 9	76.12 14	75.59 15	75.23 18
大分県	76.83 24	76.27 25	75.81 28	75.21 26	75.04 22
宮崎県	76.53 29	75.93 31	75.53 32	74.98 33	74.56 34
鹿児島県	76.13 39	75.52 42	75.05 42	74.56 42	74.23 42
沖縄県	77.22 4	76.37 24	75.83 26	75.19 28	74.91 24

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 0歳時DFLE 女性

都道府県	平均余命 (順位)	IV (順位)	IV+III (順位)	IV+III+II (順位)	IV+III+II+I (順位)
全国	83.22	82.31	81.52	80.58	80.25
北海道	83.41 22	82.30 27	81.28 41	80.04 43	79.55 44
青森県	82.51 46	81.67 46	80.95 45	79.89 46	79.42 46
岩手県	83.41 22	82.56 15	81.89 10	80.98 9	80.49 14
宮城県	83.32 26	82.50 18	81.88 12	80.76 17	80.41 17
秋田県	83.12 33	82.12 38	81.51 26	80.55 28	80.40 18
山形県	83.23 28	82.34 22	81.62 20	80.41 34	80.18 29
福島県	82.93 39	82.25 31	81.60 21	80.92 11	80.03 35
茨城県	82.87 41	82.25 33	81.59 23	80.75 19	80.43 16
栃木県	82.76 43	82.03 42	81.35 35	80.59 25	80.38 20
群馬県	83.12 33	82.27 29	81.45 27	80.25 39	80.03 34
埼玉県	82.92 40	82.16 37	81.37 33	80.48 33	79.95 38
千葉県	83.19 31	82.53 17	81.94 9	81.17 7	80.80 7
東京都	83.12 33	82.05 40	81.33 36	80.49 30	80.24 26
神奈川県	83.35 25	82.44 21	81.60 22	80.59 24	80.16 30
新潟県	83.66 9	82.64 12	81.83 15	80.86 12	80.55 10
富山県	83.86 5	82.81 8	81.99 8	80.68 20	80.37 21
石川県	83.54 17	82.33 23	81.31 38	80.14 41	79.87 41
福井県	83.63 12	82.72 10	81.69 17	80.53 29	80.20 28
山梨県	83.67 8	83.06 4	82.30 3	81.43 2	81.25 2
長野県	83.89 4	83.03 5	82.19 4	81.21 4	81.06 3
岐阜県	83.00 37	82.25 30	81.43 29	80.49 31	80.33 23
静岡県	83.70 7	83.01 6	82.39 2	81.53 1	81.32 1
愛知県	82.80 42	81.93 44	80.92 46	79.92 45	79.79 42
三重県	83.02 36	82.31 25	81.53 24	80.63 22	80.15 31
滋賀県	83.20 30	82.54 16	81.76 16	80.83 15	80.64 8
京都府	83.44 19	82.61 13	82.09 7	81.15 8	80.56 9
大阪府	82.52 45	81.74 45	81.06 44	80.03 44	79.65 43
兵庫県	81.83 47				
奈良県	82.96 38	82.05 41	81.44 28	80.60 23	80.26 25
和歌山県	82.71 44	81.96 43	81.25 42	80.27 36	80.08 32
鳥取県	83.59 14	82.77 9	81.84 13	80.83 14	80.54 11
島根県	84.03 3	83.07 3	82.18 5	81.17 6	81.01 4
岡山県	83.81 6	82.90 7	81.84 14	80.93 10	80.50 12
広島県	83.66 9	82.68 11	81.89 11	80.82 16	80.50 13
山口県	83.57 15	82.31 24	81.66 19	80.85 13	80.23 27
徳島県	83.17 32	82.20 35	81.33 37	80.26 38	79.97 37
香川県	83.47 18	82.48 20	81.42 30	80.64 21	80.40 19
愛媛県	83.28 27	82.24 34	81.40 31	80.27 37	79.90 40
高知県	83.57 15	82.30 28	81.39 32	80.55 27	80.06 33
福岡県	83.44 19	82.20 36	81.28 39	80.04 42	79.43 45
佐賀県	83.43 21	82.30 26	81.28 40	80.49 32	80.32 24
長崎県	83.23 28	82.11 39	81.14 43	80.19 40	79.91 39
熊本県	84.39 2	83.16 2	82.13 6	81.18 5	80.81 6
大分県	83.61 13	82.50 19	81.52 25	80.58 26	80.35 22
宮崎県	83.66 9	82.58 14	81.68 18	80.76 18	80.44 15
鹿児島県	83.36 24	82.25 32	81.36 34	80.28 35	79.99 36
沖縄県	85.08 1	83.48 1	82.40 1	81.27 3	80.97 5

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 65歳時DFLE 男性

都道府県	平均余命 (順位)	IV (順位)	IV+III (順位)	IV+III+II (順位)	IV+III+II+I (順位)
全国	16.74	16.30	15.90	15.37	15.10
北海道	16.81 23	16.35 27	15.92 27	15.38 23	14.87 35
青森県	15.72 47	15.25 46	14.81 46	14.21 46	13.62 46
岩手県	16.69 32	16.26 33	15.89 29	15.43 19	14.89 34
宮城県	16.80 24	16.38 21	15.89 30	15.29 29	15.03 28
秋田県	16.38 44	15.84 44	15.46 44	14.86 45	14.68 44
山形県	16.74 28	16.41 16	16.01 16	15.37 25	15.21 17
福島県	16.67 34	16.35 26	16.06 14	15.49 17	14.89 33
茨城県	16.68 33	16.36 25	15.95 24	15.28 32	15.12 21
栃木県	16.45 42	16.03 40	15.52 43	14.89 44	14.74 42
群馬県	16.99 12	16.48 11	15.96 22	15.49 16	15.28 12
埼玉県	16.60 40	16.22 37	16.00 19	15.58 12	15.07 24
千葉県	16.71 29	16.37 23	16.06 13	15.64 10	15.46 6
東京都	16.85 20	16.40 20	15.98 21	15.52 14	15.32 11
神奈川県	16.95 14	16.58 10	16.10 10	15.52 13	15.24 15
新潟県	16.83 22	16.44 14	16.05 15	15.70 8	15.37 10
富山県	16.93 15	16.37 24	15.96 23	15.18 35	14.91 32
石川県	16.84 21	16.31 31	15.81 36	14.99 38	14.82 37
福井県	17.28 4	16.93 3	16.38 4	15.80 5	15.63 4
山梨県	17.15 6	16.79 5	16.32 6	15.99 2	15.89 2
長野県	17.50 2	17.14 1	16.64 1	16.08 1	16.00 1
岐阜県	16.88 19	16.60 9	16.18 9	15.50 15	15.24 14
静岡県	17.10 8	16.73 6	16.43 3	15.90 3	15.74 3
愛知県	16.57 41	16.13 38	15.69 38	15.17 36	14.96 30
三重県	16.61 39	16.22 35	15.87 32	15.30 28	14.84 36
滋賀県	16.70 31	16.31 30	15.89 31	15.25 33	15.11 22
京都府	16.88 18	16.47 12	16.01 18	15.45 18	15.23 16
大阪府	16.06 45	15.72 45	15.40 45	14.95 42	14.48 45
兵庫県	16.04 46				
奈良県	16.79 26	16.42 15	16.10 11	15.42 21	15.28 13
和歌山県	16.45 43	16.00 42	15.59 39	14.95 43	14.82 38
鳥取県	16.75 27	16.31 32	15.84 33	15.24 34	15.06 25
島根県	17.24 5	16.62 8	16.33 5	15.74 6	15.43 8
岡山県	17.01 10	16.41 17	15.84 34	14.96 40	14.74 41
広島県	16.97 13	16.46 13	16.07 12	15.38 22	15.10 23
山口県	16.79 25	16.32 29	16.01 17	15.66 9	15.18 19
徳島県	16.66 35	16.22 36	15.75 37	15.28 31	15.03 27
香川県	17.12 7	16.63 7	16.19 8	15.61 11	15.45 7
愛媛県	16.99 11	16.41 19	15.99 20	15.37 24	15.19 18
高知県	17.02 9	16.41 18	15.94 25	15.42 20	14.91 31
福岡県	16.63 38	15.99 43	15.58 41	14.96 41	14.76 39
佐賀県	16.66 36	16.23 34	15.82 35	15.31 27	15.05 26
長崎県	16.71 30	16.01 41	15.54 42	14.98 39	14.76 40
熊本県	17.40 3	16.80 4	16.26 7	15.70 7	15.41 9
大分県	16.92 17	16.37 22	15.92 28	15.28 30	15.18 20
宮崎県	16.93 16	16.32 28	15.93 26	15.35 26	14.97 29
鹿児島県	16.65 37	16.05 39	15.59 40	15.03 37	14.71 43
沖縄県	17.97 1	17.09 2	16.55 2	15.81 4	15.57 5

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 65歳時DFLE 女性

都道府県	平均余命 (順位)	IV (順位)		IV+III (順位)		IV+III+II (順位)		IV+III+II+I (順位)	
全国	21.23	20.31		19.53		18.57		18.26	
北海道	21.52 16	20.37 24	19.35 36	18.05 42	17.57 44				
青森県	20.67 45	19.81 45	19.09 44	17.97 44	17.49 46				
岩手県	21.38 23	20.53 13	19.88 9	18.94 10	18.45 17				
宮城県	21.17 29	20.34 28	19.71 16	18.58 23	18.27 26				
秋田県	21.09 31	20.09 41	19.50 27	18.50 25	18.35 22				
山形県	21.06 33	20.17 35	19.44 30	18.24 39	18.10 34				
福島県	21.03 36	20.35 27	19.71 17	19.01 8	18.15 32				
茨城県	20.88 39	20.27 31	19.62 22	18.77 17	18.48 13				
栃木県	20.80 43	20.10 40	19.43 31	18.65 21	18.47 14				
群馬県	21.07 32	20.25 33	19.41 33	18.21 40	18.00 39				
埼玉県	20.87 40	20.11 37	19.31 40	18.37 36	17.89 40				
千葉県	21.05 35	20.41 21	19.81 12	19.02 6	18.64 8				
東京都	21.12 30	20.02 42	19.30 41	18.45 33	18.21 29				
神奈川県	21.25 28	20.33 29	19.53 23	18.47 29	18.06 35				
新潟県	21.48 18	20.48 16	19.68 18	18.70 18	18.46 15				
富山県	21.68 9	20.64 10	19.83 11	18.49 27	18.24 28				
石川県	21.32 26	20.10 39	19.07 45	17.89 45	17.67 41				
福井県	21.47 21	20.56 12	19.53 24	18.34 37	18.03 37				
山梨県	21.76 5	21.15 4	20.39 2	19.50 1	19.38 1				
長野県	21.68 10	20.84 6	19.99 6	19.01 7	18.90 5				
岐阜県	21.01 37	20.28 30	19.45 29	18.48 28	18.36 20				
静岡県	21.60 13	20.92 5	20.30 3	19.42 3	19.23 2				
愛知県	20.73 44	19.85 44	18.83 46	17.79 46	17.65 42				
三重県	20.83 42	20.11 38	19.34 37	18.42 34	18.03 38				
滋賀県	21.06 34	20.41 19	19.62 20	18.69 20	18.58 9				
京都府	21.25 27	20.43 18	19.92 8	18.96 9	18.40 18				
大阪府	20.57 46	19.77 46	19.10 43	18.02 43	17.64 43				
兵庫県	20.42 47								
奈良県	20.92 38	20.01 43	19.40 34	18.59 22	18.27 25				
和歌山県	20.87 41	20.14 36	19.43 32	18.45 32	18.26 27				
鳥取県	21.60 12	20.81 8	19.87 10	18.86 12	18.65 7				
島根県	22.11 3	21.16 3	20.28 4	19.29 4	19.14 4				
岡山県	21.71 8	20.82 7	19.73 15	18.82 14	18.46 16				
広島県	21.72 7	20.75 9	19.95 7	18.84 13	18.57 10				
山口県	21.66 11	20.36 26	19.73 14	18.89 11	18.33 23				
徳島県	21.37 24	20.40 22	19.52 25	18.40 35	18.11 33				
香川県	21.48 17	20.52 15	19.47 28	18.69 19	18.52 12				
愛媛県	21.45 22	20.44 17	19.62 21	18.49 26	18.17 31				
高知県	21.82 4	20.52 14	19.66 19	18.80 16	18.35 21				
福岡県	21.53 15	20.25 32	19.33 38	18.08 41	17.52 45				
佐賀県	21.48 20	20.37 25	19.31 39	18.50 24	18.39 19				
長崎県	21.35 25	20.22 34	19.24 42	18.28 38	18.06 36				
熊本県	22.38 2	21.16 2	20.11 5	19.18 5	18.87 6				
大分県	21.48 19	20.38 23	19.39 35	18.45 31	18.29 24				
宮崎県	21.72 6	20.63 11	19.74 13	18.80 15	18.54 11				
鹿児島県	21.53 14	20.41 20	19.51 26	18.46 30	18.18 30				
沖縄県	23.40 1	21.77 1	20.68 1	19.50 2	19.20 3				

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 75歳時DFLE 男性

都道府県	平均余命 (順位)		IV (順位)		IV+III (順位)		IV+III+II (順位)		IV+III+II+I (順位)	
全国	10.03		9.60		9.20		8.66		8.40	
北海道	10.22	12	9.76	10	9.36	12	8.72	20	8.17	34
青森県	9.20	47	8.73	46	8.34	46	7.78	46	7.29	46
岩手県	9.99	30	9.53	33	9.15	26	8.73	17	8.21	32
宮城県	9.94	34	9.55	30	9.04	34	8.46	33	8.22	30
秋田県	9.76	43	9.24	45	8.87	44	8.23	43	8.07	41
山形県	9.86	38	9.57	27	9.21	22	8.58	27	8.42	21
福島県	9.93	35	9.65	20	9.37	11	8.80	11	8.21	31
茨城県	10.04	24	9.70	16	9.29	18	8.51	32	8.40	23
栃木県	9.85	39	9.43	38	8.92	43	8.33	40	8.24	29
群馬県	10.10	21	9.55	29	9.07	32	8.58	28	8.40	22
埼玉県	9.91	36	9.53	32	9.31	17	8.94	8	8.46	19
千葉県	10.01	28	9.66	19	9.37	10	8.96	7	8.73	5
東京都	10.14	17	9.71	14	9.26	20	8.72	19	8.52	14
神奈川県	10.25	9	9.88	7	9.38	9	8.75	15	8.49	16
新潟県	9.99	31	9.65	21	9.26	19	8.91	9	8.56	13
富山県	10.03	26	9.43	36	9.06	33	8.23	44	8.01	42
石川県	10.10	22	9.55	31	9.09	31	8.27	42	8.10	38
福井県	10.25	10	9.89	6	9.35	13	8.79	12	8.69	7
山梨県	10.28	6	9.92	3	9.49	5	9.15	3	9.11	1
長野県	10.40	4	10.04	2	9.59	4	9.02	6	8.96	3
岐阜県	9.98	32	9.73	13	9.34	16	8.70	21	8.47	18
静岡県	10.26	8	9.91	4	9.66	2	9.16	2	8.99	2
愛知県	9.84	40	9.43	37	8.93	41	8.41	36	8.13	36
三重県	9.73	44	9.35	41	9.03	37	8.46	34	7.97	43
滋賀県	9.76	42	9.42	39	8.99	38	8.40	37	8.26	27
京都府	10.13	19	9.70	15	9.21	23	8.63	23	8.49	17
大阪府	9.63	45	9.29	43	8.94	39	8.51	31	7.95	44
兵庫県	9.51	46								
奈良県	10.04	25	9.73	12	9.46	6	8.76	14	8.62	8
和歌山県	9.76	41	9.32	42	8.93	42	8.30	41	8.17	35
鳥取県	10.01	27	9.58	25	9.13	30	8.55	29	8.37	25
島根県	10.47	3	9.88	8	9.63	3	9.04	5	8.71	6
岡山県	10.15	16	9.61	24	9.04	36	8.15	45	7.92	45
広島県	10.31	5	9.78	9	9.42	7	8.66	22	8.38	24
山口県	10.16	15	9.69	17	9.42	8	9.07	4	8.58	12
徳島県	10.00	29	9.58	26	9.14	29	8.73	18	8.49	15
香川県	10.19	13	9.68	18	9.25	21	8.77	13	8.60	9
愛媛県	10.26	7	9.74	11	9.35	14	8.74	16	8.59	11
高知県	10.23	11	9.64	22	9.15	28	8.59	26	8.09	39
福岡県	10.08	23	9.46	35	9.04	35	8.42	35	8.25	28
佐賀県	9.95	33	9.55	28	9.15	27	8.63	24	8.37	26
長崎県	10.11	20	9.39	40	8.93	40	8.38	38	8.11	37
熊本県	10.51	2	9.90	5	9.35	15	8.86	10	8.59	10
大分県	10.14	18	9.62	23	9.16	24	8.54	30	8.45	20
宮崎県	10.18	14	9.51	34	9.15	25	8.60	25	8.19	33
鹿児島県	9.89	37	9.25	44	8.79	45	8.35	39	8.09	40
沖縄県	11.35	1	10.44	1	9.96	1	9.18	1	8.96	4

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 75歳時DFLE 女性

都道府県	平均余命 (順位)		IV (順位)		IV+III (順位)		IV+III+II (順位)		IV+III+II+I (順位)	
全国	13.14		12.20		11.42		10.46		10.16	
北海道	13.46	11	12.26	21	11.21	38	9.87	44	9.41	45
青森県	12.58	46	11.72	46	11.02	44	9.92	43	9.46	44
岩手県	13.16	27	12.30	16	11.67	9	10.78	9	10.30	18
宮城県	12.90	33	12.08	36	11.50	19	10.37	28	10.06	28
秋田県	12.80	38	11.80	45	11.20	39	10.19	35	10.05	29
山形県	12.75	41	11.84	43	11.14	42	9.98	41	9.84	40
福島県	12.78	39	12.10	34	11.48	20	10.78	8	9.94	37
茨城県	12.77	40	12.17	28	11.51	18	10.74	11	10.49	9
栃木県	12.75	42	12.08	37	11.39	24	10.69	13	10.51	8
群馬県	12.99	31	12.14	30	11.30	30	10.16	38	9.95	35
埼玉県	12.92	32	12.12	32	11.32	28	10.38	24	9.96	33
千葉県	13.00	30	12.38	13	11.79	8	11.04	4	10.67	6
東京都	13.11	29	11.96	39	11.25	36	10.40	23	10.17	23
神奈川県	13.23	24	12.26	20	11.45	21	10.37	25	9.94	36
新潟県	13.12	28	12.10	35	11.30	31	10.37	26	10.13	25
富山県	13.45	12	12.38	12	11.58	13	10.18	36	9.93	38
石川県	13.17	26	11.91	41	10.92	45	9.81	45	9.59	42
福井県	13.23	23	12.30	17	11.27	33	10.13	39	9.84	39
山梨県	13.59	6	12.99	2	12.25	2	11.38	1	11.28	1
長野県	13.30	18	12.46	9	11.63	10	10.69	14	10.58	7
岐阜県	12.87	34	12.14	31	11.31	29	10.33	31	10.21	22
静岡県	13.39	14	12.69	5	12.07	3	11.20	3	11.02	2
愛知県	12.72	43	11.80	44	10.74	46	9.66	46	9.53	43
三重県	12.69	45	12.00	38	11.26	34	10.34	30	9.99	31
滋賀県	12.83	35	12.19	25	11.43	22	10.49	20	10.37	15
京都府	13.20	25	12.37	14	11.90	6	10.92	6	10.38	14
大阪府	12.70	44	11.92	40	11.22	37	10.10	40	9.73	41
兵庫県	12.53	47								
奈良県	12.81	37	11.86	42	11.25	35	10.37	27	10.14	24
和歌山県	12.83	36	12.11	33	11.41	23	10.47	21	10.31	17
鳥取県	13.35	15	12.55	8	11.60	11	10.62	17	10.40	13
島根県	13.74	4	12.76	4	11.90	5	10.89	7	10.76	4
岡山県	13.50	10	12.62	7	11.53	16	10.61	18	10.24	19
広島県	13.63	5	12.64	6	11.84	7	10.66	15	10.42	11
山口県	13.58	7	12.24	23	11.59	12	10.75	10	10.22	21
徳島県	13.25	22	12.25	22	11.38	26	10.25	34	9.97	32
香川県	13.31	17	12.36	15	11.35	27	10.54	19	10.43	10
愛媛県	13.28	20	12.28	18	11.52	17	10.40	22	10.11	26
高知県	13.74	3	12.39	11	11.55	14	10.73	12	10.33	16
福岡県	13.52	8	12.19	24	11.27	32	9.95	42	9.38	46
佐賀県	13.35	16	12.18	26	11.11	43	10.35	29	10.23	20
長崎県	13.30	19	12.17	27	11.19	40	10.18	37	9.95	34
熊本県	14.19	2	12.92	3	11.92	4	11.02	5	10.71	5
大分県	13.26	21	12.15	29	11.16	41	10.28	33	10.11	27
宮崎県	13.50	9	12.41	10	11.55	15	10.65	16	10.40	12
鹿児島県	13.42	13	12.28	19	11.39	25	10.32	32	10.04	30
沖縄県	15.28	1	13.65	1	12.54	1	11.30	2	10.98	3

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 85歳時DFLE 男性

都道府県	平均余命 (順位)		IV (順位)		IV+III (順位)		IV+III+II (順位)		IV+III+II+I (順位)	
全国	5.25		4.84		4.45		3.90		3.69	
北海道	5.56	5	5.11	3	4.71	5	4.03	12	3.61	29
青森県	4.79	47	4.40	45	4.05	45	3.51	44	3.19	44
岩手県	5.18	28	4.78	28	4.36	31	4.15	7	3.45	38
宮城県	5.14	33	4.87	18	4.28	39	3.62	40	3.53	33
秋田県	5.07	39	4.69	38	4.31	38	3.59	41	3.41	40
山形県	4.99	44	4.76	29	4.56	12	4.04	11	3.84	14
福島県	5.23	24	5.03	7	4.82	3	4.30	4	3.76	19
茨城県	5.15	32	4.74	31	4.34	34	3.66	35	3.63	28
栃木県	5.10	36	4.69	37	4.38	29	3.94	21	3.82	16
群馬県	5.24	20	4.71	33	4.24	41	3.98	18	3.87	11
埼玉県	5.18	30	4.68	39	4.53	17	4.28	5	3.93	8
千葉県	5.26	18	4.88	17	4.59	8	4.04	10	3.96	6
東京都	5.38	10	5.03	6	4.54	15	3.76	32	3.68	23
神奈川県	5.43	7	5.16	2	4.56	11	3.90	23	3.64	26
新潟県	5.14	34	4.79	26	4.31	37	3.97	19	3.68	24
富山県	5.18	29	4.67	41	4.45	22	3.65	36	3.56	30
石川県	5.22	26	4.73	32	4.38	28	3.57	42	3.36	41
福井県	5.27	17	4.96	11	4.33	36	3.99	17	3.90	9
山梨県	5.23	23	4.92	15	4.35	32	4.07	9	4.00	3
長野県	5.30	16	4.89	16	4.36	30	3.63	39	3.53	32
岐阜県	5.10	37	4.94	13	4.54	16	3.72	33	3.52	35
静岡県	5.37	12	5.09	4	4.83	2	4.37	2	4.34	1
愛知県	5.09	38	4.70	35	4.22	42	3.69	34	3.52	36
三重県	4.96	45	4.55	44	4.21	43	3.55	43	3.14	45
滋賀県	5.05	41	4.86	20	4.55	13	3.87	24	3.86	12
京都府	5.43	8	4.96	10	4.54	14	4.03	13	3.94	7
大阪府	5.02	42	4.64	43	4.25	40	3.77	31	3.31	42
兵庫県	4.90	46								
奈良県	5.12	35	4.82	24	4.58	9	3.63	38	3.53	34
和歌山県	5.06	40	4.79	27	4.50	20	3.83	28	3.66	25
鳥取県	5.24	21	4.86	19	4.47	21	4.18	6	3.98	4
島根県	5.59	3	4.96	12	4.72	4	4.00	16	3.81	17
岡山県	5.26	19	4.69	36	4.19	44	3.37	45	3.29	43
広島県	5.45	6	4.98	9	4.69	7	3.84	27	3.72	21
山口県	5.38	11	4.92	14	4.69	6	4.53	1	3.98	5
徳島県	5.22	27	4.83	23	4.42	24	4.03	14	3.86	13
香川県	5.22	25	4.81	25	4.43	23	3.96	20	3.74	20
愛媛県	5.32	14	4.68	40	4.41	26	3.93	22	3.90	10
高知県	5.57	4	5.02	8	4.51	18	4.14	8	3.84	15
福岡県	5.40	9	4.84	22	4.50	19	3.85	26	3.70	22
佐賀県	5.17	31	4.84	21	4.56	10	4.02	15	3.79	18
長崎県	5.33	13	4.71	34	4.33	35	3.82	29	3.63	27
熊本県	5.59	2	5.07	5	4.42	25	3.82	30	3.49	37
大分県	5.24	22	4.74	30	4.39	27	3.64	37	3.55	31
宮崎県	5.31	15	4.66	42	4.34	33	3.87	25	3.43	39
鹿児島県	5.01	43	4.18	46	3.64	46	3.13	46	2.83	46
沖縄県	6.34	1	5.53	1	5.01	1	4.32	3	4.26	2

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきりおきたり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。

## 85歳時DFLE 女性

都道府県	平均余命 (順位)	IV (順位)	IV+III (順位)	IV+III+II (順位)	IV+III+II+I (順位)
全国	6.89	5.97	5.23	4.33	4.08
北海道	7.35 4	6.10 13	5.04 35	3.70 44	3.32 45
青森県	6.42 44	5.71 42	5.13 30	4.18 29	4.00 28
岩手県	6.82 27	5.99 18	5.46 9	4.59 10	4.18 22
宮城県	6.68 34	5.93 25	5.37 12	4.39 20	4.19 21
秋田県	6.43 43	5.44 46	4.96 37	4.06 37	3.99 29
山形県	6.40 45	5.48 45	4.81 43	3.60 45	3.53 43
福島県	6.51 41	5.99 19	5.37 13	4.79 8	4.04 25
茨城県	6.46 42	5.85 33	5.30 18	4.58 11	4.37 9
栃木県	6.63 36	6.05 16	5.46 8	4.90 4	4.85 4
群馬県	6.74 32	5.96 23	5.19 25	4.13 32	3.98 30
埼玉県	6.87 24	6.10 12	5.35 15	4.66 9	4.30 14
千葉県	6.78 29	6.23 6	5.73 5	4.88 5	4.62 5
東京都	6.93 21	5.61 44	4.85 41	3.92 41	3.66 42
神奈川県	7.04 14	6.14 10	5.29 20	4.21 28	3.87 34
新潟県	6.68 33	5.65 43	4.91 39	4.01 39	3.73 40
富山県	7.08 12	6.06 15	5.36 14	4.17 30	4.03 26
石川県	6.89 23	5.73 41	4.84 42	3.95 40	3.78 39
福井県	6.82 26	5.86 32	4.79 44	3.92 42	3.79 38
山梨県	7.02 16	6.40 4	5.75 3	5.08 3	5.03 2
長野県	6.77 31	5.96 22	5.27 21	4.41 18	4.33 10
岐阜県	6.52 39	5.96 21	5.22 24	4.39 21	4.28 15
静岡県	7.05 13	6.45 3	5.97 2	5.20 1	5.10 1
愛知県	6.61 37	5.80 37	4.57 46	3.55 46	3.43 44
三重県	6.39 46	5.73 40	5.05 32	4.22 27	3.88 33
滋賀県	6.38 47	5.80 38	5.10 31	4.41 17	4.27 16
京都府	6.99 17	6.16 9	5.74 4	4.81 7	4.33 11
大阪府	6.77 30	5.95 24	5.15 28	4.09 34	3.73 41
兵庫県	6.51 40				
奈良県	6.67 35	5.73 39	5.15 26	4.43 16	4.30 12
和歌山県	6.54 38	5.83 34	5.23 22	4.51 14	4.45 7
鳥取県	6.81 28	6.13 11	5.32 17	4.39 19	4.25 19
島根県	7.15 8	6.20 7	5.38 11	4.36 24	4.25 18
岡山県	6.96 19	6.17 8	5.15 27	4.38 22	4.06 24
広島県	7.25 6	6.36 5	5.67 6	4.56 12	4.38 8
山口県	7.23 7	5.82 35	5.23 23	4.35 25	3.85 36
徳島県	7.08 11	6.07 14	5.30 19	4.25 26	4.09 23
香川県	6.91 22	5.92 27	4.92 38	4.37 23	4.30 13
愛媛県	6.96 20	5.98 20	5.43 10	4.50 15	4.22 20
高知県	7.36 3	6.05 17	5.35 16	4.55 13	4.25 17
福岡県	7.25 5	5.87 31	5.05 34	3.73 43	3.30 46
佐賀県	7.12 9	5.88 30	4.73 45	4.08 36	4.02 27
長崎県	6.99 18	5.89 29	5.01 36	4.08 35	3.81 37
熊本県	7.70 2	6.53 2	5.61 7	4.82 6	4.54 6
大分県	6.85 25	5.81 36	4.85 40	4.05 38	3.91 32
宮崎県	7.02 15	5.93 26	5.05 33	4.16 31	3.94 31
鹿児島県	7.11 10	5.91 28	5.14 29	4.10 33	3.86 35
沖縄県	8.74 1	7.21 1	6.24 1	5.14 2	4.86 3

	在宅	入院	入所(老健・特養)
I	その他		ランクJ
II	寝たきり		ランクA
III	ほとんど寝たきり	一部介助	ランクB
IV	まったく寝たきり	全部介助	ランクC

H7年国民生活基礎調査は兵庫県では行なわれていない。  
このため兵庫県の在宅に関するデータがなく、分析から除外している。



## 参考資料

---

疾病の重み付け

疾病の重み付け出典

重み付けの推定

傷病の重み付け 1

男性(その1)

	入院					外来				
	0-4	5-14	15-44	45-59	60+	0-4	5-14	15-44	45-59	60+
<b>I 感染症及び寄生虫症</b>										
2 腸管感染症	0.420	0.420	0.420	0.420	0.420	0.093	0.093	0.093	0.093	0.093
3 結核	0.295	0.295	0.295	0.295	0.295	0.295	0.295	0.295	0.295	0.295
4 主として性的伝播様式をとる感染症	0.179	0.179	0.179	0.179	0.179	0.121	0.121	0.121	0.121	0.121
5 皮膚及び粘膜の病変を伴うウイルス疾患	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152
6 ウイルス肝炎	0.170	0.181	0.209	0.212	0.212	0.170	0.181	0.209	0.212	0.212
7 その他のウイルス疾患	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152
8 真菌症	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011
9 感染症及び寄生虫症の続発・後遺症	0.420	0.420	0.420	0.420	0.420	0.093	0.093	0.093	0.093	0.093
10 その他の感染症及び寄生虫症	0.420	0.420	0.420	0.420	0.420	0.093	0.093	0.093	0.093	0.093
<b>II 新生物</b>										
12 胃の悪性新生物	0.530	0.530	0.530	0.530	0.530	0.380	0.380	0.380	0.380	0.380
13 結腸の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
14 直腸S状結腸移行部及び直腸の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
15 肝及び肝内胆管の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
16 気管・気管支及び肺の悪性新生物	0.470	0.470	0.470	0.470	0.470	0.470	0.470	0.470	0.470	0.470
17 乳房の悪性新生物										
18 子宮の悪性新生物										
19 悪性リンパ腫	0.610	0.610	0.610	0.610	0.610	0.190	0.190	0.190	0.190	0.190
20 白血病	0.550	0.550	0.550	0.550	0.550	0.190	0.190	0.190	0.190	0.190
21 その他の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
22 良性新生物及びその他の新生物	0.349	0.349	0.349	0.349	0.349	0.066	0.066	0.066	0.066	0.066
<b>III 血液及び造血器の疾患並びに免疫機構の障害</b>										
24 貧血	0.250	0.250	0.250	0.250	0.250	0.011	0.011	0.011	0.011	0.011
25 その他の血液及び造血器の疾患並びに免疫機構の障害	0.250	0.250	0.250	0.250	0.250	0.011	0.011	0.011	0.011	0.011
<b>IV 内分泌、栄養及び代謝疾患</b>										
27 甲状腺障害	0.170	0.170	0.170	0.170	0.170	0.070	0.070	0.070	0.070	0.070
28 糖尿病	0.170	0.170	0.170	0.170	0.170	0.070	0.070	0.070	0.070	0.070
29 その他の内分泌、栄養及び代謝疾患	0.170	0.170	0.170	0.170	0.170	0.070	0.070	0.070	0.070	0.070
<b>V 精神及び行動の障害</b>										
31 血管性及び詳細不明の痴呆	0.430	0.430	0.430	0.430	0.430	0.290	0.290	0.290	0.290	0.290
32 精神作用物質使用による精神及び行動の障害	0.330	0.330	0.330	0.330	0.330	0.110	0.110	0.110	0.110	0.110
33 精神分裂病、分裂病型障害及び妄想性障害	0.434	0.434	0.434	0.434	0.434	0.434	0.434	0.434	0.434	0.434
34 気分[感情]障害(躁うつ病を含む)	0.350	0.350	0.350	0.350	0.350	0.140	0.140	0.140	0.140	0.140
35 神経症性障害、ストレス関連障害及び身体表現性障害	0.600	0.600	0.600	0.600	0.600	0.170	0.170	0.170	0.170	0.170
36 精神遅滞	0.430	0.430	0.430	0.430	0.430	0.290	0.290	0.290	0.290	0.290
37 その他の精神及び行動の障害	0.600	0.600	0.600	0.600	0.600	0.170	0.170	0.170	0.170	0.170
<b>VI 神経系の疾患</b>										
39 パーキンソン病	0.790	0.790	0.790	0.790	0.790	0.480	0.480	0.480	0.480	0.480
40 アルツハイマー病	0.630	0.630	0.630	0.630	0.630	0.270	0.270	0.270	0.270	0.270
41 てんかん	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110
42 脳性麻痺及びその他の麻痺性症候群	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
43 自律神経系の障害	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110
44 その他の神経系の疾患	0.402	0.402	0.402	0.402	0.402	0.203	0.203	0.203	0.203	0.203
<b>VII 眼及び付属器の疾患</b>										
46 結膜炎	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
47 白内障	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
48 屈折及び調節の障害	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
49 その他の眼及び付属器の疾患	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
<b>VIII 耳及び乳様突起の疾患</b>										
51 外耳炎	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
52 その他の外耳疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
53 中耳炎	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
54 その他の中耳及び乳様突起の疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
55 メニエール病	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
56 その他の内耳疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
57 その他の耳疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090

## 傷病の重み付け 2

## 男性(その2)

	入院					外来				
	0-4	5-14	15-44	45-59	60+	0-4	5-14	15-44	45-59	60+
<b>IX 循環器系の疾患</b>										
59 高血圧性疾患	0.026	0.026	0.026	0.026	0.026	0.009	0.009	0.009	0.009	0.009
60 虚血性心疾患	0.267	0.267	0.267	0.267	0.267	0.224	0.224	0.224	0.224	0.224
61 その他の心疾患	0.295	0.295	0.295	0.295	0.295	0.179	0.179	0.179	0.179	0.179
62 くも膜下出血	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
63 脳内出血	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
64 脳梗塞	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
65 脳動脈硬化(症)	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
66 その他の脳血管疾患	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
67 動脈硬化(症)	0.360	0.360	0.360	0.360	0.360	0.011	0.011	0.011	0.011	0.011
68 痔核	0.233	0.233	0.233	0.233	0.233	0.011	0.011	0.011	0.011	0.011
69 低血圧(症)	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011
70 その他の循環器系の疾患	0.305	0.305	0.305	0.305	0.305	0.110	0.110	0.110	0.110	0.110
<b>X 呼吸器系の疾患</b>										
72 急性鼻咽頭炎[かぜ]	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014
73 急性咽頭炎及び急性扁桃炎	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061
74 その他の急性上気道感染症	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061
75 肺炎	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373
76 急性気管支炎及び急性細気管支炎	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132
77 アレルギー性鼻炎	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014
78 慢性副鼻腔炎	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061
79 急性又は慢性と明示されない気管支炎	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132
80 慢性閉塞性肺疾患	0.530	0.530	0.530	0.530	0.530	0.170	0.170	0.170	0.170	0.170
81 喘息	0.230	0.230	0.230	0.230	0.230	0.030	0.030	0.030	0.030	0.030
82 その他の呼吸器系の疾患	0.167	0.167	0.167	0.167	0.167	0.092	0.092	0.092	0.092	0.092
<b>X I 消化器系の疾患</b>										
84 う蝕	0.081	0.081	0.081	0.081	0.081	0.081	0.081	0.081	0.081	0.081
85 歯肉炎及び歯周疾患	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
86 その他の歯及び歯の支持組織の障害	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
87 胃潰瘍及び十二指腸潰瘍	0.115	0.115	0.115	0.115	0.115	0.066	0.066	0.066	0.066	0.066
88 胃炎及び十二指腸炎	0.115	0.115	0.115	0.115	0.115	0.066	0.066	0.066	0.066	0.066
89 アルコール性肝疾患	0.210	0.210	0.210	0.210	0.210	0.066	0.066	0.066	0.066	0.066
90 慢性肝炎(アルコール性のものを除く)	0.210	0.210	0.210	0.210	0.210	0.066	0.066	0.066	0.066	0.066
91 肝硬変(アルコール性のものを除く)	0.339	0.339	0.339	0.339	0.339	0.310	0.310	0.310	0.310	0.310
92 その他の肝疾患	0.210	0.210	0.210	0.210	0.210	0.066	0.066	0.066	0.066	0.066
93 胆石症及び胆のう炎	0.349	0.349	0.349	0.349	0.349	0.066	0.066	0.066	0.066	0.066
94 膵疾患	0.349	0.349	0.349	0.349	0.349	0.066	0.066	0.066	0.066	0.066
95 その他の消化器系の疾患	0.171	0.171	0.171	0.171	0.171	0.037	0.037	0.037	0.037	0.037
<b>X II 皮膚及び皮下組織の疾患</b>										
97 皮膚及び皮下組織の感染症	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
98 皮膚炎及び湿疹	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
99 その他の皮膚及び皮下組織の疾患	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
<b>X III 筋骨格系及び結合組織の疾患</b>										
101 炎症性多発性関節障害	0.370	0.370	0.370	0.370	0.370	0.210	0.210	0.210	0.210	0.210
102 関節症	0.140	0.140	0.140	0.140	0.140	0.010	0.010	0.010	0.010	0.010
103 脊柱障害(脊椎症を含む)	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
104 椎間板障害	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
105 頸腕症候群	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
106 腰痛症及び坐骨神経痛	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
107 その他の脊柱障害	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
108 肩の傷害	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
109 骨の密度及び骨構造の障害	0.125	0.125	0.125	0.125	0.125	0.009	0.009	0.009	0.009	0.009
110 その他の筋骨格系及び結合組織の疾患	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060

傷病の重み付け 3

男性(その3)

	入院					外来				
	0-4	5-14	15-44	45-59	60+	0-4	5-14	15-44	45-59	60+
XIV 尿路生殖器系の疾患										
112 糸球体疾患及び腎尿管間質性疾患	0.290	0.290	0.290	0.290	0.290	0.110	0.110	0.110	0.110	0.110
113 腎不全	0.290	0.290	0.290	0.290	0.290	0.110	0.110	0.110	0.110	0.110
114 尿路結石症	0.290	0.290	0.290	0.290	0.290	0.066	0.066	0.066	0.066	0.066
115 その他の尿路系の疾患	0.290	0.290	0.290	0.290	0.290	0.066	0.066	0.066	0.066	0.066
116 前立腺肥大(症)	0.349	0.349	0.349	0.349	0.349	0.038	0.038	0.038	0.038	0.038
117 その他の男性性器の疾患	0.349	0.349	0.349	0.349	0.349	0.067	0.067	0.067	0.067	0.067
118 月経障害及び閉経周辺期障害										
119 乳房及びその他の女性性器の疾患										
XV 妊娠、分娩及び産じょく										
121 流産	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
122 妊娠中毒症	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
123 単胎自然分娩	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
124 その他の妊娠、分娩及び産じょく	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
XVI 周産期に発生した病態										
126 妊娠及び胎児発育に関連する障害	0.430	0.430	0.430	0.430	0.430	0.110	0.110	0.110	0.110	0.110
127 その他の周産期に発生した病態	0.430	0.430	0.430	0.430	0.430	0.110	0.110	0.110	0.110	0.110
XVII 先天奇形、変形及び染色体異常										
129 心臓の先天奇形	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323
130 その他の先天奇形、変形及び染色体異常	0.440	0.440	0.440	0.440	0.440	0.219	0.219	0.219	0.219	0.219
131 XⅧ症状、徴候及び異常臨床所見、異常検査所見で他に分類されない										
XIX 損傷、中毒及びその他の外因の影響										
133 骨折	0.261	0.261	0.261	0.261	0.261	0.195	0.195	0.195	0.195	0.195
134 頭蓋内損傷及び内臓の損傷	0.346	0.346	0.346	0.346	0.346	0.328	0.328	0.328	0.328	0.328
135 熱傷及び腐食	0.441	0.441	0.441	0.441	0.441	0.158	0.158	0.158	0.158	0.158
136 中毒	0.611	0.611	0.608	0.608	0.608	0.611	0.611	0.608	0.608	0.608
137 その他の損傷及びその他の外因の影響	0.218	0.218	0.218	0.218	0.218	0.109	0.109	0.109	0.109	0.109

傷病の重み付け 4

女性(その1)

	入院					外来				
	0-4	5-14	15-44	45-59	60+	0-4	5-14	15-44	45-59	60+
<b>I 感染症及び寄生虫症</b>										
2 腸管感染症	0.420	0.420	0.420	0.420	0.420	0.093	0.093	0.093	0.093	0.093
3 結核	0.295	0.295	0.295	0.295	0.295	0.295	0.295	0.295	0.295	0.295
4 主として性的伝播様式をとる感染症	0.179	0.179	0.179	0.179	0.179	0.121	0.121	0.121	0.121	0.121
5 皮膚及び粘膜の病変を伴うウイルス疾患	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152
6 ウイルス肝炎	0.170	0.181	0.209	0.212	0.212	0.170	0.181	0.209	0.212	0.212
7 その他のウイルス疾患	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152	0.152
8 真菌症	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011
9 感染症及び寄生虫症の続発・後遺症	0.420	0.420	0.420	0.420	0.420	0.093	0.093	0.093	0.093	0.093
10 その他の感染症及び寄生虫症	0.420	0.420	0.420	0.420	0.420	0.093	0.093	0.093	0.093	0.093
<b>II 新生物</b>										
12 胃の悪性新生物	0.530	0.530	0.530	0.530	0.530	0.380	0.380	0.380	0.380	0.380
13 結腸の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
14 直腸S状結腸移行部及び直腸の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
15 肝及び肝内胆管の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
16 気管・気管支及び肺の悪性新生物	0.470	0.470	0.470	0.470	0.470	0.470	0.470	0.470	0.470	0.470
17 乳房の悪性新生物	0.260	0.260	0.260	0.260	0.260	0.260	0.260	0.260	0.260	0.260
18 子宮の悪性新生物	0.200	0.200	0.200	0.200	0.200	0.200	0.200	0.200	0.200	0.200
19 悪性リンパ腫	0.610	0.610	0.610	0.610	0.610	0.190	0.190	0.190	0.190	0.190
20 白血病	0.550	0.550	0.550	0.550	0.550	0.190	0.190	0.190	0.190	0.190
21 その他の悪性新生物	0.430	0.430	0.430	0.430	0.430	0.200	0.200	0.200	0.200	0.200
22 良性新生物及びその他の新生物	0.349	0.349	0.349	0.349	0.349	0.066	0.066	0.066	0.066	0.066
<b>III 血液及び造血器の疾患並びに免疫機構の障害</b>										
24 貧血	0.250	0.250	0.250	0.250	0.250	0.011	0.011	0.011	0.011	0.011
25 その他の血液及び造血器の疾患並びに免疫機構の障害	0.250	0.250	0.250	0.250	0.250	0.011	0.011	0.011	0.011	0.011
<b>IV 内分泌、栄養及び代謝疾患</b>										
27 甲状腺障害	0.170	0.170	0.170	0.170	0.170	0.070	0.070	0.070	0.070	0.070
28 糖尿病	0.170	0.170	0.170	0.170	0.170	0.070	0.070	0.070	0.070	0.070
29 その他の内分泌、栄養及び代謝疾患	0.170	0.170	0.170	0.170	0.170	0.070	0.070	0.070	0.070	0.070
<b>V 精神及び行動の障害</b>										
31 血管性及び詳細不明の痴呆	0.430	0.430	0.430	0.430	0.430	0.290	0.290	0.290	0.290	0.290
32 精神作用物質使用による精神及び行動の障害	0.330	0.330	0.330	0.330	0.330	0.110	0.110	0.110	0.110	0.110
33 精神分裂病、分裂病型障害及び妄想性障害	0.434	0.434	0.434	0.434	0.434	0.434	0.434	0.434	0.434	0.434
34 気分[感情]障害(躁うつ病を含む)	0.350	0.350	0.350	0.350	0.350	0.140	0.140	0.140	0.140	0.140
35 神経症性障害、ストレス関連障害及び身体表現性障害	0.600	0.600	0.600	0.600	0.600	0.170	0.170	0.170	0.170	0.170
36 精神遅滞	0.430	0.430	0.430	0.430	0.430	0.290	0.290	0.290	0.290	0.290
37 その他の精神及び行動の障害	0.600	0.600	0.600	0.600	0.600	0.170	0.170	0.170	0.170	0.170
<b>VI 神経系の疾患</b>										
39 パーキンソン病	0.790	0.790	0.790	0.790	0.790	0.480	0.480	0.480	0.480	0.480
40 アルツハイマー病	0.630	0.630	0.630	0.630	0.630	0.270	0.270	0.270	0.270	0.270
41 てんかん	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110
42 脳性麻痺及びその他の麻痺性症候群	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
43 自律神経系の障害	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110	0.110
44 その他の神経系の疾患	0.402	0.402	0.402	0.402	0.402	0.203	0.203	0.203	0.203	0.203
<b>VII 眼及び付属器の疾患</b>										
46 結膜炎	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
47 白内障	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
48 屈折及び調節の障害	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
49 その他の眼及び付属器の疾患	0.430	0.430	0.430	0.430	0.430	0.020	0.020	0.020	0.020	0.020
<b>VIII 耳及び乳様突起の疾患</b>										
51 外耳炎	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
52 その他の外耳疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
53 中耳炎	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
54 その他の中耳及び乳様突起の疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
55 メニエール病	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
56 その他の内耳疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090
57 その他の耳疾患	0.233	0.233	0.233	0.233	0.233	0.090	0.090	0.090	0.090	0.090

傷病の重み付け 5

女性(その2)

	入院					外来				
	0-4	5-14	15-44	45-59	60+	0-4	5-14	15-44	45-59	60+
<b>IX 循環器系の疾患</b>										
59 高血圧性疾患	0.026	0.026	0.026	0.026	0.026	0.009	0.009	0.009	0.009	0.009
60 虚血性心疾患	0.267	0.267	0.267	0.267	0.267	0.224	0.224	0.224	0.224	0.224
61 その他の心疾患	0.295	0.295	0.295	0.295	0.295	0.179	0.179	0.179	0.179	0.179
62 くも膜下出血	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
63 脳内出血	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
64 脳梗塞	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
65 脳動脈硬化(症)	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
66 その他の脳血管疾患	0.630	0.630	0.630	0.630	0.630	0.360	0.360	0.360	0.360	0.360
67 動脈硬化(症)	0.360	0.360	0.360	0.360	0.360	0.011	0.011	0.011	0.011	0.011
68 痔核	0.233	0.233	0.233	0.233	0.233	0.011	0.011	0.011	0.011	0.011
69 低血圧(症)	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011	0.011
70 その他の循環器系の疾患	0.305	0.305	0.305	0.305	0.305	0.110	0.110	0.110	0.110	0.110
<b>X 呼吸器系の疾患</b>										
72 急性鼻咽頭炎[かぜ]	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014
73 急性咽頭炎及び急性扁桃炎	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061
74 その他の急性上気道感染症	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061
75 肺炎	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373	0.373
76 急性気管支炎及び急性細気管支炎	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132
77 アレルギー性鼻炎	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014	0.014
78 慢性副鼻腔炎	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061	0.061
79 急性又は慢性と明示されない気管支炎	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132	0.132
80 慢性閉塞性肺疾患	0.530	0.530	0.530	0.530	0.530	0.170	0.170	0.170	0.170	0.170
81 喘息	0.230	0.230	0.230	0.230	0.230	0.030	0.030	0.030	0.030	0.030
82 その他の呼吸器系の疾患	0.167	0.167	0.167	0.167	0.167	0.092	0.092	0.092	0.092	0.092
<b>X I 消化器系の疾患</b>										
84 う蝕	0.081	0.081	0.081	0.081	0.081	0.081	0.081	0.081	0.081	0.081
85 歯肉炎及び歯周疾患	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
86 その他の歯及び歯の支持組織の障害	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
87 胃潰瘍及び十二指腸潰瘍	0.115	0.115	0.115	0.115	0.115	0.066	0.066	0.066	0.066	0.066
88 胃炎及び十二指腸炎	0.115	0.115	0.115	0.115	0.115	0.066	0.066	0.066	0.066	0.066
89 アルコール性肝疾患	0.210	0.210	0.210	0.210	0.210	0.066	0.066	0.066	0.066	0.066
90 慢性肝炎(アルコール性のものを除く)	0.210	0.210	0.210	0.210	0.210	0.066	0.066	0.066	0.066	0.066
91 肝硬変(アルコール性のものを除く)	0.339	0.339	0.339	0.339	0.339	0.310	0.310	0.310	0.310	0.310
92 その他の肝疾患	0.210	0.210	0.210	0.210	0.210	0.066	0.066	0.066	0.066	0.066
93 胆石症及び胆のう炎	0.349	0.349	0.349	0.349	0.349	0.066	0.066	0.066	0.066	0.066
94 膵疾患	0.349	0.349	0.349	0.349	0.349	0.066	0.066	0.066	0.066	0.066
95 その他の消化器系の疾患	0.171	0.171	0.171	0.171	0.171	0.037	0.037	0.037	0.037	0.037
<b>X II 皮膚及び皮下組織の疾患</b>										
97 皮膚及び皮下組織の感染症	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
98 皮膚炎及び湿疹	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
99 その他の皮膚及び皮下組織の疾患	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056	0.056
<b>X III 筋骨格系及び結合組織の疾患</b>										
101 炎症性多発性関節障害	0.370	0.370	0.370	0.370	0.370	0.210	0.210	0.210	0.210	0.210
102 関節症	0.140	0.140	0.140	0.140	0.140	0.010	0.010	0.010	0.010	0.010
103 脊柱障害(脊椎症を含む)	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
104 椎間板障害	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
105 頸腕症候群	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
106 腰痛症及び坐骨神経痛	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
107 その他の脊柱障害	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
108 肩の傷害	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060
109 骨の密度及び構造の障害	0.125	0.125	0.125	0.125	0.125	0.009	0.009	0.009	0.009	0.009
110 その他の筋骨格系及び結合組織の疾患	0.125	0.125	0.125	0.125	0.125	0.060	0.060	0.060	0.060	0.060

## 傷病の重み付け 6

## 女性(その3)

	入院					外来				
	0-4	5-14	15-44	45-59	60+	0-4	5-14	15-44	45-59	60+
XIV 尿路生殖器系の疾患										
112 糸球体疾患及び腎尿細管間質性疾患	0.290	0.290	0.290	0.290	0.290	0.110	0.110	0.110	0.110	0.110
113 腎不全	0.290	0.290	0.290	0.290	0.290	0.110	0.110	0.110	0.110	0.110
114 尿路結石症	0.290	0.290	0.290	0.290	0.290	0.066	0.066	0.066	0.066	0.066
115 その他の尿路系の疾患	0.290	0.290	0.290	0.290	0.290	0.066	0.066	0.066	0.066	0.066
116 前立腺肥大(症)										
その他の男性性器の疾患										
118 月経障害及び閉経周辺期障害	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033	0.033
119 乳房及びその他の女性性器の疾患	0.376	0.376	0.376	0.376	0.376	0.091	0.091	0.091	0.091	0.091
XV 妊娠、分娩及び産じょく										
121 流産	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
122 妊娠中毒症	0.171	0.171	0.171	0.171	0.171	0.171	0.171	0.171	0.171	0.171
123 単胎自然分娩	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
124 その他の妊娠、分娩及び産じょく	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
XVI 周産期に発生した病態										
126 妊娠及び胎児発育に関連する障害	0.430	0.430	0.430	0.430	0.430	0.110	0.110	0.110	0.110	0.110
127 その他の周産期に発生した病態	0.430	0.430	0.430	0.430	0.430	0.110	0.110	0.110	0.110	0.110
XVII 先天奇形、変形及び染色体異常										
129 心臓の先天奇形	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323	0.323
130 その他の先天奇形、変形及び染色体異常	0.440	0.440	0.440	0.440	0.440	0.219	0.219	0.219	0.219	0.219
131 XⅧ症状、徴候及び異常臨床所見、異常検査所見で他に分類されない										
XIX 損傷、中毒及びその他の外因の影響										
133 骨折	0.261	0.261	0.261	0.261	0.261	0.195	0.195	0.195	0.195	0.195
134 頭蓋内損傷及び内臓の損傷	0.346	0.346	0.346	0.346	0.346	0.328	0.328	0.328	0.328	0.328
135 熱傷及び腐食	0.441	0.441	0.441	0.441	0.441	0.158	0.158	0.158	0.158	0.158
136 中毒	0.611	0.611	0.608	0.608	0.608	0.611	0.611	0.608	0.608	0.608
137 その他の損傷及びその他の外因の影響	0.218	0.218	0.218	0.218	0.218	0.109	0.109	0.109	0.109	0.109

傷病の重み付けの出典 1

<p><b>I 感染症及び寄生虫症</b>  腸管感染症  結核  主として性的伝播様式をとる感染症  皮膚及び粘膜の病変を伴うウイルス疾患  ウイルス肝炎  その他のウイルス疾患  真菌症  感染症及び寄生虫症の続発・後遺症  その他の感染症及び寄生虫症</p>
<p><b>II 新生物</b>  胃の悪性新生物  結腸の悪性新生物  直腸S状結腸移行部及び直腸の悪性新生物  肝及び肝内胆管の悪性新生物  気管・気管支及び肺の悪性新生物  乳房の悪性新生物  子宮の悪性新生物  悪性リンパ腫  白血病  その他の悪性新生物  良性新生物及びその他の新生物</p>
<p><b>III 血液及び造血器の疾患並びに免疫機構の障害</b>  貧血  その他の血液及び造血器の疾患並びに免疫機構の障害</p>
<p><b>IV 内分泌、栄養及び代謝疾患</b>  甲状腺障害  糖尿病  その他の内分泌、栄養及び代謝疾患</p>
<p><b>V 精神及び行動の障害</b>  血管性及び詳細不明の痴呆  精神作用物質使用による精神及び行動の障害  精神分裂病、分裂病型障害及び妄想性障害  気分[感情]障害(躁うつ病を含む)  神経症性障害、ストレス関連障害及び身体表現性障害  精神遅滞  その他の精神及び行動の障害</p>
<p><b>VI 神経系の疾患</b>  パーキンソン病  アルツハイマー病  てんかん  脳性麻痺及びその他の麻痺性症候群  自律神経系の障害  その他の神経系の疾患</p>
<p><b>VII 眼及び付属器の疾患</b>  結膜炎  白内障  屈折及び調節の障害  その他の眼及び付属器の疾患</p>
<p><b>VIII 耳及び乳様突起の疾患</b>  外耳炎  その他の外耳疾患  中耳炎  その他の中耳及び乳様突起の疾患  メニエール病  その他の内耳疾患  その他の耳疾患</p>

DW: Dutch disability weight

GBD: Global Burden of Disease Study Weight

AUS: Victorian Burden of Disease Study



## 傷病の重み付けの出典 2

### IX 循環器系の疾患

高血圧性疾患  
 虚血性心疾患  
 その他の心疾患  
 くも膜下出血  
 脳内出血  
 脳梗塞  
 脳動脈硬化(症)  
 その他の脳血管疾患  
 動脈硬化(症)  
 痔核  
 低血圧(症)  
 その他の循環器系の疾患

### X 呼吸器系の疾患

急性鼻咽頭炎[かぜ]  
 急性咽頭炎及び急性扁桃炎  
 その他の急性上気道感染症  
 肺炎  
 急性気管支炎及び急性細気管支炎  
 アレルギー性鼻炎  
 慢性副鼻腔炎  
 急性又は慢性と明示されない気管支炎  
 慢性閉塞性肺疾患  
 喘息  
 その他の呼吸器系の疾患

### X I 消化器系の疾患

う蝕  
 歯肉炎及び歯周疾患  
 その他の歯及び歯の支持組織の障害  
 胃潰瘍及び十二指腸潰瘍  
 胃炎及び十二指腸炎  
 アルコール性肝疾患  
 慢性肝炎(アルコール性のものを除く)  
 肝硬変(アルコール性のものを除く)  
 その他の肝疾患  
 胆石症及び胆のう炎  
 膵疾患  
 その他の消化器系の疾患

### X II 皮膚及び皮下組織の疾患

皮膚及び皮下組織の感染症  
 皮膚炎及び湿疹  
 その他の皮膚及び皮下組織の疾患

### X III 筋骨格系及び結合組織の疾患

炎症性多発性関節障害  
 関節症  
 脊柱障害(脊椎症を含む)  
 椎間板障害  
 頸腕症候群  
 腰痛症及び坐骨神経痛  
 その他の脊柱障害  
 肩の傷害  
 骨の密度及び構造の障害  
 その他の筋骨格系及び結合組織の疾患

DW: Dutch disability weight

GBD: Global Burden of Disease Study Weight

AUS: Victorian Burden of Disease Study

### 傷病の重み付けの出典 3

<p><b>XIV 尿路性器系の疾患</b> 糸球体疾患及び腎尿細管間質性疾患 腎不全 尿路結石症 その他の尿路系の疾患 前立腺肥大(症) その他の男性性器の疾患 月経障害及び閉経周辺期障害 乳房及びその他の女性性器の疾患</p>
<p><b>XV 妊娠、分娩及び産じょく</b> 流産 妊娠中毒症 単胎自然分娩 その他の妊娠、分娩及び産じょく</p>
<p><b>XVI 周産期に発生した病態</b> 妊娠及び胎児発育に関連する障害 その他の周産期に発生した病態</p>
<p><b>XVII 先天奇形、変形及び染色体異常</b> 心臓の先天奇形 その他の先天奇形、変形及び染色体異常</p>
<p><b>XVIII 徴候及び異常臨床所見、異常検査所見で他に分類不能</b></p>
<p><b>IX 損傷、中毒及びその他の外因の影響</b> 骨折 頭蓋内損傷及び内臓の損傷 熱傷及び腐食 中毒 その他の損傷及びその他の外因の影響</p>

DW: Dutch disability weight

GBD: Global Burden of Disease Study Weight

AUS: Victorian Burden of Disease Study

\*重みはつけていない

(入院 その1)

入 院
AUS:DW for complicated episode(50%)plus GBD weght for uncomlicated episide(50%) GBD:Pulmonary TB 重み付けの推定を参照 GBD:measels episjde DW:Acute symptomatic GBD:measels episjde GBD:Moderate anemia AUS:DW for complicated episode(50%)plus GBD weght for uncomlicated episide(50%) AUS:DW for complicated episode(50%)plus GBD weght for uncomlicated episide(50%)  DW:Diagnosis and primary therapy DW:Diagnosis and primary therapy DW:Diagnosis and primary therapy DW for colorectal cancer DW:Disease free after primary therapy DW:Diagnosis and primary therapy, non-invasive tumor<2cm AUS:Provisional weight based on DWs DW:Low grade, dissemination stage III and IV AUS:Provisional weight based on DWs DW for colorectal cancer AUS:Estimated using EQ-5D+ regression model for hysterectomy or myomectomy
GBD:Very severe anemia GBD for anemia
DW:DM with Mild tomoderae vision loss DW:DM with Mild tomoderae vision loss DW for Diabetes mellitus  DW:Moderate intellectual disability AUS:Average of DW for problem drinking and manifest alcoholism AUS:Composite GBD weight psychosis(30%),treated schizophrenia(70%) DW:major depression episode-moderate DW:Generalized anxiety disordersevere DW:Moderate DW:Generalized anxiety disordersevere  DW:Intermediate DW:Moderate DW DW:Moderate permanent impairement for stroke DW:Epilepsy 重み付けの推定を参照
DW:Severe vision loss DW:Severe vision loss DW:Severe vision loss DW:Severe vision loss
DW:Early acquired severe hearing loss DW:Early acquired severe hearing loss DW:Early acquired severe hearing loss DW:Early acquired severe hearing loss DW:Early acquired severe hearing loss DW:Early acquired severe hearing loss DW:Early acquired severe hearing loss

(入院 その2)

入 院
重み付けの推定を参照 重み付けの推定を参照 重み付けの推定を参照 DW:Moderate permanent impairment for stroke DW:Moderate permanent impairment for stroke DW:Moderate permanent impairment for stroke DW:Moderate permanent impairment for stroke DW:Moderate permanent impairment for stroke DW:Mild permanent impairment for stroke DW:Early acquired severe hearing loss GBD:Moderate anemia 重み付けの推定を参照
AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model AUS:Acute nasopharyngitis AUS:Acute sinusitis AUS:Acute bronchitis DW:Severe COPD DW:Estimated using EQ-5D+ regression model and Australian data on severity for severe asthma 重み付けの推定を参照
GBD:episode DW:gingivitis DW:gingivitis GBD:Untreated GBD:Untreated DW:Acute symptomatic episode DW:Acute symptomatic episode GBD:Liver cirrhosis DW:Acute symptomatic episode AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model 重み付けの推定を参照
AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model AUS:Provisional weight estimated using EQ5D + regression model  DW:Moderate for RA DW:Grade2 AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model AUS:Estimated using EQ-5D+ regression model