

年代	尿蛋白					尿糖				
	-	+	2+	3+	+-	-	+	2+	3+	+-
20代	12370	61	19	7	133	12437	69	20	3	61
男	98.3	0.5	0.2	0.1	1.1	98.8	0.5	0.2	0.02	0.5
20代	8356	72	18	3	137	8528	22	7	3	26
女	97.3	0.8	0.2	0.0	1.6	99.3	0.3	0.1	0.03	0.3
20代	20726	133	37	10	270	20965	91	27	6	87
合計	97.9	0.6	0.2	0.05	1.3	99.0	0.4	0.1	0.03	0.4
30代	10369	48	29	11	94	10299	93	62	13	84
男	98.3	0.5	0.3	0.1	0.9	97.6	0.9	0.6	0.1	0.8
30代	5300	19	8	4	53	5328	22	17	0	17
女	98.4	0.4	0.1	0.1	1.0	99.0	0.4	0.3	0.0	0.3
30代	15669	67	37	15	147	15627	115	79	13	101
合計	98.3	0.4	0.2	0.09	0.9	98.1	0.7	0.5	0.1	0.6
40代	9730	83	37	17	113	9499	179	139	36	127
男	97.5	0.8	0.4	0.2	1.1	95.2	1.8	1.4	0.4	1.3
40代	7684	32	16	4	70	7703	39	31	8	25
女	98.4	0.4	0.2	0.1	0.9	98.7	0.5	0.4	0.1	0.3
40代	17414	115	53	21	183	17202	218	170	44	152
合計	97.9	0.6	0.3	0.1	1.0	96.7	1.2	1.0	0.2	0.9
50代	7700	86	57	14	123	7410	210	156	30	174
男	96.5	1.1	0.7	0.2	1.5	92.9	2.6	2.0	0.4	2.2
50代	6344	44	17	3	60	6358	38	34	14	24
女	98.1	0.7	0.3	0.0	0.9	98.3	0.6	0.5	0.2	0.4
50代	14044	130	74	17	183	13768	248	190	44	198
合計	97.2	0.9	0.5	0.1	1.3	95.3	1.7	1.3	0.3	1.4
60代	3811	59	27	9	80	3684	97	94	23	88
男	95.6	1.5	0.7	0.2	2.0	92.4	2.4	2.4	0.6	2.2
60代	3209	21	15	3	43	3242	20	15	4	10
女	97.5	0.6	0.5	0.1	1.3	98.5	0.6	0.5	0.1	0.3
60代	7020	80	42	12	123	6926	117	109	27	98
合計	96.5	1.1	0.6	0.2	1.7	95.2	1.6	1.5	0.4	1.3
70代	898	17	7	4	32	902	15	21	2	18
男	93.7	1.8	0.7	0.4	3.3	94.2	1.6	2.2	0.2	1.9
70代	931	15	7	1	14	949	6	6	1	6
女	96.2	1.5	0.7	0.1	1.4	98.0	0.6	0.6	0.1	0.6
70代	1829	32	14	5	46	1851	21	27	3	24
合計	95.0	1.7	0.7	0.3	2.4	96.1	1.1	1.4	0.2	1.2
80代	23	0	0	0	2	23	0	1	0	1
男	92.0	0.0	0.0	0.0	8.0	92.0	0.0	4.0	0.0	4.0
80代	28	1	0	0	0	28	0	1	0	0
女	96.6	3.4	0.0	0.0	0.0	96.6	0.0	3.4	0.0	0.0
80代	51	1	0	0	2	51	0	2	0	1
合計	94.4	1.9	0.0	0.0	3.7	94.4	0.0	3.7	0.0	1.9
男	44901	354	176	62	577	44254	663	493	107	553
合計	97.5	0.8	0.4	0.1	1.3	96.1	1.4	1.1	0.2	1.2
女	31852	204	81	18	377	32136	147	111	30	108
合計	97.9	0.6	0.2	0.1	1.2	98.8	0.5	0.3	0.1	0.3
総合計	76753	558	257	80	954	76390	810	604	137	661
	97.6	0.7	0.3	0.1	1.2	97.2	1.0	0.8	0.2	0.8

年代	白血球数				赤血球数				
	↓	正常	↑	↑↑	↓↓	↓	正常	↑	↑↑
20代	9	3277	108	8	2	3	3315	120	27
男	0.3	96.33	3.2	0.2	0.1	0.1	95.6	3.5	0.8
20代	13	3412	77	5	9	33	3526	4	0
女	0.4	97.29	2.2	0.1	0.3	0.9	98.7	0.1	0.0
20代	22	6689	185	13	11	36	6841	124	27
合計	0.3	96.82	2.7	0.2	0.2	0.5	97.2	1.8	0.4
30代	7	6021	297	19	4	7	6265	166	25
男	0.1	94.9	4.7	0.3	0.1	0.1	96.9	2.6	0.4
30代	39	3753	71	3	12	50	3825	1	1
女	1.0	97.1	1.8	0.1	0.3	1.3	98.4	0.0	0.0
30代	46	9774	368	22	16	57	10090	167	26
合計	0.5	95.7	3.6	0.2	0.2	0.6	97.4	1.6	0.3
40代	21	8995	513	45	42	61	9345	151	34
男	0.2	94.0	5.4	0.5	0.4	0.6	97.0	1.6	0.4
40代	67	7621	134	4	32	108	7677	11	6
女	0.9	97.4	1.7	0.1	0.4	1.4	98.0	0.1	0.1
40代	88	16616	647	49	74	169	17022	162	40
合計	0.5	95.5	3.7	0.3	0.4	1.0	97.5	0.9	0.2
50代	23	7338	305	22	77	75	7492	89	13
男	0.3	95.4	4.0	0.3	1.0	1.0	96.7	1.1	0.2
50代	48	6268	51	2	15	46	6300	12	2
女	0.8	98.4	0.8	0.0	0.2	0.7	98.8	0.2	0.0
50代	71	13606	356	24	92	121	13792	101	15
合計	0.5	96.8	2.5	0.2	0.7	0.9	97.7	0.7	0.1
60代	14	3767	87	10	63	98	3679	24	14
男	0.4	97.1	2.2	0.3	1.6	2.5	94.9	0.6	0.4
60代	39	3263	18	1	15	42	3261	4	0
女	1.2	98.3	0.5	0.0	0.5	1.3	98.2	0.1	0.0
60代	53	7030	105	11	78	140	6940	28	14
合計	0.7	97.7	1.5	0.2	1.1	1.9	96.4	0.4	0.2
70代	5	972	21	1	37	44	911	5	2
男	0.5	97.3	2.1	36.0	3.7	4.4	91.2	0.5	36.0
70代	8	1005	4	1	10	32	975	1	0
女	0.8	98.7	0.4	0.1	1.0	3.1	95.8	0.1	0.0
70代	13	1977	25	2	47	76	1886	6	2
合計	0.6	98.0	1.2	0.1	2.3	3.8	93.5	0.3	0.1
80代	0	26	0	0	3	1	22	0	0
男	0.0	100.0	0.0	0.0	11.5	3.8	84.6	0.0	0.0
80代	0	31	0	0	1	1	29	0	0
女	0.0	100.0	0.0	0.0	3.2	3.2	93.5	0.0	0.0
80代	0	57	0	0	4	2	51	0	0
合計	0.0	100.0	0.0	0.0	7.0	3.5	89.5	0.0	0.0
男	79	30396	1331	105	228	289	31029	555	115
合計	0.2	95.3	4.2	0.3	0.7	0.9	96.3	1.7	0.4
女	214	25353	355	16	94	312	25593	33	9
合計	0.8	97.7	1.4	0.1	0.4	1.2	98.3	0.1	0.0
総合計	293	55749	1686	121	322	601	56622	588	124
	0.5	96.4	2.9	0.2	0.6	1.0	97.2	1.0	0.2

年代	血色素量					ヘマトクリット値				
	↓↓	↓	正常	↑	↑↑	↓↓	↓	正常	↑	↑↑
20代	4	6	3447	0	10	2	6	3373	20	1
男	0.1	0.2	99.4	0.0	0.3	0.1	0.2	99.1	0.6	0.0
20代	72	95	3405	0	0	59	86	3413	6	0
女	2.0	2.7	95.3	0.0	0.0	1.7	2.4	95.8	0.2	0.0
20代	76	101	6852	0	10	61	92	6786	26	1
合計	1.1	1.4	97.3	0.0	0.1	0.9	1.3	97.4	0.4	0.0
30代	6	11	6426	0	24	4	8	6273	49	10
男	0.1	0.2	99.4	0.0	0.4	0.1	0.1	98.9	0.8	0.2
30代	168	243	3477	0	1	118	170	3573	14	0
女	4.3	6.2	89.4	0.0	0.0	3.0	4.4	92.2	0.4	0.0
30代	174	254	9903	0	25	122	178	9846	63	10
合計	1.7	2.5	95.6	0.0	0.2	1.2	1.7	96.3	0.6	0.1
40代	32	38	9514	0	49	31	36	9410	77	20
男	0.3	0.4	98.8	0.0	0.5	0.3	0.4	98.3	0.8	0.2
40代	627	587	6617	0	3	420	446	6913	49	1
女	8.0	7.5	84.5	0.0	0.0	5.4	5.7	88.3	0.6	0.0
40代	659	625	16131	0	52	451	482	16323	126	21
合計	3.8	3.6	92.4	0.0	0.3	2.6	2.8	93.8	0.7	0.1
50代	48	74	7601	0	23	43	67	7514	58	5
男	0.6	1.0	98.1	0.0	0.3	0.6	0.9	97.7	0.8	0.1
50代	125	144	6105	0	1	93	96	6123	57	0
女	2.0	2.3	95.8	0.0	0.0	1.5	1.5	96.1	0.9	0.0
50代	173	218	13706	0	24	136	163	13637	115	5
合計	1.2	1.5	97.1	0.0	0.2	1.0	1.2	97.0	0.8	0.0
60代	33	68	3760	0	17	35	66	3739	31	7
男	0.9	1.8	97.0	0.0	0.4	0.9	1.7	96.4	0.8	0.2
60代	21	56	3244	0	1	16	37	3220	49	0
女	0.6	1.7	97.7	0.0	0.0	0.5	1.1	96.9	1.5	0.0
60代	54	124	7004	0	18	51	103	6959	80	7
合計	0.8	1.7	97.3	0.0	0.3	0.7	1.4	96.7	1.1	0.1
70代	14	36	946	0	3	17	33	941	8	0
男	1.4	3.6	94.7	0.0	36.0	1.7	3.3	94.2	0.8	36.0
70代	10	47	961	0	0	7	23	974	14	0
女	1.0	4.6	94.4	0.0	0.0	0.7	2.3	95.7	1.4	0.0
70代	24	83	1907	0	3	24	56	1915	22	0
合計	1.2	4.1	94.5	0.0	0.1	1.2	2.8	94.9	1.1	0.0
80代	2	2	22	0	0	2	1	23	0	0
男	7.7	7.7	84.6	0.0	0.0	7.7	3.8	88.5	0.0	0.0
80代	0	4	27	0	0	0	1	30	0	0
女	0.0	12.9	87.1	0.0	0.0	0.0	3.2	96.8	0.0	0.0
80代	2	6	49	0	0	2	2	53	0	0
合計	3.5	10.5	86.0	0.0	0.0	3.5	3.5	93.0	0.0	0.0
男	139	235	31716	0	126	134	217	31273	243	43
合計	0.4	0.7	98.4	0.0	0.4	0.4	0.7	98.0	0.8	0.1
女	1023	1176	23836	0	6	713	859	24246	189	1
合計	3.9	4.5	91.5	0.0	0.0	2.7	3.3	93.2	0.7	0.0
総合計	1162	1411	55552	0	132	847	1076	55519	432	44
	2.0	2.4	95.4	0.0	0.2	1.5	1.9	95.9	0.7	0.1

年代	総コレステロール					HDLコレステロール		
	↓↓	↓	正常	↑	↑↑	↓↓	↓	正常
20代	6	66	3113	159	46	4	65	1888
男	0.2	1.9	91.8	4.7	1.4	0.2	3.3	96.5
20代	0	33	2284	95	36	0	40	1626
女	0.0	1.3	93.3	3.9	1.5	0.0	2.4	97.6
20代	6	99	5397	254	82	4	105	3514
合計	0.1	1.7	92.4	4.4	1.4	0.1	2.9	97.0
30代	5	31	5495	669	292	9	175	4910
男	0.1	0.5	84.6	10.3	4.5	0.2	3.4	96.4
30代	3	28	3624	201	52	1	102	3185
女	0.1	0.7	92.7	5.1	1.3	0.0	3.1	96.9
30代	8	59	9119	870	344	10	277	8095
合計	0.1	0.6	87.7	8.4	3.3	0.1	3.3	96.6
40代	2	36	7765	1315	534	9	268	6791
男	0.0	0.4	80.4	13.6	5.5	0.1	3.8	96.1
40代	1	28	6675	831	288	1	237	5807
女	0.0	0.4	85.3	10.6	3.7	0.0	3.9	96.1
40代	3	64	14440	2146	822	10	505	12598
合計	0.0	0.4	82.6	12.3	4.7	0.1	3.9	96.1
50代	4	31	6228	1057	434	1	215	5402
男	0.1	0.4	80.3	13.6	5.6	0.0	3.8	96.2
50代	1	3	4226	1390	746	0	186	4950
女	0.0	0.0	66.4	21.8	11.7	0.0	3.6	96.4
50代	5	34	10454	2447	1180	1	401	10352
合計	0.0	0.2	74.0	17.3	8.4	0.0	3.7	96.3
60代	7	19	3209	502	146	1	96	2803
男	0.2	0.5	82.6	12.9	3.8	0.0	3.3	96.7
60代	1	2	2024	861	419	0	182	2759
女	0.0	0.1	61.2	26.0	12.7	0.0	6.2	93.8
60代	8	21	5233	1363	565	1	278	5562
合計	0.1	0.3	72.8	19.0	7.9	0.0	4.8	95.2
70代	0	5	825	131	39	0	26	828
男	0.0	0.5	82.5	13.1	3.9	0.0	3.0	97.0
70代	0	1	624	269	123	2	67	912
女	0.0	0.1	61.4	26.5	12.1	0.2	6.8	93.0
70代	0	6	1449	400	162	2	93	1740
合計	0.0	0.3	71.8	19.8	8.0	0.1	5.1	94.8
80代	0	0	20	3	3	0	0	24
男	0.0	0.0	76.9	11.5	11.5	0.0	0.0	100.0
80代	0	0	21	6	4	0	4	26
女	0.0	0.0	67.7	19.4	12.9	0.0	13.3	86.7
80代	0	0	41	9	7	0	4	50
合計	0.0	0.0	71.9	15.8	12.3	0.0	7.4	92.6
男	24	188	26655	3836	1494	24	845	22646
合計	0.1	0.6	82.8	11.9	4.6	0.1	3.6	96.3
女	6	95	19478	3653	1668	4	818	19265
合計	0.0	0.4	78.2	14.7	6.7	0.0	4.1	95.9
総合計	30	283	46133	7489	3162	28	1663	41911
	0.1	0.5	80.8	13.1	5.5	0.1	3.8	96.1

年代	中性脂肪				GOT			GPT		
	↓	正常	↑	↑↑	正常	↑	↑↑	正常	↑	↑↑
20代	58	3036	250	46	3456	64	44	3179	208	176
男	1.7	89.6	7.4	1.4	97.0	1.8	1.2	89.2	5.8	4.9
20代	188	2229	27	3	2384	11	10	2373	15	17
女	7.7	91.1	1.1	0.1	99.1	0.5	0.4	98.7	0.6	0.7
20代	246	5265	277	49	5840	75	54	5552	223	193
合計	4.2	90.2	4.7	0.8	97.8	1.3	0.9	93.0	3.7	3.2
30代	55	5441	751	245	6252	220	89	5487	655	419
男	0.8	83.8	11.6	3.8	95.3	3.4	1.4	83.6	10.0	6.4
30代	212	3619	69	8	3791	16	14	3751	40	30
女	5.4	92.6	1.8	0.2	99.2	0.4	0.4	98.2	1.0	0.8
30代	267	9060	820	253	10043	236	103	9238	695	449
合計	2.6	87.1	7.9	2.4	96.7	2.3	1.0	89.0	6.7	4.3
40代	37	7795	1365	455	9193	320	141	8472	756	425
男	0.4	80.8	14.1	4.7	95.2	3.3	1.5	87.8	7.8	4.4
40代	229	7338	214	42	7724	61	33	7638	113	66
女	2.9	93.8	2.7	0.5	98.8	0.8	0.4	97.7	1.4	0.8
40代	266	15133	1579	497	16917	381	174	16110	869	491
合計	1.5	86.6	9.0	2.8	96.8	2.2	1.0	92.2	5.0	2.8
50代	29	6463	959	303	7335	282	139	7050	463	242
男	0.4	83.4	12.4	3.9	94.6	3.6	1.8	90.9	6.0	3.1
50代	56	5890	375	45	6242	85	37	6147	146	71
女	0.9	92.5	5.9	0.7	98.1	1.3	0.6	96.6	2.3	1.1
50代	85	12353	1334	348	13577	367	176	13197	609	313
合計	0.6	87.5	9.4	2.5	96.2	2.6	1.2	93.5	4.3	2.2
60代	16	3395	374	98	3686	126	74	3657	131	98
男	0.4	87.4	9.6	2.5	94.9	3.2	1.9	94.1	3.4	2.5
60代	15	3040	222	30	3231	52	24	3212	62	33
女	0.5	91.9	6.7	0.9	97.7	1.6	0.7	97.1	1.9	1.0
60代	31	6435	596	128	6917	178	98	6869	193	131
合計	0.4	89.5	8.3	1.8	96.2	2.5	1.4	95.5	2.7	1.8
70代	2	916	72	10	959	31	10	970	18	12
男	0.2	91.6	7.2	1.0	95.9	3.1	1.0	97.0	1.8	1.2
70代	1	958	54	4	993	19	5	995	15	7
女	0.1	94.2	5.3	0.4	97.6	1.9	0.5	97.8	1.5	0.7
70代	3	1874	126	14	1952	50	15	1965	33	19
合計	0.1	92.9	6.2	0.7	96.8	2.5	0.7	97.4	1.6	0.9
80代	0	24	2	0	26	0	0	26	0	0
男	0.0	92.3	7.7	0.0	100.0	0.0	0.0	100.0	0.0	0.0
80代	0	29	2	0	31	0	0	31	0	0
女	0.0	93.5	6.5	0.0	100.0	0.0	0.0	100.0	0.0	0.0
80代	0	53	4	0	57	0	0	57	0	0
合計	0.0	93.0	7.0	0.0	100.0	0.0	0.0	100.0	0.0	0.0
男	197	27070	3773	1157	30907	1043	497	28841	2231	1372
合計	0.6	84.1	11.7	3.6	95.3	3.2	1.5	88.9	6.9	4.2
女	701	23103	963	132	24396	244	123	24147	391	224
合計	2.8	92.8	3.9	0.5	98.5	1.0	0.5	97.5	1.6	0.9
総合計	898	50173	4736	1289	55303	1287	620	52988	2622	1596
	1.6	87.9	8.3	2.3	96.7	2.2	1.1	92.6	4.6	2.8

年代	γ-GTP			尿酸				尿素窒素			
	正常	↑	↑↑	↓	正常	↑	↑↑	↓	正常	↑	↑↑
20代	3140	193	116	7	1358	0	48	0	999	0	0
男	91.0	5.6	3.4	0.5	96.1	0.0	3.4	0.0	100.0	0.0	0.0
20代	2372	20	12	1	1252	23	0	0	1150	0	0
女	98.7	0.8	0.5	0.1	98.1	1.8	0.0	0.0	100.0	0.0	0.0
20代	5512	213	128	8	2610	23	48	0	2149	0	0
合計	94.2	3.6	2.2	0.3	97.1	0.9	1.8	0.0	100.0	0.0	0.0
30代	5045	807	665	11	4795	0	205	0	2450	2	1
男	77.4	12.4	10.2	0.2	95.7	0.0	4.1	0.0	99.9	0.1	0.0
30代	3740	52	26	3	3026	29	0	0	2121	0	0
女	98.0	1.4	0.7	0.1	99.0	0.9	0.0	0.0	100.0	0.0	0.0
30代	8785	859	691	14	7821	29	205	0	4571	2	1
合計	85.0	8.3	6.7	0.2	96.9	0.4	2.5	0.0	99.9	0.0	0.0
40代	6915	1447	1265	16	6377	0	260	0	3084	2	2
男	71.8	15.0	13.1	0.2	95.9	0.0	3.9	0.0	99.9	0.1	0.1
40代	7555	149	109	8	5657	68	4	0	3290	4	1
女	96.7	1.9	1.4	0.1	98.6	1.2	0.1	0.0	99.8	0.1	0.0
40代	14470	1596	1374	24	12034	68	264	0	6374	6	3
合計	83.0	9.2	7.9	0.2	97.1	0.5	2.1	0.0	99.9	0.1	0.0
50代	5488	1153	1086	15	4998	0	180	0	2780	9	3
男	71.0	14.9	14.1	0.3	96.2	0.0	3.5	0.0	99.6	0.3	0.1
50代	5964	256	141	7	4697	146	5	0	2716	6	0
女	93.8	4.0	2.2	0.1	96.7	3.0	0.1	0.0	99.8	0.2	0.0
50代	11452	1409	1227	22	9695	146	185	0	5496	15	3
合計	81.3	10.0	8.7	0.2	96.5	1.5	1.8	0.0	99.7	0.3	0.1
60代	3034	472	370	4	2579	0	76	0	1845	10	2
男	78.3	12.2	9.5	0.2	97.0	0.0	2.9	0.0	99.4	0.5	0.1
60代	3150	102	55	3	2683	123	2	0	2399	8	2
女	95.3	3.1	1.7	0.1	95.4	4.4	0.1	0.0	99.6	0.3	0.1
60代	6184	574	425	7	5262	123	78	0	4244	18	4
合計	86.1	8.0	5.9	0.1	96.2	2.2	1.4	0.0	99.5	0.4	0.1
70代	870	73	56	2	809	0	20	0	697	4	3
男	87.1	7.3	5.6	0.2	97.4	0.0	0.0	0.0	99.0	0.6	0.4
70代	990	14	12	0	890	73	4	0	847	7	1
女	97.4	1.4	1.2	0.0	92.0	7.5	0.4	0.0	21.0	0.8	0.1
70代	1860	87	68	2	1699	73	24	0	1544	11	4
合計	92.3	4.3	3.4	0.1	94.5	4.1	1.3	0.0	99.0	0.7	0.3
80代	23	2	1	0	22	0	2	0	21	1	0
男	88.5	7.7	3.8	0.0	91.7	0.0	8.3	0.0	95.5	4.5	0.0
80代	31	0	0	0	27	3	0	0	23	0	0
女	100.0	0.0	0.0	0.0	90.0	10.0	0.0	0.0	100.0	0.0	0.0
80代	54	2	1	0	49	3	2	0	44	1	0
合計	94.7	3.5	1.8	0.0	90.7	5.6	3.7	0.0	97.8	2.2	0.0
男	24515	4147	3559	55	20938	0	791	0	11876	28	11
合計	76.1	12.9	11.0	0.3	96.1	0.0	3.6	0.0	99.7	0.2	0.1
女	23802	593	355	22	18232	465	15	0	12546	25	4
合計	96.2	2.4	1.4	0.1	97.3	2.5	0.1	0.0	99.8	0.2	0.0
総合計	48317	4740	3914	77	39170	465	806	0	24422	53	15
	84.8	8.3	6.9	0.2	96.7	1.1	2.0	0.0	99.7	0.2	0.1

年代	クレアチニン				血糖				
	↓	正常	↑	↑↑	↓↓	↓	正常	↑	↑↑
20代	0	669	0	1	1	45	1832	89	17
男	0.0	99.9	0.0	0.1	0.1	2.3	92.3	4.5	0.9
20代	0	542	0	0	0	40	1327	33	3
女	0.0	100.0	0.0	0.0	0.0	2.9	94.6	2.4	0.2
20代	0	1211	0	1	1	85	3159	122	20
合計	0.0	99.9	0.0	0.1	0.0	2.5	93.3	3.6	0.6
30代	0	3099	0	3	2	26	4303	216	73
男	0.0	99.9	0.0	0.1	0.0	0.6	93.1	4.7	1.6
30代	0	1993	0	1	1	21	2641	49	21
女	0.0	99.9	0.0	0.1	0.0	0.8	96.6	1.8	0.8
30代	0	5092	0	4	3	47	6944	265	94
合計	0.0	99.9	0.0	0.1	0.0	0.6	94.4	3.6	1.3
40代	0	4979	0	17	0	27	5637	617	227
男	0.0	99.7	0.0	0.3	0.0	0.4	86.6	9.5	3.5
40代	0	4258	0	2	0	26	5182	237	68
女	0.0	100.0	0.0	0.0	0.0	0.5	94.0	4.3	1.2
40代	0	9237	0	19	0	53	10819	854	295
合計	0.0	99.8	0.0	0.2	0.0	0.4	90.0	7.1	2.5
50代	0	3713	0	30	0	23	4066	689	296
男	0.0	99.2	0.0	0.8	0.0	0.5	80.1	13.6	5.8
50代	0	4097	0	4	0	21	4528	372	107
女	0.0	99.9	0.0	0.1	0.0	0.4	90.1	7.4	2.1
50代	0	7810	0	34	0	44	8594	1061	403
合計	0.0	99.6	0.0	0.4	0.0	0.4	85.1	10.5	4.0
60代	0	2261	0	38	0	11	2067	436	165
男	0.0	98.3	0.0	1.7	0.0	0.4	77.2	16.3	6.2
60代	0	2773	0	5	0	9	2630	242	76
女	0.0	99.8	0.0	0.2	0.0	0.3	88.9	8.2	2.6
60代	0	5034	0	43	0	20	4697	678	241
合計	0.0	99.2	0.0	0.8	0.0	0.4	83.3	12.0	4.3
70代	0	809	0	14	1	1	709	109	36
男	0.0	98.3	0.0	1.7	0.1	0.1	82.8	12.7	36.0
70代	0	954	0	4	0	3	852	105	24
女	0.0	99.6	0.0	0.4	0.0	0.3	86.6	10.7	2.4
70代	0	1763	0	18	1	4	1561	214	60
合計	0.0	99.0	0.0	1.0	0.1	0.2	84.8	11.6	3.3
80代	0	24	0	0	0	0	22	2	0
男	0.0	100.0	0.0	0.0	0.0	0.0	91.7	8.3	0.0
80代	0	30	0	0	0	1	22	6	1
女	0.0	100.0	0.0	0.0	0.0	3.3	73.3	20.0	3.3
80代	0	54	0	0	0	1	44	8	1
合計	0.0	100.0	0.0	0.0	0.0	1.9	81.5	14.8	1.9
男	0	15554	0	103	4	133	18636	2158	814
合計	0.0	99.3	0.0	0.7	0.0	0.6	85.7	9.9	3.7
女	0	14647	0	16	1	121	17182	1044	300
合計	0.0	99.9	0.0	0.1	0.0	0.6	92.1	5.6	1.6
総合計	0	30201	0	119	5	254	35818	3202	1114
	0.0	99.6	0.0	0.4	0.0	0.6	88.7	7.9	2.8

年代	HbA1C			
	↓	正常	↑	↑↑
20代	0	287	0	8
男	0.0	97.3	0.0	2.7
20代	0	435	0	9
女	0.0	98.0	0.0	2.0
20代	0	722	0	17
合計	0.0	97.7	0.0	2.3
30代	2	1195	0	45
男	0.2	96.2	0.0	3.6
30代	2	1574	0	55
女	0.1	96.5	0.0	3.4
30代	4	2769	0	100
合計	0.1	96.4	0.0	3.5
40代	1	1559	0	163
男	0.1	90.5	0.0	9.5
40代	1	2320	0	190
女	0.0	92.4	0.0	7.6
40代	2	3879	0	353
合計	0.0	91.6	0.0	8.3
50代	0	1394	0	240
男	0.0	85.3	0.0	14.7
50代	0	1993	0	281
女	0.0	87.6	0.0	12.4
50代	0	3387	0	521
合計	0.0	86.7	0.0	13.3
60代	0	1395	0	280
男	0.0	83.3	0.0	16.7
60代	0	2062	0	334
女	0.0	86.1	0.0	13.9
60代	0	3457	0	614
合計	0.0	84.9	0.0	15.1
70代	0	590	0	108
男	0.0	84.5	0.0	15.5
70代	1	725	0	120
女	0.1	21.0	0.0	14.2
70代	1	1315	0	228
合計	0.1	85.2	0.0	14.8
80代	0	21	0	1
男	0.0	95.5	0.0	4.5
80代	0	14	0	8
女	0.0	63.6	0.0	36.4
80代	0	35	0	9
合計	0.0	79.5	0.0	20.5
男	3	6441	0	845
合計	0.0	88.4	0.0	11.6
女	4	9123	0	997
合計	0.0	90.1	0.0	9.8
総合計	7	15564	0	1842
	0.0	89.4	0.0	10.6

検査項目数値一覧表

検査項目名	男性				
	↓↓	↓	正常	↑	↑↑
BMI指数	~18.4	18.5~19.9	20.0~25.0	25.1~26.9	27.0~
最高血圧		~95	96~139	140~159	160~
最低血圧		~49	50~89	90~95	96~
白血球数		~29	30~95	96~129	130~
赤血球数	~379	380~399	400~570	571~599	600~
血色素量	~11.9	12.0~12.9	13.0~18.0	18.1~18.9	19.0~
ヘマトクリット値	~35.9	36.0~37.9	38.0~53.0	53.1~56.9	57.0~
総コレステロール	~99	100~119	120~230	231~259	260~
HDLコレステロール	~24	25~35	36~999		
中性脂肪		~34	35~200	201~349	350~
GOT			0~40	41~59	60~
GPT			0~40	41~59	60~
γGTP			0~60	61~99	100~
尿酸		~2.4	2.5~8.0	8.1~8.9	9.0~
尿素窒素		~4.9	5.0~28.0	28.1~34.9	35.0~
クレアチニン		~0.49	0.50~1.60	1.61~1.69	1.70~
血糖	~49	50~69	70~109	110~139	140~
HbA1C		~3.9	4.0~5.5	5.6~5.9	6.0~

検査項目名	女性				
	↓↓	↓	正常	↑	↑↑
BMI指数	~17.4	17.5~18.9	19.0~24.0	24.1~26.9	27.0~
最高血圧		~95	96~139	140~159	160~
最低血圧		~49	50~89	90~95	96~
白血球数		~29	30~95	96~129	130~
赤血球数	~349	350~369	370~550	551~579	580~
血色素量	~10.9	11.0~11.4	11.5~17.0	17.1~17.9	18.0~
ヘマトクリット値	~32.9	33.0~34.9	35.0~47.0	47.1~54.9	55.0~
総コレステロール	~99	100~119	120~230	231~259	260~
HDLコレステロール	~24	25~39	40~999		
中性脂肪		~34	35~200	201~349	350~
GOT			0~40	41~59	60~
GPT			0~40	41~59	60~
γGTP			0~60	61~99	100~
尿酸		~1.9	2.0~6.0	6.1~8.9	9.0~
尿素窒素		~4.9	5.0~28.0	28.1~34.9	35.0~
クレアチニン		~0.49	0.50~1.60	1.61~1.69	1.70~
血糖	~49	50~69	70~109	110~139	140~
HbA1C		~3.9	4.0~5.5	5.6~5.9	6.0~

1:ほとんど食べない 2:週1-2回 3:週3-6回 4:毎日食べる 5:一日に2回以上

食品別摂取頻度集計表

年代	パン・種類					卵				
	1	2	3	4	5	1	2	3	4	5
20代	1108	5659	3063	1590	107	921	4625	4161	1784	36
男	9.6	49.1	26.6	13.8	0.9	8.0	40.1	36.1	15.5	0.3
20代	600	3740	2188	1486	146	542	2683	3440	1475	20
女	7.4	45.8	26.8	18.2	1.8	6.6	32.9	42.2	18.1	0.2
20代	1708	9399	5251	3076	253	1463	7308	7601	3259	56
合計	8.7	47.7	26.7	15.62	1.3	7.4	37.1	38.6	16.6	0.3
30代	613	4891	2465	1446	76	503	3596	3710	1659	21
男	6.5	51.5	26.0	15.2	0.8	5.3	37.9	39.1	17.5	0.2
30代	159	1909	1138	971	113	159	1308	2003	809	11
女	3.7	44.5	26.5	22.6	2.6	3.7	30.5	46.7	18.9	0.3
30代	772	6800	3603	2417	189	662	4904	5713	2468	32
合計	5.6	49.3	26.1	17.5	1.4	4.8	35.6	41.5	17.9	0.2
40代	695	4673	1848	1225	39	418	3272	3222	1546	23
男	8.2	55.1	21.8	14.4	0.5	4.9	38.6	38.0	18.2	0.3
40代	310	3002	1342	1090	109	187	1704	2787	1163	12
女	5.3	51.3	22.9	18.6	1.9	3.2	29.1	47.6	19.9	0.2
40代	1005	7675	3190	2315	148	605	4976	6009	2709	35
合計	7.0	53.5	22.3	16.2	1.0	4.2	34.7	41.9	18.9	0.2
50代	728	3746	1160	875	21	296	2383	2300	1528	23
男	11.1	57.4	17.8	13.4	0.3	4.5	36.5	35.2	23.4	0.4
50代	379	2374	781	626	30	165	1347	1776	876	26
女	9.0	56.7	18.6	14.9	0.7	3.9	32.1	42.4	20.9	0.6
50代	1107	6120	1941	1501	51	461	3730	4076	2404	49
合計	10.3	57.1	18.1	14.0	0.5	4.3	34.8	38.0	22.4	0.5
60代	312	1359	410	257	9	118	707	801	708	13
男	13.3	57.9	17.5	11.0	0.4	5.0	30.1	34.1	30.2	0.6
60代	121	501	168	123	9	53	273	347	244	5
女	13.1	54.3	18.2	13.3	1.0	5.7	29.6	37.6	26.5	0.5
60代	433	1860	578	380	18	171	980	1148	952	18
合計	13.2	56.9	17.7	11.6	0.6	5.2	30.0	35.1	29.1	0.6
70代	46	155	44	41	0	8	69	110	98	1
男	16.1	54.2	15.4	14.3	0.0	2.8	24.1	38.5	34.3	0.3
70代	20	113	23	15	2	12	35	96	30	0
女	11.6	65.3	13.3	8.7	1.2	6.9	20.2	55.5	17.3	0.0
70代	66	268	67	56	2	20	104	206	128	1
合計	14.4	58.4	14.6	12.2	0.4	4.4	22.7	44.9	27.9	0.2
80代	1	3	0	1	0	0	1	3	1	1
男	20.0	60.0	0.0	20.0	0.0	0.0	16.7	50.0	16.7	16.7
80代	2	6	1	1	0	2	1	5	2	0
女	20.0	60.0	10.0	10.0	0.0	20.0	10.0	50.0	20.0	0.0
80代	3	9	1	2	0	2	2	8	3	1
合計	20.0	60.0	6.7	13.3	0.0	12.5	12.5	50.0	18.8	6.3
男	3503	20486	8990	5435	252	2264	14653	14307	7324	118
合計	9.1	53.0	23.3	14.1	0.7	5.9	37.9	37.0	18.9	0.3
女	1591	11645	5641	4312	409	1120	7351	10454	4599	74
合計	6.7	49.3	23.9	18.3	1.7	4.7	31.2	44.3	19.5	0.3
総合計	5094	32131	14631	9747	661	3384	22004	24761	11923	192
	8.2	51.6	23.5	15.7	1.1	5.4	35.3	39.8	19.1	0.3

1:ほとんど食べない 2:週1-2回 3:週3-6回 4:毎日食べる 5:一日に2回以上

年代	牛乳・ヨーグルト					肉類 ハム等加工品を含む				
	1	2	3	4	5	1	2	3	4	5
20代	2501	3349	2710	2720	247	149	1836	6239	3088	215
男	21.7	29.1	23.5	23.6	2.1	1.3	15.9	54.1	26.8	1.9
20代	1041	2026	2217	2630	246	216	1708	4408	1730	98
女	12.8	24.8	27.2	32.2	3.0	2.6	20.9	54.0	21.2	1.2
20代	3542	5375	4927	5350	493	365	3544	10647	4818	313
合計	18.0	27.3	25.0	27.2	2.5	1.9	18.0	54.1	24.5	1.6
30代	1871	2695	2159	2638	128	121	1997	5337	1929	107
男	19.7	28.4	22.7	27.8	1.3	1.3	21.0	56.2	20.3	1.1
30代	328	776	1196	1833	157	97	898	2420	843	32
女	7.6	18.1	27.9	42.7	3.7	2.3	20.9	56.4	19.7	0.7
30代	2199	3471	3355	4471	285	218	2895	7757	2772	139
合計	16.0	25.2	24.3	32.4	2.1	1.6	21.0	56.3	20.1	1.0
40代	1701	2369	1869	2443	98	154	2678	4290	1314	44
男	20.1	27.9	22.0	28.8	1.2	1.8	31.6	50.6	15.5	0.5
40代	437	1088	1572	2567	189	245	1465	3074	1024	45
女	7.5	18.6	26.9	43.9	3.2	4.2	25.0	52.5	17.5	0.8
40代	2138	3457	3441	5010	287	399	4143	7364	2338	89
合計	14.9	24.1	24.0	35.0	2.0	2.8	28.9	51.4	16.3	0.6
50代	1254	1556	1311	2292	117	205	2744	2787	765	29
男	19.2	23.8	20.1	35.1	1.8	3.1	42.0	42.7	11.7	0.4
50代	357	691	1008	2009	125	237	1477	1836	614	26
女	8.5	16.5	24.1	47.9	3.0	5.7	35.3	43.8	14.7	0.6
50代	1611	2247	2319	4301	242	442	4221	4623	1379	55
合計	15.0	21.0	21.6	40.1	2.3	4.1	39.4	43.1	12.9	0.5
60代	396	429	405	1063	54	98	1032	919	289	9
男	16.9	18.3	17.3	45.3	2.3	4.2	44.0	39.2	12.3	0.4
60代	118	138	182	464	20	92	363	347	116	4
女	12.8	15.0	19.7	50.3	2.2	10.0	39.4	37.6	12.6	0.4
60代	514	567	587	1527	74	190	1395	1266	405	13
合計	15.7	17.3	18.0	46.7	2.3	5.8	42.7	38.7	12.4	0.4
70代	51	41	46	145	3	9	95	127	53	2
男	17.8	14.3	16.1	50.7	1.0	3.1	33.2	44.4	18.5	0.7
70代	26	15	14	117	1	15	48	56	52	2
女	15.0	8.7	8.1	67.6	0.6	8.7	27.7	32.4	30.1	1.2
70代	77	56	60	262	4	24	143	183	105	4
合計	16.8	12.2	13.1	57.1	0.9	5.2	31.2	39.9	22.9	0.9
80代	0	0	0	5	0	0	3	1	1	0
男	0.0	0.0	0.0	100.0	0.0	0.0	60.0	20.0	20.0	0.0
80代	0	2	0	8	0	1	2	1	6	0
女	0.0	20.0	0.0	80.0	0.0	10.0	20.0	10.0	60.0	0.0
80代	0	2	0	13	0	1	5	2	7	0
合計	0.0	13.3	0.0	86.7	0.0	6.7	33.3	13.3	46.7	0.0
男	774	10439	8500	11306	647	736	10385	19700	7439	406
合計	20.1	27.0	22.0	29.2	1.7	1.9	26.9	50.9	19.2	1.1
女	2307	4736	6189	9628	738	903	5961	12142	4385	207
合計	9.8	20.1	26.2	40.8	3.1	3.8	25.3	51.5	18.6	0.9
総合計	10081	15175	14689	20934	1385	1639	16346	31842	11824	613
	16.2	24.4	23.6	33.6	2.2	2.6	26.3	51.1	19.0	1.0

1:ほとんど食べない 2:週1-2回 3:週3-6回 4:毎日食べる 5:一日に2回以上

年代	魚介類 ちくわ等加工品を含む					大豆製品 豆腐・納豆・油あげを含む				
	1	2	3	4	5	1	2	3	4	5
20代	774	4766	4964	997	26	1182	5241	3845	1206	53
男	6.7	41.3	43.1	8.6	0.2	10.3	45.5	33.4	10.5	0.5
20代	493	2911	3869	850	37	641	3122	3181	1161	55
女	6.0	35.7	47.4	10.4	0.5	7.9	38.3	39.0	14.2	0.7
20代	1267	7677	8833	1847	63	1823	8363	7026	2367	108
合計	6.4	39.0	44.9	9.4	0.3	9.3	42.5	35.7	12.0	0.5
30代	277	3459	4704	1019	32	447	3864	3812	1318	50
男	2.9	36.4	49.6	10.7	0.3	4.7	40.7	40.2	13.9	0.5
30代	111	1212	2365	577	25	106	1025	1963	1151	45
女	2.6	28.3	55.1	13.4	0.6	2.5	23.9	45.8	26.8	1.0
30代	388	4671	7069	1596	57	553	4889	5775	2469	95
合計	2.8	33.9	51.3	11.6	0.4	4.0	35.5	41.9	17.9	0.7
40代	161	2685	4306	1295	33	230	3017	3684	1510	39
男	1.9	31.7	50.8	15.3	0.4	2.7	35.6	43.4	17.8	0.5
40代	97	1472	3086	1160	38	81	1144	2641	1940	47
女	1.7	25.1	52.7	19.8	0.6	1.4	19.5	45.1	33.1	0.8
40代	258	4157	7392	2455	71	311	4161	6325	3450	86
合計	1.8	29.0	51.6	17.1	0.5	2.2	29.0	44.1	24.1	0.6
50代	130	1813	3132	1418	37	109	1818	2726	1834	43
男	2.0	27.8	48.0	21.7	0.6	1.7	27.8	41.7	28.1	0.7
50代	72	986	1970	1117	45	34	639	1710	1738	69
女	1.7	23.5	47.0	26.7	1.1	0.8	15.3	40.8	41.5	1.6
50代	202	2799	5102	2535	82	143	2457	4436	3572	112
合計	1.9	26.1	47.6	23.6	0.8	1.3	22.9	41.4	33.3	1.0
60代	24	518	1035	745	25	33	474	890	919	31
男	1.0	22.1	44.1	31.7	1.1	1.4	20.2	37.9	39.2	1.3
60代	24	227	374	285	12	16	151	281	459	15
女	2.6	24.6	40.6	30.9	1.3	1.7	16.4	30.5	49.8	1.6
60代	48	745	1409	1030	37	49	625	1171	1378	46
合計	1.5	22.8	43.1	31.5	1.1	1.5	19.1	35.8	42.2	1.4
70代	2	64	111	105	4	2	53	83	146	2
男	0.7	22.4	38.8	36.7	1.4	0.7	18.5	29.0	51.0	0.7
70代	3	32	65	70	3	4	20	52	93	4
女	1.7	18.5	37.6	40.5	1.7	2.3	11.6	30.1	53.8	2.3
70代	5	96	176	175	7	6	73	135	239	6
合計	1.1	20.9	38.3	38.1	1.5	1.3	15.9	29.4	52.1	1.3
80代	1	1	1	2	0	0	0	1	4	0
男	20.0	20.0	20.0	40.0	0.0	0.0	0.0	20.0	80.0	0.0
80代	0	0	3	7	0	0	2	1	6	1
女	0.0	0.0	30.0	70.0	0.0	0.0	20.0	10.0	60.0	10.0
80代	1	1	4	9	0	0	2	2	10	1
合計	6.7	6.7	26.7	60.0	0.0	0.0	13.3	13.3	66.7	6.7
男	1369	13306	18253	5581	157	2003	14467	15041	6937	218
合計	3.5	34.4	47.2	14.4	0.4	5.2	37.4	38.9	17.9	0.6
女	800	6840	11732	4066	160	882	6103	9829	6548	236
合計	3.4	29.0	49.7	17.2	0.7	3.7	25.9	41.7	27.7	1.0
総合計	2169	20146	29985	9647	317	2885	20570	24870	13485	454
	3.5	32.4	48.2	15.5	0.5	4.6	33.0	39.9	21.7	0.7

1:ほとんど食べない 2:週1-2回 3:週3-6回 4:毎日食べる 5:一日に2回以上

年代	緑黄色野菜1皿					他の野菜1皿				
	1	2	3	4	5	1	2	3	4	5
20代	785	4121	4560	1980	81	817	4221	4314	2092	83
男	6.8	35.8	39.6	17.2	0.7	7.1	36.6	37.4	18.1	0.7
20代	372	2260	3486	1900	142	295	1880	3331	2448	206
女	4.6	27.7	42.7	23.3	1.7	3.6	23.0	40.8	30.0	2.5
20代	1157	6381	8046	3880	223	1112	6101	7645	4540	289
合計	5.9	32.4	40.9	19.7	1.1	5.6	31.0	38.8	23.1	1.5
30代	334	2977	4121	1983	76	320	2965	3918	2195	93
男	3.5	31.4	43.4	20.9	0.8	3.4	31.2	41.3	23.1	1.0
30代	61	767	1935	1408	119	41	593	1554	1902	200
女	1.4	17.9	45.1	32.8	2.8	1.0	13.8	36.2	44.3	4.7
30代	395	3744	6056	3391	195	361	3558	5472	4097	293
合計	2.9	27.2	43.9	24.6	1.4	2.6	25.8	39.7	29.7	2.1
40代	231	2593	3472	2107	77	217	2605	3270	2299	89
男	2.7	30.6	40.9	24.8	0.9	2.6	30.7	38.6	27.1	1.0
40代	41	907	2615	2132	158	55	822	2082	2640	254
女	0.7	15.5	44.7	36.4	2.7	0.9	14.0	35.6	45.1	4.3
40代	272	3500	6087	4239	235	272	3427	5352	4939	343
合計	1.9	24.4	42.5	29.6	1.6	1.9	23.9	37.3	34.5	2.4
50代	125	1716	2518	2069	102	134	1658	2370	2259	109
男	1.9	26.3	38.6	31.7	1.6	2.1	25.4	36.3	34.6	1.7
50代	26	553	1539	1935	137	39	580	1342	2089	140
女	0.6	13.2	36.7	46.2	3.3	0.9	13.8	32.0	49.9	3.3
50代	151	2269	4057	4004	239	173	2238	3712	4348	249
合計	1.4	21.2	37.8	37.4	2.2	1.6	20.9	34.6	40.6	2.3
60代	28	460	793	1020	46	27	447	706	1118	49
男	1.2	19.6	33.8	43.5	2.0	1.2	19.0	30.1	47.6	2.1
60代	13	112	271	498	28	9	103	240	542	28
女	1.4	12.1	29.4	54.0	3.0	1.0	11.2	26.0	58.8	3.0
60代	41	572	1064	1518	74	36	550	946	1660	77
合計	1.3	17.5	32.5	46.4	2.3	1.1	16.8	28.9	50.8	2.4
70代	1	42	84	154	5	1	39	74	163	9
男	0.3	14.7	29.4	53.8	1.7	0.3	13.6	25.9	57.0	3.1
70代	0	22	39	94	18	0	12	25	120	16
女	0.0	12.7	22.5	54.3	10.4	0.0	6.9	14.5	69.4	9.2
70代	1	64	123	248	23	1	51	99	283	25
合計	0.2	13.9	26.8	54.0	5.0	0.2	11.1	21.6	61.7	5.4
80代	0	2	0	3	0	0	0	0	5	0
男	0.0	40.0	0.0	60.0	0.0	0.0	0.0	0.0	100.0	0.0
80代	1	0	2	5	2	0	1	1	6	2
女	10.0	0.0	20.0	50.0	20.0	0.0	10.0	10.0	60.0	20.0
80代	1	2	2	8	2	0	1	1	11	2
合計	6.7	13.3	13.3	53.3	13.3	0.0	6.7	6.7	73.3	13.3
男	1504	11911	15548	9316	387	1516	11935	14652	10131	432
合計	3.9	30.8	40.2	24.1	1.0	3.9	30.9	37.9	26.2	1.1
女	514	4621	9887	7972	604	439	3991	8575	9747	846
合計	2.2	19.6	41.9	33.8	2.6	1.9	16.9	36.3	41.3	3.6
総合計	2018	16532	25435	17288	991	1955	15926	23227	19878	1278
	3.2	26.6	40.9	27.8	1.6	3.1	25.6	37.3	31.9	2.1

1:ほとんど食べない 2:週1-2回 3:週3-6回 4:毎日食べる 5:一日に2回以上

年代	海藻類					果物				
	1	2	3	4	5	1	2	3	4	5
20代	3126	5717	2203	466	15	3044	5003	2593	855	32
男	27.1	49.6	19.1	4.0	0.1	26.4	43.4	22.5	7.4	0.3
20代	1751	3918	2039	434	18	1221	3058	2579	1232	70
女	21.5	48.0	25.0	5.3	0.2	15.0	37.5	31.6	15.1	0.9
20代	4877	9635	4242	900	33	4265	8061	5172	2087	102
合計	24.8	48.9	21.5	4.6	0.2	21.7	40.9	26.3	10.6	0.5
30代	1393	5251	2375	460	12	1920	4204	2441	902	24
男	14.7	55.3	25.0	4.8	0.1	20.2	44.3	25.7	9.5	0.3
30代	327	1899	1641	411	12	346	1300	1589	994	61
女	7.6	44.3	38.3	9.6	0.3	8.1	30.3	37.0	23.2	1.4
30代	1720	7150	4016	871	24	2266	5504	4030	1896	85
合計	12.5	51.9	29.1	6.3	0.2	16.4	39.9	29.2	13.8	0.6
40代	794	4691	2370	607	18	1196	3640	2538	1079	27
男	9.4	55.3	27.9	7.2	0.2	14.1	42.9	29.9	12.7	0.3
40代	249	2320	2513	749	22	253	1401	2240	1876	83
女	4.3	39.6	42.9	12.8	0.4	4.3	23.9	38.3	32.1	1.4
40代	1043	7011	4883	1356	40	1449	5041	4778	2955	110
合計	7.3	48.9	34.1	9.5	0.3	10.1	35.2	33.3	20.6	0.8
50代	349	3162	2146	854	19	575	2433	2098	1384	40
男	5.3	48.4	32.9	13.1	0.3	8.8	37.3	32.1	21.2	0.6
50代	99	1409	1869	779	34	90	725	1455	1803	117
女	2.4	33.6	44.6	18.6	0.8	2.1	17.3	34.7	43.0	2.8
50代	448	4571	4015	1633	53	665	3158	3553	3187	157
合計	4.2	42.6	37.5	15.2	0.5	6.2	29.5	33.1	29.7	1.5
60代	89	938	835	476	9	125	636	806	753	27
男	3.8	40.0	35.6	20.3	0.4	5.3	27.1	34.3	32.1	1.2
60代	24	242	390	260	6	28	126	270	474	24
女	2.6	26.2	42.3	28.2	0.7	3.0	13.7	29.3	51.4	2.6
60代	113	1180	1225	736	15	153	762	1076	1227	51
合計	3.5	36.1	37.5	22.5	0.5	4.7	23.3	32.9	37.5	1.6
70代	4	102	92	87	1	12	61	83	129	1
男	1.4	35.7	32.2	30.4	0.3	4.2	21.3	29.0	45.1	0.3
70代	5	29	64	75	0	5	16	38	110	4
女	2.9	16.8	37.0	43.4	0.0	2.9	9.2	22.0	63.6	2.3
70代	9	131	156	162	1	17	77	121	239	5
合計	2.0	28.5	34.0	35.3	0.2	3.7	16.8	26.4	52.1	1.1
80代	0	0	2	3	0	0	1	1	3	0
男	0.0	0.0	40.0	60.0	0.0	0.0	20.0	20.0	60.0	0.0
80代	0	3	1	6	0	0	1	2	7	0
女	0.0	30.0	10.0	60.0	0.0	0.0	10.0	20.0	70.0	0.0
80代	0	3	3	9	0	0	2	3	10	0
合計	0.0	20.0	20.0	60.0	0.0	0.0	13.3	20.0	66.7	0.0
男	5755	19861	10023	2953	74	6872	15978	10560	5105	151
合計	14.9	51.4	25.9	7.6	0.2	17.8	41.3	27.3	13.2	0.4
女	2455	9820	8517	2714	92	1943	6627	8173	6496	359
合計	10.4	41.6	36.1	11.5	0.4	8.2	28.1	34.6	27.5	1.5
総合計	8210	29681	18540	5667	166	8815	22605	18733	11601	510
	13.2	47.7	29.8	9.1	0.3	14.2	36.3	30.1	18.6	0.8

1:ほとんど食べない 2:週1-2回 3:週3-6回 4:毎日食べる 5:一日に2回以上

年代	菓子・清涼飲料水					油類 マヨネーズ・バター等を含む				
	1	2	3	4	5	1	2	3	4	5
20代	801	2357	3930	3737	702	256	2604	6069	2448	150
男	6.9	20.4	34.1	32.4	6.1	2.2	22.6	52.7	21.2	1.3
20代	648	1823	2959	2493	237	195	1677	4149	2011	128
女	7.9	22.3	36.3	30.6	2.9	2.4	20.6	50.8	24.6	1.6
20代	1449	4180	6889	6230	939	451	4281	10218	4459	278
合計	7.4	21.2	35.0	31.6	4.8	2.3	21.7	51.9	22.6	1.4
30代	1156	2384	2843	2643	465	158	2277	5273	1700	83
男	12.2	25.1	30.0	27.8	4.9	1.7	24.0	55.6	17.9	0.9
30代	386	981	1355	1456	112	48	756	2274	1169	43
女	9.0	22.9	31.6	33.9	2.6	1.1	17.6	53.0	27.2	1.0
30代	1542	3365	4198	4099	577	206	3033	7547	2869	126
合計	11.2	24.4	30.5	29.7	4.2	1.5	22.0	54.8	20.8	0.9
40代	1393	2524	2272	2008	283	163	2703	4339	1250	25
男	16.4	29.8	26.8	23.7	3.3	1.9	31.9	51.2	14.7	0.3
40代	568	1376	1727	2048	134	62	1062	3024	1646	59
女	9.7	23.5	29.5	35.0	2.3	1.1	18.1	51.7	28.1	1.0
40代	1961	3900	3999	4056	417	225	3765	7363	2896	84
合計	13.7	27.2	27.9	28.3	2.9	1.6	26.3	51.4	20.2	0.6
50代	1324	2039	1576	1451	140	235	2568	2879	830	18
男	20.3	31.2	24.1	22.2	2.1	3.6	39.3	44.1	12.7	0.3
50代	453	984	1128	1544	81	76	1164	1946	979	25
女	10.8	23.5	26.9	36.8	1.9	1.8	27.8	46.4	23.4	0.6
50代	1777	3023	2704	2995	221	311	3732	4825	1809	43
合計	16.6	28.2	25.2	27.9	2.1	2.9	34.8	45.0	16.9	0.4
60代	416	671	597	624	39	84	877	985	391	10
男	17.7	28.6	25.4	26.6	1.7	3.6	37.4	42.0	16.7	0.4
60代	101	171	195	434	21	39	277	366	230	10
女	11.0	18.5	21.1	47.1	2.3	4.2	30.0	39.7	24.9	1.1
60代	517	842	792	1058	60	123	1154	1351	621	20
合計	15.8	25.8	24.2	32.4	1.8	3.8	35.3	41.3	19.0	0.6
70代	43	66	63	109	5	16	90	129	50	1
男	15.0	23.1	22.0	38.1	1.7	5.6	31.5	45.1	17.5	0.3
70代	12	28	23	93	17	7	48	84	33	1
女	6.9	16.2	13.3	53.8	9.8	4.0	27.7	48.6	19.1	0.6
70代	55	94	86	202	22	23	138	213	83	2
合計	12.0	20.5	18.7	44.0	4.8	5.0	30.1	46.4	18.1	0.4
80代	2	1	0	2	0	0	2	2	1	0
男	40.0	20.0	0.0	40.0	0.0	0.0	40.0	40.0	20.0	0.0
80代	0	0	2	5	3	1	3	5	1	0
女	0.0	0.0	20.0	50.0	30.0	10.0	30.0	50.0	10.0	0.0
80代	2	1	2	7	3	1	5	7	2	0
合計	13.3	6.7	13.3	46.7	20.0	6.7	33.3	46.7	13.3	0.0
男	5135	10042	11281	10574	1634	912	11121	19676	6670	287
合計	13.3	26.0	29.2	27.3	4.2	2.4	28.8	50.9	17.3	0.7
女	2168	5363	7389	8073	605	428	4987	11848	6069	266
合計	9.2	22.7	31.3	34.2	2.6	1.8	21.1	50.2	25.7	1.1
総合計	7303	15405	18670	18647	2239	1340	16108	31524	12739	553
	11.7	24.7	30.0	29.9	3.6	2.2	25.9	50.6	20.5	0.9

研究成果の刊行に関する一覧表

雑誌

著者氏名	論文タイトル名	発表誌名	巻名	ページ	出版年
Tokudome, S., Imaeda, N., Tokudome, Y., Fujiwara, N., Nagaya, T., Sato, J., Kuriki, K., Ikeda, M. and Maki, S.	Relative validity of a semi-quantitative food frequency questionnaire versus 28-day weighed diet records in Japanese female dietitians.	Eur. J. Clin. Nutr.			(in press)
Huang, X.-E., Tajima, K., Hamajima, N., Koderu, Y., Yamamura, Y., Xiang, J., Tominaga, S. and Tokudome, S.	Effects of dietary, drinking, and smoking habits on the prognosis of gastric cancer.	Nutr. Cancer	38	30-36	2000
Koide, T., Ohno, T., Huang, X.-E., Iijima, Y., Sugihara, K., Mizokami, M., Xiang, J. and Tokudome, S.	HBV/HCV infection, alcohol, tobacco and genetic polymorphisms for hepatocellular carcinoma in Nagoya, Japan	Asian Pacific J. Cancer Prev.	1	239-245	2000
Huang, X.-E., Tajima, K., Hamajima, N., Xiang, J., Inoue, M., Hirose, K., Tominaga, S., Takezaki, T., Kuroishi, T. and Tokudome, S.	Comparison of lifestyle and risk factors among Japanese with and without gastric cancer family history	Int. J. Cancer	86	421-424	2000
Tokudome, S., Nagaya, T., Okuyama, H., Tokudome, Y., Imaeda, N., Kitagawa, I., Fujiwara, N., Ikeda, M., Goto, C., Ichikawa, H., Kuriki, K., Takekuma, K., Shimoda, A., Hirose, K. and Usui, T.	Japanese versus Mediterranean diets and cancer.	Asian Pacific J. Cancer Prev.	1	61-66	2000
武隈清、永谷照男、徳留信寛、座光寺秀元	男性の喫煙と食生活についての検討	J. Epidemiol	11 (suppl.)	155	2001
武隈清、永谷照男、徳留信寛	地域・職域集団における果物摂取頻度と血圧との相関について	日公衛誌	47	482	2000
今枝奈保美、徳留裕子、藤原奈佳子、永谷照男、溝実千代、恒川鈴恵、佐藤信子、時実正美、小出弥生、宮井好美、牧信三、徳留信寛	秤量法食事記録調査における入力過誤の修正と標準化の方法に関する一考察	栄養学雑誌	58	67-76	2000

20000140

以降は雑誌/図書等に掲載された論文となりますので、P.34の「研究成果の刊行に関する一覧」をご参照ください。