

- molecule. *Am. J. Reprod. Immunol.*, 43: 167-173, 2000.
2. H. Kawagoe, A. Yamada, H. Matsumoto, M. Itoh, K. Ushijima, T. Nishida, and K. Itoh. Serum MAGE-4 protein in ovarian cancer patients. *Gynecologic Oncol.*, 76: 336-339, 2000.
  3. K. Harada, A. Yamada, T. Mine, N. Kawagoe, H. Takasu, and K. Itoh. Mouse homologue of human SART3 gene encoding tumor rejection antigen. *Jap. J. Cancer Res.*, 91: 239-247, 2000.
  4. M. Nakao, S. Shichijo, T. Imaizumi, Y. Inoue, K. Matsunaga, A. Yamada, M. Kikuchi, N. Tsuda, K. Ohta, S. Takamori, H. Yamana, H. Fujita, and K. Itoh. Identification of a gene coding for a new squamous cell carcinoma antigen recognized by the cytotoxic T lymphocytes. *J. Immunol.*, 164: 2565-2575, 2000.
  5. K. Kawano, S. Gomi, K. Tanaka, T. Kamura, K. Itoh, and A. Yamada. Identification of a new endoplasmic reticulum-resident protein recognized by HLA-A24-restricted tumor infiltrating lymphocytes of lung cancer. *Cancer Res.*, 60: 3550-3558, 2000.
  6. M. Ito, S. Shichijo, Y. Miyagi, T. Kobayashi, N. Tsuda, A. Yamada, N. Saito, and K. Itoh. Identification of SART3-derived peptides capable of inducing HLA-A2-restricted and tumor-specific CTLs in cancer patients with different HLA-A2 subtypes. *Int. J. Cancer*, 88: 633-639, 2000.
  7. N. Tsuda, K. Murayama, H. Ishida, K. Matsunaga, S. Komiya, K. Itoh, and A. Yamada. Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SART3-derived peptides. *J. Orthopaed. Res.*, in press.
  8. N. Harashima, K. Tanaka, T. Sasadomi, K. Shimizu, Y. Miyagi, A. Yamada, M. Tamura, H. Yamana, K. Itoh, and S. Shichijo. Recognition of the Lck tyrosine kinase as a tumor antigen by cytotoxic T lymphocytes of metastatic cancer patients. *Eur. J. Immunol.*, in press.
- 会, 2000年10月, 横浜.
5. 津田尚武, 村山久美子, 石田漂太, 松永和子, 小宮節朗, 伊東恭悟, 山田亮; ヒト骨腫瘍における癌拒絶抗原(SART3)の発現. 第59回日本癌学会総会, 2000年10月, 横浜.
  6. Itoh K, Shichijo S, Yamada A, Yamana H: Peptides on tumor cells. From genes to clinical research. 第30回日本免疫学会学術集会, 2000年11月, 仙台.
  7. 原田健司, 山田亮, Yang Damu, 伊東恭悟, 七條茂樹; ヒト癌拒絶抗原SART3の機能解析. 第30回日本免疫学会学術集会, 2000年11月, 仙台.
  8. 今井伸恵, 原嶋奈々江, 山田亮, 七條茂樹, 伊東恭悟: 転移性癌疾患におけるp56kk由来ペプチドによるHLA-A2拘束性癌特異的細胞傷害性T細胞の誘導. 第30回日本免疫学会学術集会, 2000年11月, 仙台.
  9. 大河内眞也, 山田亮, 伊東恭悟: サイクロフィリンB由来癌抗原ペプチドに対する1型アレルギーの解析. 第30回日本免疫学会学術集会, 2000年11月, 仙台.
  10. 今井伸恵, 合原るみ, 力丸徹, 山田亮, 山名秀明, 伊東恭悟: ペプチドワクチンによる高度進行肺癌の免疫学的評価. 第13回日本バイオセラピー学会学術集会総会, 2000年12月, 京都.
- H. 知的財産権の出願・登録状況 (予定を含む。)

H. 知的財産権の出願・登録状況 (予定を含む。)

1. 特許取得
  - 出願番号: 特願2000-304155号
  - 出願日: 平成12年10月3日
  - 発明の名称: 腫瘍抗原
  - 発明者: 伊東恭悟、山田 亮
  - 特許出願人: 伊東恭悟

2. 実用新案登録
  - なし

3. その他
  - なし

2. 学会発表

1. 合原るみ, 力丸徹, 一木昌郎, 松永和子, 今井伸恵, 山田亮, 大泉耕太郎, 伊東恭悟: ペプチドワクチンによる高度進行肺癌治療の免疫学的評価. 第59回日本癌学会総会, 2000年10月, 横浜.
2. 伊東恭悟, 山名秀明, 七條茂樹, 山田亮, 合原るみ: キラーT細胞により認識される癌抗原ペプチド、遺伝子同定から臨床研究へ. 第59回日本癌学会総会, 2000年10月, 横浜.
3. 山田亮, 河野光一郎, 古賀真, 伊東恭悟: HLA-A24拘束性CTLにより認識される肺癌拒絶抗原をコードする遺伝子の同定. 第59回日本癌学会総会, 2000年10月, 横浜.
4. 伊東恭悟, 山名秀明, 七條茂樹, 山田亮, 嘉村敏治, 大泉耕太郎, 白水和雄: 難治性癌に対するペプチドによる癌特異免疫療法の可能性. 第59回日本癌学会総

### Ⅲ. 研究成果の刊行に関する一覧表

#### 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
坂本 優	第11回日本サイトメトリー学会技術講習会テキスト	坂本 優	第11回日本サイトメトリー学会技術講習会テキスト	日本サイトメトリー学会	東京	2000	1-68
坂本 優、 室谷哲弥、 杉下 匡。	卵巣癌。Flow cytometry.	河本圭司、 井上勝一、 中内啓光	応用サイトメトリー	医学書院	東京	2000	104-107
坂本 優、 近藤亜矢子、 田中忠夫。	FISHを取り入れた応用。Laser scanning cytometry (LSC).	河本圭司、 井上勝一、 中内啓光	応用サイトメトリー	医学書院	東京	2000	154-159
坂本 優、 秋谷 司、 杉下 匡。	婦人科腫瘍。Fluorescence in situ hybridization (FISH) .	河本圭司、 井上勝一、 中内啓光	応用サイトメトリー	医学書院	東京	2000	278-285
坂本 優、 岩淵浩之、 天神美夫。	原理。Comparative genomic hybridization (CGH) .	河本圭司、 井上勝一、 中内啓光	応用サイトメトリー	医学書院	東京	2000	294-297

### Ⅲ. 研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Sakamoto M, Toyozumi T, Kikuchi Y, Okamoto A, Nakayama H, Aoki D, Yamamoto K, Hata H, Sugishita T, Tenjin Y.	Telomerase Activity in Gynecological Tumors.	Oncology Reports	7	1003-1009	2000
Tanaka,S., Tsuda,N., Kawano,K., Sakamoto,M., Nishida,T., Hashimoto,T., Shichijo, S., Kamura,T., and Itoh,K.	EXPRESSION OF TUMOR-REJECTION ANTIGEN IN GYNECOLOGIC CANCERS.	Jpn. J. Cancer Res.	91	1177-1184	2000
Suehiro, Y., Sakamoto, M., Umayahara, K., Iwabuchi H., Sakamoto, H., Tanaka, N., Takeshima, N., Yamauchi, K., Hasumi, K., Akiya, T., Sakunaga, H., Muroya, T., Numa, F., Kato, H., Tenjin, Y., and Sugishita, T.	Genetic aberrations detected by comparative genomic hybridization in ovarian clear cell adenocarcinomas.	Oncology	59	50-56	2000
Muroya,T., Kawasaki,K., Kunugi,T., Akiya,T., Iwabuchi,H., Sakunaga,H., Sakamoto,M., Sugishita,T., Tenjin,Y.	Application and Characteristics of Photodynamic Therapy for Cervical Cancer.	Photomedicine in Gynecology and Reproduction.		270-277	2000
坂本 優、近藤亜矢子、三宅清彦、小屋松安子、秋谷司、岩淵浩之、室谷哲弥、杉下 匡、天神美夫、田中忠夫。	フローサイトメトリー。細胞診—21世紀への展望。	臨床検査	44 (11)	1423-1433	2000
岩淵浩之、坂本 優、河崎恵子、秋谷 司、功刀孝也、室谷哲弥、坂本宙子、杉下 匡、天神美夫、田中忠夫。	ホルマリン固定パラフィン包埋切片を用いた comparative genomic hybridization(CGH)法の確立とCGH法の臨床応用の拡大。	CYTOMETRY RESEARCH	10 (1)	1-7.	2000
Y. Suminami, S. Nagashima, A. Murakami, S. Nawata, T. Gondo, H. Hirakawa, F. Numa, GA. Silverman, H. Kato.	Suppression of a squamous cell carcinoma-related serpin, SCC antigen, inhibits tumor growth with increased intratumor infiltration of natural killer cells.	Cancer Res. (in press).			
A. Murakami, Y. Suminami, H. Hirakawa, S. Nawata, F. Numa, H. Kato.	Squamous cell carcinoma antigen suppresses radiation-induced cell death.	Brit. J. Cancer (in press).			
S. Nawata, Y. Suminami, A. Murakami, H. Hirakawa, H. Ogata, F. Numa, M. Fujimoto, T. Tanaka, K. Nakamura, H. Kato.	Nondenaturing two-dimensional electrophoretic analysis of loop-sheet polymerization of serpin, squamous cell carcinoma antigen-2.	Electrophoresis	22	161-164	2000

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Y. Suminami, S. Nagashima, NL. Vujanovic, K. Hirabayashi, H. Kato, TL. Whiteside.	Inhibition of apoptosis in human tumor cells by tumour-associated serpin, SCC antigen-1.	Brit. J. Cancer	82	981-989	2000
A. Murakami, Y. Suminami, Y. Sakaguchi, S. Nawata., F. Numa, F. Kishi, H. Kato.	Specific Detection and Quantitation of SCC Antigen-1 and SCC Antigen-2 mRNA by Fluorescence-based Asymmetric Semi-nested Reverse Transcription-PCR.	Tumor Biol	21	224-234	2000
Kamiya M, Judson H, Okazaki Y, Kusakabe M, Muramatsu M, Takada S, Takagi N, Arima T, Wake N, Kamimura K, Satomura K, Hermann R, Bonthron DT, Hayashizaki Y	The cell cycle control gene ZAC/PLAG1 is imprinted - a strong candidate gene for transient neonatal diabetes.	Human Mol. Genetics	9 (3)	453-460	2000
Kato H, Zhou Y, Asanoma K, Kondo H, Yoshikawa Y, Watanabe K, Matsuda T, Wake N and Barrett JC.	Suppressed tumorigenicity of human endometrial cancer cells by the restored expression of DCC gene	Br. J. Cancer	82 (2)	459-466	2000
Ueoka Y, Kato K, Kurlaki Y, Horiuchi S, Terao Y, Nishida J, Ueno H, Wake N.	Hepatocyte growth factor modulates motility and invasiveness of ovarian carcinomas via Ras-mediated pathway.	Br. J. Cancer	84 (4)	891-899	2000
Matsui H, Sekiya S, Hando T, Wake N and Tomoda Y.	Hydatidiform mole coexistent with a twin live fetus : a national collaborative study in Japan.	Human Reproduction	15 (3)	608-611	2000
Shigematsu T, Kamura T, Arima T, Wake N, Nakano H.	DNA polymorphism analysis of a pure non-gestational choriocarcinoma of the ovary : case report.	Eur. J. Gynaec. Oncol	21	153-154	2000
Arima T, Drewell RA, Oshimura M, Wake N, Surani MA.	A Novel imprinted gene, HYMAI is located within an imprinted domain on human chromosome 6 containing ZAC.	Genomics	67	248-255	2000
Wang D, Kanuma T, Mizunuma H, Takama F, Ibuki Y, Wake N, Mogi A, Shitara Y and Takenoshita S.	Analysis of specific gene mutations in the transforming growth factor- $\beta$ signal transduction pathway in human ovarian cancer.	Cancer Research	60	4507-4512	2000
Murakami A, Yamayoshi A, Iwase R, Nishida J, Yamaoka T, Wake N.	Photodynamic antisense regulation (PDAR) of human cervical carcinoma cell growth using psoralen-conjugated oligo (nucleoside phosphorothioate).	European Journal of Pharmaceutical Science (2000) in pres			

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Minamiguchi, H., Yahata, N., Kimura, T, Fujiki, H., Harada, S., Wang, J., Okuda, K., Kaneko, H., Hodohara, K., Banba, T., Yasukawa, K., Ohyashiki, J.H., Ohyashiki, K., Abe, T., and Sonoda, Y. ,	Interleukin 6 receptor expression by human cord blood- or peripheral blood-derived primitive haematopoietic progenitors implies acquisition of different functional properties.	British Journal of Haematology	110	327-338	2000
Itoi, T., Shinohara, Y., Takeda, K., Takei, K., Ohno, H., Ohyashiki, K., Yahata, N., Ebihara, Y., and Saito, T.	Detection of telomerase activity in biopsy specimens for diagnosis of biliary tract cancers.	Gastrointestinal Endoscopy	52	380-386	2000
Dejimek, A., Yahata, N., Ohyashiki, K., Kakihana, M., Hirano, T., Kawate, N., Kato, H., and Ebihara, Y.	Correlation between morphology and telomerase activity in cells from exfoliative lung cytologic specimens.	Cancer	90	117-125	2000
Ohyashiki K., Iwama, H., Tauchi, T., Shimamoto, T., Hayashi, S., Ando, K., Kawakubo, K., and Ohyashiki, J.H.	Telomere dynamics and genetic instability in disease progression of chronic myeloid leukemia: Based on our experience.	Leukemia and Lymphoma	40	49-56	2000
Dejimek, A., Yahata, N., Ohyashiki, K., Ebihara, Y., Kakihana, M., Hirano, T., Kawate, N., and Kato, H.I .	in situ telomerase activity in pleural effusions: A promising marker for malignancy.	Diagnostic Cytopathology	24	11-15.	2001
Itoi, T., Shinohara, Y., Takeda, K., Nakamura, K., Shimizu, M., Ohyashiki, K., Hlsatomi, H., Nakano, H., and Moriyasu, F.	Detection of telomerase reverse transcriptase mRNA in biopsy specimens and bile for diagnosis of biliary tract cancers.	International Journal of Molecular Medicine(2001)in press			
Ohyashiki, K., Iwama, H., Yahata, N., Tauchi, T., Kawakubo, K., Shimamoto, T., Ohyashiki, J.H.	Telomere dynamics in myelodysplastic syndromes and acute leukemic transformation.	Leukemia and Lymphoma(2001)in press			
Shimamoto, T., Tomoda, A., Ando, K., and Ohyashiki, K.	Antitumor effects of a novel phenoxazine derivative on human leukemia cell lines in vitro and in vivo.	Clinical Cancer Research(2001)in press			
Kyo S, Takakura M, Kanaya T, Taira T, Kanaya T, Itoh H3 Yutsudo M, Ariga H, and Inoue M.	Sp1 cooperates with c-Myc to activate transcription of human telomerase reverse transcriptase (hTERT) gene.	Nucleic Acids Res	28	669-677	2000
Kyo S, Kanaya T, Takakura M, Inoue M.	Granulocyte-colony stimulating factor- and interleukin-6-producing cervical cancer: The aggressive tumor growth by possible autocrine fashion.	Gynecol Oncol	78	383-387	2000
Kyo S.	Expression and regulation of telomerase activity in normal and cancer cells. Review Article.	Recent Research Development in Cancer, (Transworld Research Network), in press.			

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Kyo S, Takakura M, Inoue M.	Telomerase activity in cancer as a diagnostic and therapeutic target. Review Article.	Histol. Histopathol	15	813-824	2000
Kitagawa Y, Kyo S, Takakura M, Kanaya T, Koshida K, Namiki M, Inoue M.	Demethylating reagent 5-azacytidine inhibits telomerase activity in human prostate cancer cells through transcriptional repression of hTERT.	Clin. Cancer Res.	6	2868-2875	2000
Kanaya T, Kyo S, Hamada K, Takakura M, Kiragawa Y, Inoue M.	Adenoviral expression of p53 represses telomerase activity through down-regulation of hTERT transcription.	Clin. Cancer Res.	6	1239-1247	2000
Yang H, Kyo S, Takakura M, Sun L.	Autocrine transforming growth factor b supresses activity and hTERT transcription in human cancer cells.	Cell Growth Diffrentialton, in press			
Koga S, Hirohata S, Kondo Y, Komata T, Takakura M, Inoue M, Kyo S, Kondo S.	A novel telomerase-specific gene therapy: gene transfer of caspase-8 utilizing the human telomerase catalytic subunit (hTERT) gene promoter.	Hum Gene Ther	10	1397-1406	2000
Fujimoto K, Kyo S, Takakura M, Kanaya T, Kitagawa Y, Itoh H, Takahashi M and Inoue M.	Identification and characterization of negative regulatory elements of human telomerase catalytic subunit (hTERT) gene promoter: Possible role of MZF-2 in transcriptional repression of hTERT.	Nucleic Acids Res	13	2557-2562	2000
Wang Z, Kyo S, Takakura M, Tanaka M, Yatabe N, Maida Y, Fujiwara M, Hayakawa J, Ohmichi M, Koike K and Inoue M.	Progesterone regulates human telomerase reverse transcriptase (hTERT) gene expression via activation of MAP kinase signaling pathway.	Cancer Res	60	5359-5364	2000
Gu J, Kagawa S, Takakura M, Kyo S, Inoue M, Roth JA, Fang B.	Tumor-specific transgene expression from hTERT promoter: Targeting pharmaceutical effects of the Bax gene to cancer.	Cancer Res	60	5359-5364	2000
Komata T, Kondo Y, Hirohata S, Koga S, Srinivasula SM, Alnemri ES, Barna BP, Takakura M, Inoue M, Kyo S and Kondo S.	Treatment of malignant glioma cells with the transfer of constitutively active caspase-6 using the human telomerase catalytic subunit (hTERT) gene.	Cancer Res, in press.			

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Fujimoto J, et al.	The value of platelet-derived endothelial cell growth factor as a novel predictor of advancement of uterine cervical cancers.	Cancer Res	60	3662-3665	2000
Fujimoto J, et al.	Clinical implication of expression of interleikin 8 related to angiogenesis in uterine cervical cancers.	Cancer Res	60	2632-2635	2000
N. Seki, A. Yamada, Y. Suefuji, T. Mine, S. Tanaka, S. Gomi, N. Kawagoe, K. Koufuji, and K. Itoh.	Establishment and epitope analysis of allo-specific cytotoxic T lymphocytes at a tumor site recognizing a spouse' s HLA-A0206 molecule. Am.	J. Reprod. Immunol	43	167-173	2000
H.Kawagoe, A. Yamada, H. Matsumoto, M. Itoh, K. Ushijima, T. Nishida, and K. Itoh.	Serum MAGE-4 protein in ovarian cancer patients.	Gynecologic Oncol	76	336-339	2000
K. Harada, A. Yamada, T. Mine, N. Kawagoe, H. Takasu, and K. Itoh.	Mouse homologue of human SART3 gene encoding tumor rejection antigen.	Jap. J. Cancer Res	91	239-247	2000
M. Nakao, S. Shichijo, T. Imaizumi, Y. Inoue, K. Matsunaga, A. Yamada, M. Kikuchi, N. Tsuda, K. Ohta, S. Takamori, H. Yamana, H. Fujita, and K. Itoh.	Identification of a gene coding for a new squamous cell carcinoma antigen recognized by the cytotoxic T lymphocytes.	J. Immunol	164	2565-2575	2000
K. Kawano, S. Gomi, K. Tanaka, T. Kamura, K. Itoh, and A. Yamada.	Identification of a new endoplasmic reticulum-resident protein recognized by HLA-A24-restricted tumor infiltrating lymphocytes of lung	Cancer Res	60	3550-3558	2000
M. Ito, S. Shichijo, Y. Miyagi, T. Kobayashi, N. Tsuda, A. Yamada, N. Saito, and K. Itoh.	Identification of SART3-derived peptides capable of inducing HLA-A2-restricted and tumor-specific CTLs in cancer patients with different	Int. J. Cancer	88	633-639	2000
N. Tsuda, K. Murayama, H. Ishida, K. Matsunaga, S. Komiya, K. Itoh, and A. Yamada.	Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SART3-derived peptides.	J. Orthopaed. Res., in press.			
N. Harashima, K. Tanaka, , T. Sasadomi, K. Shimizu, Y. Miyagi, A. Yamada, M. Tamura, H. Yamana, K. Itoh, and S. Shichijo.	Recognition of the Lck tyrosine kinase as a tumor antigen by cytotoxic T lymphocytes of metastatic cancer patients.	Eur. J. Immunol., in press.			