

3) Health status

Health status

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 3 | 0.3 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.1 |
| | Total | 0 | 0 | 1 | 0.2 | 1 | 0.2 | 2 | 0.4 | 4 | 0.2 |
| Excellent | Male | 7 | 2.4 | 10 | 3.5 | 10 | 3.5 | 7 | 2.5 | 34 | 3.0 |
| | Female | 12 | 4.3 | 14 | 5.0 | 6 | 2.1 | 2 | 0.7 | 34 | 3.0 |
| | Total | 19 | 3.3 | 24 | 4.3 | 16 | 2.8 | 9 | 1.6 | 68 | 3.0 |
| Good | Male | 82 | 28.2 | 85 | 30.1 | 60 | 21.2 | 46 | 16.3 | 273 | 24.0 |
| | Female | 88 | 31.2 | 51 | 18.3 | 37 | 13.0 | 31 | 11.0 | 207 | 18.4 |
| | Total | 170 | 29.7 | 136 | 24.2 | 97 | 17.1 | 77 | 13.6 | 480 | 21.2 |
| Usual | Male | 178 | 61.2 | 164 | 58.2 | 176 | 62.2 | 183 | 64.7 | 701 | 61.5 |
| | Female | 166 | 58.9 | 186 | 66.7 | 214 | 75.1 | 195 | 69.1 | 761 | 67.5 |
| | Total | 344 | 60.0 | 350 | 62.4 | 390 | 68.7 | 378 | 66.9 | 1462 | 64.5 |
| Bad | Male | 23 | 7.9 | 22 | 7.8 | 36 | 12.7 | 42 | 14.8 | 123 | 10.8 |
| | Female | 16 | 5.7 | 27 | 9.7 | 26 | 9.1 | 48 | 17.0 | 117 | 10.4 |
| | Total | 39 | 6.8 | 49 | 8.7 | 62 | 10.9 | 90 | 15.9 | 240 | 10.6 |
| Very bad | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 4 | 1.4 | 5 | 0.4 |
| | Female | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 5 | 1.8 | 8 | 0.7 |
| | Total | 1 | 0.2 | 1 | 0.2 | 2 | 0.4 | 9 | 1.6 | 13 | 0.6 |

Regular health examination

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 1 | 0.4 | 0 | 0 | 7 | 2.5 | 8 | 0.7 |
| | Female | 3 | 1.1 | 1 | 0.4 | 1 | 0.4 | 3 | 1.1 | 8 | 0.7 |
| | Total | 3 | 0.5 | 2 | 0.4 | 1 | 0.2 | 10 | 1.8 | 16 | 0.7 |
| Once a year | Male | 258 | 88.7 | 237 | 84.0 | 225 | 79.5 | 206 | 72.8 | 926 | 81.3 |
| | Female | 187 | 66.3 | 201 | 72.0 | 209 | 73.3 | 209 | 74.1 | 806 | 71.5 |
| | Total | 445 | 77.7 | 438 | 78.1 | 434 | 76.4 | 415 | 73.5 | 1732 | 76.4 |
| Once in 2 or 3 years | Male | 20 | 6.9 | 26 | 9.2 | 39 | 13.8 | 30 | 10.6 | 115 | 10.1 |
| | Female | 60 | 21.3 | 46 | 16.5 | 44 | 15.4 | 41 | 14.5 | 191 | 16.9 |
| | Total | 80 | 14.0 | 72 | 12.8 | 83 | 14.6 | 71 | 12.6 | 306 | 13.5 |
| Never checked | Male | 13 | 4.5 | 18 | 6.4 | 19 | 6.7 | 40 | 14.1 | 90 | 7.9 |
| | Female | 32 | 11.3 | 31 | 11.1 | 31 | 10.9 | 29 | 10.3 | 123 | 10.9 |
| | Total | 45 | 7.9 | 49 | 8.7 | 50 | 8.8 | 69 | 12.2 | 213 | 9.4 |

Family physician

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 2 | 0.7 | 0 | 0 | 5 | 1.8 | 8 | 0.7 |
| | Female | 3 | 1.1 | 4 | 1.4 | 1 | 0.4 | 2 | 0.7 | 10 | 0.9 |
| | Total | 4 | 0.7 | 6 | 1.1 | 1 | 0.2 | 7 | 1.2 | 18 | 0.8 |
| Exist | Male | 147 | 50.5 | 142 | 50.4 | 205 | 72.4 | 242 | 85.5 | 736 | 64.6 |
| | Female | 172 | 61.0 | 193 | 69.2 | 213 | 74.7 | 248 | 87.9 | 826 | 73.2 |
| | Total | 319 | 55.7 | 335 | 59.7 | 418 | 73.6 | 490 | 86.7 | 1562 | 68.9 |
| None | Male | 134 | 46.0 | 132 | 46.8 | 75 | 26.5 | 32 | 11.3 | 373 | 32.7 |
| | Female | 103 | 36.5 | 75 | 26.9 | 66 | 23.2 | 29 | 10.3 | 273 | 24.2 |
| | Total | 237 | 41.4 | 207 | 36.9 | 141 | 24.8 | 61 | 10.8 | 646 | 28.5 |
| Not determined | Male | 9 | 3.1 | 6 | 2.1 | 3 | 1.1 | 4 | 1.4 | 22 | 1.9 |
| | Female | 4 | 1.4 | 7 | 2.5 | 5 | 1.8 | 3 | 1.1 | 19 | 1.7 |
| | Total | 13 | 2.3 | 13 | 2.3 | 8 | 1.4 | 7 | 1.2 | 41 | 1.8 |

Stroke

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 5 | 1.8 | 6 | 0.5 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 3 | 0.5 | 2 | 0.4 | 0 | 0 | 5 | 0.9 | 10 | 0.4 |
| None | Male | 289 | 99.3 | 280 | 99.3 | 271 | 95.8 | 254 | 89.8 | 1094 | 96.0 |
| | Female | 280 | 99.3 | 275 | 98.6 | 277 | 97.2 | 271 | 96.1 | 1103 | 97.8 |
| | Total | 569 | 99.3 | 555 | 98.9 | 548 | 96.5 | 525 | 92.9 | 2197 | 96.9 |
| On medication | Male | 0 | 0 | 2 | 0.7 | 7 | 2.5 | 14 | 4.9 | 23 | 2.0 |
| | Female | 0 | 0 | 2 | 0.7 | 3 | 1.1 | 5 | 1.8 | 10 | 0.9 |
| | Total | 0 | 0 | 4 | 0.7 | 10 | 1.8 | 19 | 3.4 | 33 | 1.5 |
| Previously medicated | Male | 0 | 0 | 0 | 0 | 3 | 1.1 | 8 | 2.8 | 11 | 1.0 |
| | Female | 0 | 0 | 0 | 0 | 4 | 1.4 | 5 | 1.8 | 9 | 0.8 |
| | Total | 0 | 0 | 0 | 0 | 7 | 1.2 | 13 | 2.3 | 20 | 0.9 |
| Not treated | Male | 1 | 0.3 | 0 | 0 | 2 | 0.7 | 2 | 0.7 | 5 | 0.4 |
| | Female | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 2 | 0.2 |
| | Total | 1 | 0.2 | 0 | 0 | 3 | 0.5 | 3 | 0.5 | 7 | 0.3 |

Hypertension

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 2 | 0.7 | 0 | 0 | 3 | 0.3 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 3 | 0.5 | 2 | 0.4 | 2 | 0.4 | 0 | 0 | 7 | 0.3 |
| None | Male | 265 | 91.1 | 226 | 80.1 | 185 | 65.4 | 183 | 64.7 | 859 | 75.4 |
| | Female | 259 | 91.8 | 226 | 81.0 | 194 | 68.1 | 142 | 50.4 | 821 | 72.8 |
| | Total | 524 | 91.4 | 452 | 80.6 | 379 | 66.7 | 325 | 57.5 | 1680 | 74.1 |
| On medication | Male | 14 | 4.8 | 38 | 13.5 | 71 | 25.1 | 79 | 27.9 | 202 | 17.7 |
| | Female | 13 | 4.6 | 28 | 10.0 | 66 | 23.2 | 110 | 39.0 | 217 | 19.2 |
| | Total | 27 | 4.7 | 66 | 11.8 | 137 | 24.1 | 189 | 33.5 | 419 | 18.5 |
| Previously medicated | Male | 3 | 1.0 | 10 | 3.5 | 17 | 6.0 | 14 | 4.9 | 44 | 3.9 |
| | Female | 5 | 1.8 | 19 | 6.8 | 19 | 6.7 | 24 | 8.5 | 67 | 5.9 |
| | Total | 8 | 1.4 | 29 | 5.2 | 36 | 6.3 | 38 | 6.7 | 111 | 4.9 |
| Not treated | Male | 8 | 2.7 | 8 | 2.8 | 8 | 2.8 | 7 | 2.5 | 31 | 2.7 |
| | Female | 3 | 1.1 | 4 | 1.4 | 6 | 2.1 | 6 | 2.1 | 19 | 1.7 |
| | Total | 11 | 1.9 | 12 | 2.1 | 14 | 2.5 | 13 | 2.3 | 50 | 2.2 |

Heart disease

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 2 | 0.7 | 3 | 0.3 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 3 | 0.5 | 2 | 0.4 | 0 | 0 | 2 | 0.4 | 7 | 0.3 |
| None | Male | 278 | 95.5 | 259 | 91.8 | 248 | 87.6 | 216 | 76.3 | 1001 | 87.9 |
| | Female | 271 | 96.1 | 258 | 92.5 | 251 | 88.1 | 222 | 78.7 | 1002 | 88.8 |
| | Total | 549 | 95.8 | 517 | 92.2 | 499 | 87.9 | 438 | 77.5 | 2003 | 88.4 |
| On medication | Male | 1 | 0.3 | 9 | 3.2 | 16 | 5.7 | 45 | 15.9 | 71 | 6.2 |
| | Female | 3 | 1.1 | 5 | 1.8 | 19 | 6.7 | 39 | 13.8 | 66 | 5.9 |
| | Total | 4 | 0.7 | 14 | 2.5 | 35 | 6.2 | 84 | 14.9 | 137 | 6.0 |
| Previously medicated | Male | 6 | 2.1 | 7 | 2.5 | 13 | 4.6 | 11 | 3.9 | 37 | 3.2 |
| | Female | 5 | 1.8 | 9 | 3.2 | 8 | 2.8 | 15 | 5.3 | 37 | 3.3 |
| | Total | 11 | 1.9 | 16 | 2.9 | 21 | 3.7 | 26 | 4.6 | 74 | 3.3 |
| Not treated | Male | 5 | 1.7 | 7 | 2.5 | 6 | 2.1 | 9 | 3.2 | 27 | 2.4 |
| | Female | 1 | 0.4 | 5 | 1.8 | 7 | 2.5 | 6 | 2.1 | 19 | 1.7 |
| | Total | 6 | 1.0 | 12 | 2.1 | 13 | 2.3 | 15 | 2.7 | 46 | 2.0 |

Hyperlipidemia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 1 | 0.4 | 5 | 1.8 | 7 | 0.6 |
| | Female | 2 | 0.7 | 4 | 1.4 | 1 | 0.4 | 0 | 0 | 7 | 0.6 |
| | Total | 3 | 0.5 | 4 | 0.7 | 2 | 0.4 | 5 | 0.9 | 14 | 0.6 |
| None | Male | 261 | 89.7 | 239 | 84.8 | 240 | 84.8 | 239 | 84.5 | 979 | 86.0 |
| | Female | 260 | 92.2 | 229 | 82.1 | 218 | 76.5 | 190 | 67.4 | 897 | 79.5 |
| | Total | 521 | 90.9 | 468 | 83.4 | 458 | 80.6 | 429 | 75.9 | 1876 | 82.8 |
| On medication | Male | 10 | 3.4 | 12 | 4.3 | 19 | 6.7 | 18 | 6.4 | 59 | 5.2 |
| | Female | 2 | 0.7 | 16 | 5.7 | 29 | 10.2 | 53 | 18.8 | 100 | 8.9 |
| | Total | 12 | 2.1 | 28 | 5.0 | 48 | 8.5 | 71 | 12.6 | 159 | 7.0 |
| Previously medicated | Male | 3 | 1.0 | 6 | 2.1 | 7 | 2.5 | 7 | 2.5 | 23 | 2.0 |
| | Female | 3 | 1.1 | 7 | 2.5 | 12 | 4.2 | 16 | 5.7 | 38 | 3.4 |
| | Total | 6 | 1.0 | 13 | 2.3 | 19 | 3.3 | 23 | 4.1 | 61 | 2.7 |
| Not treated | Male | 16 | 5.5 | 25 | 8.9 | 16 | 5.7 | 14 | 4.9 | 71 | 6.2 |
| | Female | 15 | 5.3 | 23 | 8.2 | 25 | 8.8 | 23 | 8.2 | 86 | 7.6 |
| | Total | 31 | 5.4 | 48 | 8.6 | 41 | 7.2 | 37 | 6.5 | 157 | 6.9 |

Renal disease

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.2 |
| | Female | 1 | 0.4 | 2 | 0.7 | 0 | 0 | 0 | 0 | 3 | 0.3 |
| | Total | 2 | 0.3 | 2 | 0.4 | 0 | 0 | 1 | 0.2 | 5 | 0.2 |
| None | Male | 273 | 93.8 | 264 | 93.6 | 264 | 93.3 | 261 | 92.2 | 1062 | 93.2 |
| | Female | 267 | 94.7 | 258 | 92.5 | 270 | 94.7 | 259 | 91.8 | 1054 | 93.4 |
| | Total | 540 | 94.2 | 522 | 93.0 | 534 | 94.0 | 520 | 92.0 | 2116 | 93.3 |
| On medication | Male | 2 | 0.7 | 3 | 1.1 | 5 | 1.8 | 2 | 0.7 | 12 | 1.1 |
| | Female | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 3 | 0.3 |
| | Total | 2 | 0.3 | 4 | 0.7 | 6 | 1.1 | 3 | 0.5 | 15 | 0.7 |
| Previously medicated | Male | 14 | 4.8 | 13 | 4.6 | 11 | 3.9 | 16 | 5.7 | 54 | 4.7 |
| | Female | 14 | 5.0 | 14 | 5.0 | 12 | 4.2 | 17 | 6.0 | 57 | 5.1 |
| | Total | 28 | 4.9 | 27 | 4.8 | 23 | 4.0 | 33 | 5.8 | 111 | 4.9 |
| Not treated | Male | 1 | 0.3 | 2 | 0.7 | 3 | 1.1 | 3 | 1.1 | 9 | 0.8 |
| | Female | 0 | 0 | 4 | 1.4 | 2 | 0.7 | 5 | 1.8 | 11 | 1.0 |
| | Total | 1 | 0.2 | 6 | 1.1 | 5 | 0.9 | 8 | 1.4 | 20 | 0.9 |

Liver disease

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 3 | 1.1 | 4 | 0.4 |
| | Female | 3 | 1.1 | 2 | 0.7 | 0 | 0 | 1 | 0.4 | 6 | 0.5 |
| | Total | 4 | 0.7 | 2 | 0.4 | 0 | 0 | 4 | 0.7 | 10 | 0.4 |
| None | Male | 267 | 91.8 | 256 | 90.8 | 248 | 87.6 | 256 | 90.5 | 1027 | 90.2 |
| | Female | 270 | 95.7 | 259 | 92.8 | 260 | 91.2 | 261 | 92.6 | 1050 | 93.1 |
| | Total | 537 | 93.7 | 515 | 91.8 | 508 | 89.4 | 517 | 91.5 | 2077 | 91.6 |
| On medication | Male | 6 | 2.1 | 9 | 3.2 | 9 | 3.2 | 7 | 2.5 | 31 | 2.7 |
| | Female | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 5 | 1.8 | 8 | 0.7 |
| | Total | 6 | 1.0 | 10 | 1.8 | 11 | 1.9 | 12 | 2.1 | 39 | 1.7 |
| Previously medicated | Male | 9 | 3.1 | 15 | 5.3 | 19 | 6.7 | 15 | 5.3 | 58 | 5.1 |
| | Female | 8 | 2.8 | 11 | 3.9 | 18 | 6.3 | 10 | 3.5 | 47 | 4.2 |
| | Total | 17 | 3.0 | 26 | 4.6 | 37 | 6.5 | 25 | 4.4 | 105 | 4.6 |
| Not treated | Male | 8 | 2.7 | 2 | 0.7 | 7 | 2.5 | 2 | 0.7 | 19 | 1.7 |
| | Female | 1 | 0.4 | 6 | 2.2 | 5 | 1.8 | 5 | 1.8 | 17 | 1.5 |
| | Total | 9 | 1.6 | 8 | 1.4 | 12 | 2.1 | 7 | 1.2 | 36 | 1.6 |

Cholecystitis

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 4 | 0.4 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 3 | 0.5 | 2 | 0.4 | 1 | 0.2 | 2 | 0.4 | 8 | 0.4 |
| None | Male | 279 | 95.9 | 259 | 91.8 | 255 | 90.1 | 257 | 90.8 | 1050 | 92.2 |
| | Female | 270 | 95.7 | 257 | 92.1 | 259 | 90.9 | 255 | 90.4 | 1041 | 92.3 |
| | Total | 549 | 95.8 | 516 | 92.0 | 514 | 90.5 | 512 | 90.6 | 2091 | 92.2 |
| On medication | Male | 1 | 0.3 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 4 | 0.4 |
| | Female | 0 | 0 | 1 | 0.4 | 0 | 0 | 1 | 0.4 | 2 | 0.2 |
| | Total | 1 | 0.2 | 2 | 0.4 | 1 | 0.2 | 2 | 0.4 | 6 | 0.3 |
| Previously medicated | Male | 7 | 2.4 | 17 | 6.0 | 17 | 6.0 | 20 | 7.1 | 61 | 5.4 |
| | Female | 8 | 2.8 | 13 | 4.7 | 20 | 7.0 | 20 | 7.1 | 61 | 5.4 |
| | Total | 15 | 2.6 | 30 | 5.3 | 37 | 6.5 | 40 | 7.1 | 122 | 5.4 |
| Not treated | Male | 3 | 1.0 | 5 | 1.8 | 9 | 3.2 | 3 | 1.1 | 20 | 1.8 |
| | Female | 2 | 0.7 | 6 | 2.2 | 6 | 2.1 | 6 | 2.1 | 20 | 1.8 |
| | Total | 5 | 0.9 | 11 | 2.0 | 15 | 2.6 | 9 | 1.6 | 40 | 1.8 |

Diabetes mellitus

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 2 | 0.7 | 2 | 0.7 | 1 | 0.4 | 1 | 0.4 | 6 | 0.5 |
| | Female | 2 | 0.7 | 3 | 1.1 | 0 | 0 | 0 | 0 | 5 | 0.4 |
| | Total | 4 | 0.7 | 5 | 0.9 | 1 | 0.2 | 1 | 0.2 | 11 | 0.5 |
| None | Male | 277 | 95.2 | 256 | 90.8 | 243 | 85.9 | 240 | 84.8 | 1016 | 89.2 |
| | Female | 276 | 97.9 | 268 | 96.1 | 264 | 92.6 | 253 | 89.7 | 1061 | 94.1 |
| | Total | 553 | 96.5 | 524 | 93.4 | 507 | 89.3 | 493 | 87.3 | 2077 | 91.6 |
| On medication | Male | 8 | 2.7 | 11 | 3.9 | 27 | 9.5 | 27 | 9.5 | 73 | 6.4 |
| | Female | 2 | 0.7 | 6 | 2.2 | 16 | 5.6 | 20 | 7.1 | 44 | 3.9 |
| | Total | 10 | 1.7 | 17 | 3.0 | 43 | 7.6 | 47 | 8.3 | 117 | 5.2 |
| Previously medicated | Male | 1 | 0.3 | 7 | 2.5 | 3 | 1.1 | 7 | 2.5 | 18 | 1.6 |
| | Female | 0 | 0 | 0 | 0 | 3 | 1.1 | 7 | 2.5 | 10 | 0.9 |
| | Total | 1 | 0.2 | 7 | 1.2 | 6 | 1.1 | 14 | 2.5 | 28 | 1.2 |
| Not treated | Male | 3 | 1.0 | 6 | 2.1 | 9 | 3.2 | 8 | 2.8 | 26 | 2.3 |
| | Female | 2 | 0.7 | 2 | 0.7 | 2 | 0.7 | 2 | 0.7 | 8 | 0.7 |
| | Total | 5 | 0.9 | 8 | 1.4 | 11 | 1.9 | 10 | 1.8 | 34 | 1.5 |

Peptic ulcer

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 3 | 1.1 | 4 | 0.4 |
| | Female | 2 | 0.7 | 3 | 1.1 | 1 | 0.4 | 0 | 0 | 6 | 0.5 |
| | Total | 2 | 0.3 | 3 | 0.5 | 2 | 0.4 | 3 | 0.5 | 10 | 0.4 |
| None | Male | 239 | 82.1 | 214 | 75.9 | 201 | 71.0 | 193 | 68.2 | 847 | 74.4 |
| | Female | 258 | 91.5 | 250 | 89.6 | 252 | 88.4 | 228 | 80.9 | 988 | 87.6 |
| | Total | 497 | 86.7 | 464 | 82.7 | 453 | 79.8 | 421 | 74.5 | 1835 | 80.9 |
| On medication | Male | 6 | 2.1 | 8 | 2.8 | 23 | 8.1 | 22 | 7.8 | 59 | 5.2 |
| | Female | 2 | 0.7 | 4 | 1.4 | 5 | 1.8 | 14 | 5.0 | 25 | 2.2 |
| | Total | 8 | 1.4 | 12 | 2.1 | 28 | 4.9 | 36 | 6.4 | 84 | 3.7 |
| Previously medicated | Male | 40 | 13.7 | 54 | 19.1 | 56 | 19.8 | 62 | 21.9 | 212 | 18.6 |
| | Female | 16 | 5.7 | 19 | 6.8 | 26 | 9.1 | 35 | 12.4 | 96 | 8.5 |
| | Total | 56 | 9.8 | 73 | 13.0 | 82 | 14.4 | 97 | 17.2 | 308 | 13.6 |
| Not treated | Male | 6 | 2.1 | 6 | 2.1 | 2 | 0.7 | 3 | 1.1 | 17 | 1.5 |
| | Female | 4 | 1.4 | 3 | 1.1 | 1 | 0.4 | 5 | 1.8 | 13 | 1.2 |
| | Total | 10 | 1.7 | 9 | 1.6 | 3 | 0.5 | 8 | 1.4 | 30 | 1.3 |

Tuberculosis, plaurisy

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 3 | 1.1 | 4 | 0.4 |
| | Female | 1 | 0.4 | 2 | 0.7 | 0 | 0 | 0 | 0 | 3 | 0.3 |
| | Total | 2 | 0.3 | 2 | 0.4 | 0 | 0 | 3 | 0.5 | 7 | 0.3 |
| None | Male | 286 | 98.3 | 269 | 95.4 | 249 | 88.0 | 219 | 77.4 | 1023 | 89.8 |
| | Female | 273 | 96.8 | 271 | 97.1 | 262 | 91.9 | 241 | 85.5 | 1047 | 92.8 |
| | Total | 559 | 97.6 | 540 | 96.3 | 511 | 90.0 | 460 | 81.4 | 2070 | 91.3 |
| On medication | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 3 | 0.3 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.1 |
| | Total | 0 | 0 | 0 | 0 | 1 | 0.2 | 3 | 0.5 | 4 | 0.2 |
| Previously medicated | Male | 3 | 1.0 | 11 | 3.9 | 31 | 11.0 | 53 | 18.7 | 98 | 8.6 |
| | Female | 7 | 2.5 | 6 | 2.2 | 20 | 7.0 | 36 | 12.8 | 69 | 6.1 |
| | Total | 10 | 1.7 | 17 | 3.0 | 51 | 9.0 | 89 | 15.8 | 167 | 7.4 |
| Not treated | Male | 1 | 0.3 | 2 | 0.7 | 2 | 0.7 | 6 | 2.1 | 11 | 1.0 |
| | Female | 1 | 0.4 | 0 | 0 | 3 | 1.1 | 4 | 1.4 | 8 | 0.7 |
| | Total | 2 | 0.3 | 2 | 0.4 | 5 | 0.9 | 10 | 1.8 | 19 | 0.8 |

Bronchial asthma

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 2 | 0.7 | 3 | 0.3 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 3 | 0.5 | 2 | 0.4 | 0 | 0 | 2 | 0.4 | 7 | 0.3 |
| None | Male | 281 | 96.6 | 275 | 97.5 | 276 | 97.5 | 270 | 95.4 | 1102 | 96.8 |
| | Female | 265 | 94.0 | 265 | 95.0 | 274 | 96.1 | 270 | 95.7 | 1074 | 95.2 |
| | Total | 546 | 95.3 | 540 | 96.3 | 550 | 96.8 | 540 | 95.6 | 2176 | 96.0 |
| On medication | Male | 3 | 1.0 | 3 | 1.1 | 3 | 1.1 | 7 | 2.5 | 16 | 1.4 |
| | Female | 1 | 0.4 | 6 | 2.2 | 3 | 1.1 | 2 | 0.7 | 12 | 1.1 |
| | Total | 4 | 0.7 | 9 | 1.6 | 6 | 1.1 | 9 | 1.6 | 28 | 1.2 |
| Previously medicated | Male | 6 | 2.1 | 4 | 1.4 | 4 | 1.4 | 2 | 0.7 | 16 | 1.4 |
| | Female | 13 | 4.6 | 6 | 2.2 | 7 | 2.5 | 9 | 3.2 | 35 | 3.1 |
| | Total | 19 | 3.3 | 10 | 1.8 | 11 | 1.9 | 11 | 1.9 | 51 | 2.2 |
| Not treated | Male | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.7 | 2 | 0.2 |
| | Female | 1 | 0.4 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 3 | 0.3 |
| | Total | 1 | 0.2 | 0 | 0 | 1 | 0.2 | 3 | 0.5 | 5 | 0.2 |

Chronic bronchitis

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 2 | 0.7 | 3 | 0.3 |
| | Female | 3 | 1.1 | 2 | 0.7 | 0 | 0 | 0 | 0 | 5 | 0.4 |
| | Total | 4 | 0.7 | 2 | 0.4 | 0 | 0 | 2 | 0.4 | 8 | 0.4 |
| None | Male | 284 | 97.6 | 277 | 98.2 | 274 | 96.8 | 264 | 93.3 | 1099 | 96.5 |
| | Female | 276 | 97.9 | 267 | 95.7 | 274 | 96.1 | 265 | 94.0 | 1082 | 95.9 |
| | Total | 560 | 97.7 | 544 | 97.0 | 548 | 96.5 | 529 | 93.6 | 2181 | 96.2 |
| On medication | Male | 1 | 0.3 | 0 | 0 | 2 | 0.7 | 4 | 1.4 | 7 | 0.6 |
| | Female | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 2 | 0.7 | 5 | 0.4 |
| | Total | 1 | 0.2 | 1 | 0.2 | 4 | 0.7 | 6 | 1.1 | 12 | 0.5 |
| Previously medicated | Male | 3 | 1.0 | 4 | 1.4 | 4 | 1.4 | 13 | 4.6 | 24 | 2.1 |
| | Female | 3 | 1.1 | 7 | 2.5 | 7 | 2.5 | 14 | 5.0 | 31 | 2.7 |
| | Total | 6 | 1.0 | 11 | 2.0 | 11 | 1.9 | 27 | 4.8 | 55 | 2.4 |
| Not treated | Male | 2 | 0.7 | 1 | 0.4 | 3 | 1.1 | 0 | 0 | 6 | 0.5 |
| | Female | 0 | 0 | 2 | 0.7 | 2 | 0.7 | 1 | 0.4 | 5 | 0.4 |
| | Total | 2 | 0.3 | 3 | 0.5 | 5 | 0.9 | 1 | 0.2 | 11 | 0.5 |

Anemia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 0 | 0 | 1 | 0.4 | 3 | 1.1 | 5 | 0.4 |
| | Female | 2 | 0.7 | 2 | 0.7 | 1 | 0.4 | 0 | 0 | 5 | 0.4 |
| | Total | 3 | 0.5 | 2 | 0.4 | 2 | 0.4 | 3 | 0.5 | 10 | 0.4 |
| None | Male | 281 | 96.6 | 271 | 96.1 | 266 | 94.0 | 257 | 90.8 | 1075 | 94.4 |
| | Female | 170 | 60.3 | 203 | 72.8 | 225 | 78.9 | 236 | 83.7 | 834 | 73.9 |
| | Total | 451 | 78.7 | 474 | 84.5 | 491 | 86.4 | 493 | 87.3 | 1909 | 84.2 |
| On medication | Male | 0 | 0 | 2 | 0.7 | 1 | 0.4 | 2 | 0.7 | 5 | 0.4 |
| | Female | 8 | 2.8 | 2 | 0.7 | 2 | 0.7 | 11 | 3.9 | 23 | 2.0 |
| | Total | 8 | 1.4 | 4 | 0.7 | 3 | 0.5 | 13 | 2.3 | 28 | 1.2 |
| Previously medicated | Male | 4 | 1.4 | 3 | 1.1 | 6 | 2.1 | 9 | 3.2 | 22 | 1.9 |
| | Female | 85 | 30.1 | 53 | 19.0 | 41 | 14.4 | 19 | 6.7 | 198 | 17.6 |
| | Total | 89 | 15.5 | 56 | 10.0 | 47 | 8.3 | 28 | 5.0 | 220 | 9.7 |
| Not treated | Male | 5 | 1.7 | 6 | 2.1 | 9 | 3.2 | 12 | 4.2 | 32 | 2.8 |
| | Female | 17 | 6.0 | 19 | 6.8 | 16 | 5.6 | 16 | 5.7 | 68 | 6.0 |
| | Total | 22 | 3.8 | 25 | 4.5 | 25 | 4.4 | 28 | 5.0 | 100 | 4.4 |

Osteoporosis

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 1 | 0.4 | 0 | 0 | 3 | 1.1 | 5 | 0.4 |
| | Female | 2 | 0.7 | 3 | 1.1 | 1 | 0.4 | 0 | 0 | 6 | 0.5 |
| | Total | 3 | 0.5 | 4 | 0.7 | 1 | 0.2 | 3 | 0.5 | 11 | 0.5 |
| None | Male | 290 | 99.7 | 281 | 99.6 | 280 | 98.9 | 267 | 94.3 | 1118 | 98.2 |
| | Female | 278 | 98.6 | 260 | 93.2 | 248 | 87.0 | 212 | 75.2 | 998 | 88.5 |
| | Total | 568 | 99.1 | 541 | 96.4 | 528 | 93.0 | 479 | 84.8 | 2116 | 93.3 |
| On medication | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 3 | 1.1 | 4 | 0.4 |
| | Female | 0 | 0 | 6 | 2.2 | 15 | 5.3 | 31 | 11.0 | 52 | 4.6 |
| | Total | 0 | 0 | 6 | 1.1 | 16 | 2.8 | 34 | 6.0 | 56 | 2.5 |
| Previously medicated | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 6 | 2.1 | 7 | 0.6 |
| | Female | 0 | 0 | 4 | 1.4 | 13 | 4.6 | 17 | 6.0 | 34 | 3.0 |
| | Total | 0 | 0 | 4 | 0.7 | 14 | 2.5 | 23 | 4.1 | 41 | 1.8 |
| Not treated | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 4 | 1.4 | 5 | 0.4 |
| | Female | 2 | 0.7 | 6 | 2.2 | 8 | 2.8 | 22 | 7.8 | 38 | 3.4 |
| | Total | 2 | 0.3 | 6 | 1.1 | 9 | 1.6 | 26 | 4.6 | 43 | 1.9 |

Rheumatic arthritis

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 2 | 0.7 | 0 | 0 | 2 | 0.7 | 2 | 0.7 | 6 | 0.5 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 1 | 0.4 | 5 | 0.4 |
| | Total | 4 | 0.7 | 2 | 0.4 | 2 | 0.4 | 3 | 0.5 | 11 | 0.5 |
| None | Male | 282 | 96.9 | 270 | 95.7 | 265 | 93.6 | 248 | 87.6 | 1065 | 93.5 |
| | Female | 261 | 92.6 | 257 | 92.1 | 239 | 83.9 | 223 | 79.1 | 980 | 86.9 |
| | Total | 543 | 94.8 | 527 | 93.9 | 504 | 88.7 | 471 | 83.4 | 2045 | 90.2 |
| On medication | Male | 0 | 0 | 1 | 0.4 | 4 | 1.4 | 11 | 3.9 | 16 | 1.4 |
| | Female | 3 | 1.1 | 6 | 2.2 | 15 | 5.3 | 33 | 11.7 | 57 | 5.1 |
| | Total | 3 | 0.5 | 7 | 1.2 | 19 | 3.3 | 44 | 7.8 | 73 | 3.2 |
| Previously medicated | Male | 7 | 2.4 | 9 | 3.2 | 10 | 3.5 | 19 | 6.7 | 45 | 4.0 |
| | Female | 12 | 4.3 | 14 | 5.0 | 26 | 9.1 | 21 | 7.4 | 73 | 6.5 |
| | Total | 19 | 3.3 | 23 | 4.1 | 36 | 6.3 | 40 | 7.1 | 118 | 5.2 |
| Not treated | Male | 0 | 0 | 2 | 0.7 | 2 | 0.7 | 3 | 1.1 | 7 | 0.6 |
| | Female | 4 | 1.4 | 0 | 0 | 5 | 1.8 | 4 | 1.4 | 13 | 1.2 |
| | Total | 4 | 0.7 | 2 | 0.4 | 7 | 1.2 | 7 | 1.2 | 20 | 0.9 |

Gout, hyperuricacidemia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 1 | 0.4 | 1 | 0.4 | 4 | 1.4 | 7 | 0.6 |
| | Female | 4 | 1.4 | 3 | 1.1 | 2 | 0.7 | 1 | 0.4 | 10 | 0.9 |
| | Total | 5 | 0.9 | 4 | 0.7 | 3 | 0.5 | 5 | 0.9 | 17 | 0.7 |
| None | Male | 271 | 93.1 | 252 | 89.4 | 252 | 89.0 | 255 | 90.1 | 1030 | 90.4 |
| | Female | 276 | 97.9 | 275 | 98.6 | 273 | 95.8 | 273 | 96.8 | 1097 | 97.3 |
| | Total | 547 | 95.5 | 527 | 93.9 | 525 | 92.4 | 528 | 93.5 | 2127 | 93.8 |
| On medication | Male | 8 | 2.7 | 10 | 3.5 | 13 | 4.6 | 10 | 3.5 | 41 | 3.6 |
| | Female | 0 | 0 | 0 | 0 | 2 | 0.7 | 4 | 1.4 | 6 | 0.5 |
| | Total | 8 | 1.4 | 10 | 1.8 | 15 | 2.6 | 14 | 2.5 | 47 | 2.1 |
| Previously medicated | Male | 7 | 2.4 | 12 | 4.3 | 14 | 4.9 | 12 | 4.2 | 45 | 4.0 |
| | Female | 2 | 0.7 | 0 | 0 | 4 | 1.4 | 0 | 0 | 6 | 0.5 |
| | Total | 9 | 1.6 | 12 | 2.1 | 18 | 3.2 | 12 | 2.1 | 51 | 2.2 |
| Not treated | Male | 4 | 1.4 | 7 | 2.5 | 3 | 1.1 | 2 | 0.7 | 16 | 1.4 |
| | Female | 0 | 0 | 1 | 0.4 | 4 | 1.4 | 4 | 1.4 | 9 | 0.8 |
| | Total | 4 | 0.7 | 8 | 1.4 | 7 | 1.2 | 6 | 1.1 | 25 | 1.1 |

Cancer

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 1 | 0.4 | 1 | 0.4 | 1 | 0.4 | 4 | 0.4 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 1 | 0.4 | 5 | 0.4 |
| | Total | 3 | 0.5 | 3 | 0.5 | 1 | 0.2 | 2 | 0.4 | 9 | 0.4 |
| None | Male | 286 | 98.3 | 279 | 98.9 | 271 | 95.8 | 264 | 93.3 | 1100 | 96.6 |
| | Female | 275 | 97.5 | 268 | 96.1 | 270 | 94.7 | 260 | 92.2 | 1073 | 95.1 |
| | Total | 561 | 97.9 | 547 | 97.5 | 541 | 95.2 | 524 | 92.7 | 2173 | 95.9 |
| On medication | Male | 0 | 0 | 0 | 0 | 6 | 2.1 | 9 | 3.2 | 15 | 1.3 |
| | Female | 0 | 0 | 0 | 0 | 4 | 1.4 | 2 | 0.7 | 6 | 0.5 |
| | Total | 0 | 0 | 0 | 0 | 10 | 1.8 | 11 | 1.9 | 21 | 0.9 |
| Previously medicated | Male | 4 | 1.4 | 2 | 0.7 | 5 | 1.8 | 9 | 3.2 | 20 | 1.8 |
| | Female | 5 | 1.8 | 9 | 3.2 | 10 | 3.5 | 18 | 6.4 | 42 | 3.7 |
| | Total | 9 | 1.6 | 11 | 2.0 | 15 | 2.6 | 27 | 4.8 | 62 | 2.7 |
| Not treated | Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 2 | 0.2 |
| | Total | 0 | 0 | 0 | 0 | 1 | 0.2 | 1 | 0.2 | 2 | 0.1 |

Fracture

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 1 | 0.4 | 0 | 0 | 2 | 0.7 | 4 | 0.4 |
| | Female | 2 | 0.7 | 2 | 0.7 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 3 | 0.5 | 3 | 0.5 | 0 | 0 | 2 | 0.4 | 8 | 0.4 |
| None | Male | 217 | 74.6 | 208 | 73.8 | 208 | 73.5 | 207 | 73.1 | 840 | 73.7 |
| | Female | 246 | 87.2 | 232 | 83.2 | 224 | 78.6 | 214 | 75.9 | 916 | 81.2 |
| | Total | 463 | 80.8 | 440 | 78.4 | 432 | 76.1 | 421 | 74.5 | 1756 | 77.5 |
| On medication | Male | 1 | 0.3 | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.2 |
| | Female | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 4 | 1.4 | 6 | 0.5 |
| | Total | 1 | 0.2 | 1 | 0.2 | 1 | 0.2 | 5 | 0.9 | 8 | 0.4 |
| Previously medicated | Male | 72 | 24.7 | 73 | 25.9 | 75 | 26.5 | 72 | 25.4 | 292 | 25.6 |
| | Female | 34 | 12.1 | 44 | 15.8 | 59 | 20.7 | 62 | 22.0 | 199 | 17.6 |
| | Total | 106 | 18.5 | 117 | 20.9 | 134 | 23.6 | 134 | 23.7 | 491 | 21.7 |
| Not treated | Male | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.1 |
| | Female | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 3 | 0.3 |
| | Total | 0 | 0 | 0 | 0 | 1 | 0.2 | 3 | 0.5 | 4 | 0.2 |

Benign prostate hyperplasia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|-------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 3 | 1.0 | 3 | 1.1 | 4 | 1.4 | 11 | 3.9 | 21 | 1.8 |
| | Total | 3 | 1.0 | 3 | 1.1 | 4 | 1.4 | 11 | 3.9 | 21 | 1.8 |
| None | Male | 288 | 99.0 | 269 | 95.4 | 256 | 90.5 | 220 | 77.7 | 1033 | 90.7 |
| | Total | 288 | 99.0 | 269 | 95.4 | 256 | 90.5 | 220 | 77.7 | 1033 | 90.7 |
| On medication | Male | 0 | 0 | 4 | 1.4 | 7 | 2.5 | 21 | 7.4 | 32 | 2.8 |
| | Total | 0 | 0 | 4 | 1.4 | 7 | 2.5 | 21 | 7.4 | 32 | 2.8 |
| Previously medicated | Male | 0 | 0 | 3 | 1.1 | 12 | 4.2 | 26 | 9.2 | 41 | 3.6 |
| | Total | 0 | 0 | 3 | 1.1 | 12 | 4.2 | 26 | 9.2 | 41 | 3.6 |
| Not treated | Male | 0 | 0 | 3 | 1.1 | 4 | 1.4 | 5 | 1.8 | 12 | 1.1 |
| | Total | 0 | 0 | 3 | 1.1 | 4 | 1.4 | 5 | 1.8 | 12 | 1.1 |

Dementia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 3 | 1.0 | 3 | 1.1 | 4 | 1.4 | 10 | 3.5 | 20 | 1.8 |
| | Female | 10 | 3.5 | 8 | 2.9 | 6 | 2.1 | 3 | 1.1 | 27 | 2.4 |
| | Total | 13 | 2.3 | 11 | 2.0 | 10 | 1.8 | 13 | 2.3 | 47 | 2.1 |
| None | Male | 288 | 99.0 | 279 | 98.9 | 279 | 98.6 | 273 | 96.5 | 1119 | 98.2 |
| | Female | 272 | 96.5 | 271 | 97.1 | 278 | 97.5 | 276 | 97.9 | 1097 | 97.3 |
| | Total | 560 | 97.7 | 550 | 98.0 | 557 | 98.1 | 549 | 97.2 | 2216 | 97.8 |
| On medication | Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.1 |
| | Total | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 | 1 | 0.0 |
| Not treated | Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 3 | 0.3 |
| | Total | 0 | 0 | 0 | 0 | 1 | 0.2 | 2 | 0.4 | 3 | 0.1 |

Parkinson disease

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 3 | 1.0 | 3 | 1.1 | 4 | 1.4 | 10 | 3.5 | 20 | 1.8 |
| | Female | 10 | 3.5 | 8 | 2.9 | 6 | 2.1 | 3 | 1.1 | 27 | 2.4 |
| | Total | 13 | 2.3 | 11 | 2.0 | 10 | 1.8 | 13 | 2.3 | 47 | 2.1 |
| None | Male | 288 | 99.0 | 279 | 98.9 | 278 | 98.2 | 273 | 96.5 | 1118 | 98.2 |
| | Female | 272 | 96.5 | 271 | 97.1 | 278 | 97.5 | 276 | 97.9 | 1097 | 97.3 |
| | Total | 560 | 97.7 | 550 | 98.0 | 556 | 97.9 | 549 | 97.2 | 2215 | 97.7 |
| On medication | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 0 | 0 | 1 | 0.1 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.1 |
| | Total | 0 | 0 | 0 | 0 | 1 | 0.2 | 1 | 0.2 | 2 | 0.1 |
| Previously medicated | Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.1 |
| | Total | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 | 1 | 0.0 |
| Not treated | Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Female | 0 | 0 | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 2 | 0.2 |
| | Total | 0 | 0 | 0 | 0 | 1 | 0.2 | 1 | 0.2 | 2 | 0.1 |

Others

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 8 | 2.7 | 4 | 1.4 | 11 | 3.9 | 14 | 4.9 | 37 | 3.2 |
| | Female | 13 | 4.6 | 13 | 4.7 | 7 | 2.5 | 5 | 1.8 | 38 | 3.4 |
| | Total | 21 | 3.7 | 17 | 3.0 | 18 | 3.2 | 19 | 3.4 | 75 | 3.3 |
| None | Male | 200 | 68.7 | 198 | 70.2 | 180 | 63.6 | 177 | 62.5 | 755 | 66.3 |
| | Female | 201 | 71.3 | 183 | 65.6 | 192 | 67.4 | 192 | 68.1 | 768 | 68.1 |
| | Total | 401 | 70.0 | 381 | 67.9 | 372 | 65.5 | 369 | 65.3 | 1523 | 67.2 |
| On medication | Male | 8 | 2.7 | 13 | 4.6 | 19 | 6.7 | 23 | 8.1 | 63 | 5.5 |
| | Female | 13 | 4.6 | 14 | 5.0 | 16 | 5.6 | 31 | 11.0 | 74 | 6.6 |
| | Total | 21 | 3.7 | 27 | 4.8 | 35 | 6.2 | 54 | 9.6 | 137 | 6.0 |
| Previously medicated | Male | 73 | 25.1 | 62 | 22.0 | 71 | 25.1 | 65 | 23.0 | 271 | 23.8 |
| | Female | 51 | 18.1 | 66 | 23.7 | 69 | 24.2 | 53 | 18.8 | 239 | 21.2 |
| | Total | 124 | 21.6 | 128 | 22.8 | 140 | 24.6 | 118 | 20.9 | 510 | 22.5 |
| Not treated | Male | 2 | 0.7 | 5 | 1.8 | 2 | 0.7 | 4 | 1.4 | 13 | 1.1 |
| | Female | 4 | 1.4 | 3 | 1.1 | 1 | 0.4 | 1 | 0.4 | 9 | 0.8 |
| | Total | 6 | 1.0 | 8 | 1.4 | 3 | 0.5 | 5 | 0.9 | 22 | 1.0 |

History of gastrectomy

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 20 | 6.9 | 24 | 8.5 | 43 | 15.2 | 31 | 11.0 | 118 | 10.4 |
| | Female | 27 | 9.6 | 38 | 13.6 | 35 | 12.3 | 33 | 11.7 | 133 | 11.8 |
| | Total | 47 | 8.2 | 62 | 11.1 | 78 | 13.7 | 64 | 11.3 | 251 | 11.1 |
| Exsist | Male | 2 | 0.7 | 10 | 3.5 | 12 | 4.2 | 26 | 9.2 | 50 | 4.4 |
| | Female | 2 | 0.7 | 1 | 0.4 | 8 | 2.8 | 9 | 3.2 | 20 | 1.8 |
| | Total | 4 | 0.7 | 11 | 2.0 | 20 | 3.5 | 35 | 6.2 | 70 | 3.1 |
| None | Male | 269 | 92.4 | 248 | 87.9 | 228 | 80.6 | 226 | 79.9 | 971 | 85.3 |
| | Female | 253 | 89.7 | 240 | 86.0 | 242 | 84.9 | 240 | 85.1 | 975 | 86.4 |
| | Total | 522 | 91.1 | 488 | 87.0 | 470 | 82.7 | 466 | 82.5 | 1946 | 85.8 |

History of head surgery

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 20 | 6.9 | 24 | 8.5 | 42 | 14.8 | 31 | 11.0 | 117 | 10.3 |
| | Female | 27 | 9.6 | 39 | 14.0 | 36 | 12.6 | 35 | 12.4 | 137 | 12.1 |
| | Total | 47 | 8.2 | 63 | 11.2 | 78 | 13.7 | 66 | 11.7 | 254 | 11.2 |
| Exsist | Male | 3 | 1.0 | 5 | 1.8 | 5 | 1.8 | 5 | 1.8 | 18 | 1.6 |
| | Female | 4 | 1.4 | 3 | 1.1 | 2 | 0.7 | 6 | 2.1 | 15 | 1.3 |
| | Total | 7 | 1.2 | 8 | 1.4 | 7 | 1.2 | 11 | 1.9 | 33 | 1.5 |
| None | Male | 268 | 92.1 | 253 | 89.7 | 236 | 83.4 | 247 | 87.3 | 1004 | 88.1 |
| | Female | 251 | 89.0 | 237 | 84.9 | 247 | 86.7 | 241 | 85.5 | 976 | 86.5 |
| | Total | 519 | 90.6 | 490 | 87.3 | 483 | 85.0 | 488 | 86.4 | 1980 | 87.3 |

History of cardiac surgery

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 20 | 6.9 | 24 | 8.5 | 44 | 15.5 | 31 | 11.0 | 119 | 10.4 |
| | Female | 27 | 9.6 | 38 | 13.6 | 36 | 12.6 | 35 | 12.4 | 136 | 12.1 |
| | Total | 47 | 8.2 | 62 | 11.1 | 80 | 14.1 | 66 | 11.7 | 255 | 11.2 |
| Exist | Male | 3 | 1.0 | 2 | 0.7 | 3 | 1.1 | 9 | 3.2 | 17 | 1.5 |
| | Female | 3 | 1.1 | 3 | 1.1 | 2 | 0.7 | 1 | 0.4 | 9 | 0.8 |
| | Total | 6 | 1.0 | 5 | 0.9 | 5 | 0.9 | 10 | 1.8 | 26 | 1.1 |
| None | Male | 268 | 92.1 | 256 | 90.8 | 236 | 83.4 | 243 | 85.9 | 1003 | 88.1 |
| | Female | 252 | 89.4 | 238 | 85.3 | 247 | 86.7 | 246 | 87.2 | 983 | 87.1 |
| | Total | 520 | 90.8 | 494 | 88.1 | 483 | 85.0 | 489 | 86.5 | 1986 | 87.6 |

History of lung surgery

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 21 | 7.2 | 24 | 8.5 | 44 | 15.5 | 31 | 11.0 | 120 | 10.5 |
| | Female | 27 | 9.6 | 38 | 13.6 | 36 | 12.6 | 35 | 12.4 | 136 | 12.1 |
| | Total | 48 | 8.4 | 62 | 11.1 | 80 | 14.1 | 66 | 11.7 | 256 | 11.3 |
| Exist | Male | 2 | 0.7 | 2 | 0.7 | 2 | 0.7 | 2 | 0.7 | 8 | 0.7 |
| | Female | 2 | 0.7 | 2 | 0.7 | 3 | 1.1 | 2 | 0.7 | 9 | 0.8 |
| | Total | 4 | 0.7 | 4 | 0.7 | 5 | 0.9 | 4 | 0.7 | 17 | 0.7 |
| None | Male | 268 | 92.1 | 256 | 90.8 | 237 | 83.7 | 250 | 88.3 | 1011 | 88.8 |
| | Female | 253 | 89.7 | 239 | 85.7 | 246 | 86.3 | 245 | 86.9 | 983 | 87.1 |
| | Total | 521 | 90.9 | 495 | 88.2 | 483 | 85.0 | 495 | 87.6 | 1994 | 88.0 |

History of thyroid surgery

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 20 | 6.9 | 25 | 8.9 | 45 | 15.9 | 31 | 11.0 | 121 | 10.6 |
| | Female | 28 | 9.9 | 39 | 14.0 | 37 | 13.0 | 35 | 12.4 | 139 | 12.3 |
| | Total | 48 | 8.4 | 64 | 11.4 | 82 | 14.4 | 66 | 11.7 | 260 | 11.5 |
| Exist | Male | 1 | 0.3 | 1 | 0.4 | 2 | 0.7 | 0 | 0 | 4 | 0.4 |
| | Female | 3 | 1.1 | 4 | 1.4 | 5 | 1.8 | 1 | 0.4 | 13 | 1.2 |
| | Total | 4 | 0.7 | 5 | 0.9 | 7 | 1.2 | 1 | 0.2 | 17 | 0.7 |
| None | Male | 270 | 92.8 | 256 | 90.8 | 236 | 83.4 | 252 | 89.0 | 1014 | 89.0 |
| | Female | 251 | 89.0 | 236 | 84.6 | 243 | 85.3 | 246 | 87.2 | 976 | 86.5 |
| | Total | 521 | 90.9 | 492 | 87.7 | 479 | 84.3 | 498 | 88.1 | 1990 | 87.8 |

History of other surgery

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 20 | 6.9 | 22 | 7.8 | 48 | 17.0 | 29 | 10.2 | 119 | 10.4 |
| | Female | 29 | 10.3 | 35 | 12.5 | 37 | 13.0 | 30 | 10.6 | 131 | 11.6 |
| | Total | 49 | 8.6 | 57 | 10.2 | 85 | 15.0 | 59 | 10.4 | 250 | 11.0 |
| Exist | Male | 113 | 38.8 | 137 | 48.6 | 133 | 47.0 | 162 | 57.2 | 545 | 47.8 |
| | Female | 111 | 39.4 | 124 | 44.4 | 139 | 48.8 | 150 | 53.2 | 524 | 46.5 |
| | Total | 224 | 39.1 | 261 | 46.5 | 272 | 47.9 | 312 | 55.2 | 1069 | 47.2 |
| None | Male | 158 | 54.3 | 123 | 43.6 | 102 | 36.0 | 92 | 32.5 | 475 | 41.7 |
| | Female | 142 | 50.4 | 120 | 43.0 | 109 | 38.2 | 102 | 36.2 | 473 | 41.9 |
| | Total | 300 | 52.4 | 243 | 43.3 | 211 | 37.1 | 194 | 34.3 | 948 | 41.8 |

History of hospital admission in last 2 years

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 1 | 0.3 | 1 | 0.4 | 1 | 0.4 | 11 | 3.9 | 14 | 1.2 |
| | Female | 3 | 1.1 | 1 | 0.4 | 6 | 2.1 | 7 | 2.5 | 17 | 1.5 |
| | Total | 4 | 0.7 | 2 | 0.4 | 7 | 1.2 | 18 | 3.2 | 31 | 1.4 |
| Exist | Male | 24 | 8.2 | 34 | 12.1 | 47 | 16.6 | 68 | 24.0 | 173 | 15.2 |
| | Female | 20 | 7.1 | 22 | 7.9 | 33 | 11.6 | 46 | 16.3 | 121 | 10.7 |
| | Total | 44 | 7.7 | 56 | 10.0 | 80 | 14.1 | 114 | 20.2 | 294 | 13.0 |
| None | Male | 266 | 91.4 | 247 | 87.6 | 235 | 83.0 | 204 | 72.1 | 952 | 83.6 |
| | Female | 259 | 91.8 | 256 | 91.8 | 246 | 86.3 | 229 | 81.2 | 990 | 87.8 |
| | Total | 525 | 91.6 | 503 | 89.7 | 481 | 84.7 | 433 | 76.6 | 1942 | 85.7 |

4) Family history

Family history of hypertension

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 5 | 1.8 | 7 | 0.6 |
| | Female | 4 | 1.4 | 3 | 1.1 | 2 | 0.7 | 3 | 1.1 | 12 | 1.1 |
| | Total | 4 | 0.7 | 4 | 0.7 | 3 | 0.5 | 8 | 1.4 | 19 | 0.8 |
| Exist | Male | 119 | 40.9 | 120 | 42.6 | 109 | 38.5 | 73 | 25.8 | 421 | 37.0 |
| | Female | 141 | 50.0 | 145 | 52.0 | 136 | 47.7 | 118 | 41.8 | 540 | 47.9 |
| | Total | 260 | 45.4 | 265 | 47.2 | 245 | 43.1 | 191 | 33.8 | 961 | 42.4 |
| None | Male | 172 | 59.1 | 161 | 57.1 | 173 | 61.1 | 205 | 72.4 | 711 | 62.4 |
| | Female | 137 | 48.6 | 131 | 47.0 | 147 | 51.6 | 161 | 57.1 | 576 | 51.1 |
| | Total | 309 | 53.9 | 292 | 52.0 | 320 | 56.3 | 366 | 64.8 | 1287 | 56.8 |

Family history of diabetes mellitus

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 6 | 2.1 | 8 | 0.7 |
| | Female | 3 | 1.1 | 4 | 1.4 | 1 | 0.4 | 3 | 1.1 | 11 | 1.0 |
| | Total | 3 | 0.5 | 5 | 0.9 | 2 | 0.4 | 9 | 1.6 | 19 | 0.8 |
| Exist | Male | 66 | 22.7 | 56 | 19.9 | 58 | 20.5 | 34 | 12.0 | 214 | 18.8 |
| | Female | 83 | 29.4 | 58 | 20.8 | 57 | 20.0 | 44 | 15.6 | 242 | 21.5 |
| | Total | 149 | 26.0 | 114 | 20.3 | 115 | 20.2 | 78 | 13.8 | 456 | 20.1 |
| None | Male | 225 | 77.3 | 225 | 79.8 | 224 | 79.2 | 243 | 85.9 | 917 | 80.5 |
| | Female | 196 | 69.5 | 217 | 77.8 | 227 | 79.6 | 235 | 83.3 | 875 | 77.6 |
| | Total | 421 | 73.5 | 442 | 78.8 | 451 | 79.4 | 478 | 84.6 | 1792 | 79.0 |

Family history of hyperlipidemia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 5 | 1.8 | 4 | 1.4 | 6 | 2.1 | 15 | 1.3 |
| | Female | 2 | 0.7 | 5 | 1.8 | 5 | 1.8 | 2 | 0.7 | 14 | 1.2 |
| | Total | 2 | 0.3 | 10 | 1.8 | 9 | 1.6 | 8 | 1.4 | 29 | 1.3 |
| Exist | Male | 14 | 4.8 | 17 | 6.0 | 13 | 4.6 | 9 | 3.2 | 53 | 4.7 |
| | Female | 18 | 6.4 | 27 | 9.7 | 28 | 9.8 | 24 | 8.5 | 97 | 8.6 |
| | Total | 32 | 5.6 | 44 | 7.8 | 41 | 7.2 | 33 | 5.8 | 150 | 6.6 |
| None | Male | 277 | 95.2 | 260 | 92.2 | 266 | 94.0 | 268 | 94.7 | 1071 | 94.0 |
| | Female | 262 | 92.9 | 247 | 88.5 | 252 | 88.4 | 256 | 90.8 | 1017 | 90.2 |
| | Total | 539 | 94.1 | 507 | 90.4 | 518 | 91.2 | 524 | 92.7 | 2088 | 92.1 |

Family history of angina pectoris or myocardial infarction

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 2 | 0.7 | 3 | 1.1 | 3 | 1.1 | 6 | 2.1 | 14 | 1.2 |
| | Female | 4 | 1.4 | 3 | 1.1 | 1 | 0.4 | 1 | 0.4 | 9 | 0.8 |
| | Total | 6 | 1.0 | 6 | 1.1 | 4 | 0.7 | 7 | 1.2 | 23 | 1.0 |
| Exist | Male | 44 | 15.1 | 58 | 20.6 | 50 | 17.7 | 31 | 11.0 | 183 | 16.1 |
| | Female | 54 | 19.1 | 48 | 17.2 | 61 | 21.4 | 59 | 20.9 | 222 | 19.7 |
| | Total | 98 | 17.1 | 106 | 18.9 | 111 | 19.5 | 90 | 15.9 | 405 | 17.9 |
| None | Male | 245 | 84.2 | 221 | 78.4 | 230 | 81.3 | 246 | 86.9 | 942 | 82.7 |
| | Female | 224 | 79.4 | 228 | 81.7 | 223 | 78.2 | 222 | 78.7 | 897 | 79.5 |
| | Total | 469 | 81.8 | 449 | 80.0 | 453 | 79.8 | 468 | 82.8 | 1839 | 81.1 |

Family history of stroke

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 5 | 1.8 | 7 | 0.6 |
| | Female | 3 | 1.1 | 2 | 0.7 | 1 | 0.4 | 2 | 0.7 | 8 | 0.7 |
| | Total | 3 | 0.5 | 3 | 0.5 | 2 | 0.4 | 7 | 1.2 | 15 | 0.7 |
| Exsist | Male | 83 | 28.5 | 94 | 33.3 | 96 | 33.9 | 84 | 29.7 | 357 | 31.3 |
| | Female | 103 | 36.5 | 105 | 37.6 | 108 | 37.9 | 94 | 33.3 | 410 | 36.3 |
| | Total | 186 | 32.5 | 199 | 35.5 | 204 | 35.9 | 178 | 31.5 | 767 | 33.8 |
| None | Male | 208 | 71.5 | 187 | 66.3 | 186 | 65.7 | 194 | 68.6 | 775 | 68.0 |
| | Female | 176 | 62.4 | 172 | 61.6 | 176 | 61.8 | 186 | 66.0 | 710 | 62.9 |
| | Total | 384 | 67.0 | 359 | 64.0 | 362 | 63.7 | 380 | 67.3 | 1485 | 65.5 |

Family history of dementia

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 6 | 2.1 | 8 | 0.7 |
| | Female | 2 | 0.7 | 3 | 1.1 | 1 | 0.4 | 1 | 0.4 | 7 | 0.6 |
| | Total | 2 | 0.3 | 4 | 0.7 | 2 | 0.4 | 7 | 1.2 | 15 | 0.7 |
| Exsist | Male | 27 | 9.3 | 37 | 13.1 | 32 | 11.3 | 20 | 7.1 | 116 | 10.2 |
| | Female | 40 | 14.2 | 44 | 15.8 | 27 | 9.5 | 26 | 9.2 | 137 | 12.1 |
| | Total | 67 | 11.7 | 81 | 14.4 | 59 | 10.4 | 46 | 8.1 | 253 | 11.2 |
| None | Male | 264 | 90.7 | 244 | 86.5 | 250 | 88.3 | 257 | 90.8 | 1015 | 89.1 |
| | Female | 240 | 85.1 | 232 | 83.2 | 257 | 90.2 | 255 | 90.4 | 984 | 87.2 |
| | Total | 504 | 88.0 | 476 | 84.8 | 507 | 89.3 | 512 | 90.6 | 1999 | 88.2 |