

9) Menstruation (for only women)

Age of first menstration (years old)
(Female)

| | 40-49yr | | | 50-59yr | | | 60-69yr | | | 70-79yr | | | Total | | |
|-------|---------|-----|-----|---------|-----|-----|---------|-----|-----|---------|-----|-----|-------|-----|------|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Total | 13.0 | 1.2 | 282 | 13.7 | 1.3 | 279 | 14.6 | 1.6 | 284 | 14.8 | 1.7 | 278 | 14.0 | 1.6 | 1123 |

Presence of menstration
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------|--------------|------|---------|------|---------|-------|---------|-------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| | Not recorded | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Yes | 240 | 85.1 | 41 | 14.7 | 0 | 0 | 0 | 0 | 281 | 24.9 |
| No | 36 | 12.8 | 226 | 81.0 | 285 | 100.0 | 282 | 100.0 | 829 | 73.5 |
| Not understanding | 5 | 1.8 | 12 | 4.3 | 0 | 0 | 0 | 0 | 17 | 1.5 |

Last menstration(years old)
(Female)

| | 40-49yr | | | 50-59yr | | | 60-69yr | | | 70-79yr | | | Total | | |
|-------|---------|-----|----|---------|-----|-----|---------|-----|-----|---------|-----|-----|-------|-----|-----|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Total | 43.5 | 4.4 | 36 | 48.9 | 4.6 | 226 | 49.5 | 5.1 | 281 | 48.9 | 4.8 | 274 | 48.9 | 5.0 | 817 |

History of hysterectomy
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------|--------------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| | Not recorded | 0 | 0 | 0 | 0 | 3 | 1.1 | 6 | 2.1 | 9 |
| Yes | 17 | 47.2 | 33 | 14.6 | 55 | 19.3 | 37 | 13.1 | 142 | 17.1 |
| No | 19 | 52.8 | 193 | 85.4 | 226 | 79.3 | 237 | 84.0 | 675 | 81.4 |
| Not understanding | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 3 | 0.4 |

Age at hysterectomy
(Female)

| | 40-49yr | | | 50-59yr | | | 60-69yr | | | 70-79yr | | | Total | | |
|-------|---------|-----|----|---------|-----|----|---------|-----|----|---------|------|----|-------|-----|-----|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Total | 41.2 | 4.6 | 17 | 42.4 | 7.4 | 32 | 44.4 | 8.1 | 53 | 44.6 | 11.8 | 34 | 43.6 | 8.7 | 136 |

Ovary is remained
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 0 | 0 | 1 | 3.0 | 0 | 0 | 4 | 10.8 | 5 | 3.5 |
| Yes | 15 | 88.2 | 22 | 66.7 | 27 | 49.1 | 16 | 43.2 | 80 | 56.3 |
| No | 1 | 5.9 | 9 | 27.3 | 25 | 45.5 | 12 | 32.4 | 47 | 33.1 |
| Not understanding | 1 | 5.9 | 1 | 3.0 | 3 | 5.5 | 5 | 13.5 | 10 | 7.0 |

Term of menstration (day)
(Female)

| | 40-49yr | | | 50-59yr | | | Total | | |
|-------|---------|-----|-----|---------|-----|----|-------|-----|-----|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Total | 5.4 | 1.6 | 239 | 5.7 | 2.5 | 41 | 5.5 | 1.8 | 280 |

Recent period of menstration
(Female)

| | 40-49yr | | | 50-59yr | | | Total | | |
|-------|---------|-----|-----|---------|------|----|-------|-----|-----|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Total | 28.2 | 6.1 | 224 | 31.1 | 11.6 | 29 | 28.6 | 7.0 | 253 |

At the period of menstration
(Female)

| | 40-49yr | | 50-59yr | | Total | |
|-------------------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % |
| Not recorded | 2 | 0.8 | 0 | 0 | 2 | 0.7 |
| Yes | 39 | 16.3 | 5 | 12.2 | 44 | 15.7 |
| No | 197 | 82.1 | 36 | 87.8 | 233 | 82.9 |
| Not understanding | 2 | 0.8 | 0 | 0 | 2 | 0.7 |

Hemorrhage except from menstration
(Female)

| | 40-49yr | | 50-59yr | | Total | |
|-------------------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % |
| Yes | 17 | 7.1 | 4 | 9.8 | 21 | 7.5 |
| No | 216 | 90.0 | 36 | 87.8 | 252 | 89.7 |
| Not understanding | 7 | 2.9 | 1 | 2.4 | 8 | 2.8 |

Change of menstration in a last year
(Female)

| | 40-49yr | | 50-59yr | | Total | |
|-------------------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % |
| Yes | 122 | 50.8 | 25 | 61.0 | 147 | 52.3 |
| No | 112 | 46.7 | 10 | 24.4 | 122 | 43.4 |
| Not understanding | 6 | 2.5 | 6 | 14.6 | 12 | 4.3 |

Change of menstration period
(Female)

| | 40-49yr | | 50-59yr | | Total | |
|-------------------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % |
| Not recorded | 106 | 44.2 | 15 | 36.6 | 121 | 43.1 |
| Yes | 97 | 40.4 | 23 | 56.1 | 120 | 42.7 |
| No | 31 | 12.9 | 2 | 4.9 | 33 | 11.7 |
| Not understanding | 6 | 2.5 | 1 | 2.4 | 7 | 2.5 |

Period of previous menstration (days)
(Female)

| | 40-49yr | | | 50-59yr | | | Total | | |
|-------|---------|-----|----|---------|-----|----|-------|-----|-----|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Total | 30.5 | 7.2 | 93 | 27.6 | 3.4 | 19 | 30.0 | 6.8 | 112 |

Change of bleeding amount
(Female)

| | 40-49yr | | 50-59yr | | Total | |
|----------------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % |
| Not recorded | 106 | 44.2 | 16 | 39.0 | 122 | 43.4 |
| Increase | 44 | 18.3 | 7 | 17.1 | 51 | 18.1 |
| Decrease | 55 | 22.9 | 13 | 31.7 | 68 | 24.2 |
| No change | 30 | 12.5 | 3 | 7.3 | 33 | 11.7 |
| Not determined | 5 | 2.1 | 2 | 4.9 | 7 | 2.5 |

10) Urinary incontinence (for only women)

History of incontinence
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 25 | 8.9 | 35 | 12.5 | 35 | 12.3 | 28 | 9.9 | 123 | 10.9 |
| Yes | 143 | 50.7 | 122 | 43.7 | 128 | 44.9 | 147 | 52.1 | 540 | 47.9 |
| No | 114 | 40.4 | 122 | 43.7 | 122 | 42.8 | 107 | 37.9 | 465 | 41.2 |

Frequency of incontinence
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1.4 | 2 | 0.4 |
| Once or twice in the past | 43 | 30.1 | 31 | 25.4 | 41 | 32.0 | 33 | 22.4 | 148 | 27.4 |
| Once or twice in a year | 50 | 35.0 | 43 | 35.2 | 55 | 43.0 | 43 | 29.3 | 191 | 35.4 |
| Once or twice in a month | 34 | 23.8 | 35 | 28.7 | 22 | 17.2 | 36 | 24.5 | 127 | 23.5 |
| Once or twice in a week | 15 | 10.5 | 11 | 9.0 | 8 | 6.3 | 21 | 14.3 | 55 | 10.2 |
| Almost everyday | 1 | 0.7 | 2 | 1.6 | 2 | 1.6 | 12 | 8.2 | 17 | 3.1 |

Incontinence on sneezing
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Always | 1 | 0.7 | 1 | 0.8 | 3 | 2.3 | 5 | 3.4 | 10 | 1.9 |
| Frequently | 1 | 0.7 | 4 | 3.3 | 0 | 0 | 1 | 0.7 | 6 | 1.1 |
| Sometimes | 16 | 11.2 | 8 | 6.6 | 6 | 4.7 | 7 | 4.8 | 37 | 6.9 |
| Occasionally | 100 | 69.9 | 70 | 57.4 | 69 | 53.9 | 75 | 51.0 | 314 | 58.1 |
| None | 25 | 17.5 | 39 | 32.0 | 50 | 39.1 | 59 | 40.1 | 173 | 32.0 |

Degree of incontinence (on sneezing)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 25 | 17.5 | 40 | 32.8 | 53 | 41.4 | 60 | 40.8 | 178 | 33.0 |
| Soaked to underwear | 107 | 74.8 | 76 | 62.3 | 72 | 56.3 | 77 | 52.4 | 332 | 61.5 |
| Necessary to change underwear | 10 | 7.0 | 5 | 4.1 | 3 | 2.3 | 10 | 6.8 | 28 | 5.2 |
| Soaked to an upper garment | 1 | 0.7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Come down to underground along with legs | 0 | 0 | 1 | 0.8 | 0 | 0 | 0 | 0 | 1 | 0.2 |

Incontinence on coughing
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Always | 1 | 0.7 | 1 | 0.8 | 3 | 2.3 | 5 | 3.4 | 10 | 1.9 |
| Frequently | 2 | 1.4 | 2 | 1.6 | 0 | 0 | 2 | 1.4 | 6 | 1.1 |
| Sometimes | 8 | 5.6 | 11 | 9.0 | 10 | 7.8 | 8 | 5.4 | 37 | 6.9 |
| Occasionally | 43 | 30.1 | 52 | 42.6 | 55 | 43.0 | 70 | 47.6 | 220 | 40.7 |
| None | 89 | 62.2 | 56 | 45.9 | 60 | 46.9 | 62 | 42.2 | 267 | 49.4 |

Degree of incontinence (on coughing)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 88 | 61.5 | 56 | 45.9 | 60 | 46.9 | 62 | 42.2 | 266 | 49.3 |
| Soaked to underwear | 48 | 33.6 | 60 | 49.2 | 64 | 50.0 | 70 | 47.6 | 242 | 44.8 |
| Necessary to change underwear | 7 | 4.9 | 5 | 4.1 | 4 | 3.1 | 15 | 10.2 | 31 | 5.7 |
| Come down to underground along with legs | 0 | 0 | 1 | 0.8 | 0 | 0 | 0 | 0 | 1 | 0.2 |

Incontinence on laughing
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Always | 0 | 0 | 1 | 0.8 | 1 | 0.8 | 0 | 0 | 2 | 0.4 |
| Sometimes | 0 | 0 | 2 | 1.6 | 0 | 0 | 3 | 2.0 | 5 | 0.9 |
| Occasionally | 5 | 3.5 | 9 | 7.4 | 7 | 5.5 | 11 | 7.5 | 32 | 5.9 |
| None | 138 | 96.5 | 110 | 90.2 | 120 | 93.8 | 133 | 90.5 | 501 | 92.8 |

Degree of incontinence (on laughing)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 138 | 96.5 | 110 | 90.2 | 119 | 93.0 | 133 | 90.5 | 500 | 92.6 |
| Soaked to underwear | 5 | 3.5 | 12 | 9.8 | 8 | 6.3 | 13 | 8.8 | 38 | 7.0 |
| Necessary to change underwear | 0 | 0 | 0 | 0 | 1 | 0.8 | 1 | 0.7 | 2 | 0.4 |

Incontinence on lifting heavy objects up
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Always | 0 | 0 | 1 | 0.8 | 1 | 0.8 | 3 | 2.0 | 5 | 0.9 |
| Frequently | 0 | 0 | 0 | 0 | 1 | 0.8 | 0 | 0 | 1 | 0.2 |
| Sometimes | 0 | 0 | 0 | 0 | 1 | 0.8 | 3 | 2.0 | 4 | 0.7 |
| Occasionally | 5 | 3.5 | 1 | 0.8 | 7 | 5.5 | 20 | 13.6 | 33 | 6.1 |
| None | 138 | 96.5 | 120 | 98.4 | 118 | 92.2 | 121 | 82.3 | 497 | 92.0 |

Degree of incontinence (on lifting heavy objects up)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 138 | 96.5 | 120 | 98.4 | 119 | 93.0 | 122 | 83.0 | 499 | 92.4 |
| Soaked to underwear | 5 | 3.5 | 2 | 1.6 | 8 | 6.3 | 20 | 13.6 | 35 | 6.5 |
| Necessary to change underwear | 0 | 0 | 0 | 0 | 1 | 0.8 | 5 | 3.4 | 6 | 1.1 |

Incontinence on standing up suddenly
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|-------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Sometimes | 1 | 0.7 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Occasionally | 1 | 0.7 | 0 | 0 | 7 | 5.5 | 9 | 6.1 | 17 | 3.1 |
| None | 141 | 98.6 | 122 | 100.0 | 121 | 94.5 | 138 | 93.9 | 522 | 96.7 |

Degree of incontinence (on standing up suddenly)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------|---------|------|---------|-------|---------|------|---------|------|-------|------|
| | n | % | n | % | n | % | n | % | n | % |
| Not recorded | 141 | 98.6 | 122 | 100.0 | 121 | 94.5 | 138 | 93.9 | 522 | 96.7 |
| Soaked to underwear | 2 | 1.4 | 0 | 0 | 7 | 5.5 | 9 | 6.1 | 18 | 3.3 |

Incontinence on jumping or rope skipping
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | n | % | n | % | n | % | n | % | n | % |
| Always | 3 | 2.1 | 0 | 0 | 4 | 3.1 | 4 | 2.7 | 11 | 2.0 |
| Frequently | 7 | 4.9 | 4 | 3.3 | 0 | 0 | 0 | 0 | 11 | 2.0 |
| Sometimes | 7 | 4.9 | 7 | 5.7 | 2 | 1.6 | 2 | 1.4 | 18 | 3.3 |
| Occasionally | 27 | 18.9 | 28 | 23.0 | 8 | 6.3 | 10 | 6.8 | 73 | 13.5 |
| None | 99 | 69.2 | 83 | 68.0 | 114 | 89.1 | 131 | 89.1 | 427 | 79.1 |

Degree of incontinence (on jumping or rope skipping)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 99 | 69.2 | 83 | 68.0 | 113 | 88.3 | 131 | 89.1 | 426 | 78.9 |
| Soaked to underwear | 31 | 21.7 | 34 | 27.9 | 12 | 9.4 | 14 | 9.5 | 91 | 16.9 |
| Necessary to change underwear | 11 | 7.7 | 4 | 3.3 | 2 | 1.6 | 2 | 1.4 | 19 | 3.5 |
| Soaked to an upper garment | 2 | 1.4 | 1 | 0.8 | 1 | 0.8 | 0 | 0 | 4 | 0.7 |

Incontinence on running
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Always | 1 | 0.7 | 0 | 0 | 2 | 1.6 | 2 | 1.4 | 5 | 0.9 |
| Frequently | 1 | 0.7 | 2 | 1.6 | 0 | 0 | 0 | 0 | 3 | 0.6 |
| Sometimes | 3 | 2.1 | 2 | 1.6 | 3 | 2.3 | 3 | 2.0 | 11 | 2.0 |
| Occasionally | 9 | 6.3 | 7 | 5.7 | 3 | 2.3 | 7 | 4.8 | 26 | 4.8 |
| None | 129 | 90.2 | 111 | 91.0 | 120 | 93.8 | 135 | 91.8 | 495 | 91.7 |

Degree of incontinence (on running)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 129 | 90.2 | 111 | 91.0 | 121 | 94.5 | 134 | 91.2 | 495 | 91.7 |
| Soaked to underwear | 9 | 6.3 | 7 | 5.7 | 5 | 3.9 | 10 | 6.8 | 31 | 5.7 |
| Necessary to change underwear | 4 | 2.8 | 4 | 3.3 | 1 | 0.8 | 3 | 2.0 | 12 | 2.2 |
| Soaked to an upper garment | 1 | 0.7 | 0 | 0 | 1 | 0.8 | 0 | 0 | 2 | 0.4 |

Incontinence on stepping up stairs
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|-------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Sometimes | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.7 | 1 | 0.2 |
| Occasionally | 0 | 0 | 1 | 0.8 | 2 | 1.6 | 2 | 1.4 | 5 | 0.9 |
| None | 143 | 100.0 | 121 | 99.2 | 126 | 98.4 | 144 | 98.0 | 534 | 98.9 |

Degree of incontinence (on stepping up stairs)
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------------|---------|-------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 143 | 100.0 | 121 | 99.2 | 126 | 98.4 | 144 | 98.0 | 534 | 98.9 |
| Soaked to underwear | 0 | 0 | 1 | 0.8 | 2 | 1.6 | 2 | 1.4 | 5 | 0.9 |
| Necessary to change underwear | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.7 | 1 | 0.2 |

Incontinence on standing long hours
(Female)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Always | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.7 | 1 | 0.2 |
| Sometimes | 0 | 0 | 1 | 0.8 | 0 | 0 | 0 | 0 | 1 | 0.2 |
| Occasionally | 2 | 1.4 | 3 | 2.5 | 3 | 2.3 | 5 | 3.4 | 13 | 2.4 |
| None | 141 | 98.6 | 118 | 96.7 | 125 | 97.7 | 141 | 95.9 | 525 | 97.2 |

11) Urinary disturbance (for only men)

Degree of incontinence (on standing long hours)
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 141 | 98.6 | 118 | 96.7 | 125 | 97.7 | 141 | 95.9 | 525 | 97.2 |
| Soaked to underwear | 1 | 0.7 | 4 | 3.3 | 2 | 1.6 | 3 | 2.0 | 10 | 1.9 |
| Necessary to change underwear | 1 | 0.7 | 0 | 0 | 0 | 0 | 3 | 2.0 | 4 | 0.7 |
| Come down to underground along with legs | 0 | 0 | 0 | 0 | 1 | 0.8 | 0 | 0 | 1 | 0.2 |

Urinary retention feeling after urination
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 19 | 6.5 | 21 | 7.4 | 42 | 14.8 | 27 | 9.5 | 109 | 9.6 |
| None | 191 | 65.6 | 161 | 57.1 | 161 | 56.9 | 161 | 56.9 | 674 | 59.2 |
| Less than once in 5 times | 65 | 22.3 | 74 | 26.2 | 50 | 17.7 | 63 | 22.3 | 252 | 22.1 |
| Less than once in 2 times | 9 | 3.1 | 7 | 2.5 | 11 | 3.9 | 8 | 2.8 | 35 | 3.1 |
| Once in 2 times | 2 | 0.7 | 4 | 1.4 | 5 | 1.8 | 9 | 3.2 | 20 | 1.8 |
| More than once in 2 times | 3 | 1.0 | 8 | 2.8 | 3 | 1.1 | 7 | 2.5 | 21 | 1.8 |
| Always | 2 | 0.7 | 7 | 2.5 | 11 | 3.9 | 8 | 2.8 | 28 | 2.5 |

Re-urination within 2 hours
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 19 | 6.5 | 21 | 7.4 | 43 | 15.2 | 27 | 9.5 | 110 | 9.7 |
| None | 129 | 44.3 | 115 | 40.8 | 99 | 35.0 | 110 | 38.9 | 453 | 39.8 |
| Less than once in 5 times | 108 | 37.1 | 100 | 35.5 | 89 | 31.4 | 83 | 29.3 | 380 | 33.4 |
| Less than once in 2 times | 13 | 4.5 | 20 | 7.1 | 13 | 4.6 | 24 | 8.5 | 70 | 6.1 |
| Once in 2 times | 6 | 2.1 | 8 | 2.8 | 10 | 3.5 | 14 | 4.9 | 38 | 3.3 |
| More than once in 2 times | 4 | 1.4 | 7 | 2.5 | 12 | 4.2 | 8 | 2.8 | 31 | 2.7 |
| Always | 12 | 4.1 | 11 | 3.9 | 17 | 6.0 | 17 | 6.0 | 57 | 5.0 |

Break on urination
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 19 | 6.5 | 22 | 7.8 | 42 | 14.8 | 27 | 9.5 | 110 | 9.7 |
| None | 227 | 78.0 | 197 | 69.9 | 159 | 56.2 | 167 | 59.0 | 750 | 65.8 |
| Less than once in 5 times | 36 | 12.4 | 42 | 14.9 | 48 | 17.0 | 42 | 14.8 | 168 | 14.7 |
| Less than once in 2 times | 5 | 1.7 | 7 | 2.5 | 14 | 4.9 | 14 | 4.9 | 40 | 3.5 |
| Once in 2 times | 1 | 0.3 | 3 | 1.1 | 3 | 1.1 | 8 | 2.8 | 15 | 1.3 |
| More than once in 2 times | 0 | 0 | 5 | 1.8 | 5 | 1.8 | 7 | 2.5 | 17 | 1.5 |
| Always | 3 | 1.0 | 6 | 2.1 | 12 | 4.2 | 18 | 6.4 | 39 | 3.4 |

Difficulty to supress urination
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 20 | 6.9 | 23 | 8.2 | 44 | 15.5 | 28 | 9.9 | 115 | 10.1 |
| None | 212 | 72.9 | 177 | 62.8 | 156 | 55.1 | 139 | 49.1 | 684 | 60.1 |
| Less than once in 5 times | 46 | 15.8 | 56 | 19.9 | 53 | 18.7 | 74 | 26.1 | 229 | 20.1 |
| Less than once in 2 times | 4 | 1.4 | 8 | 2.8 | 6 | 2.1 | 12 | 4.2 | 30 | 2.6 |
| Once in 2 times | 4 | 1.4 | 4 | 1.4 | 7 | 2.5 | 11 | 3.9 | 26 | 2.3 |
| More than once in 2 times | 1 | 0.3 | 4 | 1.4 | 6 | 2.1 | 3 | 1.1 | 14 | 1.2 |
| Always | 4 | 1.4 | 10 | 3.5 | 11 | 3.9 | 16 | 5.7 | 41 | 3.6 |

No forcible urination
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 19 | 6.5 | 21 | 7.4 | 44 | 15.5 | 28 | 9.9 | 112 | 9.8 |
| None | 179 | 61.5 | 142 | 50.4 | 113 | 39.9 | 103 | 36.4 | 537 | 47.1 |
| Less than once in 5 times | 71 | 24.4 | 63 | 22.3 | 65 | 23.0 | 73 | 25.8 | 272 | 23.9 |
| Less than once in 2 times | 9 | 3.1 | 16 | 5.7 | 11 | 3.9 | 12 | 4.2 | 48 | 4.2 |
| Once in 2 times | 3 | 1.0 | 7 | 2.5 | 10 | 3.5 | 11 | 3.9 | 31 | 2.7 |
| More than once in 2 times | 3 | 1.0 | 10 | 3.5 | 10 | 3.5 | 10 | 3.5 | 33 | 2.9 |
| Always | 7 | 2.4 | 23 | 8.2 | 30 | 10.6 | 46 | 16.3 | 106 | 9.3 |

Necessity to bear down on urination
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 20 | 6.9 | 21 | 7.4 | 42 | 14.8 | 27 | 9.5 | 110 | 9.7 |
| None | 230 | 79.0 | 199 | 70.6 | 178 | 62.9 | 186 | 65.7 | 793 | 69.6 |
| Less than once in 5 times | 33 | 11.3 | 46 | 16.3 | 39 | 13.8 | 40 | 14.1 | 158 | 13.9 |
| Less than once in 2 times | 6 | 2.1 | 7 | 2.5 | 4 | 1.4 | 10 | 3.5 | 27 | 2.4 |
| Once in 2 times | 1 | 0.3 | 2 | 0.7 | 9 | 3.2 | 6 | 2.1 | 18 | 1.6 |
| More than once in 2 times | 0 | 0 | 1 | 0.4 | 4 | 1.4 | 5 | 1.8 | 10 | 0.9 |
| Always | 1 | 0.3 | 6 | 2.1 | 7 | 2.5 | 9 | 3.2 | 23 | 2.0 |

Times of urination in bedtime
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 19 | 6.5 | 21 | 7.4 | 42 | 14.8 | 26 | 9.2 | 108 | 9.5 |
| None | 165 | 56.7 | 120 | 42.6 | 63 | 22.3 | 34 | 12.0 | 382 | 33.5 |
| Once a day | 92 | 31.6 | 107 | 37.9 | 126 | 44.5 | 112 | 39.6 | 437 | 38.4 |
| Twice a day | 13 | 4.5 | 25 | 8.9 | 38 | 13.4 | 64 | 22.6 | 140 | 12.3 |
| Three times a day | 1 | 0.3 | 2 | 0.7 | 9 | 3.2 | 34 | 12.0 | 46 | 4.0 |
| Four times a day | 1 | 0.3 | 1 | 0.4 | 4 | 1.4 | 9 | 3.2 | 15 | 1.3 |
| More than 5 times a day | 0 | 0 | 6 | 2.1 | 1 | 0.4 | 4 | 1.4 | 11 | 1.0 |

State of current urination
(Male)

| | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | N | % | N | % | N | % | N | % | N | % |
| Not recorded | 19 | 6.5 | 21 | 7.4 | 42 | 14.8 | 26 | 9.2 | 108 | 9.5 |
| Very satisfied | 32 | 11.0 | 32 | 11.3 | 20 | 7.1 | 13 | 4.6 | 97 | 8.5 |
| Satisfied | 88 | 30.2 | 67 | 23.8 | 54 | 19.1 | 46 | 16.3 | 255 | 22.4 |
| Satisfied a little | 55 | 18.9 | 65 | 23.0 | 75 | 26.5 | 90 | 31.8 | 285 | 25.0 |
| Not determined | 69 | 23.7 | 50 | 17.7 | 46 | 16.3 | 49 | 17.3 | 214 | 18.8 |
| Unsatisfied a little | 20 | 6.9 | 30 | 10.6 | 26 | 9.2 | 35 | 12.4 | 111 | 9.7 |
| Unsatisfied | 5 | 1.7 | 12 | 4.3 | 13 | 4.6 | 23 | 8.1 | 53 | 4.7 |
| Very unsatisfied | 3 | 1.0 | 5 | 1.8 | 7 | 2.5 | 1 | 0.4 | 16 | 1.4 |

12) Job

State of employment

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|----------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| not recorded | Male | 1 | 0.3 | 0 | 0 | 1 | 0.4 | 0 | 0 | 2 | 0.2 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | 1 | 0.2 | 0 | 0 | 1 | 0.2 | 0 | 0 | 2 | 0.1 |
| Inoccupation | Male | 2 | 0.7 | 4 | 1.4 | 133 | 47.0 | 207 | 73.1 | 346 | 30.4 |
| | Female | 1 | 0.4 | 3 | 1.1 | 45 | 15.8 | 115 | 40.8 | 164 | 14.5 |
| | Total | 3 | 0.5 | 7 | 1.2 | 178 | 31.3 | 322 | 57.0 | 510 | 22.5 |
| Housewife | Male | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Female | 81 | 28.7 | 104 | 37.3 | 160 | 56.1 | 127 | 45.0 | 472 | 41.8 |
| | Total | 81 | 14.1 | 104 | 18.5 | 160 | 28.2 | 127 | 22.5 | 472 | 20.8 |
| Full employment | Male | 288 | 99.0 | 276 | 97.9 | 104 | 36.7 | 53 | 18.7 | 721 | 63.3 |
| | Female | 72 | 25.5 | 88 | 31.5 | 34 | 11.9 | 24 | 8.5 | 218 | 19.3 |
| | Total | 360 | 62.8 | 364 | 64.9 | 138 | 24.3 | 77 | 13.6 | 939 | 41.4 |
| Part time employment | Male | 0 | 0 | 2 | 0.7 | 45 | 15.9 | 23 | 8.1 | 70 | 6.1 |
| | Female | 128 | 45.4 | 84 | 30.1 | 46 | 16.1 | 16 | 5.7 | 274 | 24.3 |
| | Total | 128 | 22.3 | 86 | 15.3 | 91 | 16.0 | 39 | 6.9 | 344 | 15.2 |

Present job

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 2 | 0.7 | 4 | 1.4 | 128 | 45.2 | 201 | 71.0 | 335 | 29.4 |
| | Female | 80 | 28.4 | 100 | 35.8 | 193 | 67.7 | 233 | 82.6 | 606 | 53.7 |
| | Total | 82 | 14.3 | 104 | 18.5 | 321 | 56.5 | 434 | 76.8 | 941 | 41.5 |
| Specialist (doctor, lawyer, researcher, engineer, teacher, artist, journalist, etc) | Male | 55 | 18.9 | 27 | 9.6 | 12 | 4.2 | 8 | 2.8 | 102 | 9.0 |
| | Female | 29 | 10.3 | 11 | 3.9 | 4 | 1.4 | 3 | 1.1 | 47 | 4.2 |
| | Total | 84 | 14.7 | 38 | 6.8 | 16 | 2.8 | 11 | 1.9 | 149 | 6.6 |
| Administrative position (higher grade than chief in office, stationmaster, head in school, etc) | Male | 55 | 18.9 | 68 | 24.1 | 18 | 6.4 | 5 | 1.8 | 146 | 12.8 |
| | Female | 0 | 0 | 3 | 1.1 | 0 | 0 | 0 | 0 | 3 | 0.3 |
| | Total | 55 | 9.6 | 71 | 12.7 | 18 | 3.2 | 5 | 0.9 | 149 | 6.6 |
| Office work (company, bank, government office etc) | Male | 45 | 15.5 | 29 | 10.3 | 16 | 5.7 | 2 | 0.7 | 92 | 8.1 |
| | Female | 57 | 20.2 | 28 | 10.0 | 7 | 2.5 | 2 | 0.7 | 94 | 8.3 |
| | Total | 102 | 17.8 | 57 | 10.2 | 23 | 4.0 | 4 | 0.7 | 186 | 8.2 |
| Engagement in service or selling (clerk, salesman, beauty artist, caterer etc) | Male | 11 | 3.8 | 15 | 5.3 | 19 | 6.7 | 4 | 1.4 | 49 | 4.3 |
| | Female | 40 | 14.2 | 44 | 15.8 | 18 | 6.3 | 5 | 1.8 | 107 | 9.5 |
| | Total | 51 | 8.9 | 59 | 10.5 | 37 | 6.5 | 9 | 1.6 | 156 | 6.9 |
| Engagement in skilled or labor work (driver, engineering, construction, manufacture, processing, repairment, printing etc) | Male | 87 | 29.9 | 92 | 32.6 | 44 | 15.5 | 11 | 3.9 | 234 | 20.5 |
| | Female | 40 | 14.2 | 42 | 15.1 | 15 | 5.3 | 10 | 3.5 | 107 | 9.5 |
| | Total | 127 | 22.2 | 134 | 23.9 | 59 | 10.4 | 21 | 3.7 | 341 | 15.0 |
| Engagement in security (policeman, fire officer, self-defence official) | Male | 7 | 2.4 | 5 | 1.8 | 1 | 0.4 | 1 | 0.4 | 14 | 1.2 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | 7 | 1.2 | 5 | 0.9 | 1 | 0.2 | 1 | 0.2 | 14 | 0.6 |
| Worker in agriculture, forestry and fisheries | Male | 4 | 1.4 | 3 | 1.1 | 10 | 3.5 | 25 | 8.8 | 42 | 3.7 |
| | Female | 3 | 1.1 | 7 | 2.5 | 17 | 6.0 | 17 | 6.0 | 44 | 3.9 |
| | Total | 7 | 1.2 | 10 | 1.8 | 27 | 4.8 | 42 | 7.4 | 86 | 3.8 |
| Self-management other than agriculture, forestry and fisheries | Male | 16 | 5.5 | 30 | 10.6 | 15 | 5.3 | 14 | 4.9 | 75 | 6.6 |
| | Female | 12 | 4.3 | 16 | 5.7 | 6 | 2.1 | 5 | 1.8 | 39 | 3.5 |
| | Total | 28 | 4.9 | 46 | 8.2 | 21 | 3.7 | 19 | 3.4 | 114 | 5.0 |
| Others | Male | 8 | 2.7 | 5 | 1.8 | 15 | 5.3 | 10 | 3.5 | 38 | 3.3 |
| | Female | 19 | 6.7 | 26 | 9.3 | 22 | 7.7 | 7 | 2.5 | 74 | 6.6 |
| | Total | 27 | 4.7 | 31 | 5.5 | 37 | 6.5 | 17 | 3.0 | 112 | 4.9 |
| More than two replies | Male | 1 | 0.3 | 4 | 1.4 | 5 | 1.8 | 2 | 0.7 | 12 | 1.1 |
| | Female | 2 | 0.7 | 2 | 0.7 | 3 | 1.1 | 0 | 0 | 7 | 0.6 |
| | Total | 3 | 0.5 | 6 | 1.1 | 8 | 1.4 | 2 | 0.4 | 19 | 0.8 |

Job engaged in longest period before retirement

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 221 | 75.9 | 203 | 72.0 | 58 | 20.5 | 22 | 7.8 | 504 | 44.2 |
| | Female | 104 | 36.9 | 115 | 41.2 | 89 | 31.2 | 90 | 31.9 | 398 | 35.3 |
| | Total | 325 | 56.7 | 318 | 56.7 | 147 | 25.9 | 112 | 19.8 | 902 | 39.8 |
| Specialist (doctor, lawyer, researcher, engineer, teacher, artist, journalist, etc) | Male | 14 | 4.8 | 12 | 4.3 | 25 | 8.8 | 38 | 13.4 | 89 | 7.8 |
| | Female | 27 | 9.6 | 13 | 4.7 | 18 | 6.3 | 22 | 7.8 | 80 | 7.1 |
| | Total | 41 | 7.2 | 25 | 4.5 | 43 | 7.6 | 60 | 10.6 | 169 | 7.5 |
| Administrative position (higher grade than chief in office, stationmaster, head in school, etc) | Male | 7 | 2.4 | 6 | 2.1 | 42 | 14.8 | 47 | 16.6 | 102 | 9.0 |
| | Female | 1 | 0.4 | 0 | 0 | 2 | 0.7 | 4 | 1.4 | 7 | 0.6 |
| | Total | 8 | 1.4 | 6 | 1.1 | 44 | 7.7 | 51 | 9.0 | 109 | 4.8 |
| Office work (company, bank, government office etc) | Male | 5 | 1.7 | 11 | 3.9 | 31 | 11.0 | 36 | 12.7 | 83 | 7.3 |
| | Female | 97 | 34.4 | 68 | 24.4 | 56 | 19.6 | 45 | 16.0 | 266 | 23.6 |
| | Total | 102 | 17.8 | 79 | 14.1 | 87 | 15.3 | 81 | 14.3 | 349 | 15.4 |
| Engagement in service or selling (clerk, salesman, beauty artist, caterer etc) | Male | 11 | 3.8 | 9 | 3.2 | 7 | 2.5 | 7 | 2.5 | 34 | 3.0 |
| | Female | 26 | 9.2 | 34 | 12.2 | 28 | 9.8 | 20 | 7.1 | 108 | 9.6 |
| | Total | 37 | 6.5 | 43 | 7.7 | 35 | 6.2 | 27 | 4.8 | 142 | 6.3 |
| Engagement in skilled or labor work (driver, engineering, construction, manufacture, processing, repairment, printing etc) | Male | 28 | 9.6 | 35 | 12.4 | 100 | 35.3 | 94 | 33.2 | 257 | 22.6 |
| | Female | 18 | 6.4 | 38 | 13.6 | 61 | 21.4 | 65 | 23.0 | 182 | 16.1 |
| | Total | 46 | 8.0 | 73 | 13.0 | 161 | 28.3 | 159 | 28.1 | 439 | 19.4 |
| Engagement in security (policeman, fire officer, self-defence official) | Male | 0 | 0 | 1 | 0.4 | 4 | 1.4 | 8 | 2.8 | 13 | 1.1 |
| | Female | 1 | 0.4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.1 |
| | Total | 1 | 0.2 | 1 | 0.2 | 4 | 0.7 | 8 | 1.4 | 14 | 0.6 |
| Worker in agriculture, forestry and fisheries | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 13 | 4.6 | 14 | 1.2 |
| | Female | 0 | 0 | 2 | 0.7 | 8 | 2.8 | 18 | 6.4 | 28 | 2.5 |
| | Total | 0 | 0 | 2 | 0.4 | 9 | 1.6 | 31 | 5.5 | 42 | 1.9 |
| Self-management other than agriculture, forestry and fisheries | Male | 2 | 0.7 | 4 | 1.4 | 4 | 1.4 | 8 | 2.8 | 18 | 1.6 |
| | Female | 3 | 1.1 | 2 | 0.7 | 12 | 4.2 | 9 | 3.2 | 26 | 2.3 |
| | Total | 5 | 0.9 | 6 | 1.1 | 16 | 2.8 | 17 | 3.0 | 44 | 1.9 |
| Others | Male | 3 | 1.0 | 1 | 0.4 | 9 | 3.2 | 8 | 2.8 | 21 | 1.8 |
| | Female | 4 | 1.4 | 7 | 2.5 | 9 | 3.2 | 9 | 3.2 | 29 | 2.6 |
| | Total | 7 | 1.2 | 8 | 1.4 | 18 | 3.2 | 17 | 3.0 | 50 | 2.2 |
| More than two replies | Male | 0 | 0 | 0 | 0 | 2 | 0.7 | 2 | 0.7 | 4 | 0.4 |
| | Female | 1 | 0.4 | 0 | 0 | 2 | 0.7 | 0 | 0 | 3 | 0.3 |
| | Total | 1 | 0.2 | 0 | 0 | 4 | 0.7 | 2 | 0.4 | 7 | 0.3 |

Period of employment before retirement

| | 40-49yr | | | 50-59yr | | | 60-69yr | | | 70-79yr | | | Total | | |
|--------|---------|-----|-----|---------|------|-----|---------|------|-----|---------|------|-----|-------|------|------|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Male | 13.1 | 7.1 | 69 | 23.2 | 10.4 | 79 | 33.0 | 10.2 | 225 | 33.1 | 9.5 | 261 | 29.6 | 11.7 | 634 |
| Female | 6.6 | 4.0 | 178 | 10.3 | 7.9 | 164 | 18.1 | 11.4 | 197 | 18.2 | 12.7 | 197 | 13.6 | 11.0 | 736 |
| Total | 8.4 | 5.8 | 247 | 14.5 | 10.7 | 243 | 26.1 | 13.1 | 422 | 26.7 | 13.2 | 458 | 21.0 | 13.9 | 1370 |

Total number of employees at a place of employment

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|-------------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 21 | 7.2 | 36 | 12.8 | 166 | 58.7 | 248 | 87.6 | 471 | 41.4 |
| | Female | 122 | 43.3 | 157 | 56.3 | 242 | 84.9 | 271 | 96.1 | 792 | 70.2 |
| | Total | 143 | 25.0 | 193 | 34.4 | 408 | 71.8 | 519 | 91.9 | 1263 | 55.7 |
| Less than 30 persons | Male | 44 | 15.1 | 45 | 16.0 | 46 | 16.3 | 13 | 4.6 | 148 | 13.0 |
| | Female | 76 | 27.0 | 45 | 16.1 | 19 | 6.7 | 8 | 2.8 | 148 | 13.1 |
| | Total | 120 | 20.9 | 90 | 16.0 | 65 | 11.4 | 21 | 3.7 | 296 | 13.1 |
| From 30 to 99 persons | Male | 25 | 8.6 | 33 | 11.7 | 26 | 9.2 | 5 | 1.8 | 89 | 7.8 |
| | Female | 29 | 10.3 | 21 | 7.5 | 13 | 4.6 | 3 | 1.1 | 66 | 5.9 |
| | Total | 54 | 9.4 | 54 | 9.6 | 39 | 6.9 | 8 | 1.4 | 155 | 6.8 |
| From 100 to 299 persons | Male | 36 | 12.4 | 42 | 14.9 | 23 | 8.1 | 6 | 2.1 | 107 | 9.4 |
| | Female | 20 | 7.1 | 18 | 6.5 | 9 | 3.2 | 0 | 0 | 47 | 4.2 |
| | Total | 56 | 9.8 | 60 | 10.7 | 32 | 5.6 | 6 | 1.1 | 154 | 6.8 |
| From 300 to 999 persons | Male | 58 | 19.9 | 35 | 12.4 | 9 | 3.2 | 3 | 1.1 | 105 | 9.2 |
| | Female | 21 | 7.4 | 22 | 7.9 | 1 | 0.4 | 0 | 0 | 44 | 3.9 |
| | Total | 79 | 13.8 | 57 | 10.2 | 10 | 1.8 | 3 | 0.5 | 149 | 6.6 |
| More than 999 persons | Male | 107 | 36.8 | 91 | 32.3 | 13 | 4.6 | 8 | 2.8 | 219 | 19.2 |
| | Female | 14 | 5.0 | 16 | 5.7 | 1 | 0.4 | 0 | 0 | 31 | 2.7 |
| | Total | 121 | 21.1 | 107 | 19.1 | 14 | 2.5 | 8 | 1.4 | 250 | 11.0 |

Current status at a place of employment

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 23 | 7.9 | 35 | 12.4 | 166 | 58.7 | 251 | 88.7 | 475 | 41.7 |
| | Female | 120 | 42.6 | 157 | 56.3 | 243 | 85.3 | 271 | 96.1 | 791 | 70.1 |
| | Total | 143 | 25.0 | 192 | 34.2 | 409 | 72.0 | 522 | 92.4 | 1266 | 55.8 |
| Common | Male | 97 | 33.3 | 83 | 29.4 | 73 | 25.8 | 18 | 6.4 | 271 | 23.8 |
| | Female | 154 | 54.6 | 106 | 38.0 | 32 | 11.2 | 9 | 3.2 | 301 | 26.7 |
| | Total | 251 | 43.8 | 189 | 33.7 | 105 | 18.5 | 27 | 4.8 | 572 | 25.2 |
| Chief clerk | Male | 62 | 21.3 | 39 | 13.8 | 3 | 1.1 | 1 | 0.4 | 105 | 9.2 |
| | Female | 4 | 1.4 | 5 | 1.8 | 2 | 0.7 | 0 | 0 | 11 | 1.0 |
| | Total | 66 | 11.5 | 44 | 7.8 | 5 | 0.9 | 1 | 0.2 | 116 | 5.1 |
| Sectional chief | Male | 69 | 23.7 | 62 | 22.0 | 4 | 1.4 | 0 | 0 | 135 | 11.9 |
| | Female | 1 | 0.4 | 2 | 0.7 | 1 | 0.4 | 0 | 0 | 4 | 0.4 |
| | Total | 70 | 12.2 | 64 | 11.4 | 5 | 0.9 | 0 | 0 | 139 | 6.1 |
| Director | Male | 12 | 4.1 | 31 | 11.0 | 7 | 2.5 | 3 | 1.1 | 53 | 4.7 |
| | Female | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total | 12 | 2.1 | 31 | 5.5 | 7 | 1.2 | 3 | 0.5 | 53 | 2.3 |
| Higher than director (covers manager) | Male | 28 | 9.6 | 32 | 11.3 | 30 | 10.6 | 10 | 3.5 | 100 | 8.8 |
| | Female | 3 | 1.1 | 9 | 3.2 | 7 | 2.5 | 2 | 0.7 | 21 | 1.9 |
| | Total | 31 | 5.4 | 41 | 7.3 | 37 | 6.5 | 12 | 2.1 | 121 | 5.3 |

Presence of stuffs under direct control

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 18 | 6.2 | 34 | 12.1 | 165 | 58.3 | 249 | 88.0 | 466 | 40.9 |
| | Female | 119 | 42.2 | 154 | 55.2 | 242 | 84.9 | 271 | 96.1 | 786 | 69.7 |
| | Total | 137 | 23.9 | 188 | 33.5 | 407 | 71.7 | 520 | 92.0 | 1252 | 55.2 |
| Exist | Male | 171 | 58.8 | 155 | 55.0 | 31 | 11.0 | 12 | 4.2 | 369 | 32.4 |
| | Female | 16 | 5.7 | 18 | 6.5 | 10 | 3.5 | 0 | 0 | 44 | 3.9 |
| | Total | 187 | 32.6 | 173 | 30.8 | 41 | 7.2 | 12 | 2.1 | 413 | 18.2 |
| None | Male | 102 | 35.1 | 93 | 33.0 | 87 | 30.7 | 22 | 7.8 | 304 | 26.7 |
| | Female | 147 | 52.1 | 107 | 38.4 | 33 | 11.6 | 11 | 3.9 | 298 | 26.4 |
| | Total | 249 | 43.5 | 200 | 35.7 | 120 | 21.1 | 33 | 5.8 | 602 | 26.6 |

Presence of night work

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 18 | 6.2 | 34 | 12.1 | 164 | 58.0 | 250 | 88.3 | 466 | 40.9 |
| | Female | 118 | 41.8 | 154 | 55.2 | 241 | 84.6 | 271 | 96.1 | 784 | 69.5 |
| | Total | 136 | 23.7 | 188 | 33.5 | 405 | 71.3 | 521 | 92.2 | 1250 | 55.1 |
| No | Male | 231 | 79.4 | 221 | 78.4 | 109 | 38.5 | 29 | 10.2 | 590 | 51.8 |
| | Female | 160 | 56.7 | 120 | 43.0 | 42 | 14.7 | 11 | 3.9 | 333 | 29.5 |
| | Total | 391 | 68.2 | 341 | 60.8 | 151 | 26.6 | 40 | 7.1 | 923 | 40.7 |
| Yes | Male | 42 | 14.4 | 27 | 9.6 | 10 | 3.5 | 4 | 1.4 | 83 | 7.3 |
| | Female | 4 | 1.4 | 5 | 1.8 | 2 | 0.7 | 0 | 0 | 11 | 1.0 |
| | Total | 46 | 8.0 | 32 | 5.7 | 12 | 2.1 | 4 | 0.7 | 94 | 4.1 |

Days of night work in a week

| | 40-49yr | | | 50-59yr | | | 60-69yr | | | 70-79yr | | | Total | | |
|--------|---------|-----|----|---------|-----|----|---------|-----|----|---------|-----|---|-------|-----|----|
| | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N | Mean | SD | N |
| Male | 3.2 | 1.7 | 33 | 3.3 | 1.8 | 23 | 2.7 | 1.4 | 9 | 5.0 | 0.0 | 2 | 3.2 | 1.7 | 67 |
| Female | 3.3 | 1.5 | 3 | 3.2 | 2.4 | 5 | 6.0 | 0.0 | 2 | . | . | . | 3.8 | 2.1 | 10 |
| Total | 3.2 | 1.7 | 36 | 3.3 | 1.8 | 28 | 3.3 | 1.8 | 11 | 5.0 | 0.0 | 2 | 3.3 | 1.7 | 77 |

Hours of overtime work in a week

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--------------------------------------|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 18 | 6.2 | 34 | 12.1 | 165 | 58.3 | 250 | 88.3 | 467 | 41.0 |
| | Female | 117 | 41.5 | 154 | 55.2 | 241 | 84.6 | 271 | 96.1 | 783 | 69.4 |
| | Total | 135 | 23.6 | 188 | 33.5 | 406 | 71.5 | 521 | 92.2 | 1250 | 55.1 |
| No overtime work | Male | 53 | 18.2 | 64 | 22.7 | 81 | 28.6 | 27 | 9.5 | 225 | 19.8 |
| | Female | 118 | 41.8 | 85 | 30.5 | 38 | 13.3 | 11 | 3.9 | 252 | 22.3 |
| | Total | 171 | 29.8 | 149 | 26.6 | 119 | 21.0 | 38 | 6.7 | 477 | 21.0 |
| Less than 5 hours of overtime work | Male | 74 | 25.4 | 55 | 19.5 | 15 | 5.3 | 1 | 0.4 | 145 | 12.7 |
| | Female | 33 | 11.7 | 21 | 7.5 | 3 | 1.1 | 0 | 0 | 57 | 5.1 |
| | Total | 107 | 18.7 | 76 | 13.5 | 18 | 3.2 | 1 | 0.2 | 202 | 8.9 |
| From 5 to 10 hours of overtime work | Male | 70 | 24.1 | 64 | 22.7 | 11 | 3.9 | 4 | 1.4 | 149 | 13.1 |
| | Female | 11 | 3.9 | 11 | 3.9 | 2 | 0.7 | 0 | 0 | 24 | 2.1 |
| | Total | 81 | 14.1 | 75 | 13.4 | 13 | 2.3 | 4 | 0.7 | 173 | 7.6 |
| From 10 to 15 hours of overtime work | Male | 30 | 10.3 | 33 | 11.7 | 6 | 2.1 | 0 | 0 | 69 | 6.1 |
| | Female | 2 | 0.7 | 4 | 1.4 | 0 | 0 | 0 | 0 | 6 | 0.5 |
| | Total | 32 | 5.6 | 37 | 6.6 | 6 | 1.1 | 0 | 0 | 75 | 3.3 |
| From 15 to 20 hours of overtime work | Male | 18 | 6.2 | 8 | 2.8 | 3 | 1.1 | 0 | 0 | 29 | 2.5 |
| | Female | 0 | 0 | 1 | 0.4 | 1 | 0.4 | 0 | 0 | 2 | 0.2 |
| | Total | 18 | 3.1 | 9 | 1.6 | 4 | 0.7 | 0 | 0 | 31 | 1.4 |
| More than 20 hours of overtime work | Male | 28 | 9.6 | 24 | 8.5 | 2 | 0.7 | 1 | 0.4 | 55 | 4.8 |
| | Female | 1 | 0.4 | 3 | 1.1 | 0 | 0 | 0 | 0 | 4 | 0.4 |
| | Total | 29 | 5.1 | 27 | 4.8 | 2 | 0.4 | 1 | 0.2 | 59 | 2.6 |

Total sum of family annual income

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|--|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 0 | 0 | 3 | 1.1 | 9 | 3.2 | 12 | 1.1 |
| | Female | 4 | 1.4 | 5 | 1.8 | 20 | 7.0 | 44 | 15.6 | 73 | 6.5 |
| | Total | 4 | 0.7 | 5 | 0.9 | 23 | 4.0 | 53 | 9.4 | 85 | 3.7 |
| Less than 1,500,000yen | Male | 0 | 0 | 4 | 1.4 | 9 | 3.2 | 7 | 2.5 | 20 | 1.8 |
| | Female | 4 | 1.4 | 10 | 3.6 | 16 | 5.6 | 31 | 11.0 | 61 | 5.4 |
| | Total | 4 | 0.7 | 14 | 2.5 | 25 | 4.4 | 38 | 6.7 | 81 | 3.6 |
| Between 1,500,000 and 2,490,000 yen | Male | 1 | 0.3 | 1 | 0.4 | 11 | 3.9 | 15 | 5.3 | 28 | 2.5 |
| | Female | 7 | 2.5 | 10 | 3.6 | 19 | 6.7 | 46 | 16.3 | 82 | 7.3 |
| | Total | 8 | 1.4 | 11 | 2.0 | 30 | 5.3 | 61 | 10.8 | 110 | 4.9 |
| Between 2,500,000 and 3,490,000 yen | Male | 4 | 1.4 | 1 | 0.4 | 38 | 13.4 | 56 | 19.8 | 99 | 8.7 |
| | Female | 4 | 1.4 | 13 | 4.7 | 46 | 16.1 | 35 | 12.4 | 98 | 8.7 |
| | Total | 8 | 1.4 | 14 | 2.5 | 84 | 14.8 | 91 | 16.1 | 197 | 8.7 |
| Between 3,500,000 and 4,490,000 yen | Male | 12 | 4.1 | 7 | 2.5 | 44 | 15.5 | 67 | 23.7 | 130 | 11.4 |
| | Female | 11 | 3.9 | 14 | 5.0 | 40 | 14.0 | 40 | 14.2 | 105 | 9.3 |
| | Total | 23 | 4.0 | 21 | 3.7 | 84 | 14.8 | 107 | 18.9 | 235 | 10.4 |
| Between 4,500,000 and 6,490,000 yen | Male | 38 | 13.1 | 26 | 9.2 | 59 | 20.8 | 42 | 14.8 | 165 | 14.5 |
| | Female | 26 | 9.2 | 33 | 11.8 | 47 | 16.5 | 26 | 9.2 | 132 | 11.7 |
| | Total | 64 | 11.2 | 59 | 10.5 | 106 | 18.7 | 68 | 12.0 | 297 | 13.1 |
| Between 6,500,000 and 7,490,000 yen | Male | 56 | 19.2 | 25 | 8.9 | 18 | 6.4 | 14 | 4.9 | 113 | 9.9 |
| | Female | 36 | 12.8 | 18 | 6.5 | 27 | 9.5 | 15 | 5.3 | 96 | 8.5 |
| | Total | 92 | 16.1 | 43 | 7.7 | 45 | 7.9 | 29 | 5.1 | 209 | 9.2 |
| Between 7,500,000 and 8,490,000 yen | Male | 47 | 16.2 | 38 | 13.5 | 16 | 5.7 | 17 | 6.0 | 118 | 10.4 |
| | Female | 34 | 12.1 | 16 | 5.7 | 15 | 5.3 | 10 | 3.5 | 75 | 6.6 |
| | Total | 81 | 14.1 | 54 | 9.6 | 31 | 5.5 | 27 | 4.8 | 193 | 8.5 |
| Between 8,500,000 and 9,999,000 yen | Male | 50 | 17.2 | 60 | 21.3 | 27 | 9.5 | 18 | 6.4 | 155 | 13.6 |
| | Female | 49 | 17.4 | 48 | 17.2 | 19 | 6.7 | 9 | 3.2 | 125 | 11.1 |
| | Total | 99 | 17.3 | 108 | 19.3 | 46 | 8.1 | 27 | 4.8 | 280 | 12.4 |
| Between 10,000,000 and 19,000,000 yen | Male | 79 | 27.1 | 109 | 38.7 | 53 | 18.7 | 32 | 11.3 | 273 | 24.0 |
| | Female | 103 | 36.5 | 96 | 34.4 | 31 | 10.9 | 22 | 7.8 | 252 | 22.3 |
| | Total | 182 | 31.8 | 205 | 36.5 | 84 | 14.8 | 54 | 9.6 | 525 | 23.2 |
| More than 20,000,000 yen | Male | 4 | 1.4 | 11 | 3.9 | 5 | 1.8 | 6 | 2.1 | 26 | 2.3 |
| | Female | 4 | 1.4 | 16 | 5.7 | 5 | 1.8 | 4 | 1.4 | 29 | 2.6 |
| | Total | 8 | 1.4 | 27 | 4.8 | 10 | 1.8 | 10 | 1.8 | 55 | 2.4 |

13) Education

School career

| | | 40-49yr | | 50-59yr | | 60-69yr | | 70-79yr | | Total | |
|---|--------|---------|------|---------|------|---------|------|---------|------|-------|------|
| | | N | % | N | % | N | % | N | % | N | % |
| Not recorded | Male | 0 | 0 | 0 | 0 | 1 | 0.4 | 2 | 0.7 | 3 | 0.3 |
| | Female | 1 | 0.4 | 1 | 0.4 | 0 | 0 | 3 | 1.1 | 5 | 0.4 |
| | Total | 1 | 0.2 | 1 | 0.2 | 1 | 0.2 | 5 | 0.9 | 8 | 0.4 |
| Elementary school or junior high school | Male | 19 | 6.5 | 64 | 22.7 | 114 | 40.3 | 135 | 47.7 | 332 | 29.1 |
| | Female | 31 | 11.0 | 92 | 33.0 | 142 | 49.8 | 151 | 53.5 | 416 | 36.9 |
| | Total | 50 | 8.7 | 156 | 27.8 | 256 | 45.1 | 286 | 50.6 | 748 | 33.0 |
| Junior high school under the old system or high school under the new system | Male | 118 | 40.5 | 144 | 51.1 | 117 | 41.3 | 80 | 28.3 | 459 | 40.3 |
| | Female | 123 | 43.6 | 119 | 42.7 | 106 | 37.2 | 100 | 35.5 | 448 | 39.7 |
| | Total | 241 | 42.1 | 263 | 46.9 | 223 | 39.3 | 180 | 31.9 | 907 | 40.0 |
| Special school (after graduation of high school) | Male | 25 | 8.6 | 8 | 2.8 | 4 | 1.4 | 13 | 4.6 | 50 | 4.4 |
| | Female | 38 | 13.5 | 33 | 11.8 | 21 | 7.4 | 15 | 5.3 | 107 | 9.5 |
| | Total | 63 | 11.0 | 41 | 7.3 | 25 | 4.4 | 28 | 5.0 | 157 | 6.9 |
| Higher special school - junior college | Male | 8 | 2.7 | 7 | 2.5 | 6 | 2.1 | 34 | 12.0 | 55 | 4.8 |
| | Female | 66 | 23.4 | 23 | 8.2 | 12 | 4.2 | 10 | 3.5 | 111 | 9.8 |
| | Total | 74 | 12.9 | 30 | 5.3 | 18 | 3.2 | 44 | 7.8 | 166 | 7.3 |
| College or postgraduate school | Male | 121 | 41.6 | 59 | 20.9 | 41 | 14.5 | 19 | 6.7 | 240 | 21.1 |
| | Female | 23 | 8.2 | 11 | 3.9 | 4 | 1.4 | 3 | 1.1 | 41 | 3.6 |
| | Total | 144 | 25.1 | 70 | 12.5 | 45 | 7.9 | 22 | 3.9 | 281 | 12.4 |