

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Hypnotic sedative agent	Male	2	0.7	11	3.9	10	3.5	34	12.0	57	5.0
	Female	7	2.5	16	5.8	31	10.9	52	18.4	106	9.4
	Total	9	1.6	27	4.8	41	7.2	86	15.2	163	7.2
Antiepileptic agent	Male	0	0	0	0	5	1.8	2	0.7	7	0.6
	Female	2	0.7	1	0.4	1	0.4	2	0.7	6	0.5
	Total	2	0.3	1	0.2	6	1.1	4	0.7	13	0.6
Antipyretic analgesic agent	Male	24	8.3	15	5.3	27	9.5	43	15.2	109	9.6
	Female	37	13.1	41	14.8	38	13.3	55	19.5	171	15.2
	Total	61	10.7	56	10.0	65	11.4	98	17.3	280	12.4
Stimulant drug, antihypnotic drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antiparkinson drugs	Male	0	0	1	0.4	1	0.4	3	1.1	5	0.4
	Female	0	0	0	0	0	0	1	0.4	1	0.1
	Total	0	0	1	0.2	1	0.2	4	0.7	6	0.3
Antipsychotic drug	Male	6	2.1	8	2.8	9	3.2	13	4.6	36	3.2
	Female	0	0	5	1.8	6	2.1	16	5.7	27	2.4
	Total	6	1.0	13	2.3	15	2.6	29	5.1	63	2.8
Drug for common cold	Male	23	7.9	17	6.0	14	4.9	7	2.5	61	5.4
	Female	16	5.7	20	7.2	18	6.3	14	5.0	68	6.0
	Total	39	6.8	37	6.6	32	5.6	21	3.7	129	5.7
Other agent acting on CNS Male		0	0	0	0	4	1.4	5	1.8	9	0.8

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other agent acting on CNS	Female	1	0.4	0	0	3	1.1	3	1.1	7	0.6
	Total	1	0.2	0	0	7	1.2	8	1.4	16	0.7
Local anesthetic	Male	0	0	0	0	1	0.4	1	0.4	2	0.2
	Female	0	0	0	0	0	0	1	0.4	1	0.1
	Total	0	0	0	0	1	0.2	2	0.4	3	0.1
Muscle relaxant	Male	0	0	0	0	0	0	3	1.1	3	0.3
	Female	0	0	0	0	1	0.4	1	0.4	2	0.2
	Total	0	0	0	0	1	0.2	4	0.7	5	0.2
Agent for autonomic nervous system	Male	1	0.3	1	0.4	0	0	2	0.7	4	0.4
	Female	1	0.4	3	1.1	4	1.4	4	1.4	12	1.1
	Total	2	0.3	4	0.7	4	0.7	6	1.1	16	0.7
Antispasmodic agent	Male	2	0.7	5	1.8	3	1.1	10	3.5	20	1.8
	Female	2	0.7	2	0.7	8	2.8	5	1.8	17	1.5
	Total	4	0.7	7	1.3	11	1.9	15	2.7	37	1.6
Diaphoretic, antiperspirant	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other agent for PNS	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Ophthalmic solution(others)	Male	19	6.6	31	11.0	22	7.8	45	15.9	117	10.3
	Female	26	9.2	30	10.8	42	14.7	64	22.7	162	14.4
	Total	45	7.9	61	10.9	64	11.3	109	19.3	279	12.3
Ophthalmic solution(for cataract)	Male	0	0	4	1.4	8	2.8	26	9.2	38	3.3
	Female	1	0.4	2	0.7	15	5.3	54	19.1	72	6.4

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Ophthalmic solution (for cataract)	Total	1	0.2	6	1.1	23	4.0	80	14.2	110	4.9
Ophthalmic solution (pilocarpine)	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	0	0	0	0	0	0	3	1.1	3	0.3
	Total	0	0	0	0	0	0	4	0.7	4	0.2
Ophthalmic solution (β blocker)	Male	1	0.3	1	0.4	3	1.1	6	2.1	11	1.0
	Female	1	0.4	2	0.7	2	0.7	5	1.8	10	0.9
	Total	2	0.3	3	0.5	5	0.9	11	1.9	21	0.9
Ophthalmic solution (epinephrine)	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	1	0.1
	Total	0	0	0	0	0	0	1	0.2	1	0.0
Ophthalmic solution (for glaucoma)	Male	0	0	1	0.4	0	0	2	0.7	3	0.3
	Female	0	0	1	0.4	0	0	1	0.4	2	0.2
	Total	0	0	2	0.4	0	0	3	0.5	5	0.2
Ophthalmic solution (steroid)	Male	1	0.3	1	0.4	1	0.4	10	3.5	13	1.1
	Female	2	0.7	3	1.1	10	3.5	18	6.4	33	2.9
	Total	3	0.5	4	0.7	11	1.9	28	5.0	46	2.0
Ophthalmic solution (unknown)	Male	5	1.7	2	0.7	2	0.7	8	2.8	17	1.5
	Female	5	1.8	2	0.7	1	0.4	6	2.1	14	1.2
	Total	10	1.7	4	0.7	3	0.5	14	2.5	31	1.4
Agent for ear, nose, throat use	Male	4	1.4	5	1.8	2	0.7	1	0.4	12	1.1
	Female	3	1.1	1	0.4	1	0.4	1	0.4	6	0.5
	Total	7	1.2	6	1.1	3	0.5	2	0.4	18	0.8
Anti-vertigeneous drug	Male	1	0.3	0	0	0	0	2	0.7	3	0.3
	Female	2	0.7	1	0.4	2	0.7	5	1.8	10	0.9
	Total	3	0.5	1	0.2	2	0.4	7	1.2	13	0.6

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other agent acting on sensory organ	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	1	0.1
	Total	0	0	0	0	0	0	1	0.2	1	0.0
Digitalis agent	Male	0	0	0	0	1	0.4	8	2.8	9	0.8
	Female	1	0.4	1	0.4	1	0.4	4	1.4	7	0.6
	Total	1	0.2	1	0.2	2	0.4	12	2.1	16	0.7
Xanthine agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other inotropic agent	Male	0	0	0	0	2	0.7	4	1.4	6	0.5
	Female	0	0	1	0.4	1	0.4	4	1.4	6	0.5
	Total	0	0	1	0.2	3	0.5	8	1.4	12	0.5
β blocker	Male	2	0.7	8	2.8	8	2.8	8	2.8	26	2.3
	Female	3	1.1	5	1.8	8	2.8	7	2.5	23	2.0
	Total	5	0.9	13	2.3	16	2.8	15	2.7	49	2.2
Agents for membrane-stabilizing activity	Male	1	0.3	2	0.7	7	2.5	5	1.8	15	1.3
	Female	0	0	0	0	2	0.7	4	1.4	6	0.5
	Total	1	0.2	2	0.4	9	1.6	9	1.6	21	0.9
Other antiarrhythmic agent	Male	0	0	3	1.1	0	0	3	1.1	6	0.5
	Female	0	0	1	0.4	1	0.4	6	2.1	8	0.7
	Total	0	0	4	0.7	1	0.2	9	1.6	14	0.6
Thyazide diuretics	Male	0	0	1	0.4	0	0	3	1.1	4	0.4
	Female	2	0.7	1	0.4	1	0.4	3	1.1	7	0.6
	Total	2	0.3	2	0.4	1	0.2	6	1.1	11	0.5
Loop diuretics	Male	0	0	0	0	3	1.1	5	1.8	8	0.7

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Loop diuretics	Female	1	0.4	3	1.1	5	1.8	4	1.4	13	1.2
	Total	1	0.2	3	0.5	8	1.4	9	1.6	21	0.9
Potassium sparing diuretics	Male	0	0	0	0	2	0.7	2	0.7	4	0.4
	Female	0	0	1	0.4	4	1.4	2	0.7	7	0.6
	Total	0	0	1	0.2	6	1.1	4	0.7	11	0.5
Carbonate dehydratase inhibitor	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other diuretics	Male	0	0	0	0	0	0	2	0.7	2	0.2
	Female	0	0	0	0	0	0	3	1.1	3	0.3
	Total	0	0	0	0	0	0	5	0.9	5	0.2
ACE inhibitor	Male	8	2.8	8	2.8	23	8.1	22	7.8	61	5.4
	Female	3	1.1	6	2.2	18	6.3	18	6.4	45	4.0
	Total	11	1.9	14	2.5	41	7.2	40	7.1	106	4.7
Ca antagonist	Male	11	3.8	23	8.2	54	19.1	83	29.3	171	15.0
	Female	9	3.2	17	6.1	52	18.2	86	30.5	164	14.6
	Total	20	3.5	40	7.2	106	18.7	169	29.9	335	14.8
Other antihypertensive agent	Male	2	0.7	7	2.5	11	3.9	19	6.7	39	3.4
	Female	0	0	8	2.9	5	1.8	14	5.0	27	2.4
	Total	2	0.3	15	2.7	16	2.8	33	5.8	66	2.9
Unknown antihypertensive agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Vascular reinforcing agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Vascular reinforcing agent	Total	0	0	0	0	0	0	0	0	0	0
Vasoconstrictor	Male	0	0	1	0.4	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	0	0	1	0.0
Vasodilator	Male	2	0.7	5	1.8	16	5.7	33	11.7	56	4.9
	Female	1	0.4	2	0.7	8	2.8	32	11.3	43	3.8
	Total	3	0.5	7	1.3	24	4.2	65	11.5	99	4.4
Antihyperlipidemic agent	Male	12	4.1	11	3.9	20	7.1	27	9.5	70	6.2
	Female	2	0.7	15	5.4	30	10.5	57	20.2	104	9.2
	Total	14	2.4	26	4.7	50	8.8	84	14.9	174	7.7
Other agent on cardiovascular system	Male	0	0	6	2.1	8	2.8	18	6.4	32	2.8
	Female	2	0.7	3	1.1	10	3.5	18	6.4	33	2.9
	Total	2	0.3	9	1.6	18	3.2	36	6.4	65	2.9
Respiratory stimulator	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antitussive agent	Male	4	1.4	1	0.4	2	0.7	2	0.7	9	0.8
	Female	4	1.4	4	1.4	3	1.1	2	0.7	13	1.2
	Total	8	1.4	5	0.9	5	0.9	4	0.7	22	1.0
Expectorant	Male	4	1.4	3	1.1	6	2.1	4	1.4	17	1.5
	Female	1	0.4	4	1.4	2	0.7	6	2.1	13	1.2
	Total	5	0.9	7	1.3	8	1.4	10	1.8	30	1.3
Antitussive agent and expectorant	Male	1	0.3	1	0.4	0	0	2	0.7	4	0.4
	Female	3	1.1	0	0	0	0	2	0.7	5	0.4
	Total	4	0.7	1	0.2	0	0	4	0.7	9	0.4

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Bronchodilator	Male	8	2.8	3	1.1	5	1.8	7	2.5	23	2.0
	Female	3	1.1	3	1.1	2	0.7	2	0.7	10	0.9
	Total	11	1.9	6	1.1	7	1.2	9	1.6	33	1.5
Gargle	Male	2	0.7	0	0	1	0.4	1	0.4	4	0.4
	Female	0	0	1	0.4	1	0.4	1	0.4	3	0.3
	Total	2	0.3	1	0.2	2	0.4	2	0.4	7	0.3
Other agent acting on respiratory system	Male	1	0.3	0	0	2	0.7	0	0	3	0.3
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	2	0.4	0	0	3	0.1
Antidiarrheal drug	Male	1	0.3	3	1.1	4	1.4	12	4.2	20	1.8
	Female	2	0.7	6	2.2	5	1.8	17	6.0	30	2.7
	Total	3	0.5	9	1.6	9	1.6	29	5.1	50	2.2
Antiulcerative agent	Male	14	4.8	25	8.9	48	17.0	62	21.9	149	13.1
	Female	18	6.4	29	10.5	30	10.5	57	20.2	134	11.9
	Total	32	5.6	54	9.7	78	13.7	119	21.1	283	12.5
Stomachic	Male	15	5.2	16	5.7	25	8.8	20	7.1	76	6.7
	Female	7	2.5	17	6.1	7	2.5	22	7.8	53	4.7
	Total	22	3.8	33	5.9	32	5.6	42	7.4	129	5.7
Antacid	Male	0	0	1	0.4	7	2.5	5	1.8	13	1.1
	Female	1	0.4	1	0.4	1	0.4	7	2.5	10	0.9
	Total	1	0.2	2	0.4	8	1.4	12	2.1	23	1.0
Laxative	Male	0	0	3	1.1	3	1.1	20	7.1	26	2.3
	Female	10	3.5	10	3.6	25	8.8	27	9.6	72	6.4
	Total	10	1.7	13	2.3	28	4.9	47	8.3	98	4.3
Cholagogue	Male	0	0	2	0.7	2	0.7	2	0.7	6	0.5

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Cholagogue	Female	0	0	1	0.4	0	0	4	1.4	5	0.4
	Total	0	0	3	0.5	2	0.4	6	1.1	11	0.5
Combined digestive drug	Male	6	2.1	2	0.7	2	0.7	4	1.4	14	1.2
	Female	0	0	2	0.7	3	1.1	2	0.7	7	0.6
	Total	6	1.0	4	0.7	5	0.9	6	1.1	21	0.9
Other agent acting on alimentary system	Male	10	3.4	9	3.2	16	5.7	18	6.4	53	4.7
	Female	8	2.8	13	4.7	18	6.3	29	10.3	68	6.0
	Total	18	3.1	22	3.9	34	6.0	47	8.3	121	5.3
Pituitary hormone drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Hormone drug of salivary gland	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Thyroid or parathyroid hormone drug	Male	1	0.3	1	0.4	0	0	2	0.7	4	0.4
	Female	1	0.4	2	0.7	3	1.1	2	0.7	8	0.7
	Total	2	0.3	3	0.5	3	0.5	4	0.7	12	0.5
Anabolic steroid drug	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	1	0.0
Adrenocortical hormone drug	Male	4	1.4	2	0.7	4	1.4	5	1.8	15	1.3
	Female	5	1.8	9	3.2	1	0.4	3	1.1	18	1.6
	Total	9	1.6	11	2.0	5	0.9	8	1.4	33	1.5
Androgen drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Androgen drug	Total	0	0	0	0	0	0	0	0	0	0
Estrogen or progesterone drug	Male	0	0	1	0.4	3	1.1	5	1.8	9	0.8
	Female	2	0.7	6	2.2	3	1.1	1	0.4	12	1.1
	Total	2	0.3	7	1.3	6	1.1	6	1.1	21	0.9
Mixed hormone drug	Male	0	0	0	0	0	0	0	0	0	0
	Female	6	2.1	0	0	0	0	1	0.4	7	0.6
	Total	6	1.0	0	0	0	0	1	0.2	7	0.3
Other hormone drug	Male	1	0.3	3	1.1	6	2.1	9	3.2	19	1.7
	Female	1	0.4	1	0.4	7	2.5	14	5.0	23	2.0
	Total	2	0.3	4	0.7	13	2.3	23	4.1	42	1.9
Agent acting on urinary system	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent acting on genital system	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	1	0.0
Uterine constrictor	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Contraceptive	Male	0	0	0	0	0	0	0	0	0	0
	Female	1	0.4	0	0	0	0	0	0	1	0.1
	Total	1	0.2	0	0	0	0	0	0	1	0.0
Drugs for hemorrhoid	Male	5	1.7	2	0.7	1	0.4	4	1.4	12	1.1
	Female	0	0	1	0.4	0	0	2	0.7	3	0.3
	Total	5	0.9	3	0.5	1	0.2	6	1.1	15	0.7

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other agent on urogenital or anus	Male	1	0.3	0	0	5	1.8	18	6.4	24	2.1
	Female	0	0	1	0.4	0	0	5	1.8	6	0.5
	Total	1	0.2	1	0.2	5	0.9	23	4.1	30	1.3
Integumentary microbicide	Male	1	0.3	0	0	0	0	0	0	1	0.1
	Female	0	0	2	0.7	1	0.4	0	0	3	0.3
	Total	1	0.2	2	0.4	1	0.2	0	0	4	0.2
Protective agent for wound	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	0.4	1	0.4	0	0	2	0.2
	Total	0	0	1	0.2	1	0.2	0	0	2	0.1
Pyostatics	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	0.4	0	0	0	0	1	0.1
	Total	0	0	1	0.2	0	0	0	0	1	0.0
Analgesic (external application)	Male	13	4.5	14	5.0	22	7.8	31	11.0	80	7.0
	Female	12	4.3	22	7.9	38	13.3	37	13.1	109	9.7
	Total	25	4.4	36	6.4	60	10.6	68	12.0	189	8.3
Integumentary Parasiticide	Male	4	1.4	5	1.8	7	2.5	4	1.4	20	1.8
	Female	2	0.7	4	1.4	2	0.7	0	0	8	0.7
	Total	6	1.0	9	1.6	9	1.6	4	0.7	28	1.2
Emollient	Male	0	0	1	0.4	1	0.4	2	0.7	4	0.4
	Female	1	0.4	1	0.4	1	0.4	0	0	3	0.3
	Total	1	0.2	2	0.4	2	0.4	2	0.4	7	0.3
Hair tonic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Bath liquid	Male	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Bath liquid	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other surface-acting agent	Male	0	0	2	0.7	1	0.4	2	0.7	5	0.4
	Female	3	1.1	2	0.7	1	0.4	1	0.4	7	0.6
	Total	3	0.5	4	0.7	2	0.4	3	0.5	12	0.5
Dental local anesthetic	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for devitalization of the pulp	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Analgesic or sedative for dental use	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for mummification of the pulp	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for pulp capping	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antibiotics for dental use	Male	1	0.3	1	0.4	0	0	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	1	0.2	0	0	0	0	2	0.1
Other agent for dental use	Male	0	0	1	0.4	0	0	0	0	1	0.1
	Female	0	0	0	0	1	0.4	0	0	1	0.1

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other agent for dental use	Total	0	0	1	0.2	1	0.2	0	0	2	0.1
Other agent for organ system	Male	1	0.3	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	1	0.4	0	0	1	0.1
	Total	1	0.2	0	0	1	0.2	0	0	2	0.1
Vitamin A or D	Male	3	1.0	0	0	4	1.4	4	1.4	11	1.0
	Female	2	0.7	8	2.9	15	5.3	28	9.9	53	4.7
	Total	5	0.9	8	1.4	19	3.3	32	5.7	64	2.8
Vitamin B1	Male	2	0.7	5	1.8	3	1.1	6	2.1	16	1.4
	Female	4	1.4	4	1.4	5	1.8	9	3.2	22	2.0
	Total	6	1.0	9	1.6	8	1.4	15	2.7	38	1.7
Vitamin B complex	Male	3	1.0	6	2.1	18	6.4	31	11.0	58	5.1
	Female	8	2.8	7	2.5	26	9.1	36	12.8	77	6.8
	Total	11	1.9	13	2.3	44	7.7	67	11.9	135	6.0
Vitamin C	Male	4	1.4	5	1.8	5	1.8	3	1.1	17	1.5
	Female	12	4.3	16	5.8	11	3.9	15	5.3	54	4.8
	Total	16	2.8	21	3.8	16	2.8	18	3.2	71	3.1
Vitamin E	Male	1	0.3	6	2.1	6	2.1	10	3.5	23	2.0
	Female	11	3.9	13	4.7	17	6.0	17	6.0	58	5.2
	Total	12	2.1	19	3.4	23	4.0	27	4.8	81	3.6
Vitamin K	Male	0	0	0	0	1	0.4	1	0.4	2	0.2
	Female	0	0	1	0.4	0	0	4	1.4	5	0.4
	Total	0	0	1	0.2	1	0.2	5	0.9	7	0.3
Mixed vitamin	Male	8	2.8	10	3.5	11	3.9	11	3.9	40	3.5
	Female	11	3.9	9	3.2	20	7.0	22	7.8	62	5.5
	Total	19	3.3	19	3.4	31	5.5	33	5.8	102	4.5

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other vitamin	Male	7	2.4	17	6.0	17	6.0	15	5.3	56	4.9
	Female	12	4.3	10	3.6	18	6.3	13	4.6	53	4.7
	Total	19	3.3	27	4.8	35	6.2	28	5.0	109	4.8
Calcium	Male	0	0	2	0.7	7	2.5	2	0.7	11	1.0
	Female	10	3.5	16	5.8	19	6.7	13	4.6	58	5.2
	Total	10	1.7	18	3.2	26	4.6	15	2.7	69	3.0
Mineral preparation	Male	0	0	0	0	0	0	2	0.7	2	0.2
	Female	9	3.2	5	1.8	4	1.4	5	1.8	23	2.0
	Total	9	1.6	5	0.9	4	0.7	7	1.2	25	1.1
Saccarides preparation	Male	0	0	1	0.4	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	0	0	1	0.0
Organic acid preparation	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	1	0.2	0	0	1	0.0
protein or amino acid preparation	Male	0	0	2	0.7	0	0	0	0	2	0.2
	Female	2	0.7	2	0.7	3	1.1	1	0.4	8	0.7
	Total	2	0.3	4	0.7	3	0.5	1	0.2	10	0.4
Hormone drugs made from internal organ	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Drugs for infant	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other tonic	Male	12	4.1	25	8.9	15	5.3	12	4.2	64	5.6

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Other tonic	Female	23	8.2	33	11.9	44	15.4	27	9.6	127	11.3
	Total	35	6.1	58	10.4	59	10.4	39	6.9	191	8.4
Blood substitute	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	1	0.0
Styptics	Male	0	0	2	0.7	3	1.1	3	1.1	8	0.7
	Female	3	1.1	0	0	1	0.4	4	1.4	8	0.7
	Total	3	0.5	2	0.4	4	0.7	7	1.2	16	0.7
Anticoagulant	Male	0	0	0	0	1	0.4	4	1.4	5	0.4
	Female	0	0	2	0.7	1	0.4	2	0.7	5	0.4
	Total	0	0	2	0.4	2	0.4	6	1.1	10	0.4
Other blood substitute	Male	0	0	2	0.7	8	2.8	10	3.5	20	1.8
	Female	0	0	1	0.4	8	2.8	7	2.5	16	1.4
	Total	0	0	3	0.5	16	2.8	17	3.0	36	1.6
Agent for hemodialysis	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for peritoneal dialysis	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other agent for dialysis	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Agent for liver disease	Male	3	1.0	3	1.1	4	1.4	6	2.1	16	1.4
	Female	0	0	0	0	3	1.1	3	1.1	6	0.5

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Agent for liver disease	Total	3	0.5	3	0.5	7	1.2	9	1.6	22	1.0
Antidote	Male	1	0.3	0	0	1	0.4	3	1.1	5	0.4
	Female	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	1	0.2	3	0.5	5	0.2
Agent for habitual intoxication	Male	0	0	1	0.4	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	0	0	1	0.0
Drugs for gout	Male	8	2.8	12	4.3	17	6.0	16	5.7	53	4.7
	Female	0	0	0	0	4	1.4	3	1.1	7	0.6
	Total	8	1.4	12	2.1	21	3.7	19	3.4	60	2.7
Enzyme preparation	Male	3	1.0	3	1.1	0	0	2	0.7	8	0.7
	Female	4	1.4	3	1.1	4	1.4	1	0.4	12	1.1
	Total	7	1.2	6	1.1	4	0.7	3	0.5	20	0.9
Antidiabetics	Male	3	1.0	6	2.1	18	6.4	20	7.1	47	4.1
	Female	0	0	4	1.4	10	3.5	16	5.7	30	2.7
	Total	3	0.5	10	1.8	28	4.9	36	6.4	77	3.4
Agent acting generally on metabolic system	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Unclassified agent on metabolic system	Male	1	0.3	3	1.1	3	1.1	10	3.5	17	1.5
	Female	0	0	4	1.4	4	1.4	9	3.2	17	1.5
	Total	1	0.2	7	1.3	7	1.2	19	3.4	34	1.5
Chlorophyll agent	Male	0	0	1	0.4	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	0	0	1	0.0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Pigment agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other cell activation agent	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	1	0.4	0	0	0	0	0	0	1	0.1
	Total	1	0.2	0	0	0	0	1	0.2	2	0.1
Alkylating agent	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Antimetabolite	Male	0	0	1	0.4	1	0.4	2	0.7	4	0.4
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	1	0.2	2	0.4	4	0.2
Antibiotics for antitumor agent	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Plant component for antitumor agent	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Other antitumor agent	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	0	0	0	0	2	0.7	1	0.4	3	0.3
	Total	0	0	0	0	2	0.4	2	0.4	4	0.2
Antihistaminic drug	Male	9	3.1	2	0.7	2	0.7	6	2.1	19	1.7
	Female	6	2.1	6	2.2	4	1.4	8	2.8	24	2.1
	Total	15	2.6	8	1.4	6	1.1	14	2.5	43	1.9
Agent for stimulus therapy	Male	0	0	0	0	1	0.4	0	0	1	0.1

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Agent for stimulus therapy	Female	0	0	2	0.7	0	0	0	0	2	0.2
	Total	0	0	2	0.4	1	0.2	0	0	3	0.1
Agent for nonspecific immunogenicity	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	0.4	0	0	0	0	1	0.1
	Total	0	0	1	0.2	0	0	0	0	1	0.0
Other antiallergic drug	Male	11	3.8	8	2.8	10	3.5	12	4.2	41	3.6
	Female	7	2.5	9	3.2	10	3.5	6	2.1	32	2.8
	Total	18	3.1	17	3.0	20	3.5	18	3.2	73	3.2
Crude drug	Male	5	1.7	11	3.9	6	2.1	7	2.5	29	2.5
	Female	6	2.1	9	3.2	12	4.2	10	3.5	37	3.3
	Total	11	1.9	20	3.6	18	3.2	17	3.0	66	2.9
Herb preparation	Male	7	2.4	5	1.8	10	3.5	10	3.5	32	2.8
	Female	7	2.5	14	5.1	9	3.2	13	4.6	43	3.8
	Total	14	2.4	19	3.4	19	3.3	23	4.1	75	3.3
Other drugs by a herb preparation	Male	3	1.0	8	2.8	8	2.8	6	2.1	25	2.2
	Female	7	2.5	8	2.9	10	3.5	9	3.2	34	3.0
	Total	10	1.7	16	2.9	18	3.2	15	2.7	59	2.6
Antibiotics (G(+))	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antibiotics (G(-))	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	1	0.4	1	0.1
	Total	0	0	0	0	1	0.2	1	0.2	2	0.1
Antibiotics (G(+),G(-))	Male	7	2.4	2	0.7	7	2.5	6	2.1	22	1.9
	Female	8	2.8	7	2.5	1	0.4	2	0.7	18	1.6

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Antibiotics (G(+),G(-))	Total	15	2.6	9	1.6	8	1.4	8	1.4	40	1.8
Antibiotics (G(+),G(-), mycoplasma)	Male	1	0.3	3	1.1	1	0.4	2	0.7	7	0.6
	Female	2	0.7	2	0.7	1	0.4	3	1.1	8	0.7
	Total	3	0.5	5	0.9	2	0.4	5	0.9	15	0.7
Antibiotics (rickettsia, Chlamydia)	Male	1	0.3	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	1	0.4	1	0.1
	Total	1	0.2	0	0	0	0	1	0.2	2	0.1
Antibiotics against acid-fast bacterium	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Antibiotics against fungus	Male	0	0	1	0.4	0	0	1	0.4	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	1	0.2	2	0.1
Other antibiotics	Male	0	0	0	0	0	0	0	0	0	0
	Female	1	0.4	0	0	0	0	0	0	1	0.1
	Total	1	0.2	0	0	0	0	0	0	1	0.0
Sulfa drug	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Antituberculous agent	Male	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	1	0.0
Drugs for leprosy	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Synthetic antibiotics	Male	3	1.0	0	0	1	0.4	4	1.4	8	0.7
	Female	2	0.7	2	0.7	3	1.1	2	0.7	9	0.8
	Total	5	0.9	2	0.4	4	0.7	6	1.1	17	0.8
Antiviral agent	Male	0	0	0	0	0	0	1	0.4	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	1	0.0
Other agent for chemotherapy	Male	0	0	1	0.4	2	0.7	0	0	3	0.3
	Female	0	0	1	0.4	0	0	1	0.4	2	0.2
	Total	0	0	2	0.4	2	0.4	1	0.2	5	0.2
Vaccine	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Poison or toxoid	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Antitoxic serum or leptospira serum	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Blood supplements	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Reagent for biological test	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Mixed biological agent	Male	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

State of taking medicine during last 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Mixed biological agent	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other biological agent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Protozoicide	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Parasiticide	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Other drug against parasitic disease	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Diluent	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Ointment base	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Solution	Male	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Corrective, tincton	Male	0	0	0	0	0	0	0	0	0	0
	Female	2	0.7	0	0	0	0	0	0	2	0.2

(CONTINUED)