

梶山徹、千葉 勉	腹痛の鑑別診断の進め方	診断と治療	88	882-891	2000
岡崎和一、内田一茂、大花正也、千葉 勉	膵管狭細型膵炎	内科	86	981-986	2000
梶山徹、千葉 勉	21世紀の高齢者疾患はどう変わるか-病型、診断法、治療法など7) 消化器疾患 (胃・腸疾患)	Geriatric Medicine	39	65-69	2001
Niigaki M, Kinoshita Y, et al.	Role of hepatitis B virus in non-B, non-C chronic liver disease: in vitro proliferation and interferon-gamma production of peripheral blood mononuclear cells in response to hepatitis B core antigen and its relation to hepatitis activity	Am J Gastroenterol	95	239-247	2000
Kinoshita Y, Ishihara S.	Mechanism of gastric mucosal proliferation induced by gastrin	J Gastroenterol Hepatol	15	D7-D11	2000
Aoyama N, Kinoshita Y, et al.	Helicobacter pylori-negative peptic ulcer in Japan; Which contributes most to peptic ulcer development, Helicobacter pylori, NSAIDs and stress?	J. Gastroenterol	35	33-37	2000
Kinoshita Y	Esophageal mucosal acid sensitivity- normal or abnormal	J. Gastroenterol	35	310-311	2000
Ishihara S, Kinoshita Y, et al.	Diagnostic accuracy of a new non-invasive enzyme immunoassay for detecting Helicobacter pylori in stools after eradication therapy	Alimentary Pharmacology and Therapeutics	14	611-614	2000
Watanabe M, Kinoshita Y, et al.	Coinfection with hepatitis C virus and TT virus in a case of late onset hepatic failure	Am J Gastroenterol	95	835-836	2000

Adachi K, <u>Kinoshita Y</u> , et al.	Efficacy of sucralfate for Helicobacter pylori eradication triple therapy in comparison with a lansoprazole - based regimen	Alimentary Pharmacology and Therapeutics	14	919-922	2000
Suetsugu H, <u>Kinoshita Y</u> , et al.	Effect of rebamipide on prostaglandin EP4 receptor gene expression in rat gastric mucosa	J Lab Clin Med	136	50-57	2000
Katsube T, <u>Kinoshita Y</u> , et al.	Helicobacter pylori infection influences nocturnal gastric acid breakthrough	Alimentary Pharmacology and Therapeutics.	14	1049-1056	2000
Kawamura, <u>Kinoshita Y</u> , et al.	Helicobacter pylori infection and family history of gastroduodenal diseases in a Japanese population	Am. J. Gastroenterol	95	2987-2988	2000
Kushiyama Y, <u>Kinoshita Y</u> , et al.	Site-dependent production of transforming growth factor- $\beta$ 1 in colonic mucosa: its possible role in tumorigenesis of the colon	J Lab Clin Med	136	201-208	2000
Adachi K, <u>Kinoshita Y</u> , et al.	CYP2c19 genotype status and intragastric pH during treatment with lansoprazole or rabeprazole	Alimentary Pharmacology and Therapeutics	14	1259-1266	2000

Watanabe M, <u>Kinoshita Y</u> , et al.	Hepatocellular carcinoma complicating HCV-negative autoimmune hepatitis without corticosteroid therapy	J Clin. Gastroenterol	30	445-447	2000
Kazumori H, <u>Kinoshita Y</u> , et al	Neutrophil chemoattractant-2 $\beta$ regulates the expression of the Reg Gene in injured gastric mucosa in rats	Gastroenterology	119	1610-1622	2000
Sato H, <u>Kinoshita Y</u> , et al.	Expression of peroxisome proliferator-activated receptor (PPAR) $\gamma$ in gastric cancer and inhibitory effects of PPAR $\gamma$ agonists	British J Cancer	83	1394-1400	2000
Adachi K, <u>Kinoshita Y</u> , et al.	Gastroesophageal acid reflux in elderly patients	Shimane J Med Sci	18	21-26	2000
Watanabe T, <u>Kinoshita Y</u> , et al.	Effect of Helicobacter pylori infection on Zollinger-Ellison syndrome	J Gastroenterology	35	735-741	2000
Chiba T, <u>Kinoshita Y</u> , et al.	Reg protein: a possible mediator of gastrin-induced mucosal cell growth	J Gastroenterol	35	52-56	2000

Kawashima K, <u>Kinoshita Y</u> , et al.	Nonrotation of the midgut with appendiceal mucocele in an adult	J. Gastroenterology	36	44-47	2000
Kawamura A, <u>Kinoshita Y</u> , et al.	Correlation between microsatellite instability and metachronous disease recurrence after endoscopic mucosal resection of patients with early stage gastric carcinoma	Cancer	91	339-345	2001
<u>Kinoshita Y</u> , Ishihara S	What is the role of adrenomedullin and proadrenomedullin N-terminal 2C peptide produced in the gastrointestinal tract?	J. Gastroenterology	36	62-64	2001
Kazumori H, <u>Kinoshita Y</u> , et al.	Analysis of gastrin receptor gene expression in laser capture microdissection	FEBS LETTERS	189	208-214	2001
Watanabe M, <u>Kinoshita Y</u> , et al.	Partial obstruction of the colon caused by postoperative adhesions after cholecystectomy as a rare form of postcholecystectomy syndrome	Am. J. Gastroenterology	96	255-256	2001
Fukuda R, <u>Kinoshita Y</u> , et al.	Co-infection by serologically-silent hepatitis B virus may contribute to poor interferon response in patients with chronic hepatitis C by down-regulation of type-1 interferon receptor gene expression in the liver	J Med Virol	63	221-227	2001

Fukuda R, <u>Kinoshita Y</u> , et al.	Gastrointestinal stromal tumor with a novel mutation of KIT proto-oncogene	Internal Medicine		in press	2001
Kawamura A, <u>Kinoshita Y</u> , et al.	Prevalence of functional dyspepsia and relationship with Helicobacter pylori infection in a Japanese population			in press	2001
Kawamura A, <u>Kinoshita Y</u> , et al.	Prevalence of irritable bowel syndrome and its relationship with Helicobacter pylori infection in a Japanese population	Am J Gastroenterol		in press	2001
Watanabe M, <u>Kinoshita Y</u> , et al.	Report of a case showing a recovery from liver cirrhosis to chronic hepatitis, type C, after glycyrrhizin injection for two years and a sustained response by the following interferon therapy	Am. J. Gastroenterol		in press	2001
Adachi K, <u>Kinoshita Y</u> , et al.	Efficacy of ecabet sodium for Helicobacter pylori eradication triple therapy in comparison with a lansoprazole-based regimen. Alimentary Pharmacology	Therapeutics		in press	2001
Rumi MAK, <u>Kinoshita Y</u> , et al.	Peroxisome proliferator-activated receptor $\gamma$ ligand induced growth inhibition of human hepatocellular carcinoma	British J Cancer		in press	2001
木下芳二	ヘリコバクタ・ピロリ感染症の診断と治療	島根県病院薬剤師会雑誌	48	46-49	2000
木下芳二, 足立経一	Helicobacter pylori感染と夜間胃酸分泌との関連	Nikkei Medical	396	122-127	2000

結城美佳, 木下芳一, 他	高齢者の胃酸分泌とH.pylori	老年消化器病	12	199-205	2000
Takashi H, Ohara S, <u>Hibi T</u> , et al.	Circulating autoantibodies against purified colonic mucin in ulcerative colitis.	J. Gastroenterol	35	20-27	2000
Nakazawa A, <u>Hibi T</u> .	Is fish oil(n-3 fatty acids) effective for the maintenance in Crohn's disease	J. Gastroenterol	35	173-175	2000
Kanai T, Watanabe M, <u>Hibi T</u> , et al.	Regulatory effect of interleukin-4 and interleukin-13 on colon cancer cell adhesion.	Br.J.Cancer	82	1717-1723	2000
Kashiwagi K, Watanabe M, <u>Hibi T</u> , et al.	Microsatellite instability in the mucosa with chronic gastritis is a predictable maker for progression from gastritis to adenoma and well-differentiated adenocarcinoma.	Br. J. Cancer	82	1814-1818	2000
Kanai T, Watanabe M, <u>Hibi T</u> , et al.	IL-18 is a potent proliferative factor for intestinal mucosal lymphocytes in Crohn's disease.	Gastroenterology	119	1514-1523	2000
Naganuma M, Iwao Y, and <u>Hibi T</u> , et al	Analysis of clinical course and long term prognosis of surgical and non-surgical patients with intestinal Behcet's disease.	Am.J Gastroenterol	95	2848-2851	2000

Ikuta K, Fujimoto Y, Suzuki Y, Tanaka K, Saito H, Ohhira M, Sasaki K, <u>Kohgo Y</u>	Overexpression of hemochromatosis protein, HFE, alters transferrin recycling process in human hepatoma cells.	Biochim Biophys Acta.	1496 (2-3)	221-231	2000
鳥本悦宏、高後 裕	トランスフェリン受容体と赤血球造血	臨床血液	41	554-558	2000
高後 裕、鳥本悦宏	トランスフェリン受容体の分子生物学	血液フロンティア	10	1269-1277	2000
鳥本悦宏、高後 裕	造血要素の欠乏による貧血 鉄欠乏性貧血(鉄過剰症を含む)	Current Therapy	18	115-119	2000
斉藤浩之、鈴木康秋、鈴木晶子、藤本佳範、大平基之、高後 裕	肝癌細胞株HepG2へのエタノール負荷における鉄代謝関連分子の発現についての検討	アルコールと医学生物学	20	135-139	2000
高後 裕、斉藤浩之	赤血球造血に関わる鉄代謝の腸管-肝臓-骨髄axis調節の分子機構	臨床血液		(印刷中)	
Tamada K, Wada S, Ohashi A, Tomiyama T, Satoh Y, Miyata T, Nakazawa M, Ido K, <u>Sugano K.</u>	Intraductal US in assessing the effects of radiation therapy and prediction of patency of metallic stents in extrahepatic bile duct carcinoma.	Gastrointest Endosc	51	405-411	2000
Tamada K, <u>Sugano K.</u>	Diagnosis and non-surgical treatment of bile duct carcinoma: developments in the past decade.	J Gastroenterol	35	319-325	2000
Wada S, Tamada K, Tomiyama T, Ohashi A, Utsunomiya K, Higashizawa T, Satoh Y, Isoda N, <u>Sugano K.</u>	Intraductal ultrasonographic assessment of coagulation depth during endoscopic microwave coagulation therapy in a canine model.	J Gastroenterol	35	284-289	2000

Wada S, Tamada K, Tomiyama T, Ohashi A, Utsunomiya K, Higashizawa T, Satoh Y, Isoda N, <u>Sugano K.</u>	Endoscopic microwave coagulation therapy for bile duct cancer with intraductal ultrasonographic monitoring: brief case report.	Am J Gastroenterol	95	1104-1105	2000
Tamada K, Miyata T, Tomiyama T, Wada S, Ohashi A, Satoh Y, Ido K, <u>Sugano K.</u>	Placement of endoscopic naso-biliary drainage does not preclude subsequent percutaneous transhepatic biliary drainage.	J Gastroenterol	35	4445-4449	2000
Tamada K, Ohashi A, Tomiyama T, Miyata T, Wada S, Satoh Y, Ido K, <u>Sugano K.</u>	Double-catheter method to prevent dislodgement during percutaneous transhepatic cholangioscopy.	Gastrointest Endosc	52	246-250	2000
Tamada K, Wada S, Tomiyama T, Ohashi A, Satoh Y, Miyata T, Higashizawa T, Gotoh Y, Ido K, <u>Sugano K.</u>	Percutaneous recanalization of the bile duct along an endoscopic naso-biliary catheter.	J Gastroenterol	35	622-626	2000
Tamada K, Tomiyama T, Wada S, Ohashi A, Satoh Y, Higashizawa T, Miyata T, Ido K, <u>Sugano K.</u>	Catheter dislodgement of percutaneous transhepatic biliary drainage: identification of role of puncture sites and catheter sheath.	Abdom Imaging	25	587-591	2000
Tamada K, Tomiyama T, Ohashi A, Wada S, Miyata T, Satoh Y, Higashizawa T, Gotoh Y, Ido K, <u>Sugano K.</u>	Access for percutaneous transhepatic cholangiography in patients with nondilated bile ducts using nasobiliary catheter cholangiography and oblique fluoroscopy.	Gastrointest Endosc	52	765-769	2000



Tamada K, Yasuda Y, Nagai H, Tomiyama T, Wada S, Ohashi A, Satoh Y, Ido L, <u>Sugano K.</u>	Limitation of three-dimensional intraductal ultrasonography in the assessment of longitudinal spread of extrahepatic bile duct carcinoma.	J Gastroenterol	35	919-923	2000
Tamada K, Tomiyama T, Wada S, Ohashi A, Satoh Y, Higashizawa T, Gotoh Y, Ido K, <u>Sugano K.</u>	Hyperechoic lines as a sonographic confirmatory sign during percutaneous transhepatic biliary drainage.	Abdom Imaging	26	39-42	2001
Tamada K, Higashizawa T, Tomiyama T, Wada S, Ohashi A, Satoh Y, Ido K, <u>Sugano K.</u> et al.	New ropeway-type bile duct biopsy forceps with a side-slit for a guidewire.	Gastrointest Endosc	53	89-93	2001
Tamada K, Tomiyama T, Ohashi A, Wada S, Satoh Y, Higashizawa T, Gotoh Y, Ido K, <u>Sugano K.</u>	Intraductal ultrasonography for evaluating the patency of biliary metallic stents: correlation with cholangioscopic findings.	Abdom Imaging	26	210-214	2001
Tamada K, Ohashi A, Tomiyama T, Wada S, Satoh Y, Higashizawa T, Ido K, <u>Sugano K.</u>	Comparison of intraductal ultrasonography with percutaneous transhepatic cholangioscopy for the identification of residual bile duct stones during lithotripsy.	J Gastroenterol Hepatol	16	100-103	2001
Tamada K, Nagai H, Yasuda Y, Tomiyama T, Ohashi A, Wada S, Kanai N, Satoh Y, Ido K, <u>Sugano K.</u>	Transpapillary intraductal US prior to biliary drainage in the assessment of longitudinal spread of extrahepatic bile duct carcinoma.	Gastrointest Endosc	53	300-307	2001

Tamada K, Satoh Y, Tomiyama T, Ohashi A, Wada S, Ido K, <u>Sugano K.</u>	Multiple biliary ductal biopsies using a sheath with a side port: usefulness of intraductal sonography.	AJR	176	797-802	2001
Tamada K, Kanai N, Wada S, Tomiyama T, Ohashi A, Ido K, <u>Sugano K.</u>	Utility and limitation of intraductal ultrasonography in distinguishing between longitudinal cancer extension along the bile duct and inflammatory wall thickening.	Abdom Imaging	26	(in press)	2001
Tamada K, Tomiyama T, Wada S, Ohashi A, Ido K, <u>Sugano K.</u>	Intraductal ultrasonography for hepatocellular carcinoma with tumor thrombi in the bile duct: comparison with polypoid cholangiocarcinoma.	J Gastroenterol Hapatol	16	(in press)	2001
Gotoh Y, Tamada K, Tomiyama T, Wada S, Ohashi A, Satoh Y, Ido K, <u>Sugano K.</u>	A new method for deep cannulation of the bile duct by straightening the pancreatic duct.	Gastrointest Endosc	53	(in press)	2001
Ohashi A, Tamada K, Tomiyama T, Wada S, Hagashizawa T, Gotoh Y, Satoh Y, Ido K, <u>Sugano K.</u>	Epinephrine irrigation for the prevention of pancreatic damage after endoscopic balloon sphincteroplasty.	J Gastroenterol Hapatol	16	(in press)	2001
Eda A, Tamada K, Tomiyama T, Wada S, Ohashi A, Ido K, <u>Sugano K.</u>	Sulindac-associated choledocholithiasis.	Am J Gastroenterol		(in press)	2001

Date Y, Kojima M, Hosoda H, Sawaguchi A, Mondal MS, Suganuma T, Matsukura S, Kangawa K, <u>Nakazato M</u>	Ghrelin, a novel growth-hormone-releasing acylated peptide, is synthesized in a distinct endocrine cell type in the gastrointestinal tracts of rats and humans.	Endocrinology	141	4255-4261	2000
Date Y, Murakami N, Kojima M, Kuroiwa T, Matsukura S, Kangawa K, <u>Nakazato M</u>	Central effects of a novel acylated peptide, ghrelin, on growth hormone release in rats.	Biochem Biophys Res Commun	275	477-480	2000
<u>Nakazato M</u> , Murakami N, Date Y, Kojima M, Matsuo H, Kangawa K, Matsukura S	A role for ghrelin in the central regulation of feeding	Nature	409	194-198	2001