

19. 小林邦彦：小児の好中球減少症について．小児科Q & A．六法出版社、印刷中

(布井博幸)

1. Ishibashi F, Nunoi H, Endo F, Matsuda I, Kanegasaki S, Statistical and mutational analysis of chronic granulomatous disease in Japan with special reference to gp91-phox and p22-phox deficiency. *Human Genetics*. 106, 473-481, 2000
2. 吉本寿美、柳邊安秀、水上智之、石橋史成、足立尚登、高木一孝、布井博幸：Dyskeratosis congenita 患者の遺伝子解析 *臨床血液* 41：524-529, 2000
3. 水上智之、石橋史成、布井博幸．慢性肉芽腫症の病因・病態と治療、*小児科* 32, 2032-2035, 2000
4. 布井博幸、山崎 剛：好中球アクチン機能異常症（好中球細胞骨格異常症）*日本臨床 領域別症候群シリーズ* 32：146-149, 2000

(小安重夫)

1. Ueno, H., Matsuda, S., Katamura, K., Mayumi, M. and Koyasu, S. (2000) ZAP70 is required for calcium mobilization but is dispensable for MAPK superfamily activation in human T cells stimulated via CD2. *Eur. J. Immunol.* 38:71-76.
2. Fukao, T., Matsuda, M. and Koyasu, S. (2000) Synergistic effects of IL-4 and IL-18 on IL-12 dependent interferon- γ production by dendritic cells. *J. Immunol.* 164:64-71.
3. Amagai, M., Tsunoda, K., Suzuki, H., Nishifuji, K., Koyasu, S. and Nishikawa, T. (2000) Use of autoantigen knockout mice to develop an active autoimmune disease model. *J. Clin. Invest.* 105:625-631.
4. Proby, C. M., Ohta, T., Suzuki, H., Koyasu, S., Gamou, S., Shimizu, N., Wahl, J. K., Wheelock, M. J., Nishikawa, T. and Amagai, M. (2000) Development of chimeric molecules for recognition and targeting of antigen-specific B cells in pemphigus vulgaris. *Br. J. Dermatol.* 142:321-330.
5. Fukao, T. and Koyasu, S. (2000) Expression of functional IL-2 receptors on mature splenic dendritic cells. *Eur. J. Immunol.* 30:1453-1457.
6. Tsuchihashi, N., Matsuda, S., Reinherz, E. L. and Koyasu, S. (2000) Two YxxL segments of a single immunoreceptor tyrosine-based activation motif in the CD3 ζ molecule differentially activate calcium mobilization and mitogen-activated protein kinase family pathways. *Eur. J. Immunol.* 30:1785-1793.
7. Andjelic, S., Hsia, C., Suzuki, H., Kadowaki, T., Koyasu, S. and Liou, H.-C. (2000) Phosphatidylinositol 3-kinase and NF- κ B/Rel are at the divergence of CD40-mediated proliferation and survival pathways. *J. Immunol.* 165:3860-3867.
8. Matsuda, S., Shibasaki, F., Takehana, K., Mori, H., Nishida, E. and Koyasu, S. (2000) Two distinct action mechanisms of immunophilin-ligand complexes for the blockade of T cell activation. *EMBO Reports* 1:428-434.

(谷内江昭宏)

1. Elnemr, A., T. Ohta, A. Yachie, S. Fushida, I. Ninomiya, G. I. Nishimura, M. Yamamoto, S. Ohkuma, and K. Miwa. 2000. N-ethylmaleimide-enhanced phosphatidylserine externalization of human pancreatic cancer cells and immediate phosphatidylserine-mediated phagocytosis by macrophages. *Int J Oncol* 16:1111-6.
2. Elnemr, A., T. Ohta, A. Yachie, M. Kayahara, H. Kitagawa, T. Fujimura, I. Ninomiya, S. Fushida, G. I. Nishimura, K. Shimizu, and K. Miwa. 2001. Human pancreatic cancer cells disable function of Fas receptors at several levels in Fas signal transduction pathway. *Int J Oncol* 18:311-316.

3. Elnemr, A., T. Ohta, A. Yachie, M. Kayahara, H. Kitagawa, I. Ninomiya, S. Fushida, T. Fujimura, G. I. Nishimura, K. Shimizu, and K. Miwa. 2001. Human pancreatic cancer cells express non-functional fas receptors and counterattack lymphocytes by expressing fas ligand; a potential mechanism for immune escape. *Int J Oncol* 18:33-9.
4. Miura, M., A. Yachie, I. Hashimoto, T. Okabe, N. Murata, A. Fukuda, and S. Koizumi. 2000. Coexistence of lymphoblastic and monoblastic populations with identical mixed lineage leukemia gene rearrangements and shared immunoglobulin heavy chain rearrangements in leukemia developed in utero. *J Pediatr Hematol Oncol* 22:81-5.
5. Ohta, K., A. Yachie, K. Fujimoto, H. Kaneda, T. Wada, T. Toma, A. Seno, Y. Kasahara, H. Yokoyama, H. Seki, and S. Koizumi. 2000. Tubular injury as a cardinal pathologic feature in human heme oxygenase-1 deficiency. *Am J Kidney Dis* 35:863-70.
6. Saikawa, Y., H. Kaneda, L. Yue, S. Shimura, T. Toma, Y. Kasahara, A. Yachie, and S. Koizumi. 2000. Structural evidence of genomic exon-deletion mediated by Alu-Alu recombination in a human case with heme oxygenase-1 deficiency. *Hum Mutat* 16:178-9.
7. Tsunoda, S., M. Kawano, I. Koni, Y. Kasahara, A. Yachie, T. Miyawaki, and H. Seki. 2000. Diminished expression of CD59 on activated CD8+ T cells undergoing apoptosis in systemic lupus erythematosus and Sjogren's syndrome. *Scand J Immunol* 51:293-9.
8. Wada, T., A. Yachie, S. Fujita, K. Takei, R. Sumita, T. Ichihara, and S. Koizumi. 2000. Hypokalemic periodic paralysis and mutations in the CACNL1A3 gene: case study in a Japanese family. *Pediatr Int* 42:325-7.
9. Wada, T., K. Takei, M. Kudo, S. Shimura, Y. Kasahara, S. Koizumi, K. Kawa-Ha, Y. Ishida, S. Imashuku, H. Seki, and A. Yachie. 2000. Characterization of immune function and analysis of RAG gene mutations in Omenn syndrome and related disorders. *Clin Exp Immunol* 119:148-55.

(上屋 滋)

1. Kanegane H, Nomura K, Miyawaki T, Sasahara Y, Kawai S, Tsuchiya S, Murakami G, Futatani T, Ochs HD: X-linked thrombocytopenia identified by flow cytometric demonstration of defective Wiskott-Aldrich syndrome protein in lymphocytes. *Blood* 95: 1110-1111, 2000.
2. Sasahara Y, Kawai S, Kumaki S, Ohashi Y, Minegishi M, Tsuchiya S: Novel mutations, no detectable mRNA and familial genetic analysis of the Wiskott-Aldrich syndrome protein gene in six Japanese patients with Wiskott-Aldrich syndrome. *Eur J Pediatr* 159: 23-30, 2000.
3. Kumaki S, Ishii N, Minegishi M, Ohashi Y, Hakozaiki I, Nonoyama S, Imai K, Morio T, Tsuge I, Sakiyama Y, Miyanoshita A, Miura J, Mayumi M, Heike T, Katamura K, Takada H, Izumi I, Kamizono J, Hibi S, Sasaki H, Kimura M, Kikuta A, Date Y, Sako M, Tanaka H, Sano K, Sugamura K, Tsuchiya S: Characterization of the γ c chain among 27 unrelated Japanese patients with X-linked severe combined immunodeficiency (X-SCID). *Hum. Genet.* 107: 406-408, 2000.

(柘植郁哉)

1. Tanaka N, Kimura H, Iida K, Saito Y, Tsuge I, Yoshimi A, Matsuyama T, Morishima T. Quantitative analysis of cytomegalovirus load using a real-time PCR assay. *J Med Virol.* 2000; 60:455-462.
2. Kuzushima K, Kimura H, Hoshino Y, Yoshimi A, Tsuge I, Horibe K, Morishima T, Tsurumi T, Kojima S. Longitudinal dynamics of epstein-barr virus-specific cytotoxic T lymphocytes during posttransplant lymphoproliferative disorder. *J Infect Dis* 2000;182: 937-40.
3. Kumaki S, Ishii N, Minegishi M, Ohashi Y, Hakozaiki I, Nonoyama S, Imai K, Morio T, Tsuge I, Sakiyama Y, Miyanoshita

- A, Miura Ji, Mayumi M, Heike T, Katamura K, Takada H, Izumi I, Kamizono J, Hibi S, Sasaki H, Kimura M, Kikuta A, Date Y, Sako M, Tanaka H, Sano K, Sugamura K Characterization of the gammac chain among 27 unrelated Japanese patients with X-linked severe combined immunodeficiency (X-SCID). Hum Genet 2000; 107: 406-408.
4. Kimura H, Morita M, Tsuge I, Hoshino Y, Tanaka N, Ito Y, Morishima T. Vidarabine Therapy for Severe Chronic Active Epstein-Barr Virus Infection. J Pediatr Hematol/Oncol in press.
5. Tsuge I, Morishima T, Morita M, Kimura H, Kuzushima K, Matsuoka H; Impaired Cytotoxic T Lymphocyte Response to Epstein-Barr Virus-infected NK Cells in Patients with Severe Chronic Active EBV Infection. J Med Virol. In press.
6. 柘植郁哉、松岡 宏；重症複合免疫不全症の病因・病態と治療。小児内科 2000; 32: 1985-1991.
-

**厚生省特定疾患
原発性免疫不全症候群調査研究班
平成12年度研究業績報告書**

発行日 平成13年3月31日
発行者 小宮山 淳
発行所 厚生省特定疾患
原発性免疫不全症候群調査研究班 事務局
事務局長 小宮山 淳
〒390-8621 松本市旭 3-1-1
信州大学医学部小児科学教室
TEL (0263) 37-2642
FAX (0263) 36-6158
印刷所 こまくさ印刷 TEL (0263) 32-7409
〒390-0803 松本市元町 2-4-10