

交通事故

全国	男性		女性	
	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位
全国	850	1083	262	389
北海道	1132 41	1373 35	346 37	471 31
青森	1146 42	1385 38	270 14	409 17
岩手	937 26	1250 28	315 28	420 19
宮城	858 11	1076 9	230 7	339 6
秋田	999 31	1267 31	315 29	416 18
山形	798 6	1020 6	330 32	445 24
福島	927 23	1189 23	346 38	474 32
茨城	1356 47	1747 47	410 46	590 46
栃木	1167 44	1504 45	354 41	513 38
群馬	891 15	1160 22	329 31	503 36
埼玉	707 4	901 4	206 5	348 8
千葉	898 19	1142 19	263 12	375 11
東京	449 1	545 1	127 1	192 1
神奈川	609 2	743 2	154 3	228 3
新潟	988 30	1321 34	323 30	483 34
富山	762 5	1076 10	251 9	380 12
石川	838 10	1099 13	314 27	512 37
福井	1110 39	1497 44	386 45	568 44
山梨	987 29	1228 27	274 16	392 13
長野	821 8	1094 11	282 18	393 14
岐阜	935 24	1255 30	354 42	521 40
静岡	884 13	1120 16	296 20	460 27
愛知	799 7	1004 5	276 17	431 22
三重	1163 43	1462 42	338 36	478 33
滋賀	1110 38	1464 43	351 39	553 43
京都	835 9	1025 7	263 11	356 9
大阪	684 3	836 3	199 4	270 4
兵庫	892 16	1119 14	300 23	463 29
奈良	904 20	1098 12	274 15	406 16
和歌山	1025 34	1297 32	296 21	461 28
鳥取	1071 36	1314 33	330 33	443 23
島根	936 25	1219 25	312 25	460 26
岡山	1064 35	1389 39	352 40	519 39
広島	979 28	1215 24	265 13	398 15
山口	1115 40	1425 40	334 35	483 35
徳島	1013 32	1375 36	359 43	526 42
香川	1253 46	1646 46	435 47	646 47
愛媛	1087 37	1379 37	331 34	523 41
高知	1220 45	1448 41	313 26	468 30
福岡	893 17	1126 17	231 8	347 7
佐賀	922 22	1226 26	376 44	586 45
長崎	973 27	1155 21	220 6	308 5
熊本	890 14	1145 20	299 22	427 21
大分	868 12	1120 15	291 19	421 20
宮崎	1025 33	1252 29	306 24	451 25
鹿児島	914 21	1134 18	257 10	360 10
沖縄	897 18	1047 8	146 2	206 2

自殺

全国	男性		女性	
	0-64歳 順位	0-74歳 順位	0-64歳 順位	0-74歳 順位
全国	1265	1510	497	671
北海道	1283 22	1525 24	464 11	656 22
青森	1722 42	2077 43	503 29	748 35
岩手	1804 45	2142 44	544 38	807 43
宮城	1227 17	1432 14	481 17	632 16
秋田	1858 46	2266 47	658 47	956 47
山形	1488 37	1800 39	474 14	675 29
福島	1337 26	1553 25	479 16	648 18
茨城	1213 15	1456 17	479 15	667 27
栃木	1351 27	1639 28	490 21	733 34
群馬	1298 25	1576 26	524 33	762 39
埼玉	1113 7	1348 8	502 28	695 32
千葉	1090 5	1287 4	418 2	601 6
東京	1192 13	1399 13	531 35	676 30
神奈川	1080 4	1290 5	447 5	605 8
新潟	1552 40	1930 40	639 46	929 46
富山	1361 28	1651 29	537 37	768 41
石川	1212 14	1495 22	450 6	591 5
福井	1242 20	1468 19	436 3	625 13
山梨	1438 30	1708 32	615 44	802 42
長野	1237 19	1435 16	581 41	750 37
岐阜	1115 8	1368 10	502 27	707 33
静岡	1109 6	1337 7	415 1	581 3
愛知	1040 2	1257 3	482 19	630 14
三重	1042 3	1246 2	442 4	604 7
滋賀	1186 12	1383 11	473 13	660 24
京都	1165 11	1386 12	497 25	667 28
大阪	1217 16	1465 18	502 26	658 23
兵庫	1235 18	1472 20	513 31	661 26
奈良	936 1	1145 1	452 8	576 2
和歌山	1483 36	1790 37	619 45	815 45
鳥取	1461 33	1722 35	495 24	687 31
島根	1645 41	1976 41	578 40	753 38
岡山	1127 9	1326 6	455 9	621 12
広島	1293 24	1509 23	466 12	614 11
山口	1457 32	1716 34	536 36	655 20
徳島	1136 10	1364 9	495 23	661 25
香川	1254 21	1434 15	481 18	611 9
愛媛	1479 35	1656 31	484 20	630 15
高知	1512 38	1764 36	585 42	749 36
福岡	1540 39	1800 38	505 30	656 21
佐賀	1454 31	1632 27	518 32	651 19
長崎	1417 29	1654 30	452 7	571 1
熊本	1477 34	1713 33	493 22	645 17
大分	1293 23	1487 21	459 10	590 4
宮崎	1750 43	2153 45	593 43	814 44
鹿児島	1767 44	2059 42	573 39	764 40
沖縄	1870 47	2166 46	530 34	612 10

統計表 2 LSM65 死因別割合 1995 年

死因別LSM65の割合 男性

全国	悪性新生物 35.7%	心疾患 12.5%	脳血管疾患 8.8%	交通事故 5.2%	自殺 7.7%	その他 30.0%
北海道	35.9%	13.6%	8.5%	6.8%	7.7%	27.6%
青森	32.9%	13.5%	9.7%	5.7%	8.6%	29.7%
岩手	30.5%	13.3%	11.2%	5.5%	10.5%	29.0%
宮城	36.2%	12.5%	9.8%	5.5%	7.9%	28.0%
秋田	35.7%	9.9%	10.2%	5.6%	10.5%	28.1%
山形	35.0%	13.7%	9.4%	5.2%	9.7%	27.0%
福島	34.1%	13.4%	9.9%	5.5%	8.0%	29.1%
茨城	33.1%	12.7%	9.6%	8.0%	7.1%	29.6%
栃木	33.1%	13.0%	10.6%	6.8%	7.9%	28.6%
群馬	32.8%	14.5%	9.7%	5.6%	8.2%	29.2%
埼玉	36.5%	14.0%	10.2%	4.6%	7.3%	27.4%
千葉	37.1%	13.1%	9.2%	5.7%	6.9%	28.0%
東京	36.7%	12.1%	9.5%	2.7%	7.3%	31.6%
神奈川	36.9%	11.8%	9.6%	3.9%	6.9%	30.8%
新潟	36.2%	10.9%	9.6%	6.4%	10.0%	26.9%
富山	34.9%	13.1%	8.7%	5.0%	8.9%	29.4%
石川	36.8%	14.1%	7.0%	5.7%	8.2%	28.2%
福井	35.0%	11.6%	7.5%	7.5%	8.4%	29.9%
山梨	33.3%	14.2%	8.3%	5.8%	8.5%	29.9%
長野	33.1%	13.4%	10.6%	5.9%	8.9%	28.2%
岐阜	35.8%	12.8%	9.4%	6.1%	7.3%	28.6%
静岡	36.6%	12.6%	9.4%	5.6%	7.0%	28.9%
愛知	36.7%	14.5%	8.8%	5.2%	6.7%	28.1%
三重	34.2%	13.4%	8.0%	7.5%	6.7%	30.2%
滋賀	36.0%	12.5%	7.8%	7.6%	8.2%	27.8%
京都	37.4%	11.7%	8.3%	5.5%	7.6%	29.5%
大阪	38.7%	12.2%	7.3%	3.8%	6.8%	31.1%
兵庫	35.8%	11.6%	7.2%	4.9%	6.8%	33.7%
奈良	39.1%	13.0%	7.3%	5.9%	6.1%	28.6%
和歌山	35.9%	14.4%	7.0%	5.7%	8.3%	28.6%
鳥取	36.3%	11.8%	8.4%	5.8%	7.9%	29.9%
島根	35.0%	11.5%	7.9%	5.6%	9.8%	30.2%
岡山	35.7%	12.4%	7.7%	6.7%	7.1%	30.3%
広島	36.8%	11.7%	7.9%	5.8%	7.7%	30.0%
山口	35.2%	11.2%	8.2%	6.3%	8.2%	30.9%
徳島	33.0%	14.0%	8.4%	5.8%	6.5%	32.3%
香川	34.6%	14.2%	7.4%	7.8%	7.8%	28.1%
愛媛	33.2%	13.9%	7.2%	6.2%	8.4%	31.2%
高知	30.1%	13.6%	8.4%	6.6%	8.2%	33.1%
福岡	37.8%	9.9%	7.9%	4.9%	8.5%	30.9%
佐賀	37.8%	10.5%	7.9%	5.3%	8.4%	30.2%
長崎	36.2%	11.4%	8.4%	5.4%	7.9%	30.8%
熊本	33.9%	12.0%	8.9%	5.6%	9.3%	30.2%
大分	33.5%	13.0%	8.1%	5.3%	7.9%	32.2%
宮崎	32.1%	11.0%	9.7%	6.0%	10.3%	30.8%
鹿児島	31.6%	11.1%	9.6%	5.2%	10.0%	32.5%
沖縄	28.6%	12.7%	8.5%	5.2%	10.9%	34.1%

死因別LSM65の割合 女性

全国	悪性新生物	心疾患	脳血管疾患	交通事故	自殺	その他
	43.4%	9.3%	9.5%	3.2%	6.1%	28.4%
北海道	43.6%	10.2%	9.7%	4.2%	5.6%	26.7%
青森	41.5%	9.5%	10.9%	3.2%	5.9%	29.1%
岩手	41.7%	8.7%	10.9%	4.0%	7.0%	27.7%
宮城	44.4%	9.4%	10.3%	3.0%	6.2%	26.7%
秋田	47.0%	6.6%	9.6%	3.9%	8.2%	24.6%
山形	44.1%	8.8%	8.4%	4.4%	6.4%	27.9%
福島	41.5%	9.4%	10.2%	4.2%	5.9%	28.8%
茨城	41.1%	10.1%	10.6%	5.0%	5.9%	27.2%
栃木	39.9%	10.4%	11.1%	4.3%	5.9%	28.4%
群馬	38.7%	11.0%	11.9%	4.1%	6.5%	27.8%
埼玉	43.4%	10.6%	10.6%	2.5%	6.2%	26.8%
千葉	44.9%	9.9%	10.1%	3.3%	5.3%	26.4%
東京	45.9%	8.4%	10.0%	1.5%	6.4%	27.6%
神奈川	45.9%	8.0%	10.4%	2.0%	5.7%	28.1%
新潟	45.6%	7.8%	8.7%	4.3%	8.6%	25.0%
富山	44.0%	9.2%	8.2%	3.4%	7.3%	27.8%
石川	44.8%	9.4%	8.4%	4.2%	6.0%	27.2%
福井	42.6%	9.2%	8.1%	5.2%	5.9%	29.0%
山梨	40.6%	9.7%	9.0%	3.4%	7.7%	29.5%
長野	42.7%	9.3%	10.1%	3.8%	7.9%	26.1%
岐阜	43.6%	10.2%	9.9%	4.3%	6.1%	26.0%
静岡	43.0%	9.8%	10.4%	3.8%	5.3%	27.7%
愛知	44.4%	10.3%	9.8%	3.4%	5.9%	26.3%
三重	42.3%	10.8%	9.0%	4.4%	5.7%	27.9%
滋賀	43.5%	8.9%	8.8%	4.6%	6.2%	28.0%
京都	44.6%	8.4%	9.3%	3.4%	6.5%	27.8%
大阪	45.3%	9.5%	7.9%	2.3%	5.8%	29.1%
兵庫	39.7%	8.8%	7.5%	3.1%	5.3%	35.7%
奈良	43.4%	10.2%	8.2%	3.4%	5.7%	29.1%
和歌山	41.9%	10.4%	7.5%	3.5%	7.3%	29.3%
鳥取	44.1%	8.1%	9.0%	4.2%	6.2%	28.4%
島根	45.7%	8.6%	7.8%	4.0%	7.3%	26.5%
岡山	43.1%	9.9%	8.2%	4.6%	6.0%	28.3%
広島	44.2%	10.1%	8.4%	3.2%	5.7%	28.4%
山口	40.8%	9.2%	10.0%	4.1%	6.6%	29.3%
徳島	40.1%	9.8%	8.0%	4.2%	5.8%	31.9%
香川	41.4%	9.9%	7.6%	5.4%	6.0%	29.7%
愛媛	40.1%	11.0%	7.9%	4.0%	5.8%	31.2%
高知	37.5%	10.7%	10.3%	3.7%	6.9%	30.9%
福岡	44.5%	8.0%	8.5%	2.8%	6.1%	30.1%
佐賀	43.6%	7.8%	9.1%	4.6%	6.4%	28.6%
長崎	43.7%	8.7%	9.1%	2.6%	5.4%	30.5%
熊本	41.0%	8.5%	10.2%	3.9%	6.5%	29.9%
大分	41.9%	10.9%	8.6%	3.7%	5.8%	29.1%
宮崎	38.8%	9.4%	11.2%	3.8%	7.4%	29.4%
鹿児島	38.4%	9.3%	12.1%	3.0%	6.6%	30.7%
沖縄	37.7%	8.7%	11.2%	1.8%	6.5%	34.2%

統計表 3 PYLL65、PYLL70 推定値とランキング 1995年

	全死因(年齢調整前)				全死因(年齢調整後)			
	男		女		男		女	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	36.2	49.3	19.4	25.6	35.8	47.2	19.9	25.2
北海道	38.3 27	52.0 28	20.4 37	26.9 38	38.1 27	49.7 27	20.6 33	26.1 35
青森	45.1 47	61.5 47	21.7 45	28.4 45	45.0 47	59.0 47	22.3 44	27.9 46
岩手	40.4 41	54.7 40	19.2 21	25.4 24	40.1 40	52.2 39	19.6 18	24.6 16
宮城	34.2 14	46.1 10	18.0 3	23.6 3	34.6 15	45.3 15	18.6 4	23.6 4
秋田	40.6 42	55.9 44	19.8 29	26.3 31	40.2 41	52.5 42	20.1 27	25.3 27
山形	34.6 15	47.4 15	18.7 11	24.5 10	34.5 14	45.1 13	19.3 14	24.1 11
福島	37.6 26	50.7 24	21.0 41	27.0 40	37.8 26	49.3 26	21.6 41	26.9 41
茨城	39.7 37	52.9 32	20.2 33	26.2 29	39.5 37	51.3 35	20.6 31	25.9 32
栃木	39.2 31	52.6 30	20.2 35	26.5 34	39.3 35	51.3 34	20.8 35	26.3 38
群馬	35.8 19	48.3 17	19.1 16	25.2 20	35.5 18	46.3 19	19.3 12	24.5 13
埼玉	32.8 6	44.7 6	19.1 17	25.0 13	32.5 6	43.1 6	19.4 16	24.7 19
千葉	34.0 11	46.3 12	18.4 8	24.2 8	33.6 10	44.5 12	18.7 5	23.8 6
東京	34.2 13	47.2 14	18.7 12	25.1 18	34.2 13	45.5 16	19.7 19	25.0 25
神奈川	32.5 3	44.3 3	18.2 6	24.1 7	32.3 5	43.0 5	18.7 7	23.9 8
新潟	35.7 18	48.6 19	18.5 9	24.1 5	35.5 19	46.3 18	18.9 11	23.7 5
富山	35.6 17	48.3 18	19.2 20	25.1 15	35.5 17	46.0 17	19.8 21	24.6 14
石川	33.0 8	44.5 5	18.0 2	23.7 4	33.1 9	43.4 7	18.4 2	23.3 2
福井	34.0 10	45.4 9	19.4 25	25.0 14	34.2 12	44.0 10	20.0 26	24.8 20
山梨	38.4 28	51.5 27	19.5 26	25.2 22	38.2 28	49.8 28	20.2 28	25.3 26
長野	31.9 1	43.1 2	17.8 1	23.3 1	31.6 1	41.1 1	18.0 1	22.7 1
岐阜	34.1 12	46.4 13	19.0 14	25.2 21	33.7 11	44.2 11	19.3 13	24.6 15
静岡	33.6 9	46.3 11	18.7 10	24.5 11	33.1 8	43.8 9	18.9 8	23.9 9
愛知	32.6 5	44.5 4	19.0 15	25.1 17	32.2 3	42.8 4	19.4 15	24.7 18
三重	35.0 16	47.7 16	18.4 7	24.4 9	34.6 16	45.3 14	18.7 6	23.8 7
滋賀	31.9 2	42.7 1	18.1 4	23.3 2	32.1 2	41.9 2	18.6 3	23.4 3
京都	32.9 7	44.9 8	18.1 5	24.1 6	33.0 7	43.5 8	18.9 10	24.0 10
大阪	36.8 22	51.4 26	19.6 27	26.2 30	35.7 20	48.1 23	19.9 24	25.5 28
兵庫	39.5 33	53.9 34	22.4 47	29.2 47	39.0 31	51.2 31	23.0 47	28.9 47
奈良	32.5 4	44.8 7	19.1 19	25.1 16	32.3 4	42.8 3	19.8 22	25.0 24
和歌山	39.6 34	54.9 42	20.2 31	26.8 36	39.0 32	51.5 37	20.6 30	26.0 33
鳥取	41.2 44	56.4 45	19.4 24	25.5 25	41.0 43	54.0 44	19.8 23	24.9 22
島根	39.3 32	53.7 33	20.2 32	26.3 32	38.8 30	50.5 29	20.7 34	25.7 29
岡山	36.3 21	49.2 21	19.1 18	24.8 12	36.1 21	46.9 20	19.8 20	24.7 17
広島	37.6 25	51.0 25	19.3 23	25.5 26	36.8 24	48.5 25	19.6 17	24.9 21
山口	39.7 36	54.7 39	20.5 38	27.3 42	39.1 33	51.1 30	20.9 38	26.3 37
徳島	39.6 35	54.4 38	21.1 42	27.8 43	39.3 36	51.4 36	21.8 42	27.4 42
香川	37.1 23	50.2 22	19.9 30	26.1 28	36.4 22	47.5 21	20.6 32	25.8 31
愛媛	40.3 39	54.7 41	21.5 43	27.9 44	39.8 38	52.0 38	22.3 43	27.7 44
高知	44.1 46	59.9 46	21.8 46	28.5 46	43.4 46	56.4 46	22.3 45	27.8 45
福岡	38.6 29	52.6 31	19.6 28	26.0 27	38.7 29	51.3 33	20.3 29	25.7 30
佐賀	38.7 30	52.4 29	20.7 40	27.0 39	39.2 34	51.2 32	21.2 39	26.6 39
長崎	40.0 38	54.4 37	20.4 36	26.7 35	40.0 39	52.5 41	20.8 36	26.3 36
熊本	36.2 20	48.7 20	19.3 22	25.1 19	36.6 23	47.5 22	20.0 25	24.9 23
大分	37.1 24	50.5 23	18.8 13	25.3 23	37.0 25	48.3 24	18.9 9	24.1 12
宮崎	40.3 40	54.0 36	20.2 34	26.4 33	40.6 42	52.4 40	20.9 37	26.1 34
鹿児島	40.8 43	55.0 43	20.6 39	27.2 41	41.4 44	53.7 43	21.2 40	26.8 40
沖縄	42.2 45	54.0 35	21.6 44	26.8 37	43.3 45	55.2 45	22.3 46	27.6 43

	悪性新生物(年齢調整前)				人口1000人あたり			
	男 性		女 性		男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	8.5	13.7	6.6	9.4				
北海道	9.2 35	14.7 35	7.2 46	10.2 46				
青森	10.0 45	16.1 45	7.2 45	10.2 44				
岩手	8.5 28	13.5 24	6.4 19	9.2 21				
宮城	8.0 15	12.7 11	6.3 12	8.9 11				
秋田	10.1 46	16.5 46	7.8 47	11.0 47				
山形	8.4 27	13.6 27	6.5 22	9.3 22				
福島	8.3 23	13.4 22	6.6 30	9.4 28				
茨城	8.1 18	12.9 16	6.5 21	9.1 15				
栃木	7.9 9	12.8 13	6.4 15	9.1 14				
群馬	7.5 5	12.1 5	5.8 5	8.3 4				
埼玉	7.9 11	12.5 7	6.5 20	9.1 17				
千葉	8.2 19	13.1 18	6.5 25	9.2 20				
東京	8.6 29	13.8 29	6.8 37	9.9 40				
神奈川	7.9 10	12.5 8	6.5 24	9.3 24				
新潟	8.7 31	14.0 31	6.6 29	9.4 26				
富山	8.3 22	13.3 21	6.8 36	9.5 31				
石川	7.9 14	12.7 10	6.1 11	8.9 12				
福井	7.5 4	12.1 4	6.1 10	8.7 8				
山梨	8.0 16	13.0 17	5.8 3	8.3 3				
長野	6.8 2	11.1 2	6.0 9	8.5 6				
岐阜	7.9 12	12.8 14	6.4 16	9.3 25				
静岡	8.1 17	13.2 19	6.4 17	9.1 16				
愛知	7.7 7	12.4 6	6.5 23	9.3 23				
三重	7.6 6	12.6 9	5.9 6	8.7 9				
滋賀	7.0 3	11.4 3	5.6 2	8.1 2				
京都	7.9 13	12.9 15	6.3 14	9.1 18				
大阪	9.7 43	15.8 44	7.0 42	10.2 43				
兵庫	9.3 37	15.1 37	6.7 33	9.6 35				
奈良	8.2 21	13.6 26	6.5 26	9.4 27				
和歌山	9.4 40	15.7 43	6.7 35	9.8 39				
鳥取	11.0 47	17.2 47	6.7 31	9.6 32				
島根	9.7 44	15.7 42	7.1 44	10.2 45				
岡山	8.3 24	13.5 23	6.3 13	8.9 13				
広島	9.1 33	14.6 32	6.8 39	9.7 36				
山口	9.3 38	15.4 40	6.6 27	9.6 34				
徳島	8.9 32	14.6 33	6.9 40	9.7 37				
香川	8.3 26	13.5 25	6.4 18	9.2 19				
愛媛	9.1 34	14.7 34	6.8 38	9.6 33				
高知	9.3 36	15.0 36	6.7 32	9.5 29				
福岡	9.3 39	15.2 38	6.7 34	9.7 38				
佐賀	9.5 41	15.4 39	7.0 41	10.0 41				
長崎	9.6 42	15.5 41	7.0 43	10.0 42				
熊本	7.8 8	12.8 12	5.9 7	8.6 7				
大分	8.6 30	13.8 30	6.6 28	9.5 30				
宮崎	8.2 20	13.3 20	5.8 4	8.4 5				
鹿児島	8.3 25	13.6 28	6.0 8	8.7 10				
沖縄	6.6 1	10.3 1	5.5 1	7.6 1				

	悪性新生物(年齢調整後)				人口1000人あたり			
	男 性		女 性		男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	7.7	12.0	6.1	8.4				
北海道	8.3 38	12.8 37	6.5 43	9.0 43				
青森	9.2 46	14.1 46	6.6 46	9.0 44				
岩手	7.7 27	11.6 22	5.8 12	8.0 12				
宮城	7.6 24	11.7 25	6.0 21	8.2 20				
秋田	8.8 43	13.4 41	6.9 47	9.4 47				
山形	7.6 23	11.5 18	6.0 24	8.2 19				
福島	7.7 26	11.9 28	6.3 40	8.6 37				
茨城	7.4 21	11.6 21	6.1 31	8.4 28				
栃木	7.2 12	11.5 16	6.0 27	8.3 25				
群馬	6.8 3	10.6 4	5.4 2	7.5 2				
埼玉	7.2 9	11.3 11	6.0 20	8.3 27				
千葉	7.4 20	11.7 24	5.9 18	8.3 23				
東京	7.8 30	12.2 32	6.2 35	8.7 38				
神奈川	7.3 15	11.5 17	6.0 25	8.4 30				
新潟	7.8 29	12.0 30	6.1 30	8.3 24				
富山	7.2 10	11.1 8	6.1 29	8.2 21				
石川	7.4 16	11.4 13	5.7 10	8.0 11				
福井	6.9 5	10.6 3	5.7 9	7.8 8				
山梨	7.4 19	11.6 19	5.5 5	7.6 5				
長野	6.1 1	9.5 1	5.6 7	7.6 7				
岐阜	7.1 8	11.1 7	5.9 19	8.3 26				
静岡	7.2 11	11.4 12	5.9 14	8.1 15				
愛知	7.1 7	11.2 9	6.1 32	8.5 34				
三重	6.8 4	10.7 5	5.4 3	7.6 3				
滋賀	6.6 2	10.4 2	5.4 4	7.6 4				
京都	7.3 13	11.4 14	5.9 17	8.2 22				
大阪	8.6 40	13.7 42	6.4 41	9.0 45				
兵庫	8.3 39	13.1 40	6.1 33	8.6 35				
奈良	7.4 18	11.8 26	6.0 28	8.5 31				
和歌山	8.2 37	13.0 38	6.0 26	8.4 29				
鳥取	10.1 47	15.2 47	6.2 34	8.5 33				
島根	8.6 41	13.0 39	6.5 42	8.9 41				
岡山	7.5 22	11.6 20	5.9 15	8.0 13				
広島	8.2 35	12.8 36	6.3 38	8.7 39				
山口	8.1 33	12.6 35	5.8 11	8.1 14				
徳島	7.8 31	12.2 31	6.3 39	8.6 36				
香川	7.4 17	11.5 15	5.9 16	8.1 16				
愛媛	8.1 34	12.5 34	6.2 36	8.5 32				
高知	8.2 36	12.4 33	6.0 23	8.2 17				
福岡	8.7 42	13.8 44	6.2 37	8.8 40				
佐賀	9.0 45	13.9 45	6.6 45	9.1 46				
長崎	8.9 44	13.7 43	6.5 44	9.0 42				
熊本	7.3 14	11.3 10	5.5 6	7.6 6				
大分	7.9 32	11.9 27	6.0 22	8.2 18				
宮崎	7.6 25	11.7 23	5.3 1	7.4 1				
鹿児島	7.8 28	11.9 29	5.6 8	7.8 9				
沖縄	7.0 6	10.7 6	5.8 13	7.9 10				

心疾患(年齢調整前)

人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	3.9	5.6	1.4	2.1
北海道	4.4 37	6.4 38	1.7 43	2.5 43
青森	5.1 47	7.5 47	1.6 40	2.3 41
岩手	4.8 42	6.8 41	1.4 16	2.1 17
宮城	3.4 9	5.0 9	1.3 10	1.9 10
秋田	3.7 13	5.3 12	1.0 1	1.6 1
山形	4.5 38	6.2 37	1.4 15	2.0 13
福島	4.1 32	6.0 33	1.5 29	2.2 28
茨城	4.1 33	5.9 32	1.6 36	2.3 36
栃木	4.2 34	6.0 34	1.4 17	2.2 25
群馬	4.6 39	6.4 39	1.7 42	2.4 42
埼玉	4.0 29	5.8 28	1.5 27	2.2 23
千葉	3.8 18	5.5 18	1.4 14	2.0 14
東京	3.6 11	5.2 11	1.2 5	1.8 6
神奈川	3.3 3	4.7 4	1.1 4	1.7 3
新潟	3.2 2	4.7 2	1.1 3	1.6 2
富山	4.0 26	5.8 29	1.5 20	2.1 19
石川	4.1 30	5.7 26	1.4 19	2.0 15
福井	3.3 5	4.7 3	1.5 22	2.1 18
山梨	4.9 44	6.8 42	1.6 35	2.2 29
長野	3.4 7	5.0 8	1.4 13	2.0 12
岐阜	3.7 14	5.4 15	1.6 41	2.3 38
静岡	3.7 12	5.4 13	1.4 11	2.0 16
愛知	3.9 21	5.7 23	1.5 30	2.2 27
三重	3.9 22	5.7 25	1.6 38	2.3 40
滋賀	3.4 6	4.8 6	1.3 9	1.8 5
京都	3.2 1	4.6 1	1.1 2	1.7 4
大阪	4.0 27	5.9 31	1.5 24	2.2 24
兵庫	3.8 16	5.6 22	1.5 33	2.2 33
奈良	3.5 10	5.2 10	1.6 34	2.3 34
和歌山	5.0 45	7.3 45	1.8 45	2.6 45
鳥取	4.3 36	6.1 36	1.5 21	2.1 20
島根	3.9 25	5.7 24	1.6 39	2.2 30
岡山	3.9 19	5.6 21	1.5 26	2.2 22
広島	3.9 23	5.5 19	1.5 28	2.2 26
山口	3.9 24	5.7 27	1.6 37	2.3 39
徳島	4.7 41	6.9 43	1.4 18	2.3 37
香川	4.7 40	6.6 40	1.5 25	2.2 32
愛媛	4.8 43	6.9 44	1.9 46	2.7 46
高知	5.1 46	7.3 46	1.9 47	2.8 47
福岡	3.3 4	4.8 5	1.2 6	1.8 7
佐賀	3.4 8	4.9 7	1.3 8	1.8 9
長崎	4.1 31	5.8 30	1.5 23	2.1 21
熊本	3.9 20	5.4 14	1.2 7	1.8 8
大分	4.3 35	6.1 35	1.8 44	2.6 44
宮崎	3.8 17	5.4 16	1.5 32	2.2 31
鹿児島	3.8 15	5.5 17	1.5 31	2.3 35
沖縄	4.0 28	5.6 20	1.4 12	1.9 11

心疾患(年齢調整後)

人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	3.7	5.2	1.4	1.9
北海道	4.2 36	5.9 38	1.7 43	2.3 43
青森	4.9 47	6.9 47	1.5 35	2.1 35
岩手	4.6 43	6.2 42	1.4 16	1.9 14
宮城	3.4 11	4.8 10	1.3 10	1.8 10
秋田	3.6 14	4.9 12	0.9 1	1.3 1
山形	4.3 38	5.8 37	1.4 17	1.9 13
福島	4.0 31	5.5 32	1.5 28	2.0 28
茨城	4.0 32	5.5 31	1.5 36	2.1 38
栃木	3.9 29	5.6 34	1.4 15	2.0 26
群馬	4.3 39	5.9 39	1.6 39	2.2 42
埼玉	3.8 28	5.4 28	1.5 27	2.1 32
千葉	3.6 16	5.1 21	1.4 14	1.9 16
東京	3.4 9	4.8 11	1.2 5	1.7 5
神奈川	3.1 3	4.4 4	1.1 4	1.6 4
新潟	3.0 2	4.3 1	1.1 3	1.5 2
富山	3.7 26	5.2 24	1.4 23	1.9 15
石川	4.0 33	5.4 30	1.5 26	1.9 19
福井	3.2 5	4.4 3	1.4 20	1.9 17
山梨	4.8 45	6.5 44	1.6 38	2.1 33
長野	3.2 4	4.5 5	1.4 13	1.8 11
岐阜	3.5 13	4.9 14	1.6 41	2.2 40
静岡	3.5 12	4.9 13	1.3 11	1.9 12
愛知	3.7 22	5.3 26	1.5 29	2.1 34
三重	3.7 21	5.2 25	1.6 37	2.1 39
滋賀	3.3 8	4.6 7	1.3 9	1.8 9
京都	3.0 1	4.3 2	1.0 2	1.5 3
大阪	3.7 25	5.3 27	1.4 18	2.0 24
兵庫	3.6 15	5.1 20	1.5 34	2.1 36
奈良	3.3 7	4.7 9	1.6 40	2.2 41
和歌山	4.7 44	6.5 45	1.8 45	2.4 45
鳥取	4.2 35	5.7 35	1.4 21	1.9 18
島根	3.7 23	5.1 17	1.7 42	2.1 37
岡山	3.7 24	5.1 22	1.5 31	2.0 27
広島	3.7 20	5.1 19	1.4 19	2.0 23
山口	3.6 18	5.1 18	1.5 33	2.0 30
徳島	4.4 40	6.1 41	1.3 12	1.9 20
香川	4.5 41	6.1 40	1.5 25	2.0 25
愛媛	4.5 42	6.3 43	1.9 46	2.5 47
高知	4.8 46	6.6 46	1.9 47	2.5 46
福岡	3.2 6	4.5 6	1.2 6	1.7 7
佐賀	3.4 10	4.7 8	1.2 8	1.7 8
長崎	4.0 30	5.4 29	1.4 24	2.0 22
熊本	3.8 27	5.2 23	1.2 7	1.7 6
大分	4.1 34	5.6 33	1.7 44	2.3 44
宮崎	3.7 19	5.0 15	1.5 32	2.0 29
鹿児島	3.6 17	5.1 16	1.5 30	2.1 31
沖縄	4.2 37	5.8 36	1.4 22	2.0 21

脳血管疾患(年齢調整前)		人口1000人あたり			
	男 性		女 性		
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	
全国	2.3	3.6	1.3	2.0	
北海道	2.4 26	3.7 26	1.4 36	2.1 36	
青森	3.4 47	5.1 47	1.8 46	2.6 46	
岩手	3.4 46	5.1 46	1.5 41	2.4 41	
宮城	2.5 34	3.7 32	1.2 24	1.9 25	
秋田	3.1 45	4.9 45	1.4 33	2.2 38	
山形	2.4 25	3.8 33	1.0 1	1.6 6	
福島	2.6 38	4.1 39	1.5 40	2.2 39	
茨城	2.8 41	4.2 40	1.4 37	2.1 37	
栃木	3.0 44	4.5 44	1.6 42	2.4 42	
群馬	2.6 36	3.9 36	1.6 43	2.4 44	
埼玉	2.4 27	3.7 28	1.4 34	2.1 35	
千葉	2.3 22	3.5 22	1.4 35	2.0 32	
東京	2.6 35	3.9 35	1.3 29	2.0 33	
神奈川	2.4 23	3.6 24	1.3 28	2.0 27	
新潟	2.5 33	3.8 34	1.1 6	1.7 8	
富山	2.2 17	3.4 17	1.1 9	1.7 11	
石川	1.7 3	2.6 3	1.1 10	1.6 7	
福井	1.6 2	2.6 2	1.0 4	1.6 4	
山梨	2.2 18	3.5 19	1.1 8	1.7 10	
長野	2.4 29	3.7 31	1.3 26	1.9 26	
岐阜	2.3 19	3.5 21	1.3 27	2.0 29	
静岡	2.3 20	3.5 23	1.4 32	2.0 34	
愛知	2.0 10	3.1 9	1.2 25	1.9 23	
三重	1.9 6	3.1 8	1.2 20	1.8 20	
滋賀	1.6 1	2.6 1	1.1 7	1.6 1	
京都	2.1 14	3.1 10	1.1 14	1.7 16	
大阪	2.1 13	3.2 12	1.1 15	1.7 13	
兵庫	2.0 8	3.1 7	1.1 13	1.7 12	
奈良	1.7 4	2.7 4	1.0 5	1.6 2	
和歌山	2.0 11	3.2 13	1.0 2	1.6 5	
鳥取	2.6 37	4.0 37	1.3 31	2.0 28	
島根	2.4 30	3.6 25	1.1 18	1.7 17	
岡山	1.9 7	3.0 6	1.1 12	1.7 9	
広島	2.3 21	3.4 18	1.1 17	1.7 15	
山口	2.4 24	3.7 29	1.4 39	2.3 40	
徳島	2.6 39	4.1 38	1.2 23	1.9 22	
香川	1.9 5	3.0 5	1.0 3	1.6 3	
愛媛	2.0 12	3.3 14	1.1 11	1.7 14	
高知	2.7 40	4.2 41	1.7 45	2.5 45	
福岡	2.1 16	3.3 16	1.2 19	1.8 18	
佐賀	2.0 9	3.2 11	1.2 22	1.9 21	
長崎	2.4 28	3.7 30	1.2 21	1.9 24	
熊本	2.5 32	3.7 27	1.3 30	2.0 30	
大分	2.1 15	3.3 15	1.1 16	1.8 19	
宮崎	2.9 43	4.4 43	1.6 44	2.4 43	
鹿児島	2.8 42	4.4 42	1.8 47	2.7 47	
沖縄	2.4 31	3.5 20	1.4 38	2.0 31	

脳血管疾患(年齢調整後)		人口1000人あたり			
	男 性		女 性		
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位	
全国	2.1	3.2	1.2	1.7	
北海道	2.2 29	3.2 27	1.2 35	1.8 35	
青森	3.1 47	4.5 47	1.6 46	2.2 46	
岩手	3.1 46	4.5 46	1.3 39	1.9 39	
宮城	2.4 38	3.5 38	1.2 27	1.7 27	
秋田	2.6 43	4.0 44	1.2 26	1.7 26	
山形	2.2 26	3.2 26	0.8 1	1.3 1	
福島	2.5 39	3.7 40	1.4 40	2.0 40	
茨城	2.5 40	3.8 41	1.3 38	1.9 38	
栃木	2.7 45	4.1 45	1.4 41	2.1 43	
群馬	2.3 34	3.4 34	1.5 43	2.1 45	
埼玉	2.2 28	3.3 30	1.2 36	1.9 37	
千葉	2.1 23	3.2 24	1.3 37	1.8 36	
東京	2.3 37	3.5 35	1.2 29	1.7 29	
神奈川	2.2 27	3.3 28	1.2 30	1.7 32	
新潟	2.2 30	3.3 29	0.9 7	1.4 6	
富山	1.9 14	2.8 13	0.9 4	1.3 3	
石川	1.6 4	2.4 4	1.0 11	1.4 9	
福井	1.5 2	2.3 1	0.9 5	1.4 5	
山梨	2.1 22	3.1 23	1.0 14	1.5 17	
長野	2.2 25	3.2 25	1.1 24	1.7 24	
岐阜	2.1 20	3.1 22	1.2 28	1.7 28	
静岡	2.0 18	3.1 19	1.2 33	1.8 33	
愛知	1.9 12	2.9 14	1.1 25	1.7 25	
三重	1.8 7	2.7 7	1.1 20	1.6 20	
滋賀	1.5 1	2.4 2	1.0 17	1.5 12	
京都	2.0 16	2.9 15	1.0 13	1.5 16	
大阪	1.9 11	2.8 11	1.0 12	1.5 14	
兵庫	1.8 8	2.7 8	1.0 15	1.5 15	
奈良	1.5 3	2.4 3	0.9 6	1.4 7	
和歌山	1.8 9	2.7 9	0.9 3	1.3 4	
鳥取	2.3 33	3.5 37	1.2 34	1.7 30	
島根	2.1 24	3.1 21	1.0 9	1.4 8	
岡山	1.7 6	2.6 6	1.0 16	1.4 11	
広島	2.1 21	3.0 18	1.0 18	1.5 18	
山口	2.0 19	3.1 20	1.2 32	1.8 34	
徳島	2.3 36	3.4 33	1.1 22	1.6 21	
香川	1.7 5	2.5 5	0.9 2	1.3 2	
愛媛	1.8 10	2.8 10	1.0 8	1.4 10	
高知	2.3 32	3.5 36	1.5 44	2.1 42	
福岡	2.0 17	3.0 17	1.1 19	1.5 19	
佐賀	1.9 15	2.9 16	1.1 23	1.6 23	
長崎	2.3 31	3.4 32	1.1 21	1.6 22	
熊本	2.3 35	3.3 31	1.2 31	1.7 31	
大分	1.9 13	2.8 12	1.0 10	1.5 13	
宮崎	2.7 44	3.9 43	1.5 42	2.1 41	
鹿児島	2.6 42	3.9 42	1.7 47	2.4 47	
沖縄	2.6 41	3.6 39	1.5 45	2.1 44	

交通事故(年齢調整前) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	4.0	4.4	1.1	1.2
北海道	5.3 44	6.0 44	1.5 40	1.7 41
青森	4.7 36	5.4 36	1.1 20	1.3 19
岩手	4.0 17	4.5 17	1.2 28	1.4 28
宮城	4.2 26	4.7 25	1.0 10	1.1 9
秋田	4.3 27	4.8 27	1.3 34	1.5 31
山形	3.4 5	3.8 5	1.2 29	1.4 29
福島	4.0 18	4.5 19	1.5 41	1.7 40
茨城	6.3 47	7.1 47	1.8 47	2.0 47
栃木	5.7 46	6.4 46	1.6 42	1.8 42
群馬	3.9 11	4.4 12	1.3 33	1.5 32
埼玉	3.3 4	3.8 4	0.9 6	1.0 6
千葉	4.2 25	4.8 26	1.1 16	1.3 17
東京	2.2 1	2.5 1	0.5 1	0.6 1
神奈川	3.1 2	3.5 2	0.6 2	0.7 2
新潟	4.1 22	4.7 23	1.3 35	1.5 34
富山	3.5 6	4.0 6	0.9 7	1.1 7
石川	3.7 8	4.2 8	1.3 31	1.5 33
福井	4.9 39	5.5 38	1.6 43	1.8 44
山梨	4.5 31	5.0 30	1.0 12	1.2 12
長野	3.6 7	4.0 7	1.1 17	1.2 16
岐阜	4.5 32	5.0 32	1.3 32	1.5 35
静岡	3.9 13	4.4 13	1.2 23	1.3 23
愛知	4.0 14	4.4 15	1.1 21	1.3 22
三重	5.1 41	5.7 42	1.4 37	1.6 37
滋賀	4.9 40	5.5 40	1.4 36	1.5 36
京都	4.0 15	4.5 16	1.1 18	1.3 18
大阪	3.3 3	3.7 3	0.8 4	1.0 5
兵庫	3.8 10	4.3 10	1.1 15	1.2 15
奈良	4.3 29	4.9 28	1.0 13	1.2 13
和歌山	4.5 30	5.0 31	1.1 19	1.3 20
鳥取	4.3 28	4.9 29	1.1 22	1.3 21
島根	3.8 9	4.3 9	1.2 24	1.4 24
岡山	4.8 37	5.4 37	1.6 44	1.8 43
広島	4.7 34	5.2 34	1.1 14	1.2 14
山口	4.9 38	5.5 39	1.4 39	1.6 39
徳島	4.1 21	4.7 24	1.4 38	1.6 38
香川	5.4 45	6.1 45	1.7 45	1.9 46
愛媛	4.7 35	5.2 35	1.3 30	1.5 30
高知	5.2 43	5.9 43	1.2 26	1.4 25
福岡	4.1 20	4.6 20	1.0 11	1.1 10
佐賀	4.1 23	4.6 21	1.7 46	1.9 45
長崎	4.2 24	4.7 22	0.8 3	1.0 4
熊本	4.1 19	4.5 18	1.2 27	1.4 26
大分	3.9 12	4.3 11	1.0 9	1.1 11
宮崎	4.6 33	5.1 33	1.2 25	1.4 27
鹿児島	4.0 16	4.4 14	1.0 8	1.1 8
沖縄	5.1 42	5.7 41	0.9 5	0.9 3

交通事故(年齢調整後) 人口1000人あたり

	男 性		女 性	
	65歳未満 順位	70歳未満 順位	65歳未満 順位	70歳未満 順位
全国	3.9	4.4	1.1	1.3
北海道	5.4 43	6.0 43	1.6 39	1.8 40
青森	4.9 35	5.6 39	1.2 23	1.4 22
岩手	4.2 20	4.8 22	1.4 34	1.6 32
宮城	4.1 15	4.5 15	1.0 7	1.1 7
秋田	4.8 33	5.4 33	1.6 40	1.7 38
山形	3.7 7	4.1 7	1.3 31	1.5 30
福島	4.2 21	4.8 20	1.6 41	1.8 41
茨城	6.3 47	7.1 47	1.8 47	2.1 47
栃木	5.8 46	6.5 46	1.6 42	1.8 42
群馬	3.9 12	4.4 12	1.4 33	1.6 33
埼玉	3.2 4	3.6 4	0.9 5	1.0 5
千葉	4.1 16	4.6 16	1.1 16	1.3 16
東京	2.1 1	2.4 1	0.5 1	0.6 1
神奈川	2.9 2	3.3 2	0.6 2	0.7 2
新潟	4.4 25	4.9 25	1.4 36	1.6 35
富山	3.6 6	4.1 6	1.0 8	1.1 8
石川	3.6 5	4.1 5	1.3 24	1.5 24
福井	5.1 40	5.7 40	1.7 44	1.9 44
山梨	4.5 27	5.1 27	1.1 13	1.2 12
長野	3.8 9	4.3 9	1.2 19	1.3 19
岐阜	4.6 29	5.1 29	1.3 27	1.5 29
静岡	4.0 13	4.5 13	1.2 21	1.4 21
愛知	3.8 10	4.3 10	1.1 17	1.3 18
三重	5.2 42	5.8 42	1.4 35	1.6 36
滋賀	4.9 39	5.5 37	1.4 32	1.6 34
京都	3.7 8	4.2 8	1.1 18	1.3 17
大阪	3.2 3	3.6 3	0.9 4	1.0 4
兵庫	3.8 11	4.3 11	1.1 15	1.3 15
奈良	4.3 22	4.8 21	1.1 12	1.2 13
和歌山	4.7 32	5.3 32	1.2 20	1.4 20
鳥取	4.6 31	5.3 31	1.2 22	1.4 23
島根	4.2 18	4.7 19	1.3 29	1.5 28
岡山	4.9 34	5.5 35	1.7 43	1.8 43
広島	4.6 30	5.2 30	1.1 14	1.2 14
山口	5.1 41	5.8 41	1.6 38	1.7 39
徳島	4.4 26	5.1 26	1.5 37	1.7 37
香川	5.6 45	6.3 45	1.7 45	2.0 46
愛媛	4.9 38	5.6 38	1.3 28	1.5 31
高知	5.5 44	6.3 44	1.3 25	1.5 25
福岡	4.0 14	4.5 14	1.0 9	1.1 9
佐賀	4.3 24	4.9 24	1.7 46	2.0 45
長崎	4.5 28	5.1 28	0.9 6	1.1 6
熊本	4.2 19	4.7 18	1.3 30	1.5 27
大分	4.1 17	4.6 17	1.0 11	1.2 11
宮崎	4.9 36	5.5 36	1.3 26	1.5 26
鹿児島	4.3 23	4.8 23	1.0 10	1.2 10
沖縄	4.9 37	5.4 34	0.8 3	0.9 3

全国	自殺(年齢調整前)				人口1000人あたり			
	男		性		女		性	
	65歳未満	順位	70歳未満	順位	65歳未満	順位	70歳未満	順位
	4.2		5.0		1.6		2.0	
北海道	4.2	21	5.0	22	1.5	12	1.8	13
青森	5.4	42	6.5	42	1.6	18	1.9	20
岩手	5.6	44	6.8	45	1.5	16	1.9	19
宮城	4.2	18	4.9	18	1.5	17	1.8	16
秋田	5.7	46	6.9	46	1.7	32	2.1	40
山形	4.5	30	5.4	30	1.4	9	1.7	8
福島	4.3	24	5.1	24	1.5	13	1.8	12
茨城	4.4	27	5.2	26	1.6	19	1.9	17
栃木	4.6	32	5.4	31	1.6	24	1.9	25
群馬	4.4	25	5.2	25	1.6	29	2.0	29
埼玉	3.7	8	4.5	8	1.8	39	2.1	37
千葉	3.7	7	4.4	7	1.4	4	1.6	4
東京	4.2	20	5.0	21	2.0	47	2.4	47
神奈川	3.8	9	4.5	9	1.6	25	1.9	24
新潟	5.2	41	6.1	40	1.9	42	2.2	45
富山	4.4	29	5.4	29	1.8	40	2.1	38
石川	3.9	11	4.6	13	1.4	8	1.7	9
福井	4.1	16	4.8	16	1.4	7	1.7	7
山梨	4.8	37	5.7	37	1.9	46	2.3	46
長野	4.3	23	5.0	20	1.8	41	2.2	41
岐阜	3.6	5	4.3	5	1.5	14	1.8	15
静岡	3.5	4	4.3	4	1.3	1	1.5	1
愛知	3.4	3	4.1	3	1.6	27	1.9	26
三重	3.4	2	4.0	2	1.3	2	1.6	2
滋賀	3.6	6	4.3	6	1.4	10	1.7	10
京都	3.8	10	4.6	11	1.6	20	1.9	23
大阪	3.9	14	4.8	15	1.8	37	2.1	36
兵庫	4.0	15	4.7	14	1.6	22	1.9	21
奈良	2.9	1	3.6	1	1.6	28	1.9	27
和歌山	4.6	33	5.5	34	1.7	35	2.1	39
鳥取	4.5	31	5.4	32	1.4	5	1.7	6
島根	5.2	40	6.2	41	1.9	45	2.2	44
岡山	3.9	12	4.6	12	1.5	11	1.7	11
広島	4.2	22	5.1	23	1.5	15	1.8	14
山口	4.6	35	5.5	36	1.7	34	2.1	35
徳島	3.9	13	4.6	10	1.6	21	1.9	18
香川	4.2	19	5.0	19	1.7	31	1.9	28
愛媛	4.6	34	5.5	33	1.8	38	2.0	33
高知	4.8	39	5.7	38	1.9	44	2.2	43
福岡	4.8	38	5.7	39	1.8	36	2.1	34
佐賀	4.6	36	5.5	35	1.7	33	2.0	32
長崎	4.4	28	5.3	27	1.4	6	1.7	5
熊本	4.4	26	5.3	28	1.6	23	1.9	22
大分	4.1	17	4.9	17	1.4	3	1.6	3
宮崎	5.6	45	6.7	44	1.6	26	2.0	31
鹿児島	5.5	43	6.6	43	1.7	30	2.0	30
沖縄	6.1	47	7.3	47	1.9	43	2.2	42

全国	自殺(年齢調整後)				人口1000人あたり			
	男		性		女		性	
	65歳未満	順位	70歳未満	順位	65歳未満	順位	70歳未満	順位
	4.1		4.9		1.6		1.9	
北海道	4.2	21	5.0	21	1.4	9	1.7	9
青森	5.6	42	6.6	42	1.6	27	1.9	26
岩手	5.8	43	6.9	43	1.6	22	1.9	25
宮城	4.1	17	4.9	17	1.5	17	1.8	16
秋田	5.9	44	7.1	45	1.7	34	2.1	38
山形	4.6	31	5.6	31	1.5	14	1.8	14
福島	4.5	27	5.3	27	1.6	21	1.9	21
茨城	4.4	24	5.1	24	1.5	18	1.8	18
栃木	4.5	28	5.3	28	1.6	24	1.9	24
群馬	4.3	23	5.1	23	1.6	28	1.9	27
埼玉	3.6	7	4.2	7	1.7	30	2.0	28
千葉	3.5	4	4.2	4	1.3	2	1.5	2
東京	3.8	12	4.5	12	1.8	41	2.2	40
神奈川	3.5	6	4.2	5	1.5	15	1.8	13
新潟	5.3	41	6.2	40	1.9	43	2.3	44
富山	4.4	26	5.3	26	1.8	40	2.2	41
石川	3.8	13	4.6	13	1.4	4	1.7	4
福井	4.1	18	4.9	18	1.4	6	1.7	6
山梨	4.7	33	5.6	34	2.0	47	2.3	47
長野	4.4	25	5.1	25	1.9	42	2.2	42
岐阜	3.6	8	4.3	8	1.5	12	1.8	15
静岡	3.5	5	4.2	6	1.2	1	1.5	1
愛知	3.3	2	3.9	2	1.6	20	1.9	20
三重	3.4	3	4.0	3	1.3	3	1.6	3
滋賀	3.6	9	4.3	9	1.4	5	1.7	5
京都	3.7	10	4.4	10	1.5	16	1.8	17
大阪	3.7	11	4.5	11	1.7	31	2.0	30
兵庫	3.9	14	4.7	15	1.6	19	1.9	19
奈良	2.9	1	3.5	1	1.6	23	1.9	22
和歌山	4.7	32	5.6	33	1.7	35	2.1	37
鳥取	4.7	34	5.6	36	1.4	10	1.7	10
島根	5.2	40	6.3	41	1.9	45	2.3	46
岡山	3.9	15	4.7	14	1.5	11	1.8	11
広島	4.2	20	5.0	20	1.5	13	1.8	12
山口	4.7	36	5.6	35	1.7	36	2.1	35
徳島	4.0	16	4.8	16	1.6	25	1.9	23
香川	4.2	19	5.0	19	1.7	33	2.0	32
愛媛	4.7	35	5.6	32	1.8	39	2.1	39
高知	5.0	39	5.9	39	1.9	46	2.3	45
福岡	4.8	37	5.7	37	1.7	37	2.0	33
佐賀	4.9	38	5.8	38	1.8	38	2.1	36
長崎	4.6	29	5.4	29	1.4	7	1.7	7
熊本	4.6	30	5.5	30	1.7	29	2.0	29
大分	4.2	22	5.0	22	1.4	8	1.7	8
宮崎	5.9	45	7.0	44	1.6	26	2.0	31
鹿児島	6.0	46	7.1	46	1.7	32	2.1	34
沖縄	6.5	47	7.6	47	1.9	44	2.2	43

統計表 4 PYLL65 死因別割合 1995 年

PYLL65(年齢調整前) 男性

全国	悪性新生物 23.4%	心疾患 10.7%	脳血管疾患 6.5%	交通事故 10.9%	自殺 11.6%	その他 36.8%
北海道	24.0%	11.6%	6.3%	13.9%	11.0%	33.2%
青森	22.1%	11.4%	7.5%	10.4%	12.0%	36.6%
岩手	21.0%	11.8%	8.3%	9.9%	13.9%	35.1%
宮城	23.2%	10.0%	7.3%	12.4%	12.1%	34.9%
秋田	24.8%	9.2%	7.5%	10.6%	14.1%	33.7%
山形	24.1%	12.9%	6.9%	9.9%	13.0%	33.3%
福島	22.1%	10.9%	7.0%	10.7%	11.5%	37.7%
茨城	20.4%	10.4%	7.0%	15.9%	11.1%	35.2%
栃木	20.1%	10.6%	7.5%	14.6%	11.6%	35.5%
群馬	21.0%	12.7%	7.2%	10.8%	12.2%	36.2%
埼玉	24.0%	12.3%	7.4%	10.1%	11.4%	34.9%
千葉	24.0%	11.2%	6.8%	12.4%	10.8%	34.7%
東京	25.0%	10.4%	7.5%	6.6%	12.3%	38.2%
神奈川	24.2%	10.1%	7.2%	9.5%	11.7%	37.2%
新潟	24.3%	9.1%	6.9%	11.6%	14.4%	33.7%
富山	23.2%	11.2%	6.1%	9.9%	12.5%	37.1%
石川	24.1%	12.4%	5.1%	11.3%	11.7%	35.4%
福井	22.1%	9.8%	4.8%	14.4%	12.0%	37.0%
山梨	20.9%	12.8%	5.8%	11.7%	12.4%	36.4%
長野	21.3%	10.6%	7.6%	11.3%	13.4%	35.7%
岐阜	23.2%	11.0%	6.7%	13.2%	10.6%	35.4%
静岡	24.1%	11.1%	6.7%	11.6%	10.6%	36.0%
愛知	23.6%	11.9%	6.2%	12.1%	10.6%	35.7%
三重	21.8%	11.1%	5.5%	14.5%	9.6%	37.5%
滋賀	22.0%	10.6%	5.1%	15.5%	11.4%	35.5%
京都	24.2%	9.6%	6.3%	12.1%	11.7%	36.2%
大阪	26.3%	10.9%	5.6%	8.8%	10.7%	37.6%
兵庫	23.5%	9.7%	5.0%	9.7%	10.0%	42.1%
奈良	25.3%	10.8%	5.2%	13.3%	9.0%	36.3%
和歌山	23.7%	12.7%	5.2%	11.3%	11.5%	35.7%
鳥取	26.6%	10.4%	6.2%	10.5%	11.0%	35.3%
島根	24.7%	10.1%	6.2%	9.6%	13.1%	36.3%
岡山	22.9%	10.7%	5.4%	13.3%	10.7%	37.1%
広島	24.1%	10.3%	6.1%	12.4%	11.3%	35.8%
山口	23.5%	9.9%	5.9%	12.3%	11.7%	36.7%
徳島	22.5%	11.9%	6.7%	10.4%	9.9%	38.6%
香川	22.5%	12.7%	5.1%	14.6%	11.3%	33.7%
愛媛	22.7%	11.9%	5.1%	11.6%	11.4%	37.3%
高知	21.1%	11.5%	6.1%	11.9%	10.9%	38.6%
福岡	24.2%	8.6%	5.5%	10.7%	12.4%	38.6%
佐賀	24.4%	8.8%	5.1%	10.7%	12.0%	38.9%
長崎	24.0%	10.3%	6.0%	10.5%	11.1%	38.2%
熊本	21.6%	10.7%	6.8%	11.2%	12.2%	37.6%
大分	23.3%	11.5%	5.6%	10.5%	11.0%	38.1%
宮崎	20.3%	9.5%	7.3%	11.3%	14.0%	37.6%
鹿児島	20.4%	9.2%	7.0%	9.8%	13.6%	40.1%
沖縄	15.7%	9.6%	5.8%	12.1%	14.5%	42.3%

PYLL65(年齢調整前) 女性

全国	悪性新生物 33.8%	心疾患 7.4%	脳血管疾患 6.6%	交通事故 5.5%	自殺 8.4%	その他 38.2%
北海道	35.5%	8.5%	6.9%	7.2%	7.3%	34.6%
青森	33.2%	7.4%	8.1%	5.2%	7.2%	39.0%
岩手	33.5%	7.4%	7.8%	6.4%	8.0%	36.9%
宮城	34.7%	7.3%	6.9%	5.4%	8.6%	37.2%
秋田	39.2%	5.0%	6.9%	6.8%	8.6%	33.5%
山形	34.6%	7.6%	5.2%	6.6%	7.6%	38.4%
福島	31.7%	7.2%	7.0%	7.1%	7.2%	39.8%
茨城	32.1%	7.9%	7.0%	8.9%	7.8%	36.3%
栃木	31.7%	7.1%	7.7%	7.7%	7.9%	38.0%
群馬	30.5%	8.7%	8.5%	7.0%	8.6%	36.9%
埼玉	33.9%	7.9%	7.2%	4.6%	9.2%	37.2%
千葉	35.5%	7.7%	7.5%	6.0%	7.4%	35.9%
東京	36.2%	6.4%	7.0%	2.8%	10.7%	36.9%
神奈川	35.7%	6.3%	7.2%	3.5%	8.8%	38.5%
新潟	35.7%	6.1%	5.7%	7.3%	10.0%	35.2%
富山	35.2%	7.6%	5.7%	4.8%	9.3%	37.6%
石川	34.2%	8.1%	6.1%	7.3%	7.9%	36.5%
福井	31.3%	7.5%	5.3%	8.2%	7.2%	40.5%
山梨	29.5%	8.1%	5.5%	5.2%	10.0%	41.6%
長野	33.7%	7.9%	7.1%	6.2%	10.3%	34.8%
岐阜	34.0%	8.6%	6.9%	6.9%	7.9%	35.7%
静岡	34.5%	7.5%	7.3%	6.2%	6.7%	37.7%
愛知	34.2%	8.0%	6.6%	6.0%	8.5%	36.9%
三重	32.2%	8.7%	6.5%	7.4%	7.2%	37.9%
滋賀	31.2%	7.1%	5.9%	7.5%	7.9%	40.4%
京都	35.0%	6.1%	6.2%	6.2%	8.7%	38.0%
大阪	35.7%	7.6%	5.8%	4.3%	9.0%	37.7%
兵庫	29.9%	6.9%	5.0%	4.8%	7.1%	46.4%
奈良	34.3%	8.3%	5.4%	5.4%	8.6%	38.0%
和歌山	33.3%	9.0%	5.0%	5.6%	8.7%	38.4%
鳥取	34.4%	7.5%	6.9%	5.9%	7.1%	38.2%
島根	35.1%	7.9%	5.7%	6.0%	9.4%	36.0%
岡山	33.0%	7.9%	5.8%	8.4%	7.6%	37.3%
広島	35.3%	7.8%	5.9%	5.6%	7.9%	37.5%
山口	32.1%	7.8%	7.0%	7.0%	8.4%	37.7%
徳島	32.5%	6.8%	5.8%	6.5%	7.4%	40.9%
香川	32.4%	7.5%	5.1%	8.3%	8.4%	38.3%
愛媛	31.6%	8.8%	5.1%	5.9%	8.2%	40.5%
高知	30.6%	8.9%	7.8%	5.6%	8.6%	38.6%
福岡	34.2%	6.3%	5.9%	5.0%	8.9%	39.6%
佐賀	33.8%	6.1%	5.9%	8.0%	8.3%	37.9%
長崎	34.4%	7.2%	6.0%	4.1%	6.8%	41.4%
熊本	30.8%	6.5%	6.9%	6.4%	8.3%	41.2%
大分	35.1%	9.4%	6.0%	5.2%	7.2%	37.0%
宮崎	28.7%	7.6%	8.1%	6.0%	8.0%	41.7%
鹿児島	29.1%	7.4%	8.7%	4.6%	8.0%	42.1%
沖縄	25.6%	6.5%	6.6%	4.0%	8.6%	48.7%

統計表 5 YLL 推定値とランキング 1995年

粗YLL	人口1000人あたり											
	全死因		悪性新生物		心疾患		脳血管疾患		交通事故		自殺	
全国	70.1	順位	22.4	順位	9.2	順位	6.9	順位	3.6	順位	4.3	順位
北海道	74.1	24	24.4	30	10.5	36	6.8	17	4.7	44	4.3	24
青森	88.0	46	26.6	40	12.5	47	9.7	45	4.4	38	5.7	43
岩手	80.7	37	23.2	24	11.3	42	9.8	46	3.8	22	6.0	45
宮城	66.0	10	21.3	10	8.6	9	7.5	27	3.7	21	4.1	17
秋田	86.5	45	29.0	47	9.8	26	11.0	47	3.9	26	6.2	47
山形	76.1	32	25.1	36	10.8	39	9.0	44	3.1	5	4.7	35
福島	75.9	31	23.5	26	10.4	35	8.7	39	3.7	20	4.3	23
茨城	72.0	19	21.1	9	9.4	21	7.8	32	5.7	47	4.3	25
栃木	73.8	23	21.6	15	9.9	28	8.5	38	5.0	46	4.6	31
群馬	69.7	16	20.4	8	10.1	32	7.5	30	3.6	16	4.5	26
埼玉	59.1	1	18.7	2	8.4	6	6.1	8	3.0	4	3.9	10
千葉	61.8	3	19.8	6	8.4	7	6.1	9	3.8	24	3.8	7
東京	65.8	8	21.8	17	8.6	8	6.6	14	2.0	1	4.2	21
神奈川	59.6	2	19.4	3	7.4	1	5.9	6	2.7	2	3.8	8
新潟	74.2	27	24.6	34	8.7	10	8.5	37	3.9	27	5.3	40
富山	74.2	25	23.6	27	9.9	29	7.5	28	3.4	8	4.7	32
石川	67.8	12	21.9	18	9.5	23	6.3	11	3.4	7	4.0	13
福井	69.5	15	21.3	11	9.0	13	6.5	13	4.5	39	4.1	15
山梨	74.3	28	22.0	19	10.8	40	7.1	21	4.0	30	4.8	37
長野	68.1	13	20.3	7	9.4	20	8.8	42	3.3	6	4.2	19
岐阜	68.9	14	21.5	14	9.5	24	7.2	24	4.1	33	3.8	6
静岡	66.9	11	21.3	12	9.1	16	7.0	19	3.5	13	3.7	4
愛知	61.8	4	19.5	4	9.0	15	5.8	5	3.5	11	3.6	3
三重	71.0	18	21.5	13	10.1	31	7.1	20	4.6	42	3.5	2
滋賀	62.5	5	19.6	5	8.2	4	5.6	4	4.5	40	3.7	5
京都	65.9	9	21.8	16	8.3	5	6.1	7	3.5	10	3.9	12
大阪	70.3	17	24.4	31	9.0	14	5.5	3	2.9	3	4.2	20
兵庫	75.8	30	24.6	33	9.4	22	6.2	10	3.5	9	4.1	14
奈良	65.3	7	22.4	20	8.8	11	5.5	2	3.8	23	3.1	1
和歌山	82.7	40	27.2	44	12.4	45	7.4	25	4.0	32	4.8	36
鳥取	84.0	44	27.8	46	10.7	38	8.8	40	4.0	31	4.7	33
島根	83.7	43	27.4	45	10.3	34	8.2	34	3.5	15	5.4	41
岡山	73.6	22	23.0	23	9.7	25	6.9	18	4.3	37	3.9	9
広島	73.1	21	24.0	28	9.1	17	6.7	15	4.1	34	4.3	22
山口	83.0	42	26.7	41	10.3	33	8.0	33	4.5	41	4.7	34
徳島	82.7	39	25.3	38	11.9	44	8.2	35	4.0	28	3.9	11
香川	74.6	29	23.5	25	10.9	41	6.8	16	4.9	45	4.2	18
愛媛	80.9	38	25.0	35	11.5	43	7.6	31	4.3	36	4.6	29
高知	88.6	47	25.8	39	12.5	46	8.8	41	4.6	43	4.9	39
福岡	74.2	26	25.1	37	8.1	3	6.4	12	3.7	19	4.9	38
佐賀	78.4	35	26.8	43	8.9	12	7.1	22	3.9	25	4.6	30
長崎	80.1	36	26.7	42	9.8	27	7.4	26	3.7	18	4.5	27
熊本	73.0	20	22.6	21	9.2	18	7.1	23	3.6	17	4.5	28
大分	77.2	33	24.3	29	10.5	37	7.5	29	3.5	12	4.1	16
宮崎	77.5	34	23.0	22	9.3	19	8.3	36	4.0	29	5.8	44
鹿児島	82.8	41	24.6	32	10.1	30	9.0	43	3.5	14	5.6	42
沖縄	64.3	6	16.2	1	7.5	2	4.8	1	4.2	35	6.1	46

粗YLL

人口1000人あたり

全国	女性											
	全死因 45.4	順位	悪性新生物 14.5	順位	心疾患 6.4	順位	脳血管疾患 5.9	順位	70歳未満 1.1	順位	自殺 1.8	順位
北海道	45.2	12	15.4	32	6.7	21	5.4	10	1.4	39	1.7	19
青森	50.9	37	15.7	38	7.3	36	7.4	39	1.2	19	1.9	33
岩手	48.7	30	14.8	24	6.9	28	7.6	40	1.2	23	2.0	38
宮城	42.4	6	13.8	10	5.8	6	6.5	27	0.9	7	1.7	14
秋田	51.9	40	17.5	47	6.7	24	8.5	47	1.2	28	2.4	47
山形	51.4	39	16.1	42	7.4	39	7.9	44	1.2	27	1.7	23
福島	50.0	32	15.0	27	7.3	35	7.6	41	1.4	38	1.7	17
茨城	45.8	15	13.8	9	6.5	15	6.6	31	1.7	46	1.7	22
栃木	47.6	24	14.1	14	6.8	26	7.4	38	1.5	42	1.8	31
群馬	46.7	19	13.5	6	7.1	32	6.8	33	1.4	33	1.9	36
埼玉	39.3	2	12.8	2	5.5	3	5.0	4	0.9	6	1.9	35
千葉	39.8	3	13.1	4	5.6	4	5.2	7	1.1	12	1.5	3
東京	43.5	9	15.0	29	5.8	7	5.6	12	0.5	1	2.0	40
神奈川	39.0	1	13.4	5	4.8	2	5.0	3	0.6	2	1.7	12
新潟	47.6	25	15.4	33	6.2	10	7.2	37	1.4	31	2.3	46
富山	48.5	28	15.5	35	6.7	23	6.4	26	1.0	11	2.0	43
石川	45.9	16	14.5	21	6.7	22	5.7	15	1.4	36	1.5	5
福井	48.4	27	14.3	17	7.0	30	6.3	23	1.7	44	1.6	10
山梨	46.9	20	13.8	11	6.6	17	6.0	18	1.0	10	2.0	42
長野	47.3	21	14.1	15	6.9	27	8.1	45	1.1	16	2.0	37
岐阜	45.6	14	14.4	19	6.7	20	6.2	21	1.4	40	1.8	27
静岡	43.5	8	13.5	7	6.3	13	6.0	17	1.2	24	1.4	1
愛知	42.3	5	13.7	8	6.3	12	5.2	8	1.2	21	1.7	24
三重	47.8	26	13.8	12	7.4	37	6.7	32	1.4	34	1.6	7
滋賀	42.9	7	13.1	3	6.1	8	5.4	11	1.4	35	1.6	8
京都	45.4	13	14.7	22	6.2	11	5.6	13	1.1	15	1.7	21
大阪	44.3	10	15.2	30	6.2	9	4.5	2	0.8	4	1.8	30
兵庫	49.8	31	15.0	28	6.8	25	5.2	5	1.2	18	1.7	16
奈良	44.5	11	14.4	18	6.6	18	5.2	6	1.1	14	1.7	15
和歌山	53.0	44	16.2	43	8.5	46	6.5	28	1.2	20	2.1	45
鳥取	50.8	36	16.1	41	7.1	33	7.7	42	1.2	25	1.7	11
島根	52.5	43	16.8	46	7.6	40	6.9	35	1.2	26	2.0	44
岡山	47.5	23	14.1	16	7.0	31	6.1	19	1.6	43	1.6	6
広島	46.3	18	14.9	26	6.6	16	5.6	14	1.1	17	1.6	9
山口	52.1	42	15.7	40	7.7	42	7.1	36	1.4	37	1.8	32
徳島	53.3	46	15.7	37	8.2	44	6.6	29	1.5	41	1.7	20
香川	50.3	33	14.9	25	7.4	38	6.2	20	1.8	47	1.7	18
愛媛	52.0	41	15.2	31	8.3	45	6.4	24	1.4	32	1.8	29
高知	55.4	47	15.7	39	8.7	47	7.8	43	1.3	29	2.0	39
福岡	46.0	17	15.5	34	5.7	5	5.3	9	1.0	9	1.8	28
佐賀	50.9	38	16.5	45	6.7	19	6.4	25	1.7	45	1.8	26
長崎	50.6	35	16.4	44	7.1	34	6.2	22	0.9	5	1.5	4
熊本	47.5	22	14.4	20	6.5	14	6.0	16	1.2	22	1.7	13
大分	50.3	34	15.6	36	7.9	43	6.6	30	1.1	13	1.5	2
宮崎	48.7	29	14.0	13	6.9	29	6.8	34	1.3	30	2.0	41
鹿児島	53.2	45	14.7	23	7.6	41	8.3	46	1.0	8	1.9	34
沖縄	39.9	4	10.9	1	4.8	1	3.9	1	0.7	3	1.8	25

全国	男 性											
	全死因	順位	悪性新生物	順位	心疾患	順位	脳血管疾患	順位	交通事故	順位	自殺	順位
	61.7		19.4		8.2		6.0		3.4		4.1	
北海道	63.7	28	20.4	38	9.0	40	5.8	22	4.6	43	4.2	24
青森	76.0	47	22.2	46	10.7	47	8.2	47	4.4	39	5.7	42
岩手	66.1	38	18.1	10	9.1	43	7.7	45	3.8	23	6.0	44
宮城	59.6	16	19.0	25	7.8	16	6.8	40	3.4	12	4.1	17
秋田	67.5	44	21.3	41	7.5	10	7.9	46	4.1	32	6.1	46
山形	59.5	14	18.8	20	8.4	30	6.6	37	3.2	6	4.8	34
福島	63.3	27	19.1	29	8.6	34	7.0	42	3.7	20	4.4	26
茨城	64.9	31	18.8	21	8.5	31	7.1	43	5.5	47	4.2	22
栃木	65.7	37	19.0	24	8.8	39	7.6	44	4.9	45	4.5	27
群馬	59.7	18	17.2	3	8.7	36	6.3	33	3.5	13	4.3	25
埼玉	58.6	11	18.7	19	8.7	35	6.4	34	2.8	4	3.6	7
千葉	59.4	13	19.0	26	8.4	28	6.2	30	3.6	16	3.5	5
東京	60.2	21	19.8	34	7.9	22	6.1	29	1.8	1	3.8	11
神奈川	57.7	6	18.9	23	7.4	7	6.0	27	2.5	2	3.5	4
新潟	60.2	20	19.2	31	6.9	1	6.6	36	3.9	26	5.3	40
富山	59.3	12	18.2	13	7.9	20	5.7	18	3.3	9	4.6	28
石川	57.6	5	18.5	16	8.1	25	5.2	6	3.2	7	3.9	14
福井	56.7	3	17.1	2	7.2	4	5.0	2	4.4	40	4.1	18
山梨	62.1	24	18.1	11	9.0	41	5.7	21	3.9	27	4.7	33
長野	53.7	1	15.5	1	7.2	3	6.5	35	3.3	10	4.2	21
岐阜	58.1	9	17.7	6	8.0	23	6.0	28	4.0	30	3.7	9
静岡	57.8	7	18.1	9	7.9	21	6.0	26	3.5	14	3.5	6
愛知	58.3	10	18.4	15	8.7	37	5.7	20	3.3	8	3.3	2
三重	59.7	17	17.5	5	8.4	29	5.8	23	4.5	41	3.4	3
滋賀	56.6	2	17.8	7	7.5	11	5.1	4	4.3	37	3.6	8
京都	58.0	8	19.1	28	7.3	5	5.3	9	3.2	5	3.8	10
大阪	65.3	35	22.4	47	8.6	32	5.3	8	2.7	3	3.9	13
兵庫	66.8	42	21.2	40	8.4	27	5.4	10	3.4	11	3.9	15
奈良	57.5	4	19.4	33	7.8	19	4.9	1	3.6	19	3.0	1
和歌山	66.2	40	20.8	39	9.8	46	5.6	11	4.1	34	4.8	35
鳥取	68.1	45	22.1	45	8.6	33	6.7	38	4.2	35	4.8	36
島根	63.0	26	19.8	35	7.4	8	5.7	15	3.7	22	5.4	41
岡山	59.9	19	18.3	14	7.8	15	5.3	7	4.3	36	3.9	12
広島	62.2	25	20.2	37	7.7	13	5.6	12	4.0	29	4.2	20
山口	64.9	32	20.0	36	7.8	18	5.9	24	4.5	42	4.7	32
徳島	65.4	36	19.2	30	9.3	44	6.2	31	4.0	31	4.0	16
香川	60.5	22	18.2	12	8.7	38	5.1	3	5.0	46	4.1	19
愛媛	64.9	33	19.3	32	9.1	42	5.7	17	4.3	38	4.7	31
高知	68.9	46	19.1	27	9.4	45	6.3	32	4.8	44	5.0	39
福岡	66.1	39	22.1	44	7.2	2	5.7	19	3.5	15	4.9	38
佐賀	65.2	34	22.0	43	7.3	6	5.7	16	3.8	25	4.8	37
長崎	66.6	41	21.5	42	8.0	24	5.9	25	3.8	24	4.6	29
熊本	59.5	15	18.0	8	7.5	9	5.6	14	3.6	18	4.7	30
大分	61.7	23	18.7	18	8.3	26	5.6	13	3.6	17	4.2	23
宮崎	64.8	30	18.6	17	7.7	12	6.7	39	4.1	33	6.0	45
鹿児島	66.8	43	18.9	22	7.8	17	6.8	41	3.7	21	5.9	43
沖縄	64.3	29	17.5	4	7.8	14	5.2	5	4.0	28	6.3	47

全国	女性											
	全死因	順位	悪性新生物	順位	心疾患	順位	脳血管疾患	順位	70歳未満	順位	自殺	順位
	33.5		11.5		4.2		3.9		1.0		1.7	
北海道	34.2	35	12.1	41	4.6	41	3.7	23	1.4	39	1.6	12
青森	36.4	46	12.0	39	4.6	42	4.8	46	1.1	20	1.8	30
岩手	32.5	18	10.7	11	3.9	13	4.4	41	1.2	25	1.8	34
宮城	32.0	11	11.3	23	3.9	15	4.4	40	0.9	7	1.6	13
秋田	33.4	27	12.2	43	3.5	2	4.4	42	1.3	31	2.1	46
山形	32.2	13	11.2	22	3.9	14	3.9	26	1.2	26	1.6	18
福島	34.5	38	11.4	29	4.3	29	4.5	43	1.4	40	1.7	22
茨城	34.6	39	11.3	25	4.5	33	4.5	44	1.6	47	1.7	20
栃木	35.2	44	11.3	24	4.5	36	4.9	47	1.4	42	1.8	27
群馬	33.3	26	10.4	4	4.5	37	4.4	39	1.3	36	1.8	32
埼玉	34.0	32	11.5	32	4.7	44	4.3	38	0.8	6	1.8	28
千葉	32.8	21	11.3	27	4.4	32	4.1	35	1.0	14	1.4	2
東京	33.6	29	12.1	42	4.1	23	3.9	29	0.5	1	1.8	36
神奈川	32.5	17	11.7	36	3.8	11	4.0	32	0.6	2	1.6	9
新潟	31.0	2	11.1	20	3.3	1	3.7	24	1.3	35	2.2	47
富山	31.5	4	11.1	19	3.7	8	3.4	5	1.0	10	2.0	42
石川	31.6	7	11.1	18	4.0	19	3.4	4	1.3	30	1.5	4
福井	31.9	10	10.6	9	4.0	16	3.4	9	1.5	44	1.6	10
山梨	32.1	12	10.5	6	4.0	17	3.5	16	1.0	11	2.0	45
長野	30.3	1	10.2	1	3.7	9	4.2	37	1.1	17	1.9	40
岐阜	33.3	25	11.4	28	4.4	30	4.0	33	1.3	33	1.7	21
静岡	31.6	6	10.7	12	4.1	22	3.9	27	1.1	22	1.4	1
愛知	34.1	33	11.8	38	4.7	45	4.0	31	1.1	19	1.7	19
三重	32.8	22	10.5	7	4.6	38	4.0	30	1.3	37	1.5	3
滋賀	31.7	8	10.8	13	4.0	18	3.6	19	1.3	34	1.5	7
京都	32.5	15	11.5	31	3.8	12	3.5	17	1.0	13	1.6	16
大阪	35.4	45	12.7	47	4.6	43	3.4	7	0.8	4	1.7	26
兵庫	37.7	47	12.0	40	4.6	40	3.5	11	1.1	18	1.6	17
奈良	33.7	30	11.7	37	4.6	39	3.5	15	1.0	12	1.6	15
和歌山	34.6	40	11.7	34	4.8	47	3.5	14	1.1	21	2.0	41
鳥取	32.4	14	11.5	30	3.8	10	3.9	28	1.2	24	1.6	14
島根	31.6	5	11.5	33	3.7	7	3.2	1	1.2	29	2.0	44
岡山	31.7	9	10.7	10	4.0	20	3.4	6	1.5	43	1.5	8
広島	32.7	20	11.7	35	4.1	26	3.4	10	1.0	16	1.6	11
山口	33.6	28	11.0	16	4.1	27	3.8	25	1.4	41	1.8	33
徳島	34.9	43	11.3	26	4.4	31	3.6	20	1.3	38	1.7	23
香川	33.2	24	10.9	14	4.2	28	3.3	2	1.6	46	1.7	25
愛媛	34.7	41	11.1	21	4.8	46	3.5	12	1.3	32	1.8	35
高知	34.9	42	10.9	15	4.5	35	4.1	34	1.2	28	2.0	43
福岡	33.8	31	12.3	45	3.7	6	3.4	8	0.9	8	1.8	29
佐賀	34.3	36	12.3	46	3.7	5	3.6	22	1.6	45	1.8	31
長崎	34.2	34	12.2	44	4.1	24	3.6	21	0.8	5	1.5	6
熊本	31.4	3	10.5	5	3.5	3	3.5	13	1.2	23	1.7	24
大分	32.7	19	11.1	17	4.5	34	3.5	18	1.0	15	1.5	5
宮崎	33.1	23	10.4	3	4.0	21	4.2	36	1.2	27	1.9	39
鹿児島	34.4	37	10.6	8	4.1	25	4.6	45	1.0	9	1.9	38
沖縄	32.5	16	10.3	2	3.6	4	3.3	3	0.7	3	1.9	37

統計表6 ASMR,年齢調整死亡率(全年齢、60歳未満、65歳未満)とランキング 1995年

	人口10万人あたり											
	男 性						女 性					
	年齢調整死亡率			年齢調整死亡率			年齢調整死亡率					
全国	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
	697.4		173.3		230.4		372.3		88.9		111.7	
北海道	699.8	28	183.1	27	237.9	26	370.4	28	93.7	38	117.0	40
青森	833.1	47	223.0	47	288.3	47	402.0	46	98.5	45	119.8	44
岩手	723.6	36	196.2	41	250.0	37	364.1	17	87.6	21	107.6	16
宮城	680.6	16	167.1	16	219.1	16	366.1	19	84.4	9	104.8	8
秋田	746.0	44	195.6	40	253.3	40	376.4	35	91.3	32	110.9	23
山形	685.3	20	164.4	14	217.0	14	369.6	25	83.6	6	103.5	6
福島	707.2	31	181.0	26	235.6	24	379.6	38	93.8	39	115.5	36
茨城	714.3	33	183.3	28	242.0	29	386.4	41	92.4	35	115.0	32
栃木	732.8	41	183.8	29	243.7	30	394.4	44	92.9	36	116.5	37
群馬	674.5	13	169.1	18	222.5	19	374.4	32	88.0	22	110.6	21
埼玉	689.3	26	155.4	7	210.6	8	384.5	40	86.5	16	110.8	22
千葉	685.4	21	161.6	12	217.8	15	373.7	31	84.1	8	106.7	14
東京	686.8	24	171.7	20	227.8	22	376.7	36	88.7	24	112.4	29
神奈川	666.5	6	158.2	9	213.4	10	368.3	23	83.7	7	106.5	12
新潟	682.0	19	170.0	19	221.3	17	350.2	8	83.4	4	102.2	2
富山	676.7	15	164.4	15	215.8	11	347.7	5	84.8	12	102.7	4
石川	670.7	7	154.5	6	206.6	4	359.2	13	79.7	1	103.4	5
福井	650.0	3	154.4	5	204.7	3	356.2	11	84.6	11	103.9	7
山梨	681.0	17	183.8	30	239.9	27	349.5	6	88.1	23	109.4	17
長野	618.3	1	150.4	2	196.0	1	343.5	4	81.2	3	100.4	1
岐阜	670.8	8	158.3	10	212.4	9	376.4	34	87.4	18	111.3	25
静岡	661.9	5	159.1	11	216.9	13	353.1	9	85.5	13	106.3	10
愛知	687.9	25	153.1	4	209.6	5	388.3	43	87.2	17	111.6	26
三重	691.3	27	162.3	13	216.6	12	379.1	37	84.5	10	107.2	15
滋賀	676.1	14	145.7	1	197.6	2	366.8	21	80.5	2	102.2	3
京都	671.5	9	157.9	8	210.2	7	366.8	20	83.5	5	106.4	11
大阪	749.4	45	180.3	25	246.2	32	398.8	45	90.3	29	116.8	39
兵庫	753.7	46	185.6	31	248.1	34	411.6	47	99.9	47	125.5	47
奈良	674.1	12	151.6	3	209.8	6	381.3	39	87.4	19	110.4	20
和歌山	737.7	43	186.8	32	253.7	41	387.5	42	91.8	33	115.0	33
鳥取	736.4	42	207.3	45	266.8	45	355.7	10	89.3	28	110.2	19
島根	681.3	18	190.1	37	242.0	28	337.3	2	89.0	26	110.1	18
岡山	672.7	11	168.6	17	222.4	18	349.9	7	85.6	14	105.8	9
広島	686.3	23	177.3	23	236.4	25	357.8	12	88.9	25	112.0	28
山口	710.4	32	187.1	33	248.3	36	360.5	15	92.2	34	114.4	31
徳島	718.2	34	189.8	36	248.2	35	374.7	33	95.3	41	118.7	43
香川	671.8	10	172.9	21	227.6	21	363.0	16	89.2	27	111.9	27
愛媛	702.1	30	194.3	39	250.5	38	371.5	29	95.0	40	118.1	42
高知	726.8	39	211.1	46	271.2	46	368.0	22	99.2	46	120.9	46
福岡	728.7	40	189.2	35	253.7	42	368.7	24	91.0	31	115.1	34
佐賀	721.2	35	187.3	34	246.9	33	370.0	26	95.4	42	117.3	41
長崎	726.4	38	196.5	42	255.5	44	373.2	30	93.5	37	115.5	35
熊本	655.5	4	173.5	22	224.5	20	337.5	3	86.0	15	106.7	13
大分	686.3	22	177.8	24	230.4	23	364.6	18	87.5	20	111.1	24
宮崎	701.3	29	191.5	38	245.0	31	359.6	14	90.9	30	112.6	30
鹿児島	723.8	37	199.9	43	253.8	43	370.1	27	97.1	44	120.2	45
沖縄	646.6	2	200.3	44	250.6	39	322.8	1	96.6	43	116.7	38

悪性新生物

人口10万人あたり

	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
全国	220.2		51.2		79.0		106.2		37.0		47.8	
北海道	229.9	38	55.2	38	82.0	36	111.6	41	39.6	45	50.5	42
青森	246.8	45	59.9	46	90.9	44	108.6	36	39.0	42	49.1	38
岩手	202.7	10	49.8	23	72.9	11	97.6	9	35.8	19	44.7	12
宮城	216.3	29	50.4	27	76.2	22	104.4	28	36.4	26	46.0	21
秋田	237.3	41	58.1	42	86.8	40	109.2	39	41.0	47	51.0	46
山形	215.5	25	47.3	11	72.7	10	104.6	31	35.8	18	45.5	17
福島	215.6	26	51.0	28	76.9	27	102.8	23	37.6	36	47.4	29
茨城	213.1	22	48.9	18	76.3	24	102.8	22	36.6	29	46.8	26
栃木	217.9	30	48.4	16	77.2	28	103.8	27	36.2	22	46.4	24
群馬	196.2	3	46.0	6	70.2	5	97.7	10	32.7	1	42.4	2
埼玉	215.7	27	47.4	12	73.9	14	107.1	33	36.2	23	47.5	30
千葉	215.9	28	49.0	19	77.3	29	104.5	30	36.4	28	47.1	27
東京	226.4	37	52.7	33	80.4	34	113.9	45	38.9	41	50.6	44
神奈川	218.1	31	49.2	20	75.6	19	108.9	38	37.5	35	48.5	35
新潟	218.8	32	51.6	29	76.8	26	103.1	24	36.3	24	45.8	19
富山	209.6	15	47.1	10	71.2	7	102.0	20	35.7	17	44.3	9
石川	212.5	20	48.0	15	73.6	12	103.6	26	33.3	5	45.5	16
福井	195.0	2	44.6	3	69.1	4	98.2	13	33.6	9	42.9	4
山梨	201.8	8	49.9	24	76.2	21	97.8	11	33.4	7	43.6	7
長野	179.8	1	40.5	1	61.6	1	93.8	2	33.4	6	42.3	1
岐阜	200.3	4	46.7	8	72.7	8	103.6	25	36.0	20	47.7	31
静岡	201.6	7	47.7	14	76.2	23	96.4	3	36.1	21	45.4	15
愛知	211.9	19	46.7	7	73.8	13	108.9	37	37.3	33	48.8	36
三重	200.7	6	45.0	5	71.2	6	97.1	6	33.6	8	44.6	11
滋賀	211.1	17	44.1	2	68.8	3	101.9	19	33.3	4	43.7	8
京都	220.7	33	49.9	25	75.5	18	107.8	34	35.4	16	46.3	23
大阪	254.3	47	57.7	41	91.6	45	118.5	47	39.2	43	52.2	47
兵庫	240.5	43	55.2	39	85.7	39	112.3	43	37.7	37	49.4	39
奈良	223.5	35	48.5	17	78.7	31	109.5	40	37.3	32	47.7	32
和歌山	233.8	40	54.8	37	87.1	41	107.9	35	37.2	31	48.1	34
鳥取	231.4	39	67.4	47	94.2	47	104.4	29	37.3	34	48.0	33
島根	214.3	24	56.7	40	81.6	35	102.3	21	38.6	40	49.6	40
岡山	205.4	11	49.7	22	75.7	20	96.6	5	34.9	11	44.5	10
広島	223.9	36	54.6	36	83.7	38	105.0	32	38.1	38	49.0	37
山口	221.4	34	53.3	35	83.4	37	100.4	16	35.2	13	46.1	22
徳島	211.4	18	51.9	31	79.1	32	101.6	18	37.0	30	47.2	28
香川	207.0	12	46.8	9	74.5	16	99.2	14	35.2	14	45.7	18
愛媛	212.7	21	53.3	34	80.1	33	99.4	15	36.3	25	46.7	25
高知	208.0	13	52.6	32	78.7	30	98.1	12	36.4	27	45.1	14
福岡	247.0	46	58.2	43	92.2	46	114.1	46	38.5	39	50.6	43
佐賀	245.2	44	58.4	44	89.7	43	112.9	44	40.0	46	50.7	45
長崎	240.4	42	59.3	45	88.6	42	112.0	42	39.4	44	49.7	41
熊本	201.8	9	47.4	13	72.7	9	97.5	8	32.8	2	42.9	5
大分	209.2	14	50.3	26	74.0	15	101.3	17	35.0	12	45.9	20
宮崎	210.4	16	49.6	21	74.9	17	97.2	7	32.9	3	42.7	3
鹿児島	213.6	23	51.9	30	76.4	25	96.5	4	35.3	15	45.0	13
沖縄	200.4	5	44.8	4	67.5	2	91.3	1	34.4	10	43.2	6

心疾患

人口10万人あたり

全国	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
全国	107.0		21.1		28.7		63.6		7.1		10.1	
北海道	113.1	38	24.4	39	32.3	38	67.0	36	8.5	43	11.7	42
青森	134.9	47	29.1	47	38.7	47	70.6	45	8.2	41	11.0	33
岩手	113.6	40	25.5	42	33.1	41	60.2	16	6.5	9	9.0	10
宮城	105.1	21	19.6	10	27.0	12	60.6	19	6.6	12	9.4	18
秋田	98.9	9	19.1	8	25.1	6	59.3	11	5.1	1	7.1	1
山形	107.0	25	22.4	32	29.7	30	61.2	23	7.1	19	9.0	12
福島	110.7	34	23.1	34	31.1	35	65.2	31	7.8	34	10.5	26
茨城	109.6	32	22.4	31	30.6	33	66.1	35	8.2	40	11.3	40
栃木	114.0	42	23.5	35	31.5	37	67.8	38	8.0	37	11.5	41
群馬	108.2	28	24.1	38	32.3	39	65.6	32	8.4	42	11.8	44
埼玉	115.5	44	21.3	27	29.4	28	70.2	43	7.5	27	11.2	39
千葉	113.0	37	20.9	23	28.4	23	68.3	40	7.0	18	10.2	23
東京	106.8	24	19.9	13	27.3	16	64.7	29	6.1	5	9.0	11
神奈川	99.7	10	17.7	5	24.9	5	61.0	21	5.6	3	8.2	3
新潟	93.1	2	17.3	3	23.8	2	52.9	2	5.5	2	7.6	2
富山	100.5	15	20.1	15	28.0	22	54.9	5	6.7	13	9.0	9
石川	103.6	19	21.7	28	29.3	27	61.1	22	6.4	8	9.3	16
福井	100.3	14	17.3	2	23.7	1	59.9	15	7.1	20	9.3	15
山梨	109.3	31	25.5	43	33.9	42	56.9	10	8.0	38	10.6	28
長野	96.0	6	18.6	7	25.7	8	56.2	8	6.9	15	9.2	14
岐阜	109.2	30	19.7	12	27.0	11	65.9	34	7.9	36	11.1	36
静岡	105.6	23	20.0	14	27.3	15	62.5	26	7.0	17	10.0	21
愛知	118.5	45	21.2	26	30.1	32	72.9	47	7.6	29	11.0	34
三重	113.2	39	20.8	22	28.9	25	67.8	39	7.9	35	11.2	38
滋賀	104.7	20	17.0	1	24.5	4	64.4	28	6.5	10	8.8	7
京都	100.0	11	17.4	4	24.3	3	61.4	25	5.9	4	8.5	4
大阪	113.7	41	22.1	30	30.0	31	70.6	46	7.3	25	10.7	30
兵庫	112.9	36	20.7	19	28.5	24	69.9	42	7.6	30	10.7	29
奈良	107.7	27	19.2	9	27.1	13	69.0	41	7.3	23	10.8	31
和歌山	123.5	46	27.3	45	36.6	46	70.6	44	8.9	46	12.0	45
鳥取	108.6	29	23.7	36	31.2	36	56.2	7	7.1	21	9.2	13
島根	94.2	4	20.4	18	27.4	17	53.8	3	6.8	14	9.4	17
岡山	100.2	13	20.3	17	27.5	19	59.3	12	7.4	26	10.1	22
広島	98.8	8	20.2	16	27.5	18	60.6	17	8.0	39	11.0	35
山口	101.1	16	21.0	25	27.6	20	60.6	18	7.8	33	10.3	24
徳島	114.8	43	25.1	40	34.2	43	65.8	33	7.6	28	11.1	37
香川	107.5	26	25.2	41	32.5	40	60.9	20	7.3	24	10.6	27
愛媛	110.5	33	26.3	44	34.6	44	67.6	37	9.2	47	12.7	47
高知	112.8	35	27.5	46	36.0	45	63.7	27	8.8	45	12.5	46
福岡	95.4	5	18.5	6	25.2	7	56.1	6	6.3	7	8.9	8
佐賀	96.4	7	19.6	11	26.0	9	56.7	9	6.5	11	8.8	6
長崎	102.0	18	22.0	29	29.0	26	61.2	24	7.0	16	9.8	20
熊本	93.5	3	20.8	20	26.8	10	53.9	4	6.3	6	8.7	5
大分	105.4	22	23.1	33	29.7	29	65.1	30	8.7	44	11.7	43
宮崎	100.2	12	20.8	21	27.1	14	59.7	14	7.7	31	10.3	25
鹿児島	101.6	17	20.9	24	27.6	21	59.5	13	7.8	32	10.8	32
沖縄	86.4	1	24.0	37	31.1	34	48.9	1	7.2	22	9.8	19

脳血管疾患

人口10万人あたり

	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
全国	88.9		14.2		20.0		58.7		7.4		10.3	
北海道	80.4	7	14.3	26	19.8	24	53.4	11	7.9	35	11.0	36
青森	114.6	46	20.4	47	27.5	47	69.3	43	10.0	46	12.8	46
岩手	105.7	44	19.9	46	27.2	46	66.0	39	8.5	40	11.4	38
宮城	104.4	43	15.2	34	21.1	35	71.2	45	7.5	26	10.3	27
秋田	118.4	47	17.7	43	25.2	44	73.0	46	7.6	28	10.3	26
山形	102.4	40	14.2	25	20.0	27	67.4	40	5.9	4	8.4	6
福島	104.2	42	16.7	41	22.8	40	69.4	44	8.3	39	11.4	39
茨城	104.1	41	16.4	39	22.9	41	69.1	42	8.3	38	11.7	40
栃木	111.1	45	18.0	45	25.4	45	74.7	47	9.3	44	12.6	43
群馬	91.1	30	15.6	38	21.2	36	63.0	35	9.3	43	12.7	44
埼玉	93.5	35	14.6	29	21.0	33	62.9	34	8.1	36	11.4	37
千葉	92.2	32	13.9	23	19.8	23	62.1	31	7.7	30	10.5	29
東京	85.7	21	15.6	37	21.4	37	59.1	27	7.8	33	10.8	34
神奈川	86.1	22	14.6	30	20.3	29	59.9	29	7.7	29	10.7	33
新潟	101.5	39	14.9	32	20.7	31	63.5	37	6.1	7	8.5	8
富山	87.9	25	12.8	15	18.1	15	54.4	18	5.9	5	8.0	1
石川	83.5	15	10.3	4	14.4	1	52.9	7	6.2	10	8.6	9
福井	80.7	8	9.9	2	14.7	2	55.7	21	5.8	3	8.2	3
山梨	84.5	18	13.7	21	19.6	21	53.9	15	6.9	20	9.5	20
長野	101.4	38	14.5	28	20.3	28	68.7	41	7.1	23	9.8	23
岐阜	91.6	31	13.4	17	19.4	19	62.7	33	7.5	25	10.7	32
静岡	90.8	29	13.5	18	19.9	26	59.1	28	7.8	31	10.7	31
愛知	86.6	23	12.2	10	18.0	14	61.1	30	7.6	27	10.4	28
三重	93.2	34	11.9	9	16.9	7	64.5	38	7.0	21	9.4	18
滋賀	82.4	11	9.7	1	15.2	4	58.3	25	6.4	13	8.8	11
京都	77.5	5	12.4	14	17.3	8	53.0	8	6.8	17	9.4	19
大阪	77.4	4	12.3	12	17.7	12	51.1	5	6.5	16	9.0	13
兵庫	82.9	13	11.8	8	17.4	9	53.6	14	6.4	14	9.1	15
奈良	77.3	3	10.2	3	14.8	3	56.6	22	6.1	6	8.7	10
和歌山	88.2	26	11.7	7	17.4	10	56.9	23	5.6	1	8.3	4
鳥取	98.4	37	15.6	36	21.8	38	62.7	32	7.2	24	9.7	22
島根	84.0	17	13.8	22	18.7	17	50.6	3	6.4	15	8.5	7
岡山	82.6	12	11.7	6	16.6	6	53.2	9	6.2	9	8.3	5
広島	81.1	9	13.6	19	18.5	16	52.1	6	6.4	12	9.0	14
山口	87.3	24	14.0	24	19.8	22	55.6	19	8.1	37	10.9	35
徳島	88.8	27	15.0	33	20.6	30	53.6	13	6.8	18	9.2	17
香川	79.7	6	11.0	5	16.2	5	53.3	10	5.8	2	8.0	2
愛媛	85.4	20	12.4	13	17.7	11	54.4	17	6.1	8	8.9	12
高知	89.8	28	15.5	35	22.5	39	58.3	26	8.9	41	11.9	41
福岡	82.1	10	13.6	20	19.5	20	51.1	4	6.9	19	9.5	21
佐賀	83.9	16	13.0	16	18.8	18	54.3	16	7.9	34	10.2	25
長崎	83.0	14	14.5	27	20.8	32	53.4	12	7.1	22	9.9	24
熊本	77.0	2	14.9	31	19.9	25	47.9	2	7.8	32	10.6	30
大分	85.0	19	12.3	11	18.0	13	55.7	20	6.3	11	9.2	16
宮崎	92.7	33	17.4	42	23.4	42	58.1	24	9.2	42	12.2	42
鹿児島	94.7	36	17.8	44	24.0	43	63.5	36	10.2	47	13.9	47
沖縄	60.0	1	16.5	40	21.1	34	37.6	1	9.9	45	12.7	45

交通事故

人口10万人あたり

全国	男 性						女 性					
	年齢調整死亡率						年齢調整死亡率					
	全年齢	順位	60歳未満	順位	65歳未満	順位	全年齢	順位	60歳未満	順位	65歳未満	順位
	15.9		12.7		13.2		5.4		3.6		3.9	
北海道	19.9	35	17.4	43	17.9	42	6.6	31	4.9	40	5.3	40
青森	20.6	41	17.2	42	17.9	43	5.7	19	3.9	22	4.2	20
岩手	18.0	28	14.3	24	15.0	25	5.9	23	4.4	27	4.7	25
宮城	15.3	7	12.8	13	13.4	12	4.5	6	3.2	7	3.4	7
秋田	18.0	26	15.3	33	16.1	33	5.6	16	4.6	33	4.7	27
山形	15.4	8	11.9	5	12.6	7	6.0	24	4.6	32	4.9	32
福島	17.1	22	13.8	19	14.5	21	6.6	32	4.8	39	5.3	39
茨城	26.1	47	20.2	47	21.4	47	8.0	45	5.9	46	6.3	46
栃木	22.7	45	17.9	44	18.3	44	7.5	43	5.2	43	5.6	43
群馬	17.5	23	12.5	11	13.5	14	7.2	41	4.4	30	4.9	31
埼玉	13.7	4	10.6	4	10.9	4	4.8	7	2.9	5	3.1	5
千葉	16.8	19	13.3	17	13.8	16	5.3	12	3.7	12	4.0	12
東京	8.0	1	6.7	1	6.9	1	2.7	1	1.8	1	1.9	1
神奈川	10.8	2	9.1	2	9.5	2	3.2	3	2.1	2	2.3	3
新潟	19.0	30	14.6	25	15.3	28	6.7	34	4.7	36	4.9	33
富山	17.0	21	12.1	8	12.7	8	5.6	15	3.5	10	3.8	9
石川	15.9	11	12.0	6	12.6	6	7.0	37	4.3	26	4.7	28
福井	21.2	43	15.8	36	17.0	38	8.0	44	5.8	45	5.9	44
山梨	17.9	25	14.7	27	15.4	29	5.3	13	3.5	9	3.9	11
長野	15.7	10	12.2	9	12.8	9	5.3	11	3.8	19	4.1	18
岐阜	19.1	31	14.9	29	15.1	27	7.2	42	4.7	37	5.1	37
静岡	16.2	14	12.8	14	13.5	13	6.2	27	3.9	21	4.3	22
愛知	15.1	6	12.1	7	12.4	5	6.1	26	3.7	13	4.1	17
三重	20.7	42	16.6	40	17.6	40	6.8	35	4.9	41	5.2	38
滋賀	20.0	36	15.9	37	16.6	35	7.1	39	4.7	35	5.1	35
京都	14.6	5	12.4	10	12.8	10	5.1	10	3.8	18	4.1	16
大阪	12.2	3	10.3	3	10.6	3	3.8	4	2.8	4	2.9	4
兵庫	16.0	12	12.7	12	13.2	11	5.9	22	3.7	16	4.0	15
奈良	16.0	13	13.9	20	14.3	19	5.4	14	3.7	15	4.0	14
和歌山	19.3	33	15.3	34	16.2	34	5.8	21	3.9	20	4.1	19
鳥取	20.2	38	16.4	39	17.1	39	6.3	28	4.2	23	4.7	24
島根	17.5	24	14.1	23	14.6	22	6.0	25	4.4	28	4.8	30
岡山	20.1	37	15.7	35	16.6	36	7.2	40	5.1	42	5.3	41
広島	18.0	29	14.9	30	15.4	30	5.7	18	3.7	14	4.0	13
山口	20.5	40	17.1	41	17.9	41	6.7	33	4.6	34	5.1	36
徳島	20.2	39	15.0	31	15.7	31	7.0	36	4.7	38	5.3	42
香川	24.4	46	18.3	45	19.4	45	9.0	47	5.9	47	6.4	47
愛媛	19.9	34	16.2	38	16.9	37	7.1	38	4.5	31	5.1	34
高知	21.7	44	19.0	46	19.4	46	6.4	29	4.3	24	4.7	26
福岡	16.5	16	13.4	18	13.8	17	5.1	9	3.3	8	3.6	8
佐賀	19.2	32	14.1	22	14.8	24	8.2	46	5.6	44	6.0	45
長崎	16.5	15	14.7	28	15.1	26	4.2	5	3.1	6	3.3	6
熊本	16.6	18	13.3	16	13.9	18	5.8	20	4.3	25	4.5	23
大分	16.6	17	13.1	15	13.8	15	5.6	17	3.8	17	4.2	21
宮崎	18.0	27	15.2	32	15.9	32	6.5	30	4.4	29	4.8	29
鹿児島	16.9	20	14.0	21	14.3	20	4.9	8	3.5	11	3.8	10
沖縄	15.6	9	14.6	26	14.7	23	2.9	2	2.4	3	2.2	2