

32. Luber KM, Wolde-Tsadik G: Efficacy of functional electrical stimulation in treating genuine stress incontinence: a randomized clinical trial. *Neurourol Urodyn*, 16: 543-551, 1997. レベル II
33. Laycock J, Jerwood D: Does pre-modulated interferential therapy cure genuine stress incontinence? *Physiotherapy* 79: 553-560, 1993. レベル II
34. Blowman C, Pickles C, Emery S, Creates V, Towell L, et al: Prospective double blind controlled trial of intensive physiotherapy with and without stimulation of the pelvic floor in treatment of genuine stress incontinence. *Physiotherapy* 77: 661-664, 1991. レベル II
35. Weil EH, Eerdmans PH, Dijkman GA, Tamussino K, Feyereisl J, Vierhout ME, Schmidbauer C, Egarter C, Kolle D, Plasman JE, Heidler H, Abbuhl BE, Wein W: Randomized double-blind placebo-controlled multicenter evaluation of efficacy and dose finding of midodrine hydrochloride in women with mild to moderate stress urinary incontinence: a phase II study. *Int Urogynecol J Pelvic Floor Dysfunct* 9:145-150, 1998. レベル I
36. Fantl JA, Cardozo L, McClish DK: Estrogen therapy in the management of urinary incontinence in postmenopausal women: a meta-analysis. First report of the Hormones and Urogenital Therapy Committee. *Obstet Gynecol* 83:12-18, 1994. レベル I
37. Fantl JA, Bump RC, Robinson D, McClish DK, Wyman JF: Efficacy of estrogen supplementation in the treatment of urinary incontinence. The Continence Program for Women Research Group. *Obstet Gynecol* 88:745-749, 1996. レベル II
38. Jackson S, Shepherd A, Brookes S, Abrams P: The effect of oestrogen supplementation on post-menopausal urinary stress incontinence: a double-blind placebo-controlled trial. *Br J Obstet Gynaecol* 106:711-718, 1999. レベル II
39. Cardozo L, Rekers H, Tapp A, Barnick C, Shepherd A, Schussler B, Kerr-Wilson R, van Geelan J, Barlebo H, Walter S: Oestriol in the treatment of postmenopausal urgency: a multicentre study. *Maturitas* 18:47-53, 1993. レベル II
40. 島崎 淳, 安田耕作, 山西友典. クレンブテロール顆粒剤の腹圧性尿失禁に対する臨床試験. *薬理と治療* 23:3379-3395, 1995. レベル IV
41. 島崎 淳, 安田耕作, 今林健一. 腹圧性尿失禁に対するクレンブテロールの臨床効果 用量設定試験. *泌尿器外科* 5:933-945, 1992. レベル II
42. 河邊香月, 影山慎二. 腹圧性尿失禁に対するクレンブテロール顆粒剤の臨床試験.

43. Conrad S, Pieper A, Fernandez S, Bush R, Huland H: Long-term results of the Stamey bladder neck suspension procedure; a patient questionnaire based outcome analysis. *J Urol*, 157:1672-1677, 1997. レベルV
44. Chaikin DC, Rosenthal J, Blaivas JC: Pubovaginal fascial sling for all types of stress urinary incontinence: long-term analysis. *J Urol*, 160: 1312-1316, 1998. レベルV
45. Leach GE, Dmochowski RR, Appell RA, Blaivas JG, Hadley HR, Luber KM, Mostwin JL, O'Donnell PD, Roehrborn CG: Female stress urinary incontinence clinical guidelines panel summary report on surgical management of female stress urinary incontinence. *J Urol*, 158: 875-880, 1997. レベルV
46. Kammerer-Doak DN, Dorin MH, Rogers RG, Cousin MO: A randomized trial of Burch retropubic urethropexy and anterior corporrhaphy for stress urinary incontinence. *Obstet Gynecol*, 93:75-78, 1999. レベルII
47. Liapis A, Pyrgiotis E, Kontoravdis A, Louridas C, Zourlas PA: Genuine stress incontinence: prospective randomized comparison of two operative methods. *Eur J Obstet Gynecol & Reprod Biol*, 64:69-72, 1996. レベルII
48. Gilja I, Puskar D, Mazuran B, Radej M: Comparative analysis of bladder neck suspension using Raz, Burch and transvaginal Burch procedures: a 3-year randomized prospective study. *Eur Urol*, 33:298-302, 1998. レベルI
49. Athanassopoulos A, Barbalias G: Burch colposuspension versus Stamey endoscopic bladder neck suspension: a urodynamic appraisal. *Urol Int*, 56:23-27, 1996. レベルII
50. Burton B: A three-year prospective randomized urodynamic study comparing open and laparoscopic colposuspension. *Neurourol Urodyn*, 16:353-357, 1997. レベルII
51. Ross J: Two techniques of laparoscopic Burch repair for stress incontinence: a prospective, randomized study. *J Am Ass Gynecol Lap*, 3:351-357, 1996. レベルII
52. Ward KL, Hilton P, Browning J: A randomized trial of colposuspension and tension-free vaginal tape (TVT) for primary genuine stress incontinence. *Neurourol Urodynam*, 19:386-387, 2000. レベルII

53. Ulmsten U, Johnson P, Rezapour M: A three-year followup of tension free vaginal tape for surgical treatment of female stress urinary incontinence. *Brit J Obstet Gynecol*, 106:345–350, 1999. レベルV
54. Nielsen KK, Walter S, Maegaard E, Kromann-Andersen B: The urethral plug—an alternative treatment of women with urinary stress incontinence. *Ugeskr Laeger* 157: 3194–3197, 1995. レベルV
55. Sand PK, Staskin D, Miller J, Sant GR, Davila GW, Knapp P, Rappaport S, Tutron R: Effect of a urinary control insert on quality of life in incontinent women. *Int Urogynecol J Pelvic Floor Dysfunct* 10:100–105, 1999. レベルV
56. Viktrup L, Lose G, Rolff M, Barfoed K. The symptom of stress incontinence caused by pregnancy or delivery in primiparas. *Obstet Gynecol* 79: 945–949, 1992. レベルV
57. Morkved S, Bo K: Prevalence of urinary incontinence during pregnancy and postpartum. *Int Urogynecol J Pelvic Floor Dysfunct* 10:394–398, 1999. レベルV
58. Krahulec P, Havranek R: Involuntary urinary incontinence in association with pregnancy and childbirth. *Cesk Gynekol* 54:7–10, 1989. レベルV
59. Marshall K, Thompson KA, Walsh DM, Baxter GD: Incidence of urinary incontinence and constipation during pregnancy and postpartum: survey of current findings at the Rotunda Lying-In Hospital. *Br J Obstet Gynaecol* 105: 400–402, 1998. レベルV
60. Foldspang A, Mommsen S, Djurhuus JC: Prevalent urinary incontinence as a correlate of pregnancy, vaginal childbirth, and obstetric techniques. *Am J Public Health* 89:209–212, 1999. レベルV
61. Johanson RB, Heycock E, Carter J, Sultan AH, Walklate K, Jones PW: Maternal and child health after assisted vaginal delivery: five-year follow up of a randomised controlled study comparing forceps and ventouse. *Br J Obstet Gynaecol* 106:544–549, 1999. レベルII
62. Iosif CS, Ingemarsson I: Prevalence of stress incontinence among women delivered by elective cesarian section. *Int J Gynaecol Obstet* 20:87–89, 1982. レベルV
63. Sampselle CM, Miller JM, Mims BL, Delancey JO, Ashton-Miller JA, Antonakos CL: Effect of pelvic muscle exercise on transient incontinence during pregnancy and after birth. *Obstet Gynecol* 91:406–412, 1998. レベルI
64. Morkved S, Bo K: Effect of postpartum pelvic floor muscle training in

prevention and treatment of urinary incontinence: a one-year follow up. *Bjog* 107:1022–1028, 2000. レベルⅢ

65. Gallo ML, Staskin DR, Perkins J: Cues to action: pelvic floor muscle exercise compliance in women with stress urinary incontinence. *Neurourol Urodyn* 16:167–177, 1997. レベルⅠ
66. Jarvis GJ, Millar DR : Controlled trial of bladder drill for detrusor instability. *BMJ* 281 : 1322–1323, 1980. レベルⅠ
67. Wyman JF, Fantl JA, McClish DK, Bump RC : Comparative efficacy of behavioral interventions in the management of female urinary incontinence. Continence Program for Women Research Group. *Am J Obstet Gynecol* 179 : 999–1007, 1998. レベルⅠ
68. Jarvis GJ : A controlled trial of bladder drill and drug therapy in the management of detrusor instability. *Br J Urol* 53 : 565–566, 1981. レベルⅡ
69. Colombo M, Zanetta G, Scalambrino S, Milani R : Oxybutynin and bladder training in the management of female urinary urge incontinence: a randomized study. *Int Urogynecol J Pelvic Floor Dysfunct* 6 : 63–67, 1995. レベルⅡ
70. Abel I, Ottesen B, Fischer-Rasmussen W, Lose G : Maximal electrical stimulation of the pelvic floor in the treatment of urge incontinence : a placebo controlled study. In: Proceedings of 26th Annual Meeting of International Vontinence Society, *Neurourol Urodyn* 15 : 283–284, 1996. レベルⅠ
71. Brubaker L, Benson JT, Bent A, Clark A, Shott S : Transvaginal electrical stimulation for female urinary incontinence. *Am J Obstet Gynecol* 177 : 536–540, 1997. レベルⅠ
72. Bower WF, Moore KH, Adams RD, Shepherd R : A urodynamic study of surface neuromodulation versus sham in detrusor instability and sensory urgency. *J Urol* 160 : 2133–2136, 1998. レベルⅠ
73. Yamanishi T, Yasuda K, Sakakibara R, Hattori T, Suda S : Randomized double-blind study of electrical stimulation for urinary incontinence due to detrusor overactivity. *Urology* 55 : 353–357, 2000. レベルⅠ
74. Deitel M, Stone E, Kassam HA, Wilk EJ, Sutherland DJ : Gynecologic-obstetric changes after loss of massive excess weight following bariatric surgery. *J Am Coll Nutr* 7:147–153, 1988. レベルⅤ
75. Bump RC, Sugerman HJ, Fantl JA, McClish DK : Obesity and lower urinary tract function in women : effect of surgically induced weight loss. *Am J Obstet*

Gynecol 167 : 392-397, 1992. レベル V

76. Brown JS, Seeley DG, Fong J, Black DM, Ensrud KE, Grady D : Urinary incontinence in older women : who is at risk? Study of osteoporotic fractures research group. Obstet Gynecol 87 : 715-721, 1996. レベル V
77. Rasmussen KL, Krue S, Johansson LE, Knudsen HJ, Agger AO : Obesity as a predictor of postpartum urinary symptoms. Acta Obstet Gynecol Scand 76 : 359-362, 1997. レベル III
78. Brown JS, Grady D, Ouslnder JG, Herzog AR, Varner RE, Posner SF : Prevalence of urinary incontinence and associated risk factors in postmenopausal women. Heart and Estrogen / Progestin Replacement Study (HERS)Research Group. Obstet Gynecol 94 : 66-70, 1999. レベル V
79. Mommsen S, Foldspang A : Body mass index and adult female urinary incontinence. World J Urol 12 : 319-322, 1994. レベル V
80. Nygaard I, DeLancey JO, Arnsdorf L Murphy E : Exercise and incontinence. Obstet Gynecol 75 : 848-851, 1990. レベル V
81. Bump RC, McClisch DM : Cigarette smoking and pure genuine stress incontinence of urine : a comparison of risk factors and determinants between smokers and nonsmokers. Am J Obstet Gynecol 170 : 579-582, 1994. レベル V
82. Tampakoudis P, Tantanassis T, Grimbizis G, Papaletsos M, Mantalenakis S : Cigarette smoking and urinary incontinence in women--a new calculative method of estimating the exposure to smoke. Eur J Obstet Gynecol Reprod Biol 63 : 27-30, 1995. レベル V
83. Griffiths DJ, McCracken PN, Harrison GM, Gormley EA : Relationship of fluid intake to voluntary micturition and urinary incontinence in geriatric patients. Neurourol Urodyn 12 : 1-7, 1993. レベル V
84. Tomlinson BU, Dougherty MC, Pendergast JF, Boyington AR, Coffman MA, Pickens SM : Dietary caffeine, fluid intake and urinary incontinence in older rural women. Int Urogynecol J Pelvic Floor Dysfunct 10 : 22-28, 1999. レベル V
85. Spence-Jones C, Kamm HA, Henry MM, Hudson CN : Bowel dysfunction : a pathogenic factor in uterovaginal prolapse and urinary stress incontinence. Br J Obstet Gynaecol 101 : 147-152, 1994. レベル V
86. Thuroff JW, Bunke B, Ebner A, Faber P, de Geeter P, Hannappel J, Heidler H,

Madersbacher H, Melchior H, Schafer W: Randomized, double-blind, multicenter trial on treatment of frequency, urgency and incontinence related to detrusor hyperactivity: oxybutynin versus propantheline versus placebo. J Urol 145: 813-817, 1991. レベル I

87. Holmes DM, Montz FJ, Stanton SL: Oxybutynin versus propantheline in the management of detrusor instability: a patient-regulated variable dose trial. Br J Obstet Gynaecol 96: 607-612, 1989. レベル II

88. Moore KH, Hay DM, Imrie AE, Watson A, Goldstein M.: Oxybutynin hydrochloride (3 mg) in the treatment of women with idiopathic detrusor instability. Br J Urol 66: 479-485, 1990. レベル II

89. Riva D, Casolati E: Oxybutynin chloride in the treatment of female idiopathic bladder instability. Clin Exp Obstet Gynecol 11: 37-42, 1984. レベル II

90. Tapp AJ, Cardozo LD, Versi E, Cooper D: The treatment of detrusor instability in postmenopausal women with oxybutynin chloride: a double-blind placebo controlled study. Br J Obstet Gynaecol 97: 521-526, 1990. レベル II

91. Zeegers AGM, Kiesswetter H, Kramer AEJL, Jonas U: Conservative therapy of frequency, urgency and urge incontinence: a double-blind clinical trial of flavoxate hydrochloride, oxybutynin chloride, emepronium bromide and placebo. World J Urol 5: 57-61, 1987. レベル II

92. Mazur D, Wehnert J, Dorschner W, Schubert G, Herfurth G, Alken RG: Clinical and urodynamic effects of propiverine in patients suffering from urgency and urge incontinence. A multicenter dose-optimizing study. Scand J Urol Nephrol 29: 289-294, 1995. レベル I

93. Mardersbacher H, Halaska M, Voigt R, Alloussi S, Hofner K: A placebo-controlled, multicenter study comparing the tolerability and efficacy of propiverine and oxybutynin in patients with urgency and urge incontinence. BJU Int 84: 646-651, 1999. レベル I

94. Meyhoff HH, Gerstenberg TC, Nordling J: Placebo--the drug of choice in female motor urge incontinence? Br J Urol 55: 34-37, 1983. レベル II

95. Robinson JM, Brocklehurst JC: Emepronium bromide and flavoxate hydrochloride in the treatment of urinary incontinence associated with detrusor instability in elderly women. Br J Urol 55: 371-376, 1983. レベル II

96. Chapple CR, Parkhouse H, Gardener C, Milroy EJ.: Double-blind, placebo-controlled, crossover study of flavoxate in the treatment of idiopathic detrusor instability. Br J Urol 66: 491-494, 1990. レベル II

97. Milani R, Scalambri S, Milia R, Sambruni I, Riva D, Pulici D, Avaldi F, Vigano R: Double-blind crossover comparison of flavoxate and oxybutynin in women affected by urinary urge syndrome. *Int Urogynecol J* 4: 3-8, 1993. レベル III
98. Milner G, Hills NF: A double-blind assessment of antidepressants in the treatment of 212 enuretic patients. *Med J Aust* 1: 943-947, 1968. レベル II
99. Castleden CM, Duffin HM, Gulati RS: Double-blind study of imipramine and placebo for incontinence due to bladder instability. *Age Ageing* 15: 299-303, 1986. レベル II
100. Enzelsberger H, Schatten C, Kurz C: Comparison of emepronium bromide with intravesical administration of lidocaine gel in women with urge incontinence. *Geburtshilfe Frauenheilkunde*; 51: 54-57, 1991. レベル II
101. Enzelsberger H, Helmer H, Kurz C: Intravesical instillation of oxybutynin in women with idiopathic detrusor instability: a randomised trial. *Brit J Obstet Gynaecol* 102: 929-930, 1995. レベル II
102. Mundy AR, Stephenson TP : "Clam" ileocystoplasty for the treatment of refractory urge incontinence. *Br J Urol* 57 : 641-646, 1985. レベル V
103. Mark SD, McRae CU, Arnold EP, Gowland SP : Clam cystoplasty for the overactive bladder : a review of 23 cases. *Aust N Z J Surg* 64 : 88-90, 1994. レベル V
104. Singh G, Thomas DG : Intermittent catheterization following enterocystoplasty. *Br J Urol* 76 : 175-178, 1995. レベル V
105. Mast P, Hoebelke P, Wyndaele JJ, Oosterlinck W, Everaert K : Experience with augmentation cystoplasty. a review. *Paraplegia* 33 : 560-564 1995. レベル V
106. Flood HD, Malhotra SJ, O'Connell HE, Ritchey MJ, Bloom DA, McGuire EJ : Long-term results and complications using augmentation cystoplasty in reconstructive urology. *Neurourol Urodyn* 14 : 297-309, 1995. レベル V
107. Cetinel B, Demirkesen O, Onder AU, Yaycioglu O, Ismailoglu V, Solok V : Reconstructive surgery in voiding dysfunction : experience with 69 patients. *Urology* 56 : 962-966, 2000. レベル V