

表4 3キーワードによる検索結果(2002年2月)

<i>Serratia</i> and nosocomial infection		544 件
and neonate		91
and intensive care unit		120
and surgical intensive care unit		13
and hemodialysis		9
and transplantation		3
and burn wounds		4
and catheter related infections		6
and surgical site infection		8
<i>Serratia</i> and sepsis		442 件
and catheter		32
and burn injury		13
and heparin		2

<i>Acinetobacter</i> and nosocomial infection		557 件
and neonate		44
and intensive care unit		194
and surgical intensive care unit		23
and hemodialysis		6
and transplantation		1
and burn wounds		18
and catheter related infections		12
and surgical site infection		8
<i>Acinetobacter</i> and sepsis		265 件
and catheter		101
and burn injury		54
and heparin		6

<i>Pseudomonas</i> and nosocomial infection		2,157 件
and neonate		209
and intensive care unit		432
and surgical intensive care unit		37
and hemodialysis		20
and transplantation		25
and burn wounds		111
and catheter related infections		30
and surgical site infection		32
<i>Pseudomonas</i> and sepsis		2,810 件
and catheter		203
and burn injury		308
and heparin		20

<i>Burkholderia cepacia</i> and nosocomial infection		160 件
and neonate		6
and intensive care unit		30
and surgical intensive care unit		1
and hemodialysis		3
and transplantation		4
and burn wounds		1
and catheter related infections		3
and surgical site infection		1
<i>Burkholderia cepacia</i> and sepsis		92 件
and catheter		10
and burn injury		1
and heparin		2


<i>Enterobacter</i> and nosocomial infection	
	487 件
and neonate	93
and intensive care unit	128
and surgical intensive care unit	7
and hemodialysis	6
and transplantation	0
and burn wounds	9
and catheter related infections	10
and surgical site infection	9
<i>Enterobacter</i> and sepsis	
	478 件
and catheter	46
and burn injury	11
and heparin	3

<i>Klebsiella</i> and nosocomial infection	
	1,057 件
and neonate	223
and intensive care unit	251
and surgical intensive care unit	16
and hemodialysis	7
and transplantation	7
and burn wounds	22
and catheter related infections	20
and surgical site infection	11
<i>Klebsiella</i> and sepsis	
	1,389 件
and catheter	110
and burn injury	41
and heparin	9

<i>Escherichia</i> and nosocomial infection	
	1,001 件
and neonate	225
and intensive care unit	140
and surgical intensive care unit	10
and hemodialysis	6
and transplantation	5
and burn wounds	18
and catheter related infections	10
and surgical site infection	23
<i>Escherichia</i> and sepsis	
	5,032 件
and catheter	179
and burn injury	87
and heparin	39

<i>Proteus</i> and nosocomial infection	
	412 件
and neonate	31
and intensive care unit	42
and surgical intensive care unit	6
and hemodialysis	4
and transplantation	0
and burn wounds	22
and catheter related infections	5
and surgical site infection	4
<i>Proteus</i> and sepsis	
	536 件
and catheter	32
and burn injury	36
and heparin	5

米国内のICUにおける院内感染症の  
 主たる原因菌における薬剤耐性の獲得状況  
 (米国NNIS/CDCの調査による)



CDC:Centers for Disease Control and Prevention

(米国 国立疾病対策センター)

NNIS:National Nosocomial Infections Surveillance

(全米院内感染症サーベイランス)

## 参考文献

1. Guggenbichler JP, Kofler J., Influence of third-generation cephalosporins on aerobic intestinal flora. *J Antimicrob Chemother.* 1984 Sep;14 Suppl B:67-70.
2. Gorbach SL, Barza M, Giuliano M, Jacobus NV. Colonization resistance of the human intestinal microflora: testing the hypothesis in normal volunteers. *Eur J Clin Microbiol Infect Dis.* 1988 Feb;7(1):98-102.
3. Thadepalli H, Lou MA, Bach VT, Matsui TK, Mandal AK. Microflora of the human small intestine. *Am J Surg.* 1979 Dec;138(6):845-50.
4. Hutt E, Kramer AM. Evidence-based guidelines for management of nursing home-acquired pneumonia. *J Fam Pract.* 2002 Aug;51(8):709-16.
5. Grohskopf LA, Sinkowitz-Cochran RL, Garrett DO, Sohn AH, Levine GL, Siegel JD, Stover BH, Jarvis WR. A national point-prevalence survey of pediatric intensive care unit-acquired infections in the United States. *Pediatr.* 2002 Apr;140(4):432-8.
6. Rietschel ET, Seydel U, Zahringer U, Schade UF, Brade L, Loppnow H, Feist W, Wang MH, Ulmer AJ, Flad HD, et al. Bacterial endotoxin: molecular relationships between structure and activity. *Infect Dis Clin North Am.* 1991 Dec;5(4):753-79.
7. Marsh CB, Wewers MD. The pathogenesis of sepsis. Factors that modulate the response to gram-negative bacterial infection. *Clin Chest Med.* 1996 Jun;17(2):183-97.
8. Periti P. Current treatment of sepsis and endotoxaemia. *Expert Opin Pharmacother.* 2000 Sep;1(6):1203-17.
9. Perilli M, Dell'Amico E, Segatore B, de Massis MR, Bianchi C, Luzzaro F, Rossolini GM, Toniolo A, Nicoletti G, Amicosante G. Molecular characterization of extended-spectrum beta-lactamases produced by nosocomial isolates of Enterobacteriaceae from an Italian nationwide survey. *J Clin Microbiol.* 2002 Feb;40(2):611-4.
10. Odeh R, Kelkar S, Hujer AM, Bonomo RA, Schreckenberger PC, Quinn JP. Broad resistance due to plasmid-mediated AmpC beta-lactamases in clinical isolates of *Escherichia coli*. *Clin Infect Dis.* 2002 Jul 15;35(2):140-5.
11. Richard P, Delangle MH, Merrien D, Barille S, Reynaud A, Minozzi C, Richet H. Fluoroquinolone use and fluoroquinolone resistance: is there an association? *Clin Infect Dis.* 1994 Jul;19(1):54-9.
12. Garcia DC, Woloj GM, Pineiro S, Sordelli DO, Kaufman S. An 8-year study of resistance to amikacin in gram-negative bacilli isolates from patients with nosocomial infection at one hospital in Argentina. *J Med Microbiol.* 1995 Apr;42(4):283-90.
13. Douglas MW, Mulholland K, Denyer V, Gottlieb T. Multi-drug resistant *Pseudomonas aeruginosa* outbreak in a burns unit--an infection control study. *Burns.* 2001 Mar;27(2):131-5.
14. Kurokawa H, Yagi T, Shibata N, Shibayama K, Kamachi K, Arakawa Y. A new SHV-derived extended-spectrum beta-lactamase (SHV-24) that hydrolyzes ceftazidime through a single-amino-acid substitution (D179G) in the omega-loop. *Antimicrob Agents Chemother.* 2000 Jun;44(6):1725-7.
15. Yagi T, Kurokawa H, Senda K, Ichiyama S, Ito H, Ohsuka S, Shibayama K, Shimokata K, Kato N, Ohta M, Arakawa Y. Nosocomial spread of cephem-resistant *Escherichia coli* strains carrying multiple Toho-1-like beta-lactamase genes. *Antimicrob Agents Chemother.* 1997 Dec;41(12):2606-11.
16. Doi Y, Shibata N, Shibayama K, Kamachi K, Kurokawa H, Yokoyama K, Yagi T, Arakawa Y. Characterization of a Novel Plasmid-Mediated Cephalosporinase (CMY-9) and Its Genetic Environment in an *Escherichia coli* Clinical Isolate. *Antimicrob Agents Chemother.* 2002 Aug;46(8):2427-34.
17. Senda K, Arakawa Y, Nakashima K, Ito H, Ichiyama S, Shimokata K, Kato N, Ohta M. Multifocal outbreaks of metallo-beta-lactamase-producing *Pseudomonas*

- aeruginosa resistant to broad-spectrum beta-lactams, including carbapenems. *Antimicrob Agents Chemother.* 1996 Feb;40(2):349-53.
18. Weist K, Pollege K, Schulz I, Ruden H, Gastmeier P. How many nosocomial infections are associated with cross-transmission? A prospective cohort study in a surgical intensive care unit. *Infect Control Hosp Epidemiol.* 2002 Mar;23(3):127-32.
  19. Valero C, Garcia Palomo JD, Matorras P, Fernandez-Mazarrasa C, Gonzalez Fernandez C, Farinas MC. *Acinetobacter* bacteraemia in a teaching hospital, 1989-1998. *Eur J Intern Med.* 2001 Sep;12(5):425-429.
  20. Garcia-Garmendia JL, Ortiz-Leyba C, Garnacho-Montero J, Jimenez-Jimenez FJ, Perez-Paredes C, Barrero-Almodovar AE, Gili-Miner M. Risk factors for *Acinetobacter baumannii* nosocomial bacteremia in critically ill patients: a cohort study. *Clin Infect Dis.* 2001 Oct 1;33(7):939-46.
  21. Whyte A, Lafong C, Malone J, Golda BP. Contaminated lithium heparin bottles as a source of pseudobacteraemia. *J Hosp Infect.* 1999 Aug;42(4):342-3.
  22. Toule G, Murphy O. A study of bacteria contaminating refrigerated cooked chicken; their spoilage potential and possible origin. *J Hyg (Lond).* 1978 Oct;81(2):161-9.
  23. Stenhouse MA, Milner LV. A survey of cold-growing gram-negative organisms isolated from the skin of prospective blood donors. *Transfus Med.* 1992 Sep;2(3):235-7.
  24. Gottlieb T. Hazards of bacterial contamination of blood products. *Anaesth Intensive Care.* 1993 Feb;21(1):20-3.
  25. Collignon P, Dreimanis D, Beckingham W. Pseudobacteraemia due to *Pseudomonas fluorescens*. *J Hosp Infect.* 1999 Dec;43(4):321-2.
  26. Gibb AP, Martin KM, Davidson GA, Walker B, Murphy WG. Bacterial growth in blood for transfusion. *Lancet.* 1992 Nov 14;340(8829):1222-3.
  27. Sobel JD, Hashman N, Reinherz G, Merzbach D. Nosocomial *Pseudomonas cepacia* infection associated with chlorhexidine contamination. *Am J Med.* 1982 Aug;73(2):183-6.
  28. Vu-Thien H, Darbord JC, Moissenet D, Dulot C, Dufourcq JB, Marsol P, Garbarg-Chenon A. Investigation of an outbreak of wound infections due to *Alcaligenes xylosoxidans* transmitted by chlorhexidine in a burns unit. *Eur J Clin Microbiol Infect Dis.* 1998 Oct;17(10):724-6.
  29. Shawker TH, Kluge RM, Ayella RJ. Bacteremia associated with angiography. *JAMA.* 1974 Aug 19;229(8):1090-2.
  30. Reverdy ME, Freney J, Fleurette J, Coulet M, Surgot M, Marmet D, Ploton C. Nosocomial colonization and infection by *Achromobacter xylosoxidans*. *J Clin Microbiol.* 1984 Feb;19(2):140-3.
  31. Higgins CS, Murtough SM, Williamson E, Hiom SJ, Payne DJ, Russell AD, Walsh TR. Resistance to antibiotics and biocides among non-fermenting Gram-negative bacteria. *Clin Microbiol Infect.* 2001 Jun;7(6):308-15.
  32. Stickler DJ, Thomas B. Antiseptic and antibiotic resistance in Gram-negative bacteria causing urinary tract infection. *J Clin Pathol.* 1980 Mar;33(3):288-96.
  33. Thomas L, Maillard JY, Lambert RJ, Russell AD. Development of resistance to chlorhexidine diacetate in *Pseudomonas aeruginosa* and the effect of a "residual" concentration. *J Hosp Infect.* 2000 Dec;46(4):297-303.
  34. Nagai K, Ohta S, Zenda H, Matsumoto H, Makino M. Biochemical characterization of a *Pseudomonas fluorescens* strain isolated from a benzalkonium chloride solution. *Biol Pharm Bull.* 1996 Jun;19(6):873-5.
  35. Sakagami Y, Yokoyama H, Nishimura H, Ose Y, Tashima T. Mechanism of resistance to benzalkonium chloride by *Pseudomonas aeruginosa*. *Appl Environ Microbiol.* 1989 Aug;55(8):2036-40.

36. Kucken D, Feucht H, Kaulfers P. Association of *qacE* and *qacEDelta1* with multiple resistance to antibiotics and antiseptics in clinical isolates of Gram-negative bacteria. *FEMS Microbiol Lett.* 2000 Feb 1;183(1):95-8.
37. McMurry LM, Oethinger M, Levy SB. Overexpression of *marA*, *soxS*, or *acrAB* produces resistance to triclosan in laboratory and clinical strains of *Escherichia coli*. *FEMS Microbiol Lett.* 1998 Sep 15;166(2):305-9.
38. Levy SB. Active efflux, a common mechanism for biocide and antibiotic resistance. *J Appl Microbiol.* 2002;92 Suppl:65S-71S.
39. Rhame FS, Streifel A, McComb C, Boyle M. Bubbling humidifiers produce microaerosols which can carry bacteria. *Infect Control.* 1986 Aug;7(8):403-7.
40. Koss JA, Conine TA, Eitzen HE, LoSasso AM. Bacterial contamination potential of sterile, prefilled humidifiers and nebulizer reservoirs. *Heart Lung.* 1979 Nov-Dec;8(6):1117-21.
41. Guideline for prevention of nosocomial pneumonia. Centers for Disease Control and Prevention. *Respir Care.* 1994 Dec;39(12):1191-236.
42. Wagener MM, Yu VL. Bacteremia in transplant recipients: a prospective study of demographics, etiologic agents, risk factors, and outcomes. *Am J Infect Control.* 1992 Oct;20(5):239-47.
43. Patel R. Infections in recipients of kidney transplants. *Infect Dis Clin North Am.* 2001 Sep;15(3):901-52
44. Rubin RH, Wolfson JS, Cosimi AB, Tolkoff-Rubin NE. Infection in the renal transplant recipient. *Am J Med.* 1981 Feb;70(2):405-11.
45. Coopersmith CM, Stromberg PE, Dunne WM, Davis CG, Amiot DM 2nd, Buchman TG, Karl IE, Hotchkiss RS. Inhibition of intestinal epithelial apoptosis and survival in a murine model of pneumonia-induced sepsis. *JAMA.* 2002 Apr 3;287(13):1716-21.
46. Bukholm G, Tannaes T, Kjelsberg AB, Smith-Erichsen N. An outbreak of multidrug-resistant *Pseudomonas aeruginosa* associated with increased risk of patient death in an intensive care unit. *Infect Control Hosp Epidemiol.* 2002 Aug;23(8):441-6.
47. Tacconelli E, Tumbarello M, Bertagnolio S, Citton R, Spanu T, Fadda G, Cauda R. Multidrug-resistant *Pseudomonas aeruginosa* bloodstream infections: analysis of trends in prevalence and epidemiology. *Emerg Infect Dis.* 2002 Feb;8(2):220-1.
48. O'Grady NP. Applying the science to the prevention of catheter-related infections. *J Crit Care.* 2002 Jun;17(2):114-21.
49. Raad II, Hanna HA. Intravascular catheter-related infections: new horizons and recent advances. *Arch Intern Med.* 2002 Apr 22;162(8):871-8.
50. Ball C. Hospital-acquired bacteraemia--surveillance and guidelines for practice. *Intensive Crit Care Nurs.* 2001 Oct;17(5):249-53.
51. Bennett SN, McNeil MM, Bland LA, Arduino MJ, Villarino ME, Perrotta DM, Burwen DR, Welbel SF, Pegues DA, Stroud L, et al. Postoperative infections traced to contamination of an intravenous anesthetic, propofol. *N Engl J Med.* 1995 Jul 20;333(3):147-54.
52. Koerner RJ, Morgan S, Ford M, Orr KE, McComb JM, Gould FK. Outbreak of gram-negative septicaemia caused by contaminated continuous infusions prepared in a non-clinical area. *J Hosp Infect.* 1997 Aug;36(4):285-9.
53. Grohskopf LA, Roth VR, Feikin DR, Arduino MJ, Carson LA, Tokars JI, Holt SC, Jensen BJ, Hoffman RE, Jarvis WR. *Serratia liquefaciens* bloodstream infections from contamination of epoetin alfa at a hemodialysis center. *N Engl J Med.* 2001 May 17;344(20):1491-7.
54. Talon D. The role of the hospital environment in the epidemiology of multi-resistant bacteria. *J Hosp Infect.* 1999 Sep;43(1):13-7.

55. Weist K, Pollege K, Schulz I, Ruden H, Gastmeier P. How many nosocomial infections are associated with cross-transmission? A prospective cohort study in a surgical intensive care unit. *Infect Control Hosp Epidemiol.* 2002 Mar;23(3):127-32.
56. Lacey S, Flaxman D, Scales J, Wilson A. The usefulness of masks in preventing transient carriage of epidemic methicillin-resistant *Staphylococcus aureus* by healthcare workers. *J Hosp Infect.* 2001 Aug;48(4):308-11.
57. Chastre J, Fagon JY. Ventilator-associated pneumonia. *Am J Respir Crit Care Med.* 2002 Apr 1;165(7):867-903.
58. Lorente C, Del Castillo Y, Rello J. Prevention of infection in the intensive care unit: current advances and opportunities for the future. *Curr Opin Crit Care.* 2002 Oct;8(5):461-4.
59. Heyland DK, Cook DJ, Dodek PM. Prevention of ventilator-associated pneumonia: Current practice in Canadian intensive care units. *J Crit Care.* 2002 Sep;17(3):161-7.
60. Fagon J-Y. Prevention of ventilator-associated pneumonia. *Intensive Care Med.* 2002 Jul;28(7):822-3.
61. Leone M, Bourgoin A, Giuly E, Antonini F, Dubuc M, Viviand X, Albanese J, Martin C. Influence on outcome of ventilator-associated pneumonia in multiple trauma patients with head trauma treated with selected digestive decontamination. *Crit Care Med.* 2002 Aug;30(8):1741-6.
62. Dennesen PJ, van der Ven AJ, Kessels AG, Ramsay G, Bonten MJ. Resolution of infectious parameters after antimicrobial therapy in patients with ventilator-associated pneumonia. *Am J Respir Crit Care Med.* 2001 May;163(6):1371-5.
63. Hsueh PR, Teng LJ, Chen CY, Chen WH, Yu CJ, Ho SW, Luh KT. Pandrug-resistant *Acinetobacter baumannii* causing nosocomial infections in a university hospital, Taiwan. *Emerg Infect Dis.* 2002 Aug;8(8):827-32.
64. Merle V, Germain JM, Bugel H, Nouvellon M, Lemeland JF, Czernichow P, Grise P. Nosocomial urinary tract infections in urologic patients: assessment of a prospective surveillance program including 10,000 patients. *Eur Urol.* 2002 May;41(5):483-9.
65. Goetz AM, Kedzuef S, Wagener M, Muder RR. Feedback to nursing staff as an intervention to reduce catheter-associated urinary tract infections. *Am J Infect Control.* 1999 Oct;27(5):402-4.
66. Grohskopf LA, Sinkowitz-Cochran RL, Garrett DO, Sohn AH, Levine GL, Siegel JD, Stover BH, Jarvis WR. A national point-prevalence survey of pediatric intensive care unit-acquired infections in the United States. *J Pediatr.* 2002 Apr;140(4):432-8.
67. Foca M, Jakob K, Whittier S, Della Latta P, Factor S, Rubenstein D, Saiman L. Endemic *Pseudomonas aeruginosa* infection in a neonatal intensive care unit. *N Engl J Med.* 2000 Sep 7;343(10):695-700.
68. Cordero L, Sananes M, Coley B, Hogan M, Gelman M, Ayers LW. Ventilator-associated pneumonia in very low-birth-weight infants at the time of nosocomial bloodstream infection and during airway colonization with *Pseudomonas aeruginosa*. *Am J Infect Control.* 2000 Oct;28(5):333-9.
69. 国立感染症研究所 JANIS ホームページ < <http://idsc.nih.go.jp/index-j.html> >
70. Trias J, Nikaido H. Outer membrane protein D2 catalyzes facilitated diffusion of carbapenems and penems through the outer membrane of *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother.* 1990 Jan;34(1):52-7.
71. Senda K, Arakawa Y, Nakashima K, Ito H, Ichiyama S, Shimokata K, Kato N, Ohta M. Multifocal outbreaks of metallo-beta-lactamase-producing *Pseudomonas aeruginosa*

resistant to broad-spectrum beta-lactams, including carbapenems. *Antimicrob Agents Chemother.* 1996 Feb;40(2):349-53.

72. Hooper DC. Emerging mechanisms of fluoroquinolone resistance. *Emerg Infect Dis.* 2001 Mar-Apr;7(2):337-41.

73. Tran JH, Jacoby GA. Mechanism of plasmid-mediated quinolone resistance. *Proc Natl Acad Sci U S A.* 2002 Apr 16;99(8):5638-42.

74. Shaw KJ, Rather PN, Hare RS, Miller GH. Molecular genetics of aminoglycoside resistance genes and familial relationships of the aminoglycoside-modifying enzymes. *Microbiol Rev.* 1993 Mar;57(1):138-63.

75. Arakawa Y, Murakami M, Suzuki K, Ito H, Wacharotayankun R, Ohsuka S, Kato N, Ohta M. A novel integron-like element carrying the metallo-beta-lactamase gene blaIMP. *Antimicrob Agents Chemother.* 1995 Jul;39(7):1612-5.

76. Katsuno S, Takashi M, Ohshima S, Ohta M, Kato N, Kurokawa H, Arakawa Y. Direct screening of the IMP-1 metallo-beta-lactamase gene (blaIMP) from urine samples by polymerase chain reaction. *Int J Urol.* 2001 Mar;8(3):110-7.

77. Fridkin SK, Hill HA, Volkova NV, Edwards JR, Lawton RM, Gaynes RP, McGowan JE Jr. Temporal changes in prevalence of antimicrobial resistance in 23 US hospitals. *Emerg Infect Dis.* 2002 Jul;8(7):697-701.

78. Eggimann P, Pittet D. Overview of catheter-related infections with special emphasis on prevention based on educational programs. *Clin Microbiol Infect.* 2002 May;8(5):295-309.

79. Nakashima AK, Highsmith AK, Martone WJ. Survival of *Serratia marcescens* in benzalkonium chloride and in multiple-dose medication vials: relationship to epidemic septic arthritis. *J Clin Microbiol.* 1987 Jun;25(6):1019-21.

80. Oie S, Kamiya A. Microbial contamination of antiseptics and disinfectants. *Am J Infect Control.* 1996 Oct;24(5):389-95.

81. Namnyak S, Hussain S, Davalle J, Roker K, Strickland M. Contaminated lithium heparin bottles as a source of pseudobacteraemia due to *Pseudomonas fluorescens*. *J Hosp Infect.* 1999 Jan;41(1):23-8.

82. Maslyk PA, Nafziger DA, Burns SM, Bowers PR. Microbial growth on the anesthesia machine. *AANA J.* 2002 Feb;70(1):53-6.

83. Moore JE, Heaney N, Millar BC, Crowe M, Elborn JS. Incidence of *Pseudomonas aeruginosa* in recreational and hydrotherapy pools. *Commun Dis Public Health.* 2002 Mar;5(1):23-6.

84. Fryklund B, Tullus K, Berglund B, Burman LG. Importance of the environment and the faecal flora of infants, nursing staff and parents as sources of gram-negative bacteria colonizing newborns in three neonatal wards. *Infection.* 1992 Sep-Oct;20(5):253-7.

85. Widmer AF, Wenzel RP, Trilla A, Bale MJ, Jones RN, Doebbeling BN. Outbreak of *Pseudomonas aeruginosa* infections in a surgical intensive care unit: probable transmission via hands of a health care worker. *Clin Infect Dis.* 1993 Mar;16(3):372-6.

86. Jenner EA, Mackintosh C, Scott GM. Infection control--evidence into practice. *J Hosp Infect.* 1999 Jun;42(2):91-104.