

Yamamoto K., Takeshita K., Shimokawa T., Yi H., Isobe K., Loskutoff DJ., and Saito H., Plasminogen activator inhibitor-1 is a major stress-regulated gene: Implications for stress-induced thrombosis in aged individuals. Proc Natl Acad Sci U S A

Hamajima F., Hasegawa T. and Nakashima I. and Isobe K. Genomic Cloning and Promoter Analysis of the GAHSP40 Gene. J. Cellular Biochem. 2002;84(2):401-7..

Ishida Y, Shirokawa T, Miyaishi O, Komatsu Y, Isobe K. Age-dependent changes in noradrenergic innervations of the frontal cortex in F344 rats. Neurobiol Aging;22(2):283-286, 2001.

Oh-hashi K, Maruyama W, Isobe K. Peroxynitrite induces gadd34, 45 and 153 via p38 MAPK in human neuroblastoma SH-SY5Y cells. Free Rad Biol Med. 30: 213-221, 2001.

Takeuchi A., Miyaishi O., Kiuchi, K., Isobe K. Macrophage colony-stimulating factor is expressed in neuron and microglia after focal brain injury. Journal of Neuroscience Research, 65,: 38-44., 2001.

Nozawa K, Maehara K, Isobe K. Mechanism for the reduction of telomerase expression during muscle cell differentiation. J Biol Chem. ;276:22016-23.2001.

Ishida Y, Shirokawa T, Komatsu Y, Isobe K. in cortical noradrenergic axon terminals of locus coeruleus neurons in aged F344 rats. Neurosci Lett. 307:197-9.2001;

Maehara K, Oh-Hashi K, Isobe K. Early growth-responsive-1-dependent manganese superoxide dismutase gene transcription mediated by platelet-derived growth factor. FASEB J. 15:2025-6. 2001.

Akhand, A.A., Hossain, K., Kato, M., Miyata, T., Du, J., Suzuki, H., Kurokawa, K. and Nakashima, I.: Glyoxal and methylglyoxal induce aggregation and inactivation of ERK in human endothelial cells. Free Radical Biol. & Med. 31:20-30, 2001.

Dai Y, Kato M, Takeda K, Kawamoto Y, Akhand AA, Hossain K, Suzuki H, Nakashima I. T-cell-immunity-based inhibitory effects of orally administered herbal medicine juzen-taiho-to on the growth of primarily developed melanocytic tumors in RET-transgenic mice. J Invest Dermatol. 117:694-701, 2001.

Liu, W., Kato, M., Itoigawa, M., Murakami, H., Yajima, M., Wu, J., Ishikawa, N. and Nakashima, I.: Distinct involvement of NF-kappaB and p38 mitogen-activated protein kinase pathways in serum deprivation-mediated stimulation of inducible nitric oxide

synthase and its inhibition by 4-hydroxynonenal. *J. Cell. Biochem.* 83:271-280, 2001.

Du, J., Suzuki, H., Nagase, F., Akhand, A.A., Ma, Z., Yokoyama, T., Miyata, T. and Nakashima, I.: Superoxide-mediated early oxidation and activation of ASK1 are important for initiating methylglyoxal-induced apoptosis process. *Free Rad. Biol. Med.* 31:469-478, 2001.

Akhand, A.A., Hossain, K., Mitsui, H., Kato, M., Miyata, T., Inagi, R., Du, J., Takeda, K., Kawamoto, Y., Suzuki, H., Kurokawa, K. and Nakashima, I.: Glyoxal and methylglyoxal trigger distinct signals for MAP family kinases and caspase activation in human endothelial cells. *Free Rad. Biol. Med.* 31:20-30, 2001.

Takeda, K., Kato, M., Wu, J., Iwashita, T., Suzuki, H., Takahashi, M. and Nakashima, I.: Osmotic stress-mediated activation of RET kinases involves intracellular disulfide-bonded dimer formation. *Antioxidants & Redox Signaling*. 3:473-482, 2001.

Takeuchi, K., Kato, N., Suzuki, H., Akhand, A.A., Wu, J., Hossain, K., Miyata, T., Matsumoto, Y., Nimura, Y. and Nakashima, I.: Acrolein induces activation of the epidermal growth factor receptor of human keratinocytes for cell death. *J. Cell. Biochem.* 81: 679-688, 2001.

Taniguchi T, Takaoka A.; The interferon-alpha/beta system in antiviral responses: a multimodal machinery of gene regulation by the IRF family of transcription factors. (2002) *Curr. Opin Immunol.*, 14, 111-6

Sato K, Hida S, Takayanagi H, Yokochi T, Kayagaki N, Takeda K, Yagita H, Okumura K, Tanaka N, Taniguchi T, Ogasawara K; Antiviral response by natural killer cells through TRAIL gene induction by IFN-alpha/beta. (2001) *Eur J Immunol.*, 31, 3138-46.

Mitani Y, Takaoka A, Kim SH, Kato Y, Yokochi T, Tanaka N, Taniguchi T.; Cross talk of the interferon-alpha/beta signalling complex with gp130 for effective interleukin-6 signalling. (2001) *Genes Cells*, 6, 631-40.

Hata N, Sato M, Takaoka A, Asagiri M, Tanaka N, Taniguchi T.; Constitutive IFN-alpha/beta signal for efficient IFN-alpha/beta gene induction by virus. (2001) *Biochem Biophys Res Commun.* 285, 518-25.

Nakaya T, Sato M, Hata N, Asagiri M, Suemori H, Noguchi S, Tanaka N, Taniguchi T.; Gene induction pathways mediated by distinct IRFs during viral infection. (2001) Biochem Biophys Res Commun., 283, 1150-6.

Taniguchi T, Takaoka A.; A weak signal for strong responses: interferon-alpha/beta revisited. (2001) Nat Rev Mol Cell Biol., 2, 378-86.

Taniguchi T, Ogasawara K, Takaoka A, Tanaka N.; IRF family of transcription factors as regulators of host defense. (2001) Annu Rev Immunol., 19, 623-55.

Y. H. Koh, K. Suzuki, W. Che, Y. S. Park, Y. Miyamoto, S. Higashiyama and N. Taniguchi: Inactivation of glutathione peroxidase by NO leads to the accumulation of H₂O₂ and the induction of HB-EGF via c-Jun NH₂-terminal kinase in rat aortic smooth muscle cells. , FASEB J., 1472-1474, 2001.

N. Fujiwara, T. Fujii, J. Fujii and N. Taniguchi: Roles of n-terminal active cysteines and c-terminal cysteine-selenocysteine in the catalytic mechanism of mammalian thioredoxin reductase. , J. Biochem., 129, 803-812, 2001.

Y. H. Koh, W. Che, S. Higashiyama, M. Takahashi, Y. Miyamoto, K. Suzuki and N. Taniguchi: Osmotic Stress Induces HB-EGF Gene Expression via Ca(2+)/Pyk2/JNK Signal Cascades in Rat Aortic Smooth Muscle Cells. , J. Biochem., 130, 351-358, 2001.
Kobayashi Y, Sobue G: Protective effect of chaperones on polyglutamine diseases. Brain Res Bull, 56(3-4): 165-8, 2001

K. Hisamoto, M. Ohmichi, H. Kurachi, J. Hayakawa, Y. Kanda, Y. Nishio, K. Adachi, K. Tasaka, E. Miyoshi, N. Fujiwara, N. Taniguchi and Y. Murata: Estrogen induces the Akt-dependent activation of endothelial nitric oxide synthase in vascular endothelial cells. , J. Biol. Chem., 3459-3467, 2001.

Hishikawa N, Hashizume Y, Yoshida M, Sobue G: Widespread occurrence of argyrophilic glial inclusions in Parkinson's disease. Neuropathol Appl Neurobiol, 27(5): 362-72, 2001

Mori K, Koike H, Misu K, Hattori N, Ichimura M, Sobue G: Spinal cord magnetic resonance imaging demonstrates sensory neuronal involvement and clinical severity in neuropathy associated with Sjogren's syndrome. J Neurol

Neurosurg Psychiatry, 71(4): 488-92, 2001

Yamamoto M, Li M, Mitsuma N, Ito S, Kato M, Takahashi M, Sobue G: Preserved phosphorylation of RET receptor protein in spinal motor neurons of patients with amyotrophic lateral sclerosis: an immunohistochemical study by a phosphorylation-specific antibody at tyrosine 1062. Brain Res, 912(1): 89-94, 2001

Koike H, Misu K, Hattori N, Ito S, Ichimura M, Ito H, Hirayama M, Nagamatsu M, Sasaki I, Sobue G: Postgastrectomy polyneuropathy with thiaminedeficiency. J Neurol Neurosurg Psychiatry, 71(3): 357-362, 2001

Koike H, Mori K, Misu K, Hattori N, Ito H, Hirayama M, Sobue G: Painful alcoholic polyneuropathy with predominant small-fiber loss and normal thiamine status. Neurology, 56(12): 1727-1732, 2001

Watanabe H, Ieda T, Katayama T, Takeda A, Aiba I, Doyu M, Hirayama M, Sobue G: Cardiac (123)I-meta-iodobenzylguanidine (MIBG) uptake in dementia with Lewy bodies: comparison with Alzheimer's disease. J Neurol Neurosurg Psychiatry, 70(6): 781-783, 2001

Hashimoto Y, Niikura T, Tajima H, Yasukawa T, Sudo H, Ito Y, Kita Y, Kawasumi M, Kouyama K, Doyu M, Sobue G, Koide T, Tsuji S, Lang J, Kurokawa K, Nishimoto I: A rescue factor abolishing neuronal cell death by a wide spectrum of familial Alzheimer's disease genes and A_β. Proc Natl Acad Sci U S A, 98(11): 6336-41, 2001

Yamamoto M, Ito Y, Mitsuma N, Li M, Hattori N, Sobue G: Pathology-related differential expression regulation of NGF, GDNF, CNTF, and IL-6 mRNAs in human vasculitic neuropathy. Muscle & Nerve, 24(6): 830-833, 2001

Adachi H, Kume A, Li M, Nakagomi Y, Niwa H, Do J, Sang C, Kobayashi Y, Doyu M, Sobue G: Transgenic mice with an expanded CAG repeat controlled by the human AR promoter show polyglutamine nuclear inclusions and neuronal dysfunction without neuronal cell death. Hum Mol Genet, 10(10): 1039-1048, 2001

Niwa J, Ishigaki S, Doyu M, Suzuki T, Tanaka K, Sobue G. A novel centrosomal ring-finger protein, dorfin, mediates ubiquitin ligase activity. Biochem Biophys Res Commun, 281(3): 706-13, 2001

Doyu M, Sawada K, Mitsuma N, Niwa J, Yoshimoto M, Fujii Y, Sobue G, Kato K: Gene expression profile in Alzheimer's brain screened by molecular indexing. Brain Res, Mol Brain Res, 87(1): 1-11, 2001

Suzuki, H., Imai, F., Kanno, T., Sawada, M.: Preservation of neurotrophin expression in microglia that migrate into the gerbil's brain across the blood brain barrier. Neurosci. Lett. 312:95-98, 2001.

Iwata, A., Miura, S., Kanazawa, I., Sawada, M., Nukina, N.: α -Synuclein forms a complex with transcription factor Elk-1. J. Neurochem. 77; 239-252, 2001.

Katoh, Y., Niimi, M., Yamamono, Y., Kawamura, T., Morimoto-Ishizuka, T., Sawada, M., Takemori, H., Yamatodani, A.: Histamine production by cultured microglial cells of the mouse. Neurosci. Lett. 305; 181-184, 2001.

Ishiguro, H., Yamada, K., Sawada, H., Nishii, K., Ichino, N., Sawada, M., et al (other 7 persons): Age-dependent and tissue-specific CAG repeat instability occurs in mouse knock-in for a mutant Huntington's disease gene. J. Neurosci. Res. 65; 289-297, 2001.

Imamura, K., Sawada, M., Ozaki, N., Naito, H., Iwata, N., Ishihara, R., Takeuchi, T., Shibayama, H.: Activation mechanism of brain microglia in patients with diffuse neurofibrillary tangles with calcification: a comparison with Alzheimer disease. Alzheimer Dis. Assoc. Disord. 15; 45-50, 2001