

- | | | |
|--------------------|-------|-------|
| 27. 静岡県立総合病院外科 | 遠山 和成 | 中上 和彦 |
| 28. 国立病院四国がんセンター外科 | 高嶋 成光 | 佐伯 俊昭 |

21-7 臨床試験審査委員会並びに効果安全性評価委員会

厚生労働省がん研究助成金の指定研究「固形がんの集学的治療の研究」班：臨床試験審査委員会並びに効果・安全性評価委員会（敬称略）

委員長	国立名古屋病院	下山正徳
委員・事務局長	国立がんセンター中央病院	西條長宏
委員	国立がんセンター	阿部 薫
委員	国立病院四国がんセンター	江口研二
委員	茨城県立中央病院	大倉久直
委員	東京大学医学部	大橋靖雄
委員	愛知県がんセンター	浜島信之
委員	国立がんセンター中央病院	土屋了介
委員	国立がんセンター中央病院	島田安博
委員	都立駒込病院	北村正次
委員	国立病院四国がんセンター	高嶋成光
委員	慶応義塾大学医学部	安藤暢敏
委員	国立がんセンター中央病院	飛内賢正
委員	国立がんセンター中央病院	恒松隆一郎

21-8 本プロトコール作成委員会

国立四国がんセンター 外科	佐伯 俊昭、青儀健二郎
栃木県立がんセンター化学療法科	藤井 博文
愛知県立がんセンター 乳腺外科	岩田 広治
関西労災病院 第一外科	相原 智彦
国立がんセンター東病院 化学療法科	南 博信
国立がんセンター 中央病院乳腺内科	安藤 正志 勝俣 範之
埼玉県立がんセンター 内分泌科	井上 賢一

22. 参考文献

- 1) がんの統計、がんの統計編集委員会編、がん研究振興財団発行、2001
- 2) Early Breast Cancer Trialist' Collaborative Group: Analysis of overview results. Presented at the fifth meeting of Early Breast Cancer Trialist' Collaborative Group, Oxford, United Kingdom, September 21-23, 2000 (abstract)
- 3) 全国乳がん患者登録調査報告 第24号、日本乳癌学会編、1999
- 4) 日本乳癌学会：臨床・病理 乳癌取り扱い規約（第12版）．金原出版：1996

- 5) Early Breast Cancer Trialists' Collaborative Group. Ovarian ablation in early breast cancer: an overview of the randomized trials. *Lancet* 1996; 348: 1189-1196.
- 6) Scottish Cancer Trials Breast Group and ICRF Breast Unit: Adjuvant ovarian ablation versus CMF chemotherapy in premenopausal women with pathological stage II breast carcinoma: The Scottish trial. *Lancet* 1993; 341:1293-1298
- 7) Kaufmann M, Jonat W, Kleeberg U, et al. Goserelin, a depot gonadotropin-releasing hormone against in the treatment of premenopausal patients with metastatic breast cancer. *J Clin Oncol* 1989; 7: 1113-1119.
- 8) Jonat W for the Zoladex Early Breast Cancer Re Association: Zoladex vs CMF as adjuvant Therapy in pre-/perimenopausal early breast cancer: Preliminary efficacy-QOL, and BMD results from the ZEBRA study. *Breast Cancer Res Treat* 2000; 64:13
- 9) Rutqvist LE:Zoladex and tamoxifen as adjuvant therapy in premenopausal breast cancer: A randomized trial by the Cancer Research Campaign (CRC) Breast Cancer Trial Group, the Stockholm Breast Cancer Trial Group, The South-East Sweden Breast Cancer Group and the Gruppo Interdisciplinare Valutazione Interventi in Oncologia. *Proc Am Soc Clin Oncol* 1999; 18:67a, (abstract#251)
- 10) Jakesz R, Hausmaninger H, Samonigg H, et al. Comparison of Adjuvant therapy with Tamoxifen and goserelin vs. CMF in premenopausal stage I and II hormone-responsive breast cancer patients: Four year results of Austrian Breast Cancer Study Group(ABCSCG) Trial 5. *Proc Am Soc Clin Oncol* 1999; 18:67a.
- 11) Boccard F, Rubagotti D, Perrotta Amoroso D, et al. Cyclophosphamide, methotrexate, and fluorouracil versus tamoxifen plus ovarian suppression as adjuvant treatment of estrogen receptor-positive pre-/perimenopausal breast cancer patients: Results of the Italian Breast Cancer Adjuvant Study Group 02 Randomized Trial. *J Clin Oncol* 2000; 18:2718-2727
- 12) Goldhirsch A, Glick JH, Gelber RD, et al. Meeting Highlights: International Consensus Panel on the Treatment of Primary Breast Cancer. *J Clin Oncol* 2002; 18:3817-3827
- 13) National Institutes of Health Consensus. Statement on the adjuvant therapy of breast cancer. Available at: <http://adp.od.nih.gov/consensus/cons/114/114-statement.htm>.
- 14) Wood, W, Henderson IC, Piccart M; Adjuvant Therapy for Breast Cancer, *Proc. American Soc. Clin. Oncology*, 20:158, 2001
- 15) Henderson IC, Berry D, Demetri G, et al. Improved disease-free and overall survival from the addition of sequential paclitaxel but not from the escalation of doxorubicin dose level in the adjuvant chemotherapy of patients with node-positive primary breast cancer. *Proc Ameri Soc Clin Oncol* 1998; 17:101a.
- 16) Early Breast Cancer Trialists' Collaborative Group. Systemic treatment of early breast cancer by hormonal, cytotoxic, or immune therapy. 133 randomized trials involving 31000 recurrences and 24000 deaths among 75000 women. *Lancet*, 1992; 339:71-85.