



図 7.



A. 14C-グリセロールの取り込み:1. 1hr, 2. 3hr, 3. 5 hr.

B. シグナルペプチダーゼの阻害剤グロボマイシン存在化でのリポ蛋白合成

図 8. リポ蛋白または LPS でヒト末梢血単球を刺激後の IL12p40 産生。



1. LpK 2. LpC 3. LPS.

▨ : Polymyxin B 存在下单球刺激

研究成果の刊行に関する一覧表

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shimoda, M., Nakamura, T., Takahashi, Y., Asanuma, H., Tamura, S., Kurata, T., Mizuochi, T., Azuma, N., Kanno, C., Takemori, T.	Isotype-specific selection of high-affinity memory B cells in nasal-associated lymphoid tissue (NALT).	J. Exp. Med.	194	1597-1607	2001
Takahashi, Y., Ohta, H., Takemori, T.	Fas is required for clonal selection in germinal centers and the subsequent establishment of the memory B cell repertoire.	Immunity	14	181-192	2001
Yoshizawa I., Soda, Y., Mizuochi, T., Yasuda, S., Rizvi, T. A., Mizuochi, T., Takemori, T., Tsunetsugu- Yokota, Y.	Enhancement of mucosal Immune response against HIV-1 Gag by DNA immunization.	Vaccine	19	2995-3003	2001
Kodama, M., Hayashi, R., Nishizumi, H., Nagawa, F., Takemori, T., Sakano, H.	The PU.1 and NF-EM5 binding motifs in the Igk3' enhancer are responsible for directing somatic hypermutations to the intrinsic hotspots in the transgenic V _k gene.	Int. Immunol.	13	1415-1422	2001
Kobayashi, K., Kaneda, K., Kasama, T.	The immunopathogenesis of delayed-type hypersensitivity.	Microsc. Res. Tech.	53	241-245	2001
Yamagami, H., Matsumoto, T., Fujiwara, N., Arakawa, T., Kaneda, K., Yano, I., Kobayashi, K.	Trehalose 6,6'-dimycolate (Cord factor) of <i>Mycobacterium tuberculosis</i> induces foreign-body- and hypersensitivity-type granulomas in mice.	Infect. Immun.	69	810-815	2001

Ueda, S., Fujiwara, N., Naka, T., Sakaguchi, I., Ozeki, Y., Yano, I., Kasama, T., Kobayashi, K.	Structure-activity relationship of mycoloyl glycolipids derived from <i>Rhodococcus</i> sp. 4306.	Microb. Pathog.	30	91-99	2001
Maeda, S., Matsuoka, M., Nakata, N., Kai, M., Maeda, Y., Hashimoto, K., Kimura, H., Kobayashi, K., Kashiwabara, Y.	Multidrug resistant <i>Mycobacterium leprae</i> from patients with leprosy.	Antimicrob. Agents Chemother.	45	3635- 3639	2001
藤原永年、山上博一、上田定男、矢野郁也、小林和夫	結核菌糖脂質と宿主応答機構。	炎症・再生	21	133-138	2001
Nomaguchi, H., Jahan, N., Mandal, B. C., Yogi, Y., Kawatsu, K., Yoshizawa, Y., Okamura, H., Makino, M.	IL-12 and IL-18 synergistically induce the bactericidal activity of murine peritoneal cells against <i>M. leprae</i> .	Jpn. J. Leprosy	70	113-119	2001
Umemura, M., Hirose, K., Wajjwaiku, W., Nishimura, H., Matsuguchi, T., Gotoh, Y., Takahashi, M., Makino, M., Yoshikai, Y.	Impaired IL-15 production associated with susceptibility of murine AIDS to mycobacterial infection.	J. Leukoc. Biol.	69(1)	138-148	2001
Makino, M., Utsunomiya, A., Maeda, Y., Shimokubo, S., Izumo, S., Baba, M.	Association of CD40 ligand expression on HTLV-I-infected T cells and maturation of dendritic cells.	Scand. J. Immunol.	54	574-581	2001

Takasuka, N., Enami, M., Itamura, S. <u>Takemori, T.</u>	Intranasal inoculation of a recombinant influenza virus containing exogenous nucleotides in the NS segment induces mucosal immune response against the exogenous gene product in mice.	Vaccine	in press		2002
Kawamura, M., Naito, T., Ueno, M., Akagi, T., Hiraishi, K., Takai, I., <u>Makino, M.</u> , Serizawa, T., Sugimura, K., Akashi, M., Baba, M.	Induction of mucosal immunity following intravaginal administration of inactivated HIV-1-capturing nanospheres in mice.	J. Med. Microbiology	in press		2002

20010685

以降のページは雑誌/図書等に掲載された論文となりますので
「研究成果の刊行に関する一覧表」をご参照ください。