

- Tamaki K, Sugaya M, Tada Y, Yasaka N, Uehira M, Nishimoto H, Nakamura K. Epidermal and dermal gamma-delta T cells. *Chem Immunol.* 79:43-51, 2001
- Tada Y, Asahina A, Nakamura K, Tomura M, Fujiwara H, Tamaki K. Granulocyte/macrophage colony stimulating factor inhibits IL-12 production of mouse Langerhans cells. *J Immunol.* 164: 5113-9, 2000.
- Nakamura K, Imakado S, Takizawa M, Adachi M, Sugaya M, Wakugawa M, Asahina A, Tamaki K. Exacerbation of pustulosis palmaris et plantaris after topical application of metals accompanied by elevated levels of leukotriene B4 in pustules. *J Am Acad Dermatol.* 42: 1021-5, 2000.
- Wakugawa M, Nakamura K, Hino H, Toyama K, Hattori N, Okochi H, Yamada H, Nakajima H, Hirai K, Tamaki K, Furue M. Elevated levels of eotaxin and IL-5 in blister fluid of bullous pemphigoid: correlation with tissue eosinophilia. *Brit J Dermatol.* 143: 112-6, 2000.
- Sugaya M, Watanabe T, Nakamura K, Tamaki K. Serum IL-15 is not elevated in patients with CTCL. *Acta Dermato Venereol.* 80: 455, 2000.
- Katano H, Suda T, Morishita Y, Yamamoto K Hoshino Y, Nakamura K, Tachikawa N, Sata T, Hamaguchi H, Iwamoto A, Mori S. Human herpesvirus 8-associated solid lymphomas that occur in AIDS patients take anaplastic large cell morphology. *Modern Pathol.* 13: 77-85, 2000
- 林伸和、福中秀典、湧川基史、中村晃一郎、玉置邦彦。ハイドロキノン軟膏を用いたアトピー性皮膚炎の頸部色素沈着に対する治療。西日本皮膚科、668-671、2000
- 中村晃一郎、湧川基史、玉置邦彦 単球、マクロファージと Fcε レセプター アレルギー科、10: 32-35、2000
- 中村晃一郎、湧川基史、玉置邦彦。アトピー性皮膚炎の診断、小児科診療、63、44-48、2000
- 中村晃一郎 HIV 感染症と皮膚症状 臨床皮膚科 54、164、2000
- 湧川基史、中村晃一郎、玉置邦彦 皮膚の免疫担当細胞・ケラチノサイト アレルギー科 9 205-5 2000
- Nakamura K, Saitoh S, Yasaka N, Furue M, Tamaki K :Molecular mechanisms involved in the migration of epidermal dendritic cells in the skin . *J Invest Dermatol. symposium proceeding.* 4:169-72, 1999.
- Wakugawa M, Nakamura K, Hino H, Toyama K, Hattori N, Okochi H, Yamada H,

Nakajima H, Hirai K, Tamaki K, Furue M. Elevated levels of eotaxin and IL-5 in blister fluid of bullous pemphigoid: correlation with tissue eosinophilia.

Brit J Dermatol. 143: 112-6, 1999

Salgado CG, Nakamura K, Sugaya M, Tada Y, Asahina A, Fukuda S, Koyama Y, Irie S, Tamaki K. Differential effects of cytokines and immunosuppressive drugs on CD40, B7-1, and B7-2 expression on purified epidermal Langerhans cells.

J Invest Dermatol. 113:1021-7, 1999.

Yano S, Ihn H, Nakamura K, Okochi H, Tamaki K. Antinuclear and antithyroid antibodies in 68 Japanese patients with alopecia areata. Dermatology. 199:191, 1999.

Watanabe T, Sugaya M, Nakamura K, Tamaki K. Human herpesvirus 7 and pityriasis rosea.

J Invest Dermatol. 113: 288-9, 1999.

Sugaya M, Nakamura K, Takahiro W, Tamaki K. Human herpesvirus type 8 is not detected in cutaneous lesions of sarcoidosis. Br J Dermatol. 141: 769, 1999.

Sugaya M, Nakamura K, Tamaki K. Interleukins 18 and 12 synergistically upregulate interferon-gamma production by murine dendritic epidermal T cells.

J Invest Dermatol. 113:350-4, 1999.

Salgado CG, Nakamura K, Sugaya M, Tada Y, Asahina A, Koyama Y, Irie S, Tamaki K. Functional CD40 ligand is expressed on epidermal Langerhans cells.

J Leukocyte Biol. 66:281-5, 1999.

Vestergaard C, Yoneyama H, Murai M, Nakamura K, Tamaki K, Terashima Y, Imai T, Yoshie O, Irimura T, Mizutani H, Matsushima K. Overproduction of Th2-specific chemokines in NC/Nga mice exhibiting atopic dermatitis-like lesions.

J Clin Invest. 104:1097-105, 1999.

Saitoh A, Yasaka N, Osada A, Nakamura K, Furue M, Tamaki K.: Migration of Langerhans Cells in in Vitro Organ Culture System: IL-6 and TNF- $\alpha$  Are Partially Responsible for the Migration into the Epidermis.

J Dermatol Sci. 19:166-74, 1999.

Nakamura K, Katano H, Hoshino Y, Nakamura T, Hosono O, Masunaga A, Mori S, Iwamoto A, Tamaki K.: Human herpesvirus type 8 (HHV-8) -associated cutaneous lymphoma taking anaplastic large cell morphology in an HIV-positive patient.

Brit J Dermatol. 141: 141-5, 1999.

中村晃一郎。Dendritic cell と接着因子、日本皮膚科学会誌、109、109、1999

中村晃一郎：ノックアウトマウス、トランスジェニックマウス、Key Word 皮膚疾患

先端医学社、1999

中村晃一郎：共焦点レーザー顕微鏡、Key Word  
皮膚疾患、先端医学社、1999

中村晃一郎、中川秀己、玉置邦彦：アトピー性皮  
膚炎関係、移植免疫抑制薬外用薬、皮膚治療最前  
線、Monthly Book Derma、全日本病院出版、  
26：27-32、1999

中村晃一郎：思春期、成人期の臨床症状、皮膚科  
診療プラクティス、アトピー性皮膚炎、文光堂、  
56-62、1999

飯島智広、中村晃一郎：思春期、成人のアトピー  
性皮膚炎の治療、具体例の提示、皮膚科診療プラ  
クティス、アトピー性皮膚炎、文光堂、231、  
1999

#### 山本昇壯

山本昇壯：アトピー性皮膚炎治療ガイドライン。  
臨床と研究、79: 221-213, 2002.

古川福実：アトピー性皮膚炎治療ガイドライン。  
アレルギー・免疫、8: 1209-1217, 2001.

古江増隆、他：実地診療におけるステロイド外用薬  
の長期投与と副作用。  
アレルギー・免疫、8: 1219-1225, 2001.

Hiragun,T.,Morita,E.,Shindo,H.,Tanaka,T.,Ka  
meyoshi,Y.,Okabe,T.,Kanno,M.,

Yamamoto,S.: Altered in vitro apoptosis of  
cultured mast cells prepared from an inbred

strain of mice, NC/Kuj. Clin.Expt.Allergy, 30:  
433-438, 2000.

Kameyoshi,Y.,Morita,E.,Tanaka,T.,Hiragun,T  
.,Yamamoto,S.: Interleukin-1  $\alpha$  enhances  
mast cell growth by a fibroblast-dependent  
mechanism. Arch.Derma- tol.Res., 292: 240-  
247, 2000.

Okabe,T.,Hide,M.,Koro,O.,Yamamoto,S.:  
Substance P induces tumor necrosis factor-  
 $\alpha$  release from human skin via mitogen-  
activated protein kinase.  
Eur.J.Pharmacol., 398: 309-315, 2000.

Morita,E.,Yamamura,Y.,Mihara,S.,Kameyoshi,  
Y.,Yamamoto,S.: Food-dependent exercise-  
induced anaphylaxis: a report of two cases  
and determination of wheat-gamma-gliadin  
as the presumptive allergen. Br.J.Dermatol.,  
143: 1059-1063, 2000.

山本昇壯、秀道広：アトピー性皮膚炎治療ガイ  
ドライン。日本薬剤師会雑誌、52: 389-397,  
2000.

山本昇壯：アトピー性皮膚炎の治療ガイドライン。  
アレルギーの臨床、20: 516-525, 2000.

山本昇壯：アトピー性皮膚炎治療ガイドライン。  
日臨皮会誌、65: 205-213, 2000.

Furutani,K.,Koro,O.,Hide,M.,Yamamoto,S.:  
Substance P-and antigen-induced release of

leukotriene B4, prostaglandin D2 and histamine from guinea pig skin by different mechanisms in vitro.

Ach.Dermatol.Res., 291: 466-473, 1999.

Morita,E.,Kaneko,S.,Hiragun,T.,Shindo,H.,Tanaka,T.,Furukawa,T.,Nobukiyo,A.,Yamamoto,S.: Fur mites induce dermatitis associated with IgE hyperproduction in an inbred strain of mice, NC/Kuj.

J.Dermatol.Sci., 19: 37-43, 1999.

Koro,O.,Furutani,K.,Hide,M.,Yamada,S.,Yamamoto,S.: Chemical mediators in atopic dermatitis: Involvement of leukotriens B4 released by a type 1 allergic reaction in the pathogenesis of atopic dermatitis. J.Allergy Clin.Immunol., 103: 663-170, 1999.

Morita,E.,Hide,M.,Yoneya,Y.,Kannbe,M.,Tanaka,A.,Yamamoto,S.: An assessment of the role of Candida albicans antigen in atopic dermatitis.

J.Dermatol., Sci., 26: 282-287, 1999.

Mochizuki,M.,Schroder,JensM.,Christophers,E.,Yamamoto,S.: IL-4 induces eotaxin in human dermal fibroblasts. Int.Arch.Allergy Immunol., 120[suppl 1]: 19-23, 1999.

古江増隆, カ久航, 山本昇壯: アトピー性皮膚炎に対するステロイド外用薬の使用状況.

西日皮膚, 61: 196-203, 1999.

山本昇壯: アトピー性皮膚炎ーガイドラインに即した治療. カレントセラピー 17: 491-496, 1999.

山本昇壯: アトピー性皮膚炎の病態と治療. 大阪医薬品協会会報, 610: 8-14, 1999.

山本昇壯: アトピー性皮膚炎. カレントセラピー, 17: 491-496, 1999.

#### 秋山一男

Takatori, K., Saito, A., Yasueda, H., Akiyama, K. : The effect of house design and environment on fungal movement in homes of broinchiial asthma patients. Mycopathologia 2000;152:41-49 (Published in 2001)

Mori,A., Okudaira,H., Kobayashi, N., Akiyama,K. : Selective Regulation of T Cell IL-5 Synthesis by OM-01, JTE-711 and p38 MAP Kinase Inhibitor: Independent Control of Th2 Cytokines, IL-4 and IL-5. Int Arch Allergy Immunol 2001;124:172-175

Saito, H., Yamamoto, N., Tomita, S., Taniguchi, M., Hasegawa, M., Akiyama, K., Kawaguchi, H., Takahashi, K. : Effect of Emedastine Difumarate on CC Chemokine-Elicited Eosinophil Migration. Int Arch Aallergy Immunol 2001;125(suppl 1)22-28

Mori, A., Ikeda, Y., Taniguchi, M., Aoyama, C., Maeda, Y., Hasegawa, M., Kobayashi, N., Akiyama, K. : IL-5 Production by Peripheral Blood Th Cells of Adult Asthma Patients in

- Response to *Candida albicans* Allergen. *Int Arch Allergy Immunol* 2001;125(suppl 1):48-50
- Saito,H.,Shimizu,H.,Akiyama,K.:Autocrine regulation of eotaxin in normal human bronchial epithelial cells. *Int Arch Allergy Immunol* 2000;122(suppl 1):50-53
- Mita,H.,Yasudea,H.,Akiyama,K.:Affinity of IgE antibody to antigen influences the allergen-induced histamine release. *Clin Exp Allergy* 2000;30:1582-1589
- Yasueda,H.,Saito,A.,Sakaguchi,M.,Ide,T.,Saito,S.,Taniguchi,Y.,Akiyama,K.,Inoue,S.:Identification and characterization of a group 2 conifer pollen allergen from *Chamaecyparis botusa*, a homologue of Cry j 2 from *Cryptomeria japonica*. *Clin Exp Allergy* 2000;30:546-550
- Ogawa,K.,Kaminuma,O.,Kikkawa,H.,Akiyama,K.,Mori,A.:IL-5 synthesis by T cells of allergic subjects is regulated at the transcriptional level. *Int Arch Allergy Immunol* 2000;122(suppl 1):63-66
- Mori,A.,Kaminuma,O.,Ogawa,K.,Nakata,A.,Egan,RW.,Akiyama,K.,Okudaira,H.:Control of interleukin-5 production by human helper T cells as a treatment for eosinophilic inflammation: comparison of in vitro and in vivo effect between selective and nonselective cytokine synthesis inhibitors. *J Allergy Clin Immunol* 2000;106:S58-64
- Mori,A.,Kaminuma,O.,Ogawa,K.,Okudaira,H.,Akiyama,K.:Transcriptional regulation of IO-5 gene by nontransformed human T cells through the proximal promoter element. *Internal Med* 2000;39:618-625
- Yanagihara,Y.,Kajiwara,K.,Basaki,Y.,Ikizawa,K.,Mori,A.,Akiyama,K.,Kawamura,N.,Sakiyama,Y.:Induction of IgE synthesis by genetically modified CD8+T cells of a patient with adenosine deaminase deficiency. *Allergol Int* 2000;49:195-204
- Yamada,T.,Murayama,T.,Mita,H.,Akiyama,K.:Subtypes of bladder mast cells in interstitial cystitis. *Int J Urol* 2000;7:292-297
- 信太隆夫、秋山一男、長谷川眞紀、前田裕二、谷口正実、森晶夫、富田尚吾、山本尚実、石井豊太、齊藤明美、安枝 浩：アレルギー患者におけるアレルギー皮膚内反応の 30 年間の推移－空中飛散アレルギーとの関係－ *アレルギー* 2000;49:1074-1086
- 安枝 浩、齊藤明美、秋山一男：新方式空気清浄機の基本性能の評価． *アレルギーの臨床* 2000;20:886-891
- 国分二三男、中島重徳、伊藤幸治、牧野荘平、北村 諭、福地義之助、真野健次、佐野靖之、井上洋西、森田 寛、福田 健、秋山一男、足立 満、

宮本昭正：喘息テレメディスンシステムによる入院の回避。 アレルギー 2000;49:19-31

中川武正、駒瀬裕子、森 直行、松田健志、岡野祐二、秋山一男、長谷川眞紀、岩崎栄作、東日出夫、伊藤節子：HRT シオナギ（ヒスタミン遊離試験）の臨床的有用性の検討。

医学と薬学 2000;43:861-870

三上理一郎、柳川 洋、河部康男、宮城 隆、伊原利和、秋山一男：人間ドック 2,675 例のデータベース分析による本態性低血圧の低血圧基準値の設定と低血圧群の臨床的特徴。

日本人間ドック学会誌 2000 ; 15:11-14

中川武正、駒瀬裕子、池澤善郎、相原道子、岩崎栄作、大久保公裕、長谷川眞紀、秋山一男、宮本昭正：同時多項目特異 IgE 測定法 MAST-26 の臨床的有用性に関する検討

アレルギー 2000 ; 49:335-344

Yanagihara, Y., Kajiwar, K., Koshio, T., Basaki, Y., Ikizawa, K., Mori, A., Akiyama, K., Kawamura, N., Sakiyama, Y.: Production of IL-4 and expression of CD40 ligand by human CD8+ T cells. J Allergy Clin Immunol 1999;103:S405-411

Atsuta, R., Akiyama, K., Shirasawa, T., Okumura, K., Fukuchi, Y., Ra, C.: Atopic asthma is dominant in elderly onset asthmatics: Possibility for an alteration of mast cell function by aging through Fc receptor expression. Inr Arch Allergy Immunol

1999;120(suppl 1):76-81

Mita, H., Ishii, T., Akiyama, K.: Generation of thromboxane A2 from highly purified human sinus mast cells after immunological stimulation. Prostaglandins, Leukotrienes and Essential Fatty Acids 1999;60:175-180

Mori, A., Kaminuma, O., Ogawa, K., Kobayashi, N., Akiyama, K., Okudaira, H.: Regulatory mechanisms of human T cell IL-5 synthesis: differential roles of the proximal promoter binding proteins in IL-5 gene transcription. Int Arch Allergy Immunol 1999;118:271-273

Mori, A., Kaminuma, O., Mikami, T., Inoue, S., Okumura, Y., Akiyama, K., Okudaira, H.: Transcriptional control of the IL-5 gene by human helper T cells: IL-5 synthesis is regulated independently from IL-2 or IL-4 synthesis.

J Allergy Clin Immunol 1999;103:S429-436

Mori, A., Kaminuma, O., Miyazawa, K., Okudaira, H., Akiyama, K.: p38 MAP kinase regulates human T cell IL-5 synthesis. J Immunol 1999;163:4763-4771

Onishi, Y., Kuroda, M., Yasueda, H., Saito, A., Sono-Koyama, E., Tsunasawa, S., Hashida Okado, T., Yagihara, T., Uchida, K., Yamaguchi, H., Akiyama, K., Kato, I., Takesako, K.: Two-dimensional electrophoresis of Malassezia allergens for atopic dermatitis and isolation of

- Mal f 4 homologs with mitochondrial malate dehydrogenase.  
Eur J Biochem 261:148-154,1999
- Yanagihara, Y., Kajiwaru, K., Koshio, T., Basaki, Y., Ikizawa, K., Mori, A., Akiyama, K., Kawamura, N., Sakiyama, Y.: Production of IL-4 and expression of CD40 ligand by human CD8+ T cells. J Allergy Clin Immunol 1999;103:S405-411
- 池田泰子、三田晴久、工藤 誠、長谷川眞紀、秋山一男：固相化した Candida 抗原と IgG 抗体による末梢血好酸球からの EPX の遊離。  
アレルギー 1999;48:546-553
- 大砂博之、山川 泰、栗山 仁、高橋さなみ、大沼すみ、池澤善郎、三田晴久、秋山一男：ハイペン (Etodolac) の内服が可能であったアスピリン不耐症 (喘息) の 1 例  
アレルギー・免疫 1999;6:61-67
- 前田裕二、工藤 誠、富田尚吾、長谷川眞紀、秋山一男：アレルギー患者家庭における 10 年間のペット飼育の変遷。アレルギー 1999;48:27-32
- 倉石 泰  
Yamaguchi T., Maekawa T., Nishikawa Y., Nojima H., Kaneko M., Kawakita T., Miyamoto T. & Kuraishi Y.: Characterization of itch-associated responses of NC mice with mite-induced dermatitis. J. Dermatol. Sci., 25: 20-28, 2001
- Ohtsuka E., Kawai S., Ichikawa T., Nojima H., Kitagawa K., Shirai Y., Kamimura K. & Kuraishi Y.: Roles of mast cell and histamine in mosquito bite-induced allergic itch-associated responses in mice. Jpn. J. Pharmacol., 86: 97-105, 2001
- Basnet P., Yasuda I., Kumagai N., Tohda C., Nojima H., Kuraishi Y. & Komatsu K.: Inhibition of itch-scratch response by fruits of Cnidium monnieri in mice. Biol. Pharm. Bull., 24: 1012-1015, 2001
- Andoh T., Katsube N., Maruyama M. & Kuraishi Y.: Involvement of leukotriene B4 in substance P-induced itch-associated response in mice. J. Invest. Dermatol. 117:1621-1626, 2001
- Miyamoto, T., Nojima, H., Shinkado, T., Nakahashi, T. & Kuraishi, Y.: Itch-associated response induced by experimental dry skin in mice. Jpn. J. Pharmacol. (in press)
- Miyamoto, T., Nojima, H. & Kuraishi, Y.: Intradermal cholinergic agonists induce itch-associated response via M3 muscarinic acetylcholine receptor in mice. Jpn. J. Pharmacol. (in press)
- Andoh T. and Kuraishi Y.: Involvement of blockade of leukotriene B4 action in anti-pruritic effects of emedastine in mice. Eur. J. Pharmacol. 406: 149-152 (2000)
- Tohda C., Sugahara H., Kuraishi Y. and Komatsu K.: Inhibitory effect of Byakko-kanjin-to on itch in a mouse model of atopic dermatitis. Phytotherapy Res.14: 192-194 (2000)
- Tohda C., Kakihara Y., Komatsu K. and Kuraishi Y.: Inhibitory effects of methanol

- extracts of herbar medicines on substance P-induced itch-scratch response. *Biol. Pharm. Bull.* 23: 599-601 (2000)
- Kuraishi Y., Yamaguchi T. and Miyamoto T.: Itch-scratch responses induced by opioids through central mu opioid receptors in mice. *J. Biomed. Sci.* 7: 248-252 (2000)
- Takasaki I., Andoh T., Shiraki K. and Kuraishi Y.: Allodynia and hyperalgesia induced by herpes simplex virus type-1 infection in mice. *Pain* 86: 95-101 (2000)
- Takasaki I., Andoh T., Nitta M., Takahata H., Nemoto H., Shiraki K., Nojima H., and Kuraishi Y.: Pharmacological and immunohistochemical characterization of mouse model of acute herpetic pain. *Jpn. J. Pharmacol.* 83: 319-326 (2000)
- Morioka K., Nojima H., Kurosaki H., Arisawa M., Kuraishi Y. and Momose Y.: Hypotensive action of Nangapiry, a Paraguayan natural medicine, in rodents. *Phytomedicine* 7: 99-103 (2000)
- Tabuchi A., Nakaoka R., Amano K., Yukimine M., Andoh T., Kuraishi Y. and Tsuda M.: Differential activation of brain-derived neurotrophic factor gene promoters I and III by Ca<sup>2+</sup> signals evoked via L-type voltage-dependent and N-methyl-D-aspartate receptor Ca<sup>2+</sup> channels. *J. Biol. Chem.* 275: 17269-17275 (2000)
- 倉石 泰 : オピオイドと中枢性の痒み. *ペインクリニック* 21: 1141-1146 (2000)
- 倉石 泰 : 痒みのメディエーター. *小児内科.* 32: 101-105 (2000)
- 倉石 泰 : 痒みとオピオイド. *脳* 21, 3: 95-100 (2000)
- 倉石 泰 : 解熱鎮痛薬および抗炎症薬. *薬理学 (神谷大雄, 久保孝夫, 塩見浩人 編集) 第2版*, 廣川書店, 東京 (2000)
- 倉石 泰 : カルシトニンの鎮痛効果とその作用機序. *Clinical Calcium* 10: 1580-1586 (2000)
- Yamaguchi T., Nagasawa T., Satoh M. and Kuraishi Y.: Itch-associated response induced by intradermal serotonin through 5-HT<sub>2</sub> receptors in mice. *Neurosci. Res.* 35: 77-83 (1999)
- Hagiwara K., Nojima H. and Kuraishi Y.: Serotonin-induced biting of the hind paw is itch-related response in mice. *Pain Res.* 14: 53-59 (1999)
- Watanabe C., Satoh T., Tahara E., Murakami K., Hayashi K., Hase K., Andoh T., Kuraishi Y., Kadota S., Nagai H. and Saiki I.: Inhibitory mechanisms of glycoprotein fraction derived from *Miscanthus sinensis* for the immediate

- phase response of an IgE-mediated cutaneous reaction. *Biol. Pharm. Bull.* 22: 26-30 (1999)
- Kawata Y., Ma C., Meselhy M.R., Nakamura N., Wang H., Hattori M., Namba T., Satoh K. and Kuraishi Y.: Conversion of aconitine to lipoaconitine by human intestinal bacteria and their antinociceptive effects in mice. *J. Traditional Med.* 16: 15-23 (1999)
- Yamazaki N., Umeno H. and Kuraishi Y.: Involvement of brain serotonergic terminals in the antinociceptive action of peripherally applied calcitonin. *Jpn. J. Pharmacol.* 81: 367-374 (1999)
- Sasamura T. and Kuraishi Y.: Peripheral and central actions of capsaicin and VR1 receptor. *Jpn. J. Pharmacol.* 80: 275-280 (1999)
- 倉石 泰: 痒み. *アレルギー科.* 8: 250-256 (1999)
- 倉石 泰: 痒みとヒスタミン. *医学のあゆみ.* 188: 193 (1999)
- 吉良潤一
- Kikuchi H, et al. Spinal cord lesions of myelitis with hyperIgEaemic and mite antigen specific IgE (atopic myelitis) manifest eosinophilic inflammation. *J Neurol Sci* 183: 73-78, 2001.
- Osoegawa M, et al. Localised myelitis caused by visceral larva migrans due to *Ascaris suum* masquerading as an isolated spinal cord tumour. *J Neurol Neurosurg Psychiatry* 70: 265-266, 2001.
- Kira J, et al. Juvenile muscular atrophy of distal upper extremity (Hirayama disease) associated with atopy. *J Neurol Neurosurg Psychiatry* 70: 798-801, 2001.
- Minohara M, et al. Differences between T cell reactivities to major myelin protein-derived peptides in optospinal and conventional forms of multiple sclerosis and healthy controls. *Tissue Antigens* 57: 447-546, 2001.
- Kira J, et al. Myelitis associated with atopic disorders in Japan: a retrospective clinical study of the past 20 years. *Intern. Med.* 40: 613-619, 2001.
- Horiuchi I, et al. Th2 shift in mononeuritis multiplex and increase of Th2 cells in chronic inflammatory demyelinating polyneuropathy: an intracellular cytokine analysis. *J. Neurol. Sci.* 193: 49-52, 2001.
- Ochi H, et al. Tc1/Tc2 and Th1/Th2 balance in Asian and Western types of multiple sclerosis (MS), HTLV-1-associated myelopathy/tropical spastic paraparesis (HAM/TSP) and hyperIgEaemic myelitis. *J. Neuroimmunol.* 119: 297-305, 2001.
- Horiuchi I, Kawano Y, Yamasaki K, Minohara M, Furue M, Taniwaki T, Miyazaki T, Kira J:

- Th1 dominance in HAM/TSP and the optico-spinal form of multiple sclerosis versus Th2 dominance in mite antigen-specific IgE myelitis. *J Neurol Sci* 172: 17-24, 2000
- Yamasaki K, Horiuchi I, Minohara M, Osoegawa M, Kawano Y, Ohyagi Y, Yamada T, Kira J: Hyperprolactinemia in opticospinal multiple sclerosis. *Intern Med* 39: 296-299, 2000
- Ohyagi Y, Yamada T, Nishioka K, Clarke NJ, Tomlinson AJ, Naylor S, Nakabeppu Y, Kira J, Younkin SG: Selective increase in cellular A $\beta$ 42 is related to apoptosis but not necrosis. *NeuroReport* 11: 167-171, 2000
- Arakawa K, Tobimatsu S, Kurita-Tashima S, Nakayama M, Kira J, Kato M: Effects of stimulus orientation on spatial frequency function of the visual evoked potential. *Exp Brain Res* 131: 121-125, 2000
- Ohyagi Y, Yamada T, Okayama A, Sakae N, Yamasaki T, Ohshima T, Sakamoto T, Fujii N, Kira J: Vergence disorders in patients with spinocerebellar ataxia 3/Machado-Joseph disease: a synoptophore study. *J Neurol Sci* 173 (2): 120-123, 2000
- Fukazawa T, Yamasaki K, Ito H, Kikuchi S, Minohara M, Horiuchi I, Tsukishima E, Sasaki H, Hamada T, Nishimura Y, Tashiro K, Kira J: Both the HLA-DPB1 and -DRB1 alleles correlate with risk for multiple sclerosis in Japanese: Clinical phenotypes and gender as important factors. *Tissue Antigens* 55: 199-205, 2000
- Horiuchi I, Yamasaki K, Osoegawa M, Ohyagi Y, Okayama A, Kurokawa T, Yamada T, Kira J: Acute myelitis following asthma attacks with onset after puberty. *J Neurol Neurosurg Psychiatry* 68: 665-668, 2000
- 武藤香織、岩木三保、吉良潤一：難病患者に対する入院施設確保事業の現状と問題点：福岡県重症神経難病ネットワークの取り組みより。*医療と社会* 10: 145-157, 2000
- Wu X-M, Kawano Y, Yamasaki K, Osoegawa M, Horiuchi I, Minohara M, Ohyagi Y, Yamada T, Kira J: Flow cytometric differentiation of Asian and Western types of multiple sclerosis (MS), HTLV-1-associated myelopathy/tropical spastic paraparesis (HAM/TSP) and hyperIgEaemic myelitis by analysis of memory CD4 positive T cell subsets and NK cell subsets. *J Neurol Sci* 177: 24-31, 2000
- Tsujino S, Kanazawa N, Ohashi T, Eto Y, Saito T, Kira J, Yamada T: A missense mutation (G27E), an insertion of AAC (Asn), and a nonsense mutation (R179X) associated with exon skipping in the mitochondrial ornithine transporter (ORNT1) gene of Japanese patients with HHH syndrome. *Ann Neurol* 47: 625-631, 2000

Yamada T, Shinnoh N, Kondo A, Uchiyama A, Shimozawa N, Kira J, Kobayashi T: Very-long-chain fatty acid metabolism in adrenoleukodystrophy protein-deficient mice. *Cell Biochemistry and Biophysics* 32: 239-246, 2000

Kira J, et al. Clinical, immunological and MRI features of myelitis with atopic dermatitis (atopic myelitis). *J Neurol Sci* 162: 56-61, 1999.

#### 野瀬善明

Association of meteorological and day-of-the-week factors with emergency hospital admissions in Fukuoka, Japan.

Makie T., Harada M., Kinukawa N., Toyoshiba H., Yamanaka T., Nakamura T., Sakamoto M. and Nose Y.

*International Journal of Biometeorology* 46:38-41, 2002

A practical procedure to prevent electromagnetic interference with electronic medical equipment.

Hanada E., Takano K., Antoku Y., Matsumura K., Watanabe Y. and Nose Y.

*Journal of medical systems* 26(1): 61-65, 2002

A filter that prevent the spread of mail attachment-type Trojan horse computer worms.

Kobayashi S., Goudge M., Makie T., Hanada E., Harada M. and Nose Y.

*Journal of Medical Systems* 26(3): 221-225, 2002

Possible electromagnetic interference with electronic medical equipment by radio waves coming from outside the hospital.

Hanada E., Kodama K., Takano K., Watanabe Y. and Nose Y.

*Journal of Medical Systems* 25(4): 257-267, 2001

Possibility of electromagnetic interference with electronic medical equipment by residual magnetization in a building with a steel structure.

Hanada E., Takano K., Mishima H., Kodama K., Antoku Y., Watanabe Y. and Nose Y.

*IEEE EMC Society Newsletter* 189: 15-19, 2001

A simple computerized programs for the calculation of the required sample size necessary to ensure statistical experiments.

Nutahara Y., Hanada E., Kinukawa N., Kenjo Y., Antoku Y., Akazawa K. and Nose Y.

*Computer Methods and programs in Biomedicine* 65(2): 133-139, 2001

Merits of duplicate LAN cabling in hospitals.

Hanada E., Antoku Y., Matsumura K., Makie T., Harada M., Takano K., Kenjo Y., Kobayashi M., Inoue R., Yamanaka T., Kinukawa N., Watanabe Y. and Nose Y.

*Journal of Medical Systems* 25(6): 367-371,

2001

An easily customized, randomized allocation system using the minimization method for multi-institutional clinical trials.

Kenjo Y., Antoku Y., Akazawa K., Hanada E., Kinukawa N. and Nose Y.

Comput Meth & Prog in Biomed (62) 45-49, 2000

A simple Client-Server System Using Personal Computer as the Server.

Matsumura K., Hanada E., Antoku Y., Kenjo Y., Shiraishi K., Kanmura Y. and Nose Y.

Journal of Medical Systems 24(1): 39-42, 2000

A Question and Answer E-Mail System for Responding to Query from the General Public with Which the System Manager Can Identify Delayed Replies.

Kato T., Hanada E., Takano K., Antoku Y. and Nose Y.

Journal of Medical Systems 24(1) 21-28, 2000

Electromagnetic Interference with Electronic Medical Equipment Induced by Automatic Conveyance Systems.

Hanada E., Watanabe Y. and Nose Y.

Journal of Medical Systems 24(1): 11-20, 2000

The impact of covariate imbalance on the log-rank test in randomized clinical trials. Kinukawa N., Nakamura T., Akazawa K. and Nose Y.

Statistics in Medicine 19(15): 1955-1967, 2000

Advantages of low output mobile communication systems in hospitals. Hanada E., Takano K., Antoku Y., Matsumura K., Kenjo Y., Watanabe Y. and Nose Y.

Journal of Medical Systems 24(2) 53-59, 2000

A Screening Gate to Prevent Entry of Mobile Telephone handsets in the Speaking/Stand-by Mode into Prohibited and Restricted Areas.

Hanada E., Watanabe Y. and Nose Y.

IEEE Transactions on Information Technology in Biomedicine 4(4): 320-323, 2000

Electromagnetic interference on medical equipment by low-power mobile telecommunication systems.

Hanada E., Antoku Y., Tani S., Kimura M., Hasegawa A., Urano S., Ohe K. Yamaki M. and Nose Y.

IEEE transactions on electromagnetic compatibility 42(4): 470-476, 2000

actors affecting maternal anxiety toward

child rearing in Japanese mothers.  
Akazawa K., Kinukawa N., Shippey F.,  
Gondo K. Hara T. and Nose Y.  
*Acta Paediatrica* 88(4): 428-430, 1999

A Keyword search system for medical  
doctors to induce their patients to  
specialists. Hanada E., Ise K., Antoku Y.,  
Matsumura K., Kenjo Y., Moga M.,  
Kashiwagi S. and Nose Y. *J. Med.  
Systems* 23(1): 73-76, 1999

Piecewise linear Cox model for  
estimating relative risks adjusting for  
the heterogeneity of the sample.  
Nakamura T., Akazawa K., Kinukawa N.  
and Nose Y.  
*Statistics for the Environment* 16: 281-  
290, 1999

竹原和彦  
洋雑誌

1. Takata M, Tojo M, Hatta N, Ohara K, Yamada M, Takehara K. No evidence of deregulated patched-hedgehog signaling pathway in trichoblastomas and other tumors arising within nevus sebaceous. *J Invest Dermatol.* 2001. 117: 1666-1670.
2. Sato S, Komura K, Hasegawa M, Hujimoto M, Takehara K. Clinical significance of soluble CD31 in patients with systemic sclerosis (SSc): Association with limited cutaneous SSc. *J Rheumatol.* 2001. 28: 2460-2465.
3. Sato S, Hamabuchi Y, Hasegawa M, Takehara K. Clinical significance of anti-topoisomeras I antibody levels determined by ELISA in systemic sclerosis. *Rheumatology.* 2001. 40: 1135-1140.
4. Inaoki M, Kaji K, Furuse S, Fujimoto A, Komastu N, Takatra M, Takehara K. Pemphigus foliaceus developing after metastasis of cutaneous squamous cell carcinoma to regional lymphnodes. *J Am Acad Dermatol.* 2001. 45: 767-770.
5. Sato S, Hasegawa M, Takehara K. Serum levels of interleukin-6 and interleukin-10 correlate with total skin thickness score in patients with systemic sclerosis. *J Dermatological Sci.* 2001. 27: 140-146.
6. Shirasaki F, Takata M, Hatta N, Takehara K. Loss of expressipon of the matastasis suppressor gene KiSS1 during melanoma progression and its association with LOH of chromosome 6q16.3-q231. *Cancer Res.* 2001. 61: 7422-7425.
7. Nishijima C, Sato S, Takehara K. Anti-agalactosy IgG antibodies in sera from patients with systemic sclerosis. *J Rheumatol.* 2001. 28: 1847-1851.
8. Shimada Y, Hasegawa M, Takehara K, Sato S. Elevated serum L-selectin levels and decreased L-selectin expression on CD8+ lymphocytes in systemic sclerosis. *Clin Exp Immunol.* 2001. 124: 474-479.
9. Nishijima C, Sato S, Hasegawa M, Nagaoka T, Hirata A, Komatsu K, Takehara K. Renal vascular damage in Japanese patients with

- systemic sclerosis. *Rheumatology*. 2001. 40: 406-409.
10. Inaoki M, Kaji K, Furuse S, Fujimoto A, Komatsu N, Takata M, Takehara K, Pemphigus foliaceus developing after metastasis of cutaneous squamous cell - carcinoma to lesional lymph nodes. *J Am Acad Dermatol*. 2001.45: 767-770.
  11. Kinuya K, Nakajima K, Kinuya S, Michigishi T, Tonami N, Takehara K, Esophageal hypomotility in systemic sclerosis: Close relationship with pulmonary involvement. *Annals Nuclear Medicine*. 2001. 15: 97-101.
  12. Inaoki M, Kodera M, Fujimoto A, Nousari HC, Anhalt GJ, Takehara K, Paraneoplastic pemphigus without antidesmoglein 3 or antidesmoglein 1 autoantibodies. *Br J Dermatol*. 2001. 144: 610-613.
  13. Aoki H, Fujii M, Imamura T, Yabi K, Takehara K, Kato M, Miyazono K, Synergistic effects of different bone morphogenetic protein type I receptors on alkaline phosphatase induction. *J Cell Science*. 2001. 114: 1483-1489.
  14. Nakajima K, Taki J, Kawano M, Higuchi T, Sato S, Nishijima C, Takehara K, Tonami N. Diastolic dysfunction in patients with systemic sclerosis detected by gated myocardial perfusion SPECT: An early sign of cardiac involvement. *J Nuclear Medicine*. 2001. 42: 183-188.
  15. Inagaki Y, Nemoto T, Nakao A, Dijke PT, Kobayashi K, Takehara K, Greenwel P, Interaction between GC box binding factors and proteins modulates cell lineage-specific  $\alpha 2(I)$  collagen gene transcription. 2001. *J Biological Chemistry*. 276: 16573-16579.
  16. Inagaki Y, Mamura M, Kanamaru Y, Greenwel P, Nemoto T, Takehara K, Dijke PT, Nakao A, Constitutive phosphorylation and nuclear localization of smad3 are correlated with increased collagen gene transcription in activated hepatic stellate cells. *J Cell Physiol*. 2001. 87: 117-123.
  17. Inaoki M, Sato S, Shimada Y, Takehara K, Elevated serum levels of soluble L-selectin in patients with systemic sclerosis declined after intravenous injection of lipoprostaglandin E1. *J Dermatological Sci*. 2001. 25: 78-82.
  18. Nishijima C, Hatta N, Inaoki M, Sakai H, Takehara K, Urticarial vasculitis in systemic lupus erythematosus: fair response to prednisolone/dapsone and persistent hypocomplementemia. *Eur J Dermatol*. 2000. 9: 54-56.
  19. Takehara K, Growth regulation of skin fibroblasts. *J Dermatol Sci*. 2000. 24: S70-S77
  20. Sato S, Hasegawa M, Fujimoto M, Tedder TF, Takehara K, Quantitative genetic variation in CD19 expression correlates with autoimmunity. *J Immunol*. 2000. 165: 6636-6643.
  21. Sato S, Hanakawa H, Hasegawa M, Nagaoka T, Hamaguchi Y, Nishijima C,

- Komatsu N, Takehara K. Levels of interleukin 12, a cytokine of type 1 helper T cells, are elevated in sera from patients with systemic sclerosis. *J Rheumatol*. 2000. 27: 2838-2842.
22. Takata M, Shirasaki F, Nakatani T, Takehara K. Hereditary non-polyposis colorectal cancer associated with disseminated superficial porokeratosis. Microsatellite instability in skin tumours. *Br J Dermatol*. 2000. 143: 851-855.
23. Inaoki M, Sato S, Shimada Y, Kawara S, Steeber DA, Tedder TF, Takehara K. Decreased expression levels of L-selectin on subsets of leucocytes and increased serum L-selectin severe psoriasis. *Clin Exp Immunol*. 2000. 122: 484-492.
24. Nagaoka T, Sato S, Hasegawa M, Ihn H, Takehara K. Serum levels of soluble interleukin 6 receptor and soluble gp130 are elevated in patients with localized scleroderma. *J Rheumatol*. 2000. 27: 1917-1921.
25. Fujimoto A, Takata M, Hatta N, Takehara K. Expression of structurally unaltered androgen receptor in extramammary paget's disease. *Lab Invest*. 2000. 80: 1465-1471.
26. Nagaoka T, Kaburagi Y, Hamaguchi Y, Hasegawa M, Takehara K, Steeber DA, Tedder TF, Sato S, Delayed wound healing in the absence of intercellular adhesion molecule-1 or L-selectin expression. *Am J Pathol*. 2000. 157: 237-247.
27. Sato S, Nagaoka M, Hasegawa M, Nishijima C, Takehara K. Elevated serum KL-6 levels in patients with systemic sclerosis: association with the severity of pulmonary fibrosis. *Dermatology*. 2000. 200: 196-201.
28. Sato S, Hasegawa M, Ihn H, Kikuchi K, Takehara K. Clinical significance of antinuclear matrix antibody in serum from patients with anti-U1RNP antibody. *Arch Dermatol Res*. 2000. 292: 55-59.
29. Ishida W, Hamamoto T, Kusanagi K, Yagi K, Kawabata M, Takehara K, Sampath TK, Kato M, Miyazono K, Smad6 is a smad 1/5-induced smad inhibitor. *J Biol Chem*. 2000. 275: 6075-6079.
30. Sato S, Nagaoka T, Hasegawa M, Tamatani T, Nakanishi T, Takigawa M, Takehara K. Serum levels of connective tissue growth factor are elevated in patients with systemic sclerosis: Association with extent of skin sclerosis and severity of pulmonary fibrosis. *J Rheumatol*. 2000. 27: 149-154.
31. Ihn H, Sato S, Fujimoto M, Igarashi A, Yazawa N, Kubo K, Kikuchi K, Takehara K. Characterization of autoantibodies to endothelial cells in systemic sclerosis(SSc): association with pulmonary fibrosis. *Clin Exp Immunol*. 2000. 119: 203-209.
32. Takata M, Morita R, Takehara K. Clonal heterogeneity in sporadic melanomas as revealed by loss-of-heterozygosity analysis. *Int J Cancer*. 2000. 85: 492-497.

33. Takata M, Hashimoto K, Mehregan P, Lee WM, Yamamoto A, Mohri S, Ohara K, Takehara K, Genetic changes in sweat gland carcinomas. *J Cutan Pathol*. 2000. 27: 30-35.
34. Hasegawa M, Sato S, Takehara K, Augmented production of chemokines (monocyte chemotactic protein-1(MCP-1)), macrophage inflammatory protein-1  $\alpha$  (MIP-1  $\alpha$ ) and MIP-1  $\beta$  in patients with systemic sclerosis: MCP-1 and MCP-1  $\alpha$  may be involved in the development of pulmonary fibrosis. *Clin Exp Immunol*. 1999. 117: 59-165.
35. Kawara S, Takata M, Takehara K, High frequency of DNA aneuploidy detected by DNA flow cytometry in Bowen's disease. *J Dermatological Sci*. 1999. 21: 21-26.
36. Hasegawa M, Sato S, Ihn H, Takehara K, Enhanced production of interleukin-6 (IL-6), oncostatin M and soluble IL-6 receptor by cultured peripheral blood mononuclear cells from patients with systemic sclerosis. *Rheumatol*. 1999. 38: 612-617.
37. Mori T, Kawara S, Shinozaki M, Hayasi N, Kakinuma T, Igarashi A, Takigawa M, Nakanishi T, Takehara K, Role and interaction of connective tissue growth factor with transforming growth factor- $\beta$  in persistent fibrosis: A mouse fibrosis model. *J Cell Physiol*. 1999. 181: 53-159.
38. Takata M, Fujimoto A, Aoki H, Hatta N, Ooi A, Takehara K, erbB-2 Overexpression but no activation of  $\beta$ -catenin gene in extramammary paget's disease. *J Invest Dermatol*. 1999. 113: 258-262.
39. Hatta N, Fujimoto A, Takehara K, Takata M, Mapping of occult melanoma micrometastases in the inguinal lymph node basin by immunohistochemistry and RT-PCR. *Melanoma Res*. 1999. 9: 401-404.
40. Shimada Y, Sato S, Hasegawa M, Thomas F, Tedder, Takehara K, Elevated serum L-selectin levels and abnormal regulation of L-selectin expression on leukocytes in atopic dermatitis: Soluble L-selectin levels indicate disease severity. *J Allergy Clin Immunol*. 199. 104: 163-168.
41. Taniuchi K, Takata M, Matsui C, Fushida Y, Uchiyama K, Mori T, Kawara S, Yancey K.B., Takehara K, Antiepiligrin(laminin 5)cicatrical pemphigoid associated with an underlying gastric carcinoma producing laminin 5. *Br J Dermatol*. 1999. 140: 696-700.
42. Fujimoto A, Morita R, Hatta N, Takehara K, Takata M, p16INK4a inactivation is not frequent in uncultured sporadic primary cutaneous melanoma. *Oncogene*. 1999. 18: 2527-2532.
43. Hasegawa M, Sato S, Sakai H, Ohashi T, Takehara K, Systemic sclerosis revealing T-cell lymphoma. *Dermatology*. 1999. 198: 75-78.

著書

1. 竹原和彦, こうして治すアトピー (単書), 岩波アクティブ新書, 岩波書店, 2002
2. 竹原和彦, ベーチェット病 今日の治療指針,

- 2002年, 多賀須幸男, 尾形悦郎編, 医学書院, 2002年, p751
3. 竹原和彦, 用語編; ヒトアジュバント病 皮膚科専門医 Clinical Exercises, 宮地良樹, 橋本 隆編, 医学書院, 2001年, p145
  4. 竹原和彦, 用語編; 爪上皮出血点 皮膚科専門医 Clinical Exercises, 宮地良樹, 橋本 隆編, 医学書院, 2001年, p135
  5. 竹原和彦, 用語編; アトピービジネス 皮膚科専門医 Clinical Exercises, 宮地良樹, 橋本 隆編, 医学書院, 2001年, p105
  6. 竹原和彦, 用語編; 抗核抗体 皮膚科専門医 Clinical Exercises, 宮地良樹, 橋本 隆編, 医学書院, 2001年, p123
  7. 竹原和彦, 新生児の皮膚疾患 標準皮膚科学, 池田重雄監修, 荒田次郎・西川武二・瀧川雅浩編集, 医学書院, 2001年, p469
  8. 竹原和彦, 治療 標準皮膚科学, 池田重雄監修, 荒田次郎・西川武二・瀧川雅浩編集, 医学書院, 2001年, pp500-504
  9. 竹原和彦, アトピー性皮膚炎のステロイド外用療法, アレルギーナビゲーター, 森田 寛, 永倉俊和, 宮地良樹, 岡本美孝編, メディカルレビュー社, 2001年, pp84-85
  10. 竹原和彦, アトピービジネスと戦うために, 皮膚科研修医ノート, 清水 宏編, 診断と治療社, 2001年, pp83-85
  11. 竹原和彦, 血管炎症候群の診断と病態把握\_皮膚科医の立場から\_血管炎, 長澤俊彦監修, 橋本博史編, 朝倉書店, 2001年, pp95-99
  12. 竹原和彦, アトピービジネス, アトピー疾患用語ハンドブック, 宮地良樹・岡本美孝・高村悦子編, メディカルレビュー社, 2001年, p40
  13. 竹原和彦, はじめに, 決定版専門医がやさしく語るアトピー性皮膚炎 (日本皮膚科学会ガイドライン準拠), 竹原和彦, 川島 眞, 古川福実監修, 暮らしの手帖社, 2001, pp5-7
  14. 竹原和彦, 治療のゴールどのようなものでしょうか? , 決定版専門医がやさしく語るアトピー性皮膚炎 (日本皮膚科学会ガイドライン準拠), 竹原和彦, 川島 眞, 古川福実監修, 暮らしの手帖社, 2001年, pp48-55
  15. 竹原和彦, 民間療法や特殊療法 決定版専門医がやさしく語るアトピー性皮膚炎 (日本皮膚科学会ガイドライン準拠), 竹原和彦, 川島 眞, 古川福実監修, 暮らしの手帖社, 2001年, pp144-163
  16. 竹原和彦, 困った際には (日本皮膚科学会の患者相談システム), 決定版専門医がやさしく語るアトピー性皮膚炎 (日本皮膚科学会ガイドライン準拠), 竹原和彦, 川島 眞, 古川福実監修, 暮らしの手帖社, 2001年, pp164-175
  17. 竹原和彦著, そこが知りたい Q&A アトピー性皮膚炎最新知識\_日本皮膚科学会患者相談システムに学ぶ\_医薬ジャーナル社, 2001年
  18. 竹原和彦, アトピービジネス Atopic Dermatitis アトピー性皮膚炎, 宮地良樹, 永倉俊和編, メディカルレビュー社, 2000年, pp271-278
  19. 竹原和彦著, アトピービジネス文春新書, 文藝春秋, 2000年
  20. 竹原和彦著, アトピービジネス私論\_その後の検証\_, 先端医学社, 2000年
  21. 竹原和彦, 「強皮症」知って, 竹原和彦, 佐藤伸一編, 芳賀書店, 2000年
  22. 竹原和彦著, アトピー知って, 芳賀書店,

- 2000年
23. ●竹原和彦, 境界領域との競合・アトピー性皮膚炎, 皮膚科専門医サバイバル戦略ガイド, 宮地良樹編, 診断と治療社, 2000年 pp76-82
24. ●竹原和彦, 脱ステロイド療法の問題と矛盾, 正しいステロイド剤の使い方 2.外用剤編, 塩原哲夫編, 医薬ジャーナル社, 2000年, pp55-59
25. 竹原和彦, 深在性エリテマトーデス, 皮膚疾患最新の治療 2001-2002, 新村真人, 瀧川雅浩編, 南江堂, 2000年, p54
26. 竹原和彦, 蝶型紅斑, 膠原病診療\_専門医によるベストアドバイス\_困ったときにどう考えるか\_, 竹原和彦, 近藤啓文, 桑名正隆, 宮地良樹編, 診断と治療社 2000年, pp72-73
27. 竹原和彦, 美容外科手術後強皮症, 膠原病診療\_専門医によるベストアドバイス\_困ったときにどう考えるか\_, 竹原和彦, 近藤啓文, 桑名正隆, 宮地良樹編, 診断と治療社, 2000年, pp100-102
28. 竹原和彦, マイクロキメリズム, 膠原病診療\_専門医によるベストアドバイス\_困ったときにどう考えるか\_, 竹原和彦, 近藤啓文, 桑名正隆, 宮地良樹編, 診断と治療社, 2000年, p103
29. 竹原和彦, GM-like SSc, 膠原病診療\_専門医によるベストアドバイス\_困ったときにどう考えるか\_, 竹原和彦, 近藤啓文, 桑名正隆, 宮地良樹編, 診断と治療社, 2000年, pp110-111
30. 竹原和彦, 妊娠と全身性強皮症, 膠原病診療\_専門医によるベストアドバイス\_困ったときにどう考えるか\_, 竹原和彦, 近藤啓文, 桑名正隆, 宮地良樹編, 診断と治療社, 2000年, pp114-115
31. 竹原和彦, 小児の amyopathic dermatomyositis, 膠原病診療\_専門医によるベストアドバイス\_困ったときにどう考えるか\_, 竹原和彦, 近藤啓文, 桑名正隆, 宮地良樹編, 診断と治療社, 2000年, pp128-129
32. 竹原和彦, 限局性強皮症, 今日の治療指針 1999年版, 多賀須幸男, 尾形悦郎編, 医学書院, 1999年, pp618-619
33. 竹原和彦, 全身性強皮症, 外来診療のすべて, メジカルビュー社, 1999年, pp788-789
34. 竹原和彦, 全身性強皮症, 皮膚疾患最新の治療 1999-2000, 新村真人, 瀧川雅浩編, 南江堂, 1999年, pp60-62
35. 竹原和彦, 膠原病による皮膚の病変, ホームメディカ家庭医学館, 小学館, 1999年, pp322-323
36. 竹原和彦, 膠原病の皮膚症状, ホームメディカ家庭医学館, 小学館, 1999年, pp1774-1775
37. 竹原和彦, 肢端紅痛, 外来診療のすべて, メジカルビュー社, 1999年, 324-325
38. ●竹原和彦, アトピービジネス, KEY WORD 1999-2000 皮膚疾患, 竹原和彦, 島田眞路, 相馬良直編, 先端医学社, 1999年, pp12-13
39. 竹原和彦, 強皮症(全身性強皮症, 限局性強皮症), 新・内科治療ガイド, 矢崎義雄, 和田攻, 大久保昭行, 永田直一編, 文光堂, 1999年, pp1283-1286
40. ●竹原和彦, 気管支喘息を伴うアトピー性皮膚炎: 皮膚科より, 気管支喘息 その診療と管理, 中村晋編, 永井書店 1999年, pp162-168
41. ●竹原和彦, 民間療法, 皮膚科診療プラクティス, アトピー性皮膚炎, 診療のストラテジ

- 一，宮地良樹，瀧川雅浩編，文光堂，1999年，p101
42. 竹原和彦，Amyopathic dermatomyositis  
KEY WORD 2000-2001 膠原病，竹原和彦，  
近藤啓文，高崎芳成，相馬良直編，  
先端医学社，1999年 pp150-151
43. 竹原和彦，B細胞トランス，KEY WORD  
2000-2001 膠原病，竹原和彦，近藤啓文，高  
崎芳成，相馬良直編，先端医学社 1999年，  
pp158-159
44. 竹原和彦，Microchimerism KEY  
WORD 2000-2001 膠原病，竹原和彦，近藤啓  
文，高崎芳成，相馬良直編，先端医学社，1999  
年，pp194-195
45. 竹原和彦，爪の周囲から膠原病を探る，皮膚  
科診療プラクティス 8.毛と爪のオフィスダー  
マトロジー，勝岡憲生，宮地良樹，瀧川雅浩  
編，文光堂，1999年，pp132-135
7. ●竹原和彦，アトピー性皮膚炎不適切治療の  
実態，日医雑誌，2001. 126：53-57
8. ●竹原和彦，アトピー性皮膚炎難治症例に対  
する対策，民間療法，アレルギー・免疫，2001.  
8：40-45
9. ●竹原和彦，アトピー性皮膚炎不適切治療の  
実態，日本医師会雑誌，2001. 126：53-57
10. ●竹原和彦，アトピー性皮膚炎におけるステ  
ロイド外用療法\_治療ガイドラインと EBM\_，  
小児科診療，2001. 64：1362-1368
11. 竹原和彦，線維化と疾患\_多様性と共通性，  
Molecular Medicine，2001. 38：854-856
12. 竹原和彦，皮膚と線維化疾患，Molecular Medi  
cine ，2001. 38：864-871
13. ●竹原和彦，皮膚疾患\_アトピー性皮膚炎を  
中心として\_ ，臨床と研究，2001. 78：  
1411-1416
14. ●竹原和彦，ステロイド外用薬の悪魔化とア  
トピービジネス，アレルギー，2001. 50：  
654-656
15. ●竹原和彦，アトピー性皮膚炎医療混乱に対  
する日本皮膚科学会の対策\_不適切治療調査・  
ガイドライン作成・患者相談システム\_，アレ  
ルギー・免疫，2001. 8：1258-1264
16. ●蕪城裕子，竹原和彦，アトピービジネス  
被害の実態とアトピービジネス訴訟  
アレルギー・免疫，2001. 8：66-73
17. ●竹原和彦，アトピー性皮膚炎医療混乱に対  
する日本皮膚科学会の対策\_不適切治療調査・  
ガイドライン作成・患者相談システム\_，アレ  
ルギー・免疫 2001. 8：58-64
18. 竹原和彦，全身性強皮症の病態と治療，臨  
床医 ，2000. 26：322-324
19. ●竹原和彦，アトピー性皮膚炎\_明日の治療
- 総説
1. ●竹原和彦，玉木 毅編「アトピー」知って！  
2 アトピー性皮膚炎のウソ・ホント  
知って！シリーズ，芳賀書店，2001年
2. 竹原和彦，皮膚，内臓硬化における線維化の  
機構，日本内科学会誌，2001. 90：145-150
3. ●竹原和彦，アトピー性皮膚炎の治療をめぐ  
って Narsing Toda，2001. 72-75
4. ●竹原和彦，アトピー性皮膚炎治療のグロー  
バルスタンダード，治療，2001.  
83：1663-1667
5. ●竹原和彦，アトピー性皮膚炎，医薬ジャーナ  
ル 2001. 37：1581-1584
6. ●竹原和彦，アトピービジネス，臨床看護，2001.  
27：1092-1096

- のために\_アトピービジネスを考える, 日本臨床皮膚科医誌, 2000. 63:46-49
20. ●竹原和彦, 最新!アトピー性皮膚炎治療薬プロトピック軟膏について知っておこう, Expert Nurse, 2000. 16:46-48
21. ●竹原和彦, 患者さんに聞かれたら要注意!アトピービジネスの被害と実態, Expert Nurse, 2000. 16:58-60
22. ●竹原和彦, アトピービジネスの現況 内科領域でも対岸の火事ではない, medicina, 2000. 37:569-571
23. 竹原和彦, 全身性強皮症の病態と治療, 臨床医, 2000. 26:322-324
24. 佐藤伸一, 竹原和彦, 全身性強皮症におけるスキン・スコア, 臨床皮膚科, 2000. 54:129-132
25. 竹原和彦, 強皮症の病因・診断・治療, 日本臨床皮膚科医会誌 2000. 64:126-129
26. 竹原和彦, アトピー性皮膚炎の不適切治療による健康被害\_その実態と今後の取組み, 医学のあゆみ, 2000. 194:934-935
27. ●竹原和彦, アトピー性皮膚炎に対する日本皮膚科学会の取組み\_患者相談システムを中心に\_, 治療, 2000 . 82:2786-2787
28. 竹原和彦, 増殖因子の臨床応用 救急医学, 2000. 24:1599-1603
29. ●竹原和彦, アトピービジネス問題\_その後の検証一, 日本臨床皮膚科医会誌, 2000. 66:321-324
30. ●竹原和彦, 日本皮膚科学会・アトピー性皮膚炎医療をめぐる混乱に対する対策, 臨床と薬物治療, 2000. 19:1225-1228
31. 竹原和彦, 皮膚白血球破壊性血管炎の診断と治療, 最新医学, 2000. 55:2695-2699
32. 竹原和彦, サイトカインと皮膚の線維化疾患, 日本臨床免疫学会誌, 2000. 23:599-602
33. 佐藤伸一, 竹原和彦 強皮症の病型分類と皮膚硬化の評価法, リウマチ科, 2000. 24:564-571
34. ●竹原和彦, アトピー性皮膚炎の民間療法・アトピービジネスの実態, 日本医事新報, 2000. 399:22-28
35. 竹原和彦, 全身性強皮症の発症機構, 診断, 治療, 現代医療, 1999. 31:783-787.
36. ●竹原和彦, 特集・アトピー性皮膚炎の治療, ステロイド治療, クリニカ, 1999. 26:7-12
37. ●竹原和彦, アトピー性皮膚炎における民間療法の功罪, 小児内科, 1999. 31:383-388
38. ●竹原和彦, アトピービジネスによる健康被害, 診断と治療, 内科医に必要な皮膚病変の診かた, 宮地良樹責任編集, 診断と治療社, 1999. 87:260-263
39. ●竹原和彦, 皮膚をめぐる最近の話題, アトピービジネスを考える, Pharma Medica . 1999. 17:13-16
40. 竹原和彦, 全身性強皮症の最新知見, 臨床成人病, 1999, 29:884-888
41. ●竹原和彦, アトピービジネスを考える(三支部合同各術集会教育講演) 日本臨床皮膚科医学会誌, 1999. 61:176-180
42. ●竹原和彦, 続アトピービジネス論, 皮膚臨床, 1999. 41:1433-1438
43. ●竹原和彦, アトピー性皮膚炎における不適切治療の実態\_アトピービジネスの実態, アレルギー科, 1999. 8:238-243
44. ●竹原和彦, アトピー性皮膚炎と不適切治療\_アトピービジネスを中心に\_日本薬剤師会誌, 1999. 51:1491-1496