

175. Shinjyo T, Kuribara R, Inukai T, Hosoi H, Kinoshita T, Miyajima A, Houghton PJ, Look AT, Ozawa K, Inaba T : Downregulation of Bim, a proapoptotic relative of Bcl-2, is a pivotal step in cytokine-initiated survival signaling in murine hematopoietic progenitors. *Mol Cell Biol* 21 : 854 - 864, 2001
176. Tabata M, Tarumoto T, Ohmine K, Furukawa Y, Hatake K, Ozawa K, Hasezawa Y, Mukai H, Yamamoto M, Imagawa S : Stimulation of GATA-2 as a mechanism of hydrogen peroxide suppression in hypoxia-induced erythropoietin gene expression. *J Cell Physiol* 186 : 260 - 267, 2001
177. Mori M, Hatake K, Tanaka M, Takatoku M, Matsumoto Y, Uchida M, Kemataka M, Nagai T, Terui Y, Tomizuka H, Muroi K, Ozawa K : CAM-cytarabine, aclarubicin plus macrophage colony-stimulating factor in the treatment of acute myelogenous Leukemia with trilineage dysplasia : Usefulness of *in vitro* apoptosis in leukemic cells. *Leuk Lymphoma* 42 : 387 - 397, 2001
178. Mori M, Terui Y, Tanaka M, Tomizuka H, Mishima Y, Ikeda M, Kasahara T, Uwai M, Ueda M, Inoue R, Itoh T, Yamada M, Hayasawa H, Furukawa Y, Ishizaka Y, Ozawa K, Hatake K : Antitumor effect of beta2-microglobulin in leukemic cell-bearing mice via apoptosis-inducing activity : activation of caspase-3 and nuclear factor kappaB. *Cancer Res* 61 : 4414 - 4417, 2001
179. Tanaka M, Kirito K, Kashii Y, Uchida M, Watanabe T, Endo H, Endoh T, Sawada K, Ozawa K, Komatsu N : Forkhead family transcription factor FKHL1 is expressed in human megakaryocytes and regulates cell cycling as a downstream molecule of TPO signaling. *J Biol Chem* 276 : 15082 - 15089, 2001
180. Sato Y, Izumi T, Kanamori H, Davis EM, Miura Y, Larson RA, Le Beau MM, Ozawa K, Rowley JD : A new recurrent translocation t (1 ; 3) (p36 ; p21) associated with therapy-related leukemia. *Gene Chromosome Cancer* : in press
181. Kirito K, Nakajima K, Watanabe T, Uchida M, Tanaka M, Ozawa K, Komatsu N : Identification of the human erythropoietin receptor region required for Stat1 and Stat3 activation. *Blood* : in press
182. Kirito K, Nagashima T, Ozawa K, Komatsu N : Constitutive activation of Stat1 and Stat3 in primary erythroleukemia cells. *Int J Hematol* : in press
183. Tatsumi M, Kitayama H, Sugahara H, Tokita N, Nakamura H, Kanakura Y, Nishimura T : Whole-body hybrid PET with ¹⁸F-FDG in the staging of non-Hodgkin's lymphoma. *J Nucl Med* 42 : 601 - 608, 2001
184. Kawasaki A, Matsumura I, Miyagawa J, Ezo S, Tanaka H, Terada Y, Tatsuka M, Machii T, Miyazaki H, Furukawa Y, Kanakura Y : Downregulation of an AIM-1 kinase couples with megakaryocytic polyploidization of human hematopoietic cells. *J Cell Biol* 152 : 275 - 287, 2001
185. Nojima J, Kuratsune H, Suehisa E, Futsukaichi Y, Yamanishi H, Machii T, Iwatani Y, Kanakura Y : Association between the prevalence of antibodies to β 2-glycoprotein I, prothrombin, protein C, protein S,

and annexin V in patients with systemic lupus erythematosus and thrombotic and thrombocytopenic complications. Clin Chemistry 47 : 1008 - 1015, 2001

186. Suehisa E, Nomura T, Kawasaki T, Kanakura Y : Frequency of natural coagulation inhibitor (antithrombin III, protein C and Protein S) deficiencies in Japanese patients with spontaneous deep vein thrombosis. Blood Coagul Fibrinolysis 12 : 95 - 99, 2001
187. Nojima J, Kuratsune H, Suehisa E, Futsukaichi Y, Yamanishi H, Machii T, Kitani T, Iwatani Y, Kanakura Y : Anti-prothrombin antibodies combined with lupus anticoagulant activity is an essential risk factor for venous thromboembolism in patients with systemic lupus erythematosus. Br J Haematol 114 : 647 - 654, 2001
188. Suehisa E, Toku M, Kawasakai T, Kanakura Y : Measurement of a newly developed thrombomodulin addition activated partial thromboplastin time assay in patients with deep venous thrombosis. Haemostasis 31 : 26 - 31, 2001
189. Kabutomori O, Kanakura Y, Iwatani Y : Increase in platelet-large cell ratio in chronic myeloid leukemia. Leuk Res 25 : 873, 2001
190. Tsukasaki K, Miller CW, Greenspun E, Eshaghian S, Kawabata H, Fujimoto T, Tomonaga M, Sawyers C, Said JW, Koeffler HP : Mutations in the mitotic check point gene, MAD1L1, in human cancers. Oncogene 20(25) : 3301 - 3305, 2001
191. Tsukasaki K, Miller CW, Kubota T, Takeuchi S, Fujimoto T, Ikeda S, Tomonaga M, Koeffler HP : Tumor necrosis factor α polymorphism associated with increased susceptibility to development of adult T-cell leukemia/lymphoma in human T-lymphotropic virus type 1 carriers. Cancer Res 61(9) : 3770 - 3774, 2001
192. Itoyama T, Chaganti RSK, Yamada Y, Tsukasaki K, Atogami S, Nakamura H, Tomonaga M, Ohshima K, Kikuchi M, Sadamori N : Cytogenetic analysis and clinical significance in adult T-cell leukemia/lymphoma: a study of 50 cases from the human T-cell leukemia virus type-1 endemic area, Nagasaki. Blood 97(11) : 3612 - 3620, 2001
193. Tsukasaki K, Krebs J, Nagai K, Tomonaga M, Koeffler HP, Bartram CR, Jauch A : Comparative genomic hybridization analysis in adult T- cell leukemia/lymphoma: correlation with clinical course. Blood 97(12) : 3875 - 3881, 2001
194. Imaizumi Y, Kohno T, Yamada Y, Ikeda S, Tanaka Y, Tomonaga M, Matsuyama T : Possible involvement of interferon regulatory factor 4 (IRF4) in a clinical subtype of adult T-cell leukemia. Jpn J Cancer Res 92(12) : 1284 - 1292, 2001
195. Kawaguchi Y, Jinnai I, Nagai K, Yagasaki F, Yakata Y, Matsuo T, Kuriyama K, Tomonaga M : Effect of a

- selective Abl tyrosine kinase inhibitor, STI571, on in vitro growth of BCR-ABL-positive acute lymphoblastic leukemia cells. : *Leukemia*, 15(4) : 590 - 594, 2001
196. Takahashi T, Ebihara Y, Manabe A, Tsuji K, Nakamura T, Nakahata T, Iwamoto A : Surfactant protein D and KL-6 as serologic indicators of pneumocystis carinii pneumonia in a child with acute lymphoblastic leukemia. *J Med* 32 : 41 - 51, 2001
197. Imai T, Hattori H, Miyazaki M, Higuchi Y, Adachi S, Nakahata T : Dandy-Walker variant in Coffin-Siris syndrome. *Am J Med Genet* 100 : 152 - 155, 2001
198. Sawano A, Iwai S, Sakurai Y, Ito Y, Shitara K, Nakahata T, Shibuya M : Flt-1, vascular endothelial growth factor receptor-1, is a novel cell surface marker for the lineage of monocyte-macrophages in humans. *Blood* 97 : 785 - 791, 2001
199. Ma F, Wada M, Yoshino H, Ebihara Y, Ishii T, Manabe A, Tanaka R, Maekawa T, Itoh M, Mugishima H, Asano S, Nakahata T, Tsuji K : Development of human lymphohematopoietic stem and progenitor cells defined by expression of CD34 and CD81. *Blood* 97 : 3755 - 3762, 2001
200. Ueda T, Yoshida M, Yoshino H, Kobayashi K, Kawahata M, Ebihara Y, Ito M, Asano S, Nakahata T, Tsuji K : Hematopoietic capability of CD34+ cord blood cells: a comparison with CD34+ adult bone marrow cells. *Int J Hematol* 73 : 457 - 462, 2001
201. Matsuoka S, Tsuji K, Hisakawa H, Xu M, Ebihara Y, Ishii T, Sugiyama D, Manabe A, Tanaka R, Ikeda Y, Asano S, Nakahata T : Generation of definitive hematopoietic stem cells from murine early yolk sac and paraaortic splanchnopleures by aorta-gonad-mesonephros region-derived stromal cells. *Blood* 98 : 6 - 12, 2001
202. Miyamoto K, Tsuji K, Maekawa T, Asano S, Nakahata T : Inhibitory effect of interleukin 3 on the early development of human B-lymphopoiesis. *Br J Haematol* 114 : 690 - 697, 2001
203. Yorifuji T, Muroi J, Mamada M, Uematsu A, Kawai M, Momoi T, Kaji M, Yamanaka C, Nakahata T : Analysis of the SRY gene in Turner syndrome patients with Y chromosomal material. *J Med Genet* 38 : 41, 2001
204. Mizuno S, Chijiwa T, Okamura T, Akashi K, Fukumaki Y, Niho Y, Sasaki H : Expression of DNA methyltransferases *DNMT1*, *3A*, and *3B* in normal hematopoiesis and in acute and chronic myelogenous leukemia. *Blood* 97 : 1172 - 1179, 2001
205. Sugio Y, Okamura T, Shimoda K, Matsumoto M, Yagi H, Ishizashi H, Niho Y, Inaba S, Fujimura Y : Ticlopidine-associated thrombotic thrombocytopenic purpura with an IgG-type inhibitor to von Willebrand factor-cleaving protease activity. *Int J Hematol* 74 : 347 - 351, 2001

206. Harashima S, Horiuchi T, Hatta N, Morita C, Higuchi M, Sawabe T, Tsukamoto H, Tahira T, Hayashi K, Fujita S, Niho Y : Outside-to-inside signal through the membrane TNF- α . Induces E-Selection (CD62E) expression on activated human CD4+ T cells. *J Immunology* 166 : 130 -136, 2001
207. Shimoda K, Tsutsui H, Aoki K, Kato K, Matsuda T, Numata A, Takase K, Yamamoto T, Nukina H, Hoshino T, Asano Y, Gondo H, Okamura T, Okamura S, Nakayama K, Nakanishi K, Niho Y, Harada M : Partial impairment of IL-12 and IL-18 signaling in Tyk2-deficient Mice. *Blood* : in press
208. Murate T, Banno Y, Koizumi K-T, Watanabe K, Mori N, Wada A, Igarashi Y, Takagi A, Kojima T, Asano H, Akao Y, Yoshida S, Saito H, Nozawa Y : Cell type-specific localization of sphingosine kinase 1a in human tissues. *J Histochem Cytochem* 49 : 845 - 855, 2001
209. Ito Y, Koizumi K-T, Koide Y, Nakagawa M, Kawabe T, Nishida A, Murate T, Takemura M, Suzuki M, Yoshida S : Structural requirement of sphingosine molecules for inhibition of DNA primase : Biochemical and computational analysis. *Biochemistry* 40 : 11571 - 11577, 2001
210. Yoshida K, Tosaka A, Kamiya H, Murate T, Kasai H, Nimura Y, Ogawa M, Yoshida S, Suzuki M : Arg660ser mutation in *Thermus aquaticus* DNA polymerase I suppresses T \rightarrow C transitions. *Nucleic Acid Res* 29 : 4206 - 4214, 2001
211. Ishida Y, Yano K, Ito T, Shigematsu H, Sasaki K, Kondo S, Kuriya S : Purification of proplatelet formation (PPF) stimulating factor : Thrombin/antithrombin III complex stimulates PPF of megakaryocytes in vitro and platelet production in vivo. *Thrombosis & Haemostasis* 85 : 349 - 355, 2001
212. Yamauchi T, Kawai Y, Goto N, Kishi S, Imamura S, Yoshida A, Urasaki Y, Fukushima T, Iwasaki H, Tsutani H, Masada M, Ueda T : Close correlation of 1- β -D-arabinofuranosylcytosine 5'-triphosphate, an intracellular active metabolite, to the therapeutic efficacy of N4-behenoyl-1- β -D-arabinofuranosylcytosine therapy for acute myelogenous leukemia. *Jpn J Cancer Res* 92 : 975 - 982, 2001
213. Yamauchi T, Kawai Y, Kishi S, Goto N, Urasaki Y, Imamura S, Fukushima T, Yoshida A, Iwasaki H, Tsutani H, Masada M, Ueda T : Monitoring of intracellular 1- β -D-arabinofuranosylcytosine 5'-triphosphate in 1- β -D-arabinofuranosylcytosine therapy at low and conventional doses. *Jpn J Cancer Res* 92 : 546 - 553, 2001
214. Badran A, Iwasaki H, Wano Y, Kishi S, Ueda T : Time sequential expression of markers of apoptosis induced by 1- β -D-arabinofuranosylcytosine in human T-lymphoblastic leukemia CCRF-CEM cells. *Anticancer Res* 21 : 1987 - 1996, 2001
215. Takemura H, Urasaki Y, Yoshida A, Fukushima T, Ueda T : Simultaneous treatment with 1-beta-D-arabinofuranosylcytosine and daunorubicin induces cross-resistance to both drugs due to a combination-specific mechanism in HL60 cells. *Cancer Res* 61 : 172 - 177, 2001

216. Seo T, Fukushima T, Inoue H, Imamura S, Urasaki Y, Yoshida A, Kawai Y, Yamauchi T, Iwasaki H, Tsutani H, Nakamura T, Ueda T : Long-term follow-up of the clinical efficacy of chemotherapy for acute myeloid leukemia at a single institute. *J Infect Chemother* 7 : 156 - 162, 2001
217. Fukushima T, Yamashita T, Goto N, Ueda T, Okabe K, Kuraishi Y, Ohno R, Urabe A, Ogawa M : A pharmacokinetic study of idarubicin in Japanese patients with malignant lymphoma: relationship with leukocytopenia. *Int J Hematol* 74 : 297 - 302, 2001
218. Li W, Zhang WJ, Ohnishi K, Yamada I, Ohno R, Hashimoto K : 5-aminolaevulinic acid-mediated photodynamic therapy in multidrug resistant leukemia cells. *J Photochem Photobiol B* 60 : 79 - 86, 2001
219. Takeshita A, Shigeno K, Shinjo K, Naito K, Ohnishi K, Hayashi H, Tanimoto M, Ohno R : All-trans retinoic acid (ATRA) differentiates acute promyelocytic leukemia cells independently or p-glycoprotein (p-gp) related multidrug resistance. *Leuk Lymphoma* 42 : 739 - 746, 2001
220. Yamamoto Y, Kiyoi H, Nakano Y, Suzuki R, Kodera Y, Miyawaki S, Asou N, Kuriyama K, Yagasaki F, Shimazaki C, Akiyama H, Saito K, Nishimura M, Motoji T, Shinagawa K, Takeshita A, Saito H, Ueda R, Ohno R, Naoe T : Activating mutation of D835 within the activation loop of FLT3 in human hematologic malignancies. *Blood* 97 (8) : 2434 - 2439, 2001
221. Tauchi Y, Yoshimura A, Ohyashiki K : A cytokine inducible SH2 protein, CIS1 suppresses the BCR/ABL mediated transformation : Involvement of the ubiquitin proteasome pathway. *Exp Hematol* 29 : 356 - 361, 2001
222. Ohyashiki JH, Hayashi S, Yahata N, Iwama H, Ando K, Tauchi T, Ohyashiki K : Impaired telomere regulation mechanism by TRF1 (telomere-binding protein), but not TRF2 expression, in acute leukemia cells. *International Journal of Oncology* 18 : 593 - 598, 2001
223. Shimamoto T, Tomoda A, Ishida R, Ohyashiki K : Antitumor effects of a novel phenoxazine derivative on human leukemia cell lines in vitro and in vivo. *Clinical Cancer Research* 7 : 704 - 708, 2001
224. Ohyashiki K, Ohyashiki JH : Measurement of telomerase activity in human hematopoietic cells and neoplastic disorders *Molecular Analysis of Cancer*. (eds. J Boultonwood, C. Fidler), Human Press Inc., NJ, USA. Chapter 21 : 279 - 299, 2001
225. Shimamoto T, Ohyashiki K : Chromosomes and chromosomal instability in human cancer. *The Molecular Basis of Human Cancer*. (W. B. Coleman and G. J. Tsongalis, eds). Human Press Inc., NJ, USA. Chapter 7 : 143 - 158, 2001
226. Asou N, Adachi K, Tamura J, Kanamaru A, Kageyama S, Hiraoka A, Omoto E, Akiyama H, Tsubaki K, Saito K, Kuriyama K, Oh H, Kitano K, Miyawaki S, Takeyama K, Yamada O, Nishikawa K, Takahashi M,

- Matsuda S, Ohtake H, Ohno R : Analysis of prognostic factors in newly diagnosed patients with acute promyelocytic leukemia : the APL92 study of the Japan Adult Leukemia Study Group (JALSG). *Cancer Chemother Pharmacol*. Aug ; 48 Suppl 1 : S65 - 71, 2001
227. Yokohama A, Karasawa M, Sakai H, Okamoto K, Maehara T, Tsukamoto N, Tamura J, Naruse T, Sawamura M, Shimano S : Molecular detection of tumor cells at diagnosis invading the bone marrow and peripheral blood of patients with aggressive or indolent lymphomas. *Leukemia Res* 25 : 749 - 755, 2001
228. Murakami H, Hayashi K, Hatsumi N, Saitoh T, Yokohama A, Matsushima T, Tsukamoto N, Morita K, Karasawa M, Ogawara H, Sawamura M, Nojima Y : Risk factors for early death in patients undergoing treatment for multiple myeloma. *Ann Hematol* 80 : 452 - 455, 2001
229. Fujii T, Kato Y, Takata N, Kimura A : Change in plasma viral load, and viral DNA and mRNA burdens, in peripheral blood mononuclear cells from patients infected with HIV-1. *J Infection* 42 : 20 - 26, 2001
230. Nobuyoshi M, Kusunoki Y, Seyama T, Kodama K, Kimura A, Kyoizumi S : Arrest of human dendritic cells at the CD34⁺/CD4⁺/HLA-DR⁺ stage in the bone marrow of NOD/SCID-human chimeric mice. *Blood* 97 : 3655 - 3657, 2001
231. Katayama Y, Sakai A, Katsutani S, Takimoto Y, Kimura A : Lack of allelic exclusion and isotype switching in B cell chronic lymphocytic leukemia. *Am J Hematol* 68 : 295 - 297, 2001
232. Nishio M, Koizumi K, Moriwaka F, Koike T, Sawada K : Reversal of HIV associated motor neuron syndrome after highly active antiretroviral therapy (HAART). *J Neurology (letter)* 248 : 233 - 234, 2001
233. Takashima H, Nishio H, Wakao H, Nishio M, Koizumi K, Oda A, Koike T, Sawada K : Molecular cloning and characterization of a KRAB-containing zinc finger protein, ZNF317 and its isoforms. *Biochem Biophys Res Comm* 288 : 771 - 779, 2001
234. Hachiya M, Watanabe H, Tsukimoto I, Fujisawa T : Hereditary hemochromatosis not associated with common HFE gene mutation in Japanese siblings. *J Pediatr Gastroenterol Nutr* 32 (4) : 501 - 503, 2001
235. Horibe K, Tsukimoto I, Ohno R : Clinicopathologic characteristics of leukemia in Japanese children and young adults. *Leukemia* 15 (8) : 1256 - 1261, 2001
236. Miura Y, Mizutani C, Nishihara T, Hishita T, Yanagi S, Tohyama Y, Ichiyama S, Yamamura H, Uchiyama T, Tohyama K : Adhesion via CD43 induces Syk activation and cell proliferation in TF-1 cell. *Biochem Biophys Res Comm* 288 : 80 - 86, 2001
237. Hirayama Y, Koyama R, Nagai T, Ohta H, Kondo A, Ishikawa K, Ishitani K, Matsunaga T, Sakamaki S, Niitsu Y : Successful treatment of a case of relapsed acute promyelocytic leukemia with arsenic trioxide.

Intern Med 40 : 1136 - 1139, 2001

238. Iyama S, Okamoto T, Sato T, Yamauchi N, Sato Y, Sasaki K, Takahashi M, Tanaka M, Adachi T, Kogawa K, Kato J, Sakamaki S, Niitsu Y : Treatment of murine collagen-induced arthritis by ex vivo extracellular superoxide dismutase gene transfer. *Arthritis Rheum* 44 : 2160 - 2167, 2001
239. Kato J, Fujikawa K, Kanda M, Fukuda N, Sasaki K, Takayama T, Kobune M, Takada K, Takimoto R, Hamada H, Ikeda T, Niitsu Y : A mutation, in the iron-responsive element of H ferritin mRNA, causing autosomal dominant iron overload. *Am J Hum Genet* 69 : 191 - 197, 2001
240. Komatsu M, Kobayashi D, Saito K, Furuya D, Yagihashi A, Araake H, Tsuji N, Sakamaki S, Niitsu Y, Watanabe N : Tumor necrosis factor-alpha in serum of patients with inflammatory bowel disease as measured by a highly sensitive immuno-PCR. *Clin Chem* 47 : 1297 - 1301, 2001
241. Kuroiwa G, Takayama T, Sato Y, Takahashi Y, Fujita T, Nobuoka A, Kukitsu T, Kato J, Sakamaki S, Niitsu Y : Primary intestinal lymphangiectasia successfully treated with octreotide. *J Gastroenterol* 36 : 129 - 132, 2001
242. Lu Y, Yamauchi N, Koshita Y, Fujiwara H, Sato Y, Fujii S, Takahashi M, Sato T, Kato J, Yamagishi H, Niitsu Y : Administration of sub-tumor regression dosage of TNF-alpha to mice with pre-existing parental tumors augments the vaccination effect of TNF gene-modified tumor through the induction of MHC class I molecule. *Gene Ther* 8 : 499 - 507, 2001
243. Kiguchi T, Niiya K, Shibakura M, Miyazono T, Shinagawa K, Ishimaru F, Kiura K, Ikeda K, Nakata Y, Harada M : Induction of urokinase-type plasminogen activator by the anthracycline antibiotic in human RC-K8 lymphoma and H69 lung-carcinoma cells. *Int J Cancer* 93 (6) : 792 - 797, 2001
244. Mannami T, Yoshino T, Oshima K, Takase S, Kondo E, Ohara N, Nakagawa H, Ohtsuki H, Harada M, Akagi T : Clinical, histopathological, and immunogenetic analysis of ocular adnexal lymphoproliferative disorders : characterization of MALT lymphoma and reactive lymphoid hyperplasias. *Mod Pathol* 14 (7) : 641 - 649, 2001
245. Dansako H, Ishimaru F, Takai Y, Tomoda J, Nakase K, Fujii K, Ogama Y, Kozuka T, Sezaki N, Honda K, Harada M : Molecular characterization of the ERGIC-53 gene in two Japanese patients with combined factor V-factor VIII deficiency. *Ann Hematol* 80 (5) : 292 - 294, 2001
246. Matsuo K, Takenaka K, Shimomura H, Fujii N, Shinagawa K, Kiura K, Harada M : Lamivudine and glycyrrhizin for treatment of chemotherapy-induced hepatitis B virus (HBV) hepatitis in a chronic HBV carrier with non-Hodgkin lymphoma. *Leuk Lymphoma* 41 (1 - 2) : 191 - 195, 2001
247. Miyahara N, Eda R, Umemori Y, Murakami T, Kunichika N, Makihata K, Aoe K, Murakami K, Takeyama H,

- Harada M : Pulmonary lymphoma of large B-cell type mimicking Wegener's granulomatosis. Intern Med 40 (8) : 786 - 790, 2001
248. Sunami K, Teshima T, Nawa Y, Hiramatsu Y, Maeda Y, Takenaka K, Shinagawa K, Ishimaru F, Ikeda K, Niiya K, Harada M : Administration of granulocyte colony-stimulating factor induces hyporesponsiveness to lipopolysaccharide and impairs antigen-presenting function of peripheral blood monocytes. Exp Hematol 29 (9) : 1117 - 1124, 2001
249. Uno M, Tsuchiyama J, Moriwaki A, Noguchi T, Mizoguchi K, Ogino T, Yoshino T, Okada S, Harada M : In vitro induction of apoptosis for nasal angiocentric natural killer cell lymphoma-derived cell line, NK-YS, by etoposide and cyclosporine A. Br J Haematol 113 (4) : 1009 - 1014, 2001
250. Shimono M, Hiraki A, Ueoka H, Tanimoto Y, Aoe M, Sakae K, Kaneda K, Sakugawa M, Kiura K, Harada M : Successful treatment with concurrent chemoradiotherapy followed by surgery for a patient with thymic adenocarcinoma. Anticancer Res 21 (4A) : 2519 - 2522, 2001
251. Oshida K, Suzuki T, Sakata T, Kawai N, Matsuda A, Kayano H, Hirashima K, Matsutani M, Bessho M : Successful treatment of multicentric Castleman's disease with intracranial and retroperitoneal tumors. Internal Medicine 40 : 976 - 977, 2001
252. Wakao D, Murohashi I, Tominaga K, Yoshida K, Kishimoto K, Yagasaki F, Itoh Y, Itoh K, Sakata T, Kawai N, Suzuki T, Matsuda A, Hirashima K, Bessho M : Kinetics of serum thymidine kinase and soluble interleukin-2 receptor values in recurrent malignant lymphoma. Annals of Hematology : in press
253. Murohashi I, Yoshida K, Kishimoto K, Takahashi T, Wakao D, Jinnai I, Yagasaki F, Kawai N, Suzuki T, Matsuda A, Hirashima K, Bessho M : Differential response to stem cell factor and Flt3 ligand by the FAB Subtype in acute myeloid leukemia clonogenic cells. J Interferon Cytokine Res : in press
254. Yagasaki F, Wakao D, Yokoyama Y, Uchida Y, Murohashi I, Kayano H, Taniwaki M, Matsuda A, Bessho M : Fusion of ETV6 to fibroblast growth factor receptor 3 in PTCL with a t (4 ; 12) (p16 ; p13) chromosomal translocation. Cancer Res : in press
255. Ando K, Nakamura Y, Chargui J, Matsuzawa H, Tsuji T, Kato S, Hotta T : Extensive generation of human cord blood "CD34" cells in a long-term in vitro system. Exp Hematol 28 : 690 - 699, 2000
256. Otsuki T, Wada H, Nakazawa N, Taniwaki M, Kouguchi K, Ohkura M, Uehira K, Isoda K, Yata K, Sakaguchi H, Yawata Y, Ueki A, Yamada O : Establishment of CD7+ human myeloma sister cell lines, KMS-21-PE and KMS-21-BM, carrying t(11;14) and t(8;14). Leuk Lymphoma 42 : 761 - 774, 2001
257. Otsuki T, Yamada O, Kurebayashi J, Sakaguchi H, Yata K, Uno M, Oka T, Yawata Y, Ueki A : Expressions and in vitro modification of parathyroid hormone-related protein (PTHrP) and PTH/PTHrP-receptor in human

- myeloma cells. *Leuk Lymphoma* 41 : 397 - 409, 2001
258. Yata K, Sadahira Y, Otsuki T, Sakaguchi H, Isozaki Y, Uno M, Kurebayashi J, Fujii T, Eda S, Ueki A, Yawata Y, Yamada O : Cell cycle analysis and expression of cell cycle regulator genes in myeloma cells overexpressing cyclin D1. *Br J Haematol* 114 : 591 - 599, 2001
259. Otsuki T, Yata K, Sakaguchi H, Kurebayashi J, Matuo Y, Uno M, Fujii T, Eda S, Isozaki Y, Yawata Y, Yamada O, Wada H, Sugihara T, Ueki A : IL-10 abolishes the growth inhibitory effects of all trans retinoic acid (ATRA) on human myeloma cells. *Br J Haematol* in press, 2002
260. Mishima Y, Terui Y, Katsuyama M, Tomizuka H, Mori M, Uwai M, Ueda M, Yamada M, Hayasawa H, Ozawa K, Horikoshi N, Hatake K : CD13 is the resistance mechanism for endothelial interleukin-8 inducing apoptosis. In, *Cell-Surface Aminopeptidases : Basic, Clinical Aspects.* (ed. by Mizutani S and Turner AJ), Elsevier Science B. V. : 177 -184, 2001
261. Myou S, Sano H, Fujimura M, Zhu X, Kurashima K, Kita T, Nakao S, Nonomura A, Shioya T, Kim KP, Munoz NM, Cho W, Leff AR : Blockade of eosinophil migration and airway hyperresponsiveness by cPLA2-inhibition. *Nat Immunol* 2 (2) : 145 -149, 2001
- 262.* Itoh Y, Yagasaki F, Bessho M, Hirashima K : Self-renewal ability of human hematopoietic stem cells : The difference by age and the mathematical model. *Exp Hematol* 29 (suppl 1) : 83, 2001
263. 小峰光博 : 特発性造血障害における多施設共同研究の歴史と現況 : 血液フロンティア11-12 : 47 - 56, 2001
264. 小峰光博 : 悪性貧血 : アトラス対応血液病学ケーススタディ124例 (編 吉田弥太郎) : 医薬ジャーナル社 : 29 - 33, 2001
265. 小峰光博 : 薬酸欠乏性貧血 : アトラス対応血液病学ケーススタディ124例 (編 吉田弥太郎) : 医薬ジャーナル社 : 34 - 38, 2000
266. 小峰光博 : 薬剤性巨赤芽球性貧血 : アトラス対応血液病学ケーススタディ124例 (編 吉田弥太郎) : 医薬ジャーナル社 467 - 470, 2001
267. 浦部晶夫 : 巨赤芽球性貧血. *臨床成人病* 31 : 1165 - 1167, 2001
268. 浦部晶夫 : 真性赤血球増加症. *日本臨床増刊号本邦臨床統計集* 1 : 498 - 503, 2001
269. 浦部晶夫 : 貧血とは. *からだの科学* No. 222 : 22 - 25, 2002
270. 林貞夫, 末久悦次, 浅利誠志, 前田育宏, 西功, 岩谷良則, 金倉謙 : 臨床検査部における残余検体

- の教育・研究および精度管理への利用についてのインフォームドコンセント, 臨床病理 49: 273 - 277, 2001
271. 松村到、金倉讓: サイトカイン/サイトカイン受容体系のノックアウトマウス, 血液フロンティア 11: 9 - 21, 2001
272. 松村到、金倉讓: 血小板産生に関与する転写因子, 血液フロンティア 11: 19 - 29, 2001
273. 金倉讓、松村到: 造血因子レセプターとシグナル伝達系, 日本臨床: in press
274. 松村到、金倉讓: 造血のしくみ, 血液疾患ハンドブック: in press
275. 松村到、金倉讓: 血球の動態と機能, 血液疾患ハンドブック: in press
276. 中畑龍俊: サイトカインによる造血幹細胞の増幅, 造血サイトカイン (編 元吉和夫)、メディカルレビュー社 (大阪)、85 - 99, 2001
277. 中畑龍俊: Flk-2, Flt-3 リガンド, 造血サイトカイン (編 元吉和夫)、メディカルレビュー社 (大阪)、198 - 210, 2001
278. 中畑龍俊: Flk-2, Flt-3 リガンド (fetal liver kinase-2; Flk-2)、(fms-like tyrosine kinase-3 ligand; FL), 造血サイトカイン (編 元吉和夫)、メディカルレビュー社 (大阪)、444, 2001
279. 中畑龍俊: 造血幹細胞研究の現状と期待, 造血幹細胞のいまと医療への展開 (編 中内啓光)、羊土社 (東京)、12 - 25, 2001
280. 中畑龍俊: 造血幹細胞, -プラクティカル内科シリーズ11- 造血器腫瘍-白血病・悪性リンパ腫・多発性骨髄腫 治癒をめざした診断・治療の実践- (編 上田龍三)、南江堂 (東京)、184 - 190, 2001
281. 中畑龍俊: In Vitro での造血幹細胞の増幅, コロニー刺激因子 (SCF) の臨床 -現状と将来- (編 元吉和夫、浦部晶夫)、日本医学館 (東京)、93 - 101, 2001
282. 牟田毅、岡村孝、大島孝一、菊地昌弘、仁保喜之: Deoxycoryformycin が奏効した脾腫を伴わない純骨髄型の欧米型 hairy cell leukemia, 臨床血液 42: 426 - 431, 2001
283. 村手隆: 血球の表面マーカー 白血球, 血球との対話 -血球を“見る”から“考える”時代へ- (編: 吉田弥太郎)、医薬ジャーナル社、大阪: 100 - 113, 2001
284. 河合泰一、上田孝典: G-CSFによる化学療法のパライミング, コロニー刺激因子 (CSF) の臨床 -現状と将来- (編 元吉和夫、浦部晶夫)、日本医学館 (東京) 65 - 70, 2001

285. 上田孝典：Cytosine arabinoside とその誘導体. 癌の薬剤耐性とその克服－基礎と臨床－（編 大沼尚夫、竹村 讓）、宇宙堂八木書店（東京）222 - 232, 2001
286. 大屋敷純子、山本興太郎、鈴木章孝、大屋敷一馬：血液疾患におけるライトサイクラー PCR を用いた感染症診断の実際：ヒト β ヘルペスウイルス群を中心に. 臨床血液 42：468 - 471, 2001
287. 木村昭郎：慢性骨髄性白血病患者へのインフォームド・コンセントの進め方. インフォームド・コンセントガイダンスー血液疾患診療編ー（月本一郎編）、先端医学社、東京：213 - 226, 2001
288. 木村昭郎：真性多血症の病態解析と治療法. 「特集：赤血球関連疾患－実地医家のためのチェックポイント」. 臨床成人病 31：1223 - 1227, 2001
289. 片山雄太、坂井晃、信吉正治、下村壮司、木村昭郎：骨髄および脾臓にモノクローナルな形質細胞が存在した原発性アミロイドーシス. 臨床血液 42：705 - 709, 2001
290. 澤田賢一：「リンパ節腫脹」、初診の診断技術. Modern Physician 21：647 - 651, 2001
291. 澤田賢一、吉岡充弘、甲谷哲郎、杉原平樹：糖尿病を科学する. 平成 12 年度北海道医学会市民公開シンポジウム報告、北海道医学雑誌 76：101 - 106, 2001
292. 遠藤知之、澤田賢一：NAT 陽性血液による HBV 感染の成立例と超大量化学療法によるウイルスの再活性化. 第 9 回赤十字血液シンポジウム学会誌：121 - 127, 2001
293. 澤田賢一：I. 造血幹細胞、1. 造血幹細胞のホーミングのメカニズム. Annual Review 血液 2001（高久史磨、溝口秀昭、小宮山淳、坂田洋一、金倉讓編集）、中外医学社、東京：1 - 13, 2001
294. 小泉和輝、澤田賢一：高齢の患者・家族背景を考慮したインフォームド・コンセントのポイント. インフォームド・コンセント ガイダンス～血液疾患診療編～（月本一郎編集）、先端医学社、東京、124 - 132, 2001
295. 澤田賢一：幹細胞・造血因子. 高齢者の血液疾患（森真由美編集）、医薬ジャーナル社、東京（印刷中）
296. 月本一郎（編著）：サイトカイン療法. 小児輸血療法（清水勝監修／月本一郎、星順隆、長田広司編）、南江堂、東京：159 - 165, 2001
297. 月本一郎（著）：「シリーズ第 8 回」小児がん患者とのコミュニケーション. がん患者・家族とのより良いコミュニケーションのために（田口鐵男監修）、メディカルレビュー社、東京：2001
298. 通山薫：慢性骨髄性白血病. 日本検査血液学会雑誌 2：284 - 290, 2001

299. 通山薫：Flow cytometry. 血球との対話（吉田弥太郎編）、医薬ジャーナル社、東京：79 - 85, 2001
300. 原田実根：慢性リンパ性白血病. 今日の治療指針（多賀須幸男他編）、医学書院、東京：534 - 540, 2001
301. 月本一郎（分担）：急性骨髄性白血病 (AML). 白血病・悪性リンパ腫治療プロトコール集（大野竜三編）、医薬ジャーナル社、大阪：74 - 86, 2001
302. 吉田勝彦、楠本修也、須賀原裕一、矢ヶ崎史治、坂田亨、川井信孝、松田晃、鈴木利哉、平嶋邦猛、茅野秀一、別所正美：縦隔腫瘍を伴った CD7 (+) 急性骨髄性白血病 (MO). 臨床血液 42：644 - 649, 2001
303. 福田正高、遠藤一博、瀧浪慎介、川井信孝、富永一則、前崎繁文、別所正美、山崎努：血液疾患併発感染症に対する cefozopran (CZOP) と amikacin (AMK) の併用療法の検討. The Japanese Journal of Antibiotics 54：88 - 94, 2001
304. 福田正高、遠藤一博、伊東克郎、川井信孝、富永一則、別所正美、平嶋邦猛：血液疾患の好中球減少時に伴う発熱に対する臨床的解析. 感染症学雑誌 75：186 - 192, 2001
305. 別所正美：造血治療薬. 治療薬ガイド（編：和田攻、大久保昭行、永田直一、矢崎義雄）、文光堂、東京：519 - 527, 2001
306. 鈴木利哉、三角素弘、別所正美：造血器腫瘍の細胞回転. 血球との対話（編：吉田彌太郎）、医薬ジャーナル社、東京：57 - 69, 2001
307. 別所正美：造血因子使用の実際と安全性. 輸血療法（編：橋本保彦）、真興交易株医書出版部、東京：139 - 149, 2001
308. 坂田亨、別所正美：貧血患者への生活指導. インフォームド・コンセントガイダンス（編：月本一郎）、先端医学社、東京：327 - 338, 2001
309. 堀田知光：造血幹細胞の分化と増殖. 医学のあゆみ 196：346 - 350, 2001
310. 堀田知光：CD34 selection. 血液・免疫・腫瘍 6：95 - 98, 2001
- 311.* 真田 昌、森 啓、山科聡子、島本健至、樋口敬和、原田浩史、新倉春男、小峰光博：当院における C 型肝炎ウイルス関連血小板減少性紫斑病の検討：臨床血液 43 - 10, 951, 2001
- 312.* 若尾大輔、矢ヶ崎史治、横山泰子、宮崎洋美、内田優美子、室橋郁生、茅野秀一、松田晃、別所正美：t (4；12) (p15；p15) を有する PTCL から同定された新規 ETV6/FGFR3 キメラ遺伝子. 日本臨床血液学会誌 42 (suppl 1)：1039, 2001

厚生科学研究費補助金
特定疾患対策研究事業
特発性造血障害に関する研究班
平成13年度研究業績報告書

発行 平成14年3月31日

発行者 厚生科学研究費補助金
特定疾患対策研究事業
特発性造血障害に関する研究班
主任研究者 小峰 光博

事務局 ☎227-8501 横浜市青葉区藤が丘1-30
昭和大学藤が丘病院内科血液
☎ 045-971-1151 (内線 6336)
Fax 045-973-8833

印刷 城南印刷工業㈱
☎143-0024 東京都大田区中央8-5-1
☎ 03-3752-3391
