

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shimizu K, <u>Chiba S</u> , Saito T, Takahashi T, Kumano K, Hamada Y, Hirai H	Integrity of intracellular domain of Notch ligand is indispensable for cleavage required for release of Notch2 intracellular domain	EMBO Journal	21(3)	294-302	2002
Yamaguchi E, <u>Chiba S</u> , Kumano K, Kunisato A, Takahashi T, Takahashi T, Hirai H	Expression of Nocth ligand, Jagged1, Jagged2 and Delta1 in antigen-presenting cells in mice	Immunology Letter	81(1)	59-64	2002
Kumano K, <u>Chiba S</u> , Shimizu K, Yamagata Y, Hosoya N, Saito T, Takahashi T, Hamada Y, Hirai H	Notch1 inhibits differentiation of hematopoietic cells by sustaining GATA-2 expression	Blood	98(12)	3283-3289	2001
Shimizu K, <u>Chiba S</u> , Saito T, Kumano K, Takahashi T, Hirai H	Manic fringe and lunatic fringe modify different sites of the Notch2 extracellular region, resulting in different signaling modulation	Journal of Biological Chemistry	276(28)	25753-25738	2001

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Furuhashi, M., Yagi, K., Yamamoto, H., Furukawa, Y., Shimada, S., Nakamura, Y., Kikuchi, A., Miyazono, K., and Kato, M.	Axin facilitates Smad3 activation in the transforming growth factor-beta signaling pathway.	Mol. Cell. Biol.	21	5132-5141	2001
Hanyu, A., Ishidou, Y., Ebisawa, T., Shimanuki, T., Imamura, T., and Miyazono, K.	The N-domain of Smad7 is essential for specific inhibition of transforming growth factor-beta signaling.	J. Cell Biol.	155	1017-1028	2001
Yagi, K., Furuhashi, M., Aoki, H., Goto, D., Kuwano, H., Sugamura, K., Miyazono, K., and Kato, M.	c-myc is a downstream target of Smad pathway.	J. Biol. Chem.	277	854-861	2002

研究成果の刊行に関する一覧表

書籍

著者氏名	論文タイトル名	編集者	書籍名	出版社	出版地	ページ
K. Matsumoto T. Nakamura	HGF-CMet receptor pathway in tumor invasion-metastasis and potential cancer treatment with NK4.	W.G. Jiang, K. Matsumoto T. Nakamura	Growth Factors and Their Receptors in Cancer Metastasis	Kluwer Academic Publisher	Dordrecht	241-276

雑誌

発表者名	論文タイトル名	発表誌名	巻	ページ	出版年
T. Sumi, K. Matsumoto, T. Nakamura	Specific activation of LIM-kinase 2 via threonine-505 phosphorylation by ROCK under the control of Rho.	J. Biol. Chem.	276	670-676	2001
T. Sumi, K. Matsumoto, A. Shibuya, T. Nakamura	Activation of LIM-kinases by Myotonic dystrophy kinase-related Cdc 42-binding kinase α .	J. Biol. Chem.	276	23092-23096	2001
T. Kuroiwa, E. Kakishita, T. Hamano, Y. Kataoka, Y. Seto, N. Iwata, Y. Kaneda, K. Matsumoto, T. Nakamura, T. Ueki, J. Fujimoto, T. Iwasaki	Hepatocyte growth factor ameliorates acute graft-versus-host disease and promotes hematopoietic function.	J. Clin. Invest.	107	1365-1373	2001
S. Mizuno, K. Matsumoto, T. Nakamura	Hepatocyte growth factor suppresses interstitial fibrosis in a mouse model of obstructive nephropathy.	Kidney Intern.	59	1304-1314	2001
K. Nakamura, H. Funakoshi, K. Miyamoto, F. Tokunaga, T. Nakamura	Molecular cloning and functional characterization of human scavenger receptor with c-type lectin (SRCL), a novel member of scavenger receptor family.	Biochem. Biophys. Res. Commun.	280	1028-1035	2001
H. Ueda, K. Matsumoto, Y. Sawa, T. Nakamura, H. Matsuda, T. Nakamura	A role of HGF in myocardial infarction induced in rats.	Cardiovas. Res.	51	41-50	2001
T. Takahashi, U. Koshimizu, H. Abe, T. Obinata, T. Nakamura	Functional involvement of LIM-kinase in Xenopus oocyte maturation.	Develop. Biol.	229	554-567	2001
N. Maehara, K. Matsumoto, K. Kuba, K. Mizunoto, M. Tanaka, T. Nakamura	NK4, a four-kringle antagonist of HGF, inhibits spreading and invasion of human pancreatic cancer cells.	Br. J. Cancer	84	864-873	2001
H. Funakoshi, T. Nakamura	Identification of HGF-like protein (HLP) as a novel neurotrophic factor for avian dorsal root ganglion sensory neurons.	Biochem. Biophys. Res. Commun.	283	606-612	2001

発表者名	論文タイトル名	発表誌名	巻	ページ	出版年
T. Nakamura, S. Aoki, K. Kitajima, T. Takahashi, K. Matsumoto, T. Nakamura	Molecular cloning and characterization of Kremen, a novel Kringle-containing transmembrane protein.	Biochem. Biophys. Acta	9351 3	1-10	2001
H. Azuma, S. Takahara, K. Matsumoto, N. Ichimaru, J. D. Wang, T. Moriyama, A. Wega, Y. Otsuki, M. Kitamura, A. Okuyama, Y. Katsuoka, A. Chandraker, M. H. Sayegh, T. Nakamura	Hepatocyte growth factor prevents development of chronic allograft nephropathy in an experimental rat transplant model.	J. Am. Soc. Nephrol.	12	1280-1292	2001
K. Yamamoto, R. Morishita, S. Hayashi, H. Matsumoto, H. Nakagami, Y. Taniyama, A. Moriguchi, K. Matsumoto, T. Nakamura, J. Higaki, T. Ogihara	Contribution of Bcl-2 but not Bcl-xL and Bax, to anti-apoptotic actions of hepatocyte growth factor in hypoxia-conditioned human endothelial cells.	Hypertension	37	1341-1348	2001
Y. Taniyama, R. Morishita, M. Aoki, H. Nakagami, K. Yamamoto, K. Yamazaki, K. Matsumoto, T. Nakamura, Y. Kaneda, T. Ogihara	Therapeutic angiogenesis induced by human hepatocyte growth factor gene in rat and rabbit hind limb ischemia models: Preclinical study for treatment of peripheral arterial disease.	Gene Therapy	8	181-189	2001
K. Hayashi, R. Morishita, H. Nakagami, S. Yoshimura, A. Hara, K. Matsumoto, T. Nakamura, T. Ogihara, Y. Kaneda, N. Sakai	Gene therapy for preventing neuronal death using hepatocyte growth factor: in vivo gene transfer of HGF to subarachnoid space prevents delayed neuronal death in gerbil hippocampal CA1 neurons.	Gene Therapy	8	1167-1173	2001
H. Nakagami, R. Morishita, K. Yamamoto, Y. Taniyama, M. Aoki, K. Matsumoto, T. Nakamura, Y. Kaneda, M. Horiuchi, T. Ogihara	(2001) Mitogenic and antiapoptotic action of hepatocyte growth factor through ERK, STAT3, and Akt in endothelial cells.	Hypertension	37	S581-S586	2001
K. Matsumoto, R. Morishita, A. Moriguchi, N. Tomita, M. Aoki, H. Sakonjo, K. Matsumoto, T. Nakamura, J. Higaki, T. Ogihara	Inhibition of neointima by angiotensin-converting enzyme inhibitor in porcine coronary artery balloon-injury model.	Hypertension	37	270-274	2001
N. Tsuzuki, T. Miyazawa, K. Matsumoto, T. Nakamura, K. Shima	Hepatocyte growth factor reduces the infarct volume after transient focal cerebral ischemia in rats.	Neurol. Res.	23	417-424	2001

発表者名	論文タイトル名	発表誌名	巻	ページ	出版年
M. Aoki, R. Morishita, S. Hayashi, N. Jo, K. Matsumoto, T. Nakamura, Y. Kaneda, T. Ogihara	Inhibition of neointimal formation after balloon injury by cilostazol accompanied by improvement of endothelial dysfunction and induction of hepatocyte growth factor in rat diabetes model.	Diabetologia	44	1034-1042	2001
K. Beppu, A. Uchiyama, T. Morisaki, K. Matsumoto, T. Nakamura, M. Tanaka, M. Katang	Hepatocyte growth factor production by peripheral blood mononuclear cells of recurrent cancer patients.	Anticancer Research	21	2195-2200	2001
Y. Saga, H. Mizukami, M. Suzuki, M. Urabe, A. Kume, T. Nakamura, I. Sato, K. Ozawa	Expression of HGF/NK4 in ovarian cancer cells suppresses intraperitoneal dissemination and extends host survival.	Gene Therapy	8	1450-1455	2001
T. Brzozowski, P. C. Konturek S. J. Konturek, D. Schuppan, D. Drozdowicz, S. Kwiecien, J. Majka, T. Nakamura, E. G. Hahn	Effect of local application of growth factors on gastric ulcer healing and mucosal expression of cyclooxygenase-1 and -2.	Digestion	64	15-20	2001
C. Parr, G. Davies, T. Nakamura, K. Matsumoto, M. D. Mason, W. G. Jiang	The HGF/SF-induced phosphorylation of paxillin, matrix adhesion and invasion of prostate cancer cells were suppressed by NK4, the HGF/SF variant.	Biochem. Biophys. Res. Commun.	285	1330-1337	2001
Z. Warzecha, A. Dembinski, P. C. Konturek, P. Ceranowicz, S. J. Konturek, R. Tomaszewska, D. Schuppan, J. Stachura, T. Nakamura	Hepatocyte growth factor attenuates pancreatic damage in caerulein-induced pancreatitis in rats.	Eur. J. Pharmacol.	430	113-121	2001
D. Tomioka, N. Maehara, K. Kuba, K. Mizumoto, M. Tanaka, K. Matsumoto, T. Nakamura	Inhibition of growth, invasion and metastasis of human pancreatic carcinoma cells by NK4 in an orthotopic mouse model.	Cancer Res.	61	7518-7524	2001
H. Takahashi, U. Koshimizu, J. Miyazaki, T. Nakamura	Impaired spermatogenic ability of testicular germ cells in mice deficient in the LIM-kinase 2 gene.	Develop. Biol.	241	259-272	2001
K. Matsumoto and T. Nakamura	Hepatocyte growth factor: renotropic role and potential therapeutics for renal diseases.	Kidney Intern	59	2022-2038	2001
T. Sumi, K. Matsumoto, T. Nakamura	Mitosis-Dependent Phosphorylation and Activation of LIM-Kinase 1.	Biochem. Biophys. Res. Commun.	290	1315-1320	2002
H. Shibuki, N. Katai, S. Kuroiwa, T. Kurokawa, K. Matsumoto, T. Nakamura, N. Yoshimura	Expression and neuroprotective effect of hepatocyte growth factor in retinal ischemic-reperfusion injury.	Invest. Ophthalmol. Vis. Sci.	43	528-536	2002

発表者名	論文タイトル名	発表誌名	巻	ページ	出版年
Y. Taniyama, R. Morishita, K. Hiraoka, M. Aoki, H. Nakagami, K. Yamazaki, K. Matsumoto, T. Nakamura, Y. Kaneda, T. Ogiwara	Therapeutic angiogenesis induced by human hepatocyte growth factor gene in rat diabetic hind limb ischemia model: Molecular mechanisms of delayed angiogenesis in diabetes.	Circulation	104	2344-2350	2002
M. Maemondo, K. Narumi, Y. Saijo, K. Usui, M. Tahara, R. Tazawa, K. Hagiwara, K. Matsumoto, T. Nakamura, T. Nukiwa	Targeting angiogenesis and HGF function using an adenoviral vector expressing the HGF-antagonist NK4 for cancer therapy.	Mol. Therapy	5	177-185	2002
H. Funakoshi, T. Yonemasu, T. Nakao, K. Matsumoto, T. Nakamura	Identification of Gas 6, a putative ligand for Sky and Axl receptor tyrosine kinases, as a novel neurotrophic factor for hippocampal neurons.	J. Neurosci. Res.		In press	2002
W. Sun, H. Funakoshi, T. Nakamura	Localization and functional role of hepatocyte growth factor (HGF) and its receptor c-Met in the rat developing cerebral cortex.	Mol. Brain Res.		In press	2002
Y. A. Kishi, H. Funakoshi, K. Miyamoto, T. Nakamura	Xksy, a gene expressed in developing neural tissues, encodes a novel Sky family receptor tyrosine kinase with a glutamic acid-rich domain.	Gene		In press	2002
Y. Sakamaki, K. Matsumoto, S. Mizuno, S. Miyoshi, H. Matsuda, T. Nakamura	Hepatocyte growth factor stimulates proliferation of respiratory epithelial cells during postpneumonectomy compensatory lung growth in mice.	Am. J. Respir. Cell Mol. Biol.		In press	2002
O. Amano, A. Yamane, U., Shimada, M., Koshimizu, T. Nakamura, S. Iseki	Hepatocyte growth factor is essential for migration of myogenic cells and promotes their proliferation during the early periods of tongue morphogenesis in mouse embryos.	Dev. Dyn.		In press	2002
S. Miyagawa, Y. Sawa, S. Taketomi, N. Kawaguchi, T. Nakamura, N. Matsuura, H. Matsuda	Myocardial regeneration therapy for heart failure: Hepatocyte growth factor enhances the effect of cellular cardiomyoplasty.	Circulation		In press	2002

研究成果の刊行に関する一覧表

雑誌

著者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Aoki M, Nata T, Morishita R, Matsushita H, Nakagami H, Yamamoto K, Yamazaki K, Nakabayashi M, Ogihara T, Kaneda Y.	Endothelial apoptosis induced by oxidative stress through activation of NFκB: anti-apoptotic effect of antioxidant agents on endothelial cells.	Hypertension	38	48 55	2001
Kawamura I, Morishita R (equal first author), Tsujimoto S, Manda T, Tomoi M, Tomita N, Goto T, Ogihara T, Kaneda Y.	Intravenous injection of oligodeoxynucleotides to the NF-kappaB binding site inhibits hepatic metastasis of M5076 reticulosarcoma in mice.	Gene Therapy	8	905 912	2001
Abn JD, Morishita R, Kaneda Y, Lee KU, Park JY, Jeon YJ, Song HS, Lee IK,	Transcription factor decoy DON for activator protein-1 (AP-1) inhibits expression of type 1 plasminogen activator inhibitor (PAI-1) gene induced by high glucose and angiotensin II in cultured human vascular smooth muscle cells.	Diabetologia	44	713 720	2001

研究成果の刊行に関する一覧表

雑誌

著者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Yoshimura S, <u>Morishita R</u> , Hayashi K, Yamamoto K, Nakagami H, Kaneda Y, Sakai N, Ogihara T.	Inhibition of intimal hyperplasia after balloon injury in rat carotid artery model using cis-element "decoy" of nuclear factor-kB binding site as a novel molecular strategy.	Gene Therapy	8	1635 , 1642	2001
<u>Morishita R</u> , Aoki M, Kaneda Y, Ogihara T.	Gene Therapy in vascular medicine: recent advances and future perspectives.	Pharmacology & Therapeutics	91	105 , 114	2001
Nakamura T, <u>Morishita R</u> , Asai T, Tsuboniwa N, Aoki M, Sakonjo H, Yamasaki K, Hashiya N, Kaneda Y, Ogihara T.	Molecular strategy using cis-element "decoy" of E2F binding site inhibits neointimal formation in porcine balloon-injured coronary artery model.	Gene Therapy (in press)			

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Mori, Ikegami, Kadowaki, et al	The Pro12 →Ala substitution in PPAR-γ is associated with resistance to development of diabetes in the general population: possible involvement in impairment of insulin secretion in individuals with type 2 diabetes	Diabetes	50(4)	891-4	2001
Tsuji, Kaburagi, Kadowaki, et al	Subcellular localization of insulin receptor substrate family proteins associated with phosphatidylinositol 3-kinase activity and alterations in lipolysis in primary mouse adipocytes from IRS-1 null mice	Diabetes	50(6)	1455-63	2001
Takahashi, Noda, Kadowaki, et al	Importance of standardization of hemoglobin A1c in the analysis of factors that predict hemoglobin A1c levels in non-diabetic residents of three distinct areas of Japan.	Diabetes Res	53(2)	91-7	2001
Kaburagi Y, Satoh S, Kadowaki, et al	Insulin-independent and wortmannin-resistant targeting of IRS-3 to the plasma membrane via its pleckstrin homology domain mediates a different interaction with the insulin receptor from that of IRS-1.	Diabetologia	44(8)	992-1004	2001
Yamauchi, Kamon, Kadowaki, et al	The mechanisms by which both heterozygous peroxisome proliferator-activated receptor gamma (PPARγ) deficiency and PPARγ agonist improve insulin resistance.	J Biol Chem	276(44)	41245-54	2001
Chen, Xu, Kadowaki, et al	Growth retardation and increased apoptosis in mice with homozygous disruption of the Akt1 gene.	Genes Dev	15(17)	2203-8	2001
Tohe K, Suzuki R, Kadowaki, et al	Increased expression of the sterol regulatory element-binding protein-1 gene in insulin receptor substrate-2(-/-) mouse liver.	J Biol Chem	276(42)	38337-40	2001
Miki, Yamauchi, Kadowaki, et al	Essential role of insulin receptor substrate 1(IRS-1) and IRS-2 in adipocyte differentiation.	Mol Cell Biol	21(7)	2521-32	2001
Yamauchi, Waki, Kadowaki, et al	Inhibition of RXR and PPARγ ameliorates diet-induced obesity and type 2 diabetes.	J Clin Invest	108(7)	1001-13	2001
Kaburagi, Satoh, Kadowaki, et al	Insulin-independent and wortmannin-resistant targeting of IRS-3 to the plasma membrane via its pleckstrin homology domain mediates a different interaction with the insulin receptor from that of IRS-1.	Diabetologia	44(8)	992-1004	2001
Gu, Zou, Kadowaki, et al	Growth hormone signalling and apoptosis in neonatal rat cardiomyocytes.	Mol Cell Biochem	223 (1-2)	35-46	2001
Setoguchi, Misaki, Kadowaki, et al	Peroxisome proliferator-activated receptor-γ haploinsufficiency enhances B cell proliferative responses and exacerbates experimentally induced arthritis.	J Clin Invest	108(11)	1667-75	2001
Kuzuya, Nakagawa, Kadowaki, et al	Report of the Committee on the classification and diagnostic criteria of diabetes mellitus.	Diabetes Res Clin Pract	55(1)	65-85	2001
Eto, Yamashita, Kadowaki, et al	Phosphatidylinositol 3-kinase suppresses glucose-stimulated insulin secretion by affecting post-cytosolic [Ca ²⁺] elevation signals.	Diabetes	51(1)	87-97	2001
Okada, Tobe, Kadowaki T.	Variants of neurogenin 3 gene are not associated with Type II diabetes in Japanese subjects.	Diabetologia	44(2)	241-4	2001
Yamauchi, Waki, Kadowaki, et al	Inhibition of RXR and PPARγ ameliorates diet-induced obesity and type 2 diabetes.	J Clin Invest	108(11)	1001-13	2001
Yamauchi, Kamon, Kadowaki, et al	The fat-derived hormone adiponectin reverses insulin resistance associated with both lipodystrophy and obesity.	Nat Med	7(2)	941-6	2001
Hara, Boutin, Kadowaki, et al	Genetic variation in the gene encoding adiponectin is associated with an increased risk of type 2 diabetes in the Japanese population	Diabetes	51(2)	536-40	2002
Takahashi, Nemoto, Kadowaki, et al	Two-Photon Excitation Imaging of Pancreatic Islets With Various Fluorescent Probes.	Diabetes	51 Suppl 1	S25-S28	2002
Yamauchi, Oike, Kadowaki, et al	Increased insulin sensitivity despite lipodystrophy in Crebbp heterozygous mice.	Nat Genet	30(2)	221-6	2002
Fukao, Yamada, Kadowaki, et al	Selective loss of gastrointestinal mast cells and impaired immunity in PI3K-deficient mice.	Nat Immunol	3(3)	295-304	2002
Kadowaki, Hara, et al	The role of PPARγ in high-fat diet-induced obesity and insulin resistance.	J Diabetes Complication	16(1)	41-5	2002

Asakawa, Takano, Kadowaki, et al	Peroxisome proliferator-activated receptor gamma plays a critical role in inhibition of cardiac hypertrophy in vitro and in vivo	Circulation	105(10)	1240-6	2002
Kuzuya, Nakagawa, Kadowaki, et al	Report of the Committee on the classification and diagnostic criteria of diabetes mellitus.	Diabetes Res Clin Pract	55(1)	65-85	2002
Eto, Yamashita, Kadowaki, et al	Phosphatidylinositol 3-kinase suppresses glucose-stimulated insulin secretion by affecting post-cytosolic [Ca ²⁺] elevation signals.	Diabetes	51(1)	87-97	2002

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表雑誌名	巻号	ページ	出版年
Monzen K, et al.	Smads, tak1, and Their common target atf-2 play a critical role in cardiomyocyte differentiation.	J Cell Biol	153	687-98	2001
Uozumi H, et al.	Gp130 plays a critical role in Pressure Overload-induced Cardiac Hypertrophy.	J Biol Chem	276	23115-23119	2001
Sawada Y, et al.	Rap1 is involved in cell stretching modulation of p38 but not ERK or JNK MAP kinase.	J Cell Sci	114	1221-7	2001
Hiroi Y, et al.	Tbx5 associates with Nkx2-5 and synergistically promotes cardiomyocyte differentiation.	Nature Genetics	28	276-280	2001
Hiroi Y, et al.	Two Distinct Mechanisms of Angiotensin II-induced Negative Regulation of the Mitogen-Activated Protein Kinases in Cultured Cardiac Myocytes.	Hypertens Res	24	385-394	2001
Hirata Y et al.	Measurement of plasma brain natriuretic peptide level as a guide for cardiac overload.	Cardiovascular Research	51	585-91	2001
Shimoyama M, et al.	Docetaxel induced cardiotoxicity.	Heart	86	219	2001
Zou Y, et al.	Isoproterenol activates extracellular signal-regulated protein kinases in cardiomyocytes through calcineurin.	Circulation	104	102-8	2001
Zou Y, et al.	Calcineurin plays a critical role in the development of pressure overload-induced Cardiac hypertrophy.	Circulation	104	97-101	2001

研究成果の刊行に関する一覧表

雑誌

発表者氏名	論文タイトル名	発表雑誌名	巻号	ページ	出版年
Hosoda T, et al.	A novel myocyte-specific gene Midori promotes the differentiation of P19CL6 cells into cardiomyocytes.	J Biol Chem	276	35978-35989	2001
Meacci E, et al.	Dual regulation of sphingosine 1-phosphate-induced phospholipase D activity through RhoA and protein kinase C- α in C2C12 myoblasts.	Cell Signal	13	593-8	2001
Wakimoto K, et al.	Expression of Na ⁺ /Ca ²⁺ exchanger (NCX1) gene in the developmental mouse embryo and adult mouse brain.	Comparitive Biochemistry and Physiology Part B	130	191-8	2001
Gu Y, et al.	Growth hormone signalling and apoptosis in neonatal rat cardiomyocytes.	Mol Cell Biochem	223	35-46	2001
Shimoyama M, et al.	Effects of Controlled-Release Nifedipine on Left-ventricular Hypertrophy in Japanese Patients with Hypertension. An Open-Label, Uncontrolled Study.	Current Therapeutic Research	62	773-782	2001

研究成果の刊行に関する一覧表 (平成 13 年度)

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Barisoni L, et al.	Podocyte cell cycle regulation and proliferation in collapsing glomerulopathies	Kidney Int	58	137-148	2000
Nagata M	Pathogenesis of glomerulosclerosis; role of epithelial interactions.	Clin Exp Nephrol	4	173-181	2000
Takemura T, et al.	Induction of collecting duct morphogenesis in vitro by heparin-binding EGF-like growth factor.	J Am Soc Nephrol	12	964-972	2001
Hoshi S, et al.	Podocyte injury promotes progressive nephropathy in Zucker Diabetic Fatty rats.	Lab Invest	82	25-35	2002
Hoshi S, et al.	High Glucose Induced VEGF Expression via PKC and ERK in Glomerular Podocytes.	Biochem Biophys Res Commun	290	177-184.	2002

1) Shiga, Y., Tsuda, T., Itoyama, Y., Shimizu, H., Miyazawa, K., Jin, K. and Yamazaki, T.:
Transcranial magnetic stimulation alleviates truncal ataxia in spinocerebellar degeneration.
J Neurol Neurosurgery Psychiatry (2002) 72: 124-126

2) Abe, T., Abe, K., Tsuda, T., Itoyama, Y. and Tamai, M. :
Ophthalmological findings in patients with spinocerebellar ataxia type 1 are not correlated with
neurological anticipation. Graefe's Arch Clin Exp Ophthalmol (2001) 239: 722-728