



## 24. ウィリス動脈輪閉塞症

1992年度受給者 受給状況



■ 84年度受給 □ 88年度受給 □ 過去の受給なし

1988年度受給者 受給状況



■ 84年度受給 □ 過去の受給なし

25. ウェゲナー肉芽腫症

表2-5-1-25 97、92、88年度受給者の過去の各調査年度における受給状況，性・年齢階級別


| 性・年齢階級 | 1997年度<br>受給者数<br>(100%) | 84年度受給  |        | 88年度受給 |        | 92年度受給 |        | 過去の受給なし |         |
|--------|--------------------------|---------|--------|--------|--------|--------|--------|---------|---------|
|        |                          | 84? ?97 |        | ×88?97 |        | ××9297 |        | ×××97   |         |
| 男 0-4  | .                        | .       | .      | .      | .      | .      | .      | .       | .       |
| 5-9    | .                        | .       | .      | .      | .      | .      | .      | .       | .       |
| 10-14  | .                        | .       | .      | .      | .      | .      | .      | .       | .       |
| 15-19  | 7                        | .       | .      | .      | .      | .      | .      | 7       | (100.0) |
| 20-24  | 13                       | .       | .      | .      | .      | 1      | (7.7)  | 12      | (92.3)  |
| 25-29  | 6                        | 1       | (16.7) | 1      | (16.7) | 2      | (33.3) | 2       | (33.3)  |
| 30-34  | 15                       | 1       | (6.7)  | 1      | (6.7)  | 3      | (20.0) | 10      | (66.7)  |
| 35-39  | 17                       | 1       | (5.9)  | 6      | (35.3) | 2      | (11.8) | 8       | (47.1)  |
| 40-44  | 36                       | 3       | (8.3)  | 6      | (16.7) | 5      | (13.9) | 22      | (61.1)  |
| 45-49  | 45                       | 5       | (11.1) | 6      | (13.3) | 11     | (24.4) | 23      | (51.1)  |
| 50-54  | 42                       | 2       | (4.8)  | 9      | (21.4) | 9      | (21.4) | 22      | (52.4)  |
| 55-59  | 33                       | .       | .      | 1      | (3.0)  | 7      | (21.2) | 25      | (75.8)  |
| 60-64  | 37                       | 2       | (5.4)  | 3      | (8.1)  | 5      | (13.5) | 27      | (73.0)  |
| 65-69  | 42                       | 2       | (4.8)  | 7      | (16.7) | 9      | (21.4) | 24      | (57.1)  |
| 70-74  | 19                       | 1       | (5.3)  | 4      | (21.1) | 4      | (21.1) | 10      | (52.6)  |
| 75-79  | 11                       | .       | .      | 2      | (18.2) | 2      | (18.2) | 7       | (63.6)  |
| 80-84  | 3                        | .       | .      | .      | .      | .      | .      | 3       | (100.0) |
| 85-    | 1                        | .       | .      | .      | .      | .      | .      | 1       | (100.0) |
| 全年齢    | 327                      | 18      | (5.5)  | 46     | (14.1) | 60     | (18.3) | 203     | (62.1)  |
| 女 0-4  | .                        | .       | .      | .      | .      | .      | .      | .       | .       |
| 5-9    | .                        | .       | .      | .      | .      | .      | .      | .       | .       |
| 10-14  | 1                        | .       | .      | .      | .      | .      | .      | 1       | (100.0) |
| 15-19  | 9                        | .       | .      | 1      | (11.1) | 1      | (11.1) | 7       | (77.8)  |
| 20-24  | 15                       | .       | .      | 1      | (6.7)  | 6      | (40.0) | 8       | (53.3)  |
| 25-29  | 19                       | .       | .      | 5      | (26.3) | 4      | (21.1) | 10      | (52.6)  |
| 30-34  | 18                       | 1       | (5.6)  | 2      | (11.1) | 6      | (33.3) | 9       | (50.0)  |
| 35-39  | 22                       | 2       | (9.1)  | 4      | (18.2) | 2      | (9.1)  | 14      | (63.6)  |
| 40-44  | 24                       | 1       | (4.2)  | 4      | (16.7) | 6      | (25.0) | 13      | (54.2)  |
| 45-49  | 57                       | 8       | (14.0) | 6      | (10.5) | 22     | (38.6) | 21      | (36.8)  |
| 50-54  | 39                       | 4       | (10.3) | 6      | (15.4) | 10     | (25.6) | 19      | (48.7)  |
| 55-59  | 46                       | 5       | (10.9) | 8      | (17.4) | 10     | (21.7) | 23      | (50.0)  |
| 60-64  | 54                       | 8       | (14.8) | 10     | (18.5) | 8      | (14.8) | 28      | (51.9)  |
| 65-69  | 42                       | 2       | (4.8)  | 8      | (19.0) | 7      | (16.7) | 25      | (59.5)  |
| 70-74  | 28                       | .       | .      | 9      | (32.1) | 7      | (25.0) | 12      | (42.9)  |
| 75-79  | 14                       | 1       | (7.1)  | 2      | (14.3) | 1      | (7.1)  | 10      | (71.4)  |
| 80-84  | 4                        | .       | .      | 1      | (25.0) | 1      | (25.0) | 2       | (50.0)  |
| 85-    | 1                        | .       | .      | .      | .      | .      | .      | 1       | (100.0) |
| 全年齢    | 393                      | 32      | (8.1)  | 67     | (17.0) | 91     | (23.2) | 203     | (51.7)  |

25. ウェゲナー肉芽腫症

| 性・年齢  | 1992年度<br>受給者数<br>(100%) | 1992年度          |                 |                 | 1988年度         |                |            |
|-------|--------------------------|-----------------|-----------------|-----------------|----------------|----------------|------------|
|       |                          | 84年度受給<br>84?92 | 88年度受給<br>×8892 | 過去の受給なし<br>××92 | 84年度受給<br>8488 | 過去の受給なし<br>×88 |            |
| 男 0-4 | .                        | .               | .               | .               | 1              | .              | 1 (100.0)  |
| 5-9   | .                        | .               | .               | .               | .              | .              | .          |
| 10-14 | .                        | .               | .               | .               | 1              | .              | 1 (100.0)  |
| 15-19 | 6                        | .               | 3 (50.0)        | 3 (50.0)        | 3              | 1 (33.3)       | 2 (66.7)   |
| 20-24 | 6                        | 1 (16.7)        | .               | 5 (83.3)        | 4              | 1 (25.0)       | 3 (75.0)   |
| 25-29 | 8                        | 1 (12.5)        | 2 (25.0)        | 5 (62.5)        | 8              | 1 (12.5)       | 7 (87.5)   |
| 30-34 | 14                       | 2 (14.3)        | 8 (57.1)        | 4 (28.6)        | 15             | 5 (33.3)       | 10 (66.7)  |
| 35-39 | 22                       | 3 (13.6)        | 9 (40.9)        | 10 (45.5)       | 18             | 8 (44.4)       | 10 (55.6)  |
| 40-44 | 29                       | 5 (17.2)        | 8 (27.6)        | 16 (55.2)       | 15             | 4 (26.7)       | 11 (73.3)  |
| 45-49 | 23                       | 4 (17.4)        | 8 (34.8)        | 11 (47.8)       | 13             | 4 (30.8)       | 9 (69.2)   |
| 50-54 | 18                       | 1 (5.6)         | 6 (33.3)        | 11 (61.1)       | 12             | 4 (33.3)       | 8 (66.7)   |
| 55-59 | 19                       | 4 (21.1)        | 5 (26.3)        | 10 (52.6)       | 16             | 3 (18.8)       | 13 (81.3)  |
| 60-64 | 29                       | 1 (3.4)         | 10 (34.5)       | 18 (62.1)       | 20             | 5 (25.0)       | 15 (75.0)  |
| 65-69 | 16                       | 5 (31.3)        | 4 (25.0)        | 7 (43.8)        | 9              | 3 (33.3)       | 6 (66.7)   |
| 70-74 | 7                        | .               | 3 (42.9)        | 4 (57.1)        | 1              | .              | 1 (100.0)  |
| 75-79 | 1                        | .               | .               | 1 (100.0)       | .              | .              | .          |
| 80-84 | .                        | .               | .               | .               | .              | .              | .          |
| 85-   | .                        | .               | .               | .               | .              | .              | .          |
| 全年齢   | 198                      | 27 (13.6)       | 66 (33.3)       | 105 (53.0)      | 136            | 39 (28.7)      | 97 (71.3)  |
| 女 0-4 | .                        | .               | .               | .               | .              | .              | .          |
| 5-9   | .                        | .               | .               | .               | 1              | .              | 1 (100.0)  |
| 10-14 | 1                        | .               | .               | 1 (100.0)       | 1              | .              | 1 (100.0)  |
| 15-19 | 8                        | .               | 1 (12.5)        | 7 (87.5)        | 5              | .              | 5 (100.0)  |
| 20-24 | 10                       | .               | 6 (60.0)        | 4 (40.0)        | 6              | 2 (33.3)       | 4 (66.7)   |
| 25-29 | 14                       | 2 (14.3)        | 2 (14.3)        | 10 (71.4)       | 9              | 3 (33.3)       | 6 (66.7)   |
| 30-34 | 15                       | 4 (26.7)        | 6 (40.0)        | 5 (33.3)        | 15             | 5 (33.3)       | 10 (66.7)  |
| 35-39 | 18                       | 3 (16.7)        | 5 (27.8)        | 10 (55.6)       | 19             | 10 (52.6)      | 9 (47.4)   |
| 40-44 | 41                       | 8 (19.5)        | 8 (19.5)        | 25 (61.0)       | 15             | 6 (40.0)       | 9 (60.0)   |
| 45-49 | 21                       | 4 (19.0)        | 6 (28.6)        | 11 (52.4)       | 19             | 7 (36.8)       | 12 (63.2)  |
| 50-54 | 35                       | 6 (17.1)        | 11 (31.4)       | 18 (51.4)       | 29             | 11 (37.9)      | 18 (62.1)  |
| 55-59 | 34                       | 10 (29.4)       | 12 (35.3)       | 12 (35.3)       | 19             | 6 (31.6)       | 13 (68.4)  |
| 60-64 | 22                       | 1 (4.5)         | 11 (50.0)       | 10 (45.5)       | 27             | 2 (7.4)        | 25 (92.6)  |
| 65-69 | 31                       | 3 (9.7)         | 11 (35.5)       | 17 (54.8)       | 14             | 4 (28.6)       | 10 (71.4)  |
| 70-74 | 9                        | 3 (33.3)        | 2 (22.2)        | 4 (44.4)        | 2              | .              | 2 (100.0)  |
| 75-79 | 2                        | .               | 1 (50.0)        | 1 (50.0)        | .              | .              | .          |
| 80-84 | .                        | .               | .               | .               | .              | .              | .          |
| 85-   | .                        | .               | .               | .               | .              | .              | .          |
| 全年齢   | 261                      | 44 (16.9)       | 82 (31.4)       | 135 (51.7)      | 181            | 56 (30.9)      | 125 (69.1) |


## 25. ウェゲナー肉芽腫症

図2-5-1-25 97、92、88年度受給者の過去の各調査年度における受給状況，性・年齢階級別




## 25. ウェゲナー肉芽腫症

1992年度受給者 受給状況



■ 84年度受給 □ 88年度受給 □ 過去の受給なし

1988年度受給者 受給状況



■ 84年度受給 □ 過去の受給なし

26. 特発性拡張型心筋症

表2-5-1-26 97、92、88年度受給者の過去の各調査年度における受給状況、性・年齢階級別


| 性・年齢階級 | 1997年度<br>受給者数<br>(100%) | 84年度受給  |        | 88年度受給 |        | 92年度受給 |        | 過去の受給なし |         |
|--------|--------------------------|---------|--------|--------|--------|--------|--------|---------|---------|
|        |                          | 84? ?97 |        | ×88?97 |        | ××9297 |        | ×××97   |         |
| 男 0-4  | 11                       | .       | .      | .      | .      | .      | .      | 11      | (100.0) |
| 5-9    | 16                       | .       | .      | .      | .      | 8      | (50.0) | 8       | (50.0)  |
| 10-14  | 22                       | 2       | (9.1)  | 5      | (22.7) | 4      | (18.2) | 11      | (50.0)  |
| 15-19  | 49                       | 2       | (4.1)  | 4      | (8.2)  | 4      | (8.2)  | 39      | (79.6)  |
| 20-24  | 68                       | .       | .      | 4      | (5.9)  | 5      | (7.4)  | 59      | (86.8)  |
| 25-29  | 121                      | .       | .      | 8      | (6.6)  | 12     | (9.9)  | 101     | (83.5)  |
| 30-34  | 176                      | 2       | (1.1)  | 8      | (4.5)  | 21     | (11.9) | 145     | (82.4)  |
| 35-39  | 275                      | 1       | (0.4)  | 10     | (3.6)  | 33     | (12.0) | 231     | (84.0)  |
| 40-44  | 365                      | 1       | (0.3)  | 16     | (4.4)  | 53     | (14.5) | 295     | (80.8)  |
| 45-49  | 644                      | 5       | (0.8)  | 31     | (4.8)  | 103    | (16.0) | 505     | (78.4)  |
| 50-54  | 804                      | 4       | (0.5)  | 43     | (5.3)  | 157    | (19.5) | 600     | (74.6)  |
| 55-59  | 990                      | 14      | (1.4)  | 72     | (7.3)  | 199    | (20.1) | 705     | (71.2)  |
| 60-64  | 1,246                    | 26      | (2.1)  | 129    | (10.4) | 244    | (19.6) | 847     | (68.0)  |
| 65-69  | 1,138                    | 13      | (1.1)  | 110    | (9.7)  | 250    | (22.0) | 765     | (67.2)  |
| 70-74  | 644                      | 11      | (1.7)  | 103    | (16.0) | 154    | (23.9) | 376     | (58.4)  |
| 75-79  | 187                      | 4       | (2.1)  | 41     | (21.9) | 38     | (20.3) | 104     | (55.6)  |
| 80-84  | 49                       | .       | .      | 7      | (14.3) | 7      | (14.3) | 35      | (71.4)  |
| 85-    | 4                        | .       | .      | 1      | (25.0) | .      | .      | 3       | (75.0)  |
| 全年齢    | 6,809                    | 85      | (1.2)  | 592    | (8.7)  | 1,292  | (19.0) | 4,840   | (71.1)  |
| 女 0-4  | 22                       | .       | .      | .      | .      | .      | .      | 22      | (100.0) |
| 5-9    | 15                       | .       | .      | .      | .      | 4      | (26.7) | 11      | (73.3)  |
| 10-14  | 26                       | .       | .      | 7      | (26.9) | 4      | (15.4) | 15      | (57.7)  |
| 15-19  | 27                       | 3       | (11.1) | 5      | (18.5) | 5      | (18.5) | 14      | (51.9)  |
| 20-24  | 25                       | 2       | (8.0)  | 4      | (16.0) | 2      | (8.0)  | 17      | (68.0)  |
| 25-29  | 28                       | 2       | (7.1)  | 5      | (17.9) | 1      | (3.6)  | 20      | (71.4)  |
| 30-34  | 54                       | 1       | (1.9)  | 3      | (5.6)  | 5      | (9.3)  | 45      | (83.3)  |
| 35-39  | 63                       | 1       | (1.6)  | 3      | (4.8)  | 10     | (15.9) | 49      | (77.8)  |
| 40-44  | 103                      | 3       | (2.9)  | 10     | (9.7)  | 17     | (16.5) | 73      | (70.9)  |
| 45-49  | 206                      | 6       | (2.9)  | 17     | (8.3)  | 28     | (13.6) | 155     | (75.2)  |
| 50-54  | 237                      | 7       | (3.0)  | 22     | (9.3)  | 35     | (14.8) | 173     | (73.0)  |
| 55-59  | 314                      | 6       | (1.9)  | 23     | (7.3)  | 46     | (14.6) | 239     | (76.1)  |
| 60-64  | 482                      | 6       | (1.2)  | 41     | (8.5)  | 99     | (20.5) | 336     | (69.7)  |
| 65-69  | 515                      | 9       | (1.7)  | 71     | (13.8) | 115    | (22.3) | 320     | (62.1)  |
| 70-74  | 342                      | 8       | (2.3)  | 53     | (15.5) | 82     | (24.0) | 199     | (58.2)  |
| 75-79  | 127                      | 3       | (2.4)  | 20     | (15.7) | 25     | (19.7) | 79      | (62.2)  |
| 80-84  | 42                       | 1       | (2.4)  | 7      | (16.7) | 5      | (11.9) | 29      | (69.0)  |
| 85-    | 10                       | .       | .      | 1      | (10.0) | .      | .      | 9       | (90.0)  |
| 全年齢    | 2,638                    | 58      | (2.2)  | 292    | (11.1) | 483    | (18.3) | 1,805   | (68.4)  |

26. 特発性拡張型心筋症

| 性・年齢  | 1992年度<br>受給者数<br>(100%) | 84年度受給    |            |              | 88年度受給     |           |              | 過去の受給なし |         |           | 1988年度<br>受給者数<br>(100%) | 84年度受給 |  |  | 過去の受給なし |  |  |
|-------|--------------------------|-----------|------------|--------------|------------|-----------|--------------|---------|---------|-----------|--------------------------|--------|--|--|---------|--|--|
|       |                          | 84?92     | ×8892      | ××92         | 8488       | ×88       | 8488         | ×88     | 8488    | ×88       |                          |        |  |  |         |  |  |
| 男 0-4 | 13                       | .         | .          | .            | 13 (100.0) |           |              | 15      | 1 (6.7) | 14 (93.3) |                          |        |  |  |         |  |  |
| 5-9   | 18                       | 3 (16.7)  | 10 (55.6)  | 5 (27.8)     | 11         | 3 (27.3)  | 8 (72.7)     |         |         |           |                          |        |  |  |         |  |  |
| 10-14 | 15                       | 3 (20.0)  | 4 (26.7)   | 8 (53.3)     | 15         | 1 (6.7)   | 14 (93.3)    |         |         |           |                          |        |  |  |         |  |  |
| 15-19 | 22                       | .         | 7 (31.8)   | 15 (68.2)    | 24         | 1 (4.2)   | 23 (95.8)    |         |         |           |                          |        |  |  |         |  |  |
| 20-24 | 42                       | 3 (7.1)   | 11 (26.2)  | 28 (66.7)    | 30         | 2 (6.7)   | 28 (93.3)    |         |         |           |                          |        |  |  |         |  |  |
| 25-29 | 51                       | 1 (2.0)   | 15 (29.4)  | 35 (68.6)    | 33         | .         | 33 (100.0)   |         |         |           |                          |        |  |  |         |  |  |
| 30-34 | 77                       | 2 (2.6)   | 18 (23.4)  | 57 (74.0)    | 41         | 2 (4.9)   | 39 (95.1)    |         |         |           |                          |        |  |  |         |  |  |
| 35-39 | 120                      | 3 (2.5)   | 23 (19.2)  | 94 (78.3)    | 89         | 6 (6.7)   | 83 (93.3)    |         |         |           |                          |        |  |  |         |  |  |
| 40-44 | 236                      | 4 (1.7)   | 52 (22.0)  | 180 (76.3)   | 135        | 9 (6.7)   | 126 (93.3)   |         |         |           |                          |        |  |  |         |  |  |
| 45-49 | 342                      | 9 (2.6)   | 73 (21.3)  | 260 (76.0)   | 181        | 17 (9.4)  | 164 (90.6)   |         |         |           |                          |        |  |  |         |  |  |
| 50-54 | 439                      | 18 (4.1)  | 106 (24.1) | 315 (71.8)   | 309        | 26 (8.4)  | 283 (91.6)   |         |         |           |                          |        |  |  |         |  |  |
| 55-59 | 604                      | 29 (4.8)  | 180 (29.8) | 395 (65.4)   | 324        | 26 (8.0)  | 298 (92.0)   |         |         |           |                          |        |  |  |         |  |  |
| 60-64 | 610                      | 22 (3.6)  | 190 (31.1) | 398 (65.2)   | 326        | 26 (8.0)  | 300 (92.0)   |         |         |           |                          |        |  |  |         |  |  |
| 65-69 | 474                      | 21 (4.4)  | 156 (32.9) | 297 (62.7)   | 191        | 14 (7.3)  | 177 (92.7)   |         |         |           |                          |        |  |  |         |  |  |
| 70-74 | 170                      | 12 (7.1)  | 74 (43.5)  | 84 (49.4)    | 41         | 5 (12.2)  | 36 (87.8)    |         |         |           |                          |        |  |  |         |  |  |
| 75-79 | 40                       | 3 (7.5)   | 14 (35.0)  | 23 (57.5)    | 7          | .         | 7 (100.0)    |         |         |           |                          |        |  |  |         |  |  |
| 80-84 | 6                        | .         | 4 (66.7)   | 2 (33.3)     | 3          | .         | 3 (100.0)    |         |         |           |                          |        |  |  |         |  |  |
| 85-   | .                        | .         | .          | .            | .          | .         | .            |         |         |           |                          |        |  |  |         |  |  |
| 全年齢   | 3,279                    | 133 (4.1) | 937 (28.6) | 2,209 (67.4) | 1,775      | 139 (7.8) | 1,636 (92.2) |         |         |           |                          |        |  |  |         |  |  |
| 女 0-4 | 6                        | .         | .          | 6 (100.0)    | 16         | 1 (6.3)   | 15 (93.8)    |         |         |           |                          |        |  |  |         |  |  |
| 5-9   | 18                       | 1 (5.6)   | 9 (50.0)   | 8 (44.4)     | 22         | 7 (31.8)  | 15 (68.2)    |         |         |           |                          |        |  |  |         |  |  |
| 10-14 | 17                       | 4 (23.5)  | 7 (41.2)   | 6 (35.3)     | 14         | 2 (14.3)  | 12 (85.7)    |         |         |           |                          |        |  |  |         |  |  |
| 15-19 | 18                       | 2 (11.1)  | 4 (22.2)   | 12 (66.7)    | 16         | 4 (25.0)  | 12 (75.0)    |         |         |           |                          |        |  |  |         |  |  |
| 20-24 | 11                       | 3 (27.3)  | 7 (63.6)   | 1 (9.1)      | 12         | 2 (16.7)  | 10 (83.3)    |         |         |           |                          |        |  |  |         |  |  |
| 25-29 | 23                       | 3 (13.0)  | 4 (17.4)   | 16 (69.6)    | 10         | 1 (10.0)  | 9 (90.0)     |         |         |           |                          |        |  |  |         |  |  |
| 30-34 | 24                       | .         | 4 (16.7)   | 20 (83.3)    | 21         | 3 (14.3)  | 18 (85.7)    |         |         |           |                          |        |  |  |         |  |  |
| 35-39 | 48                       | 3 (6.3)   | 12 (25.0)  | 33 (68.8)    | 48         | 6 (12.5)  | 42 (87.5)    |         |         |           |                          |        |  |  |         |  |  |
| 40-44 | 78                       | 8 (10.3)  | 23 (29.5)  | 47 (60.3)    | 37         | 4 (10.8)  | 33 (89.2)    |         |         |           |                          |        |  |  |         |  |  |
| 45-49 | 91                       | 8 (8.8)   | 24 (26.4)  | 59 (64.8)    | 56         | 4 (7.1)   | 52 (92.9)    |         |         |           |                          |        |  |  |         |  |  |
| 50-54 | 116                      | 7 (6.0)   | 37 (31.9)  | 72 (62.1)    | 90         | 9 (10.0)  | 81 (90.0)    |         |         |           |                          |        |  |  |         |  |  |
| 55-59 | 224                      | 10 (4.5)  | 63 (28.1)  | 151 (67.4)   | 146        | 9 (6.2)   | 137 (93.8)   |         |         |           |                          |        |  |  |         |  |  |
| 60-64 | 285                      | 11 (3.9)  | 95 (33.3)  | 179 (62.8)   | 140        | 13 (9.3)  | 127 (90.7)   |         |         |           |                          |        |  |  |         |  |  |
| 65-69 | 241                      | 6 (2.5)   | 90 (37.3)  | 145 (60.2)   | 97         | 4 (4.1)   | 93 (95.9)    |         |         |           |                          |        |  |  |         |  |  |
| 70-74 | 90                       | 6 (6.7)   | 36 (40.0)  | 48 (53.3)    | 28         | 3 (10.7)  | 25 (89.3)    |         |         |           |                          |        |  |  |         |  |  |
| 75-79 | 24                       | 2 (8.3)   | 12 (50.0)  | 10 (41.7)    | 8          | .         | 8 (100.0)    |         |         |           |                          |        |  |  |         |  |  |
| 80-84 | 2                        | .         | 2 (100.0)  | .            | 3          | .         | 3 (100.0)    |         |         |           |                          |        |  |  |         |  |  |
| 85-   | 1                        | .         | 1 (100.0)  | .            | .          | .         | .            |         |         |           |                          |        |  |  |         |  |  |
| 全年齢   | 1,317                    | 74 (5.6)  | 430 (32.6) | 813 (61.7)   | 764        | 72 (9.4)  | 692 (90.6)   |         |         |           |                          |        |  |  |         |  |  |

## 26. 特発性拡張型心筋症


図2-5-1-26 97、92、88年度受給者の過去の各調査年度における受給状況，性・年齢階級別






## 26. 特発性拡張型心筋症

1992年度受給者 受給状況



■ 84年度受給 □ 88年度受給 □ 過去の受給なし

1988年度受給者 受給状況



■ 84年度受給 □ 過去の受給なし

27. シャイ・ドレーガー症候群

表2-5-1-27 97、92年度受給者の過去の各調査年度における受給状況、性・年齢階級別


| 性・年齢階級 | 1997年度<br>受給者数<br>(100%) | 84年度受給 |   | 88年度受給 |         | 92年度受給 |        | 過去の受給なし |         |
|--------|--------------------------|--------|---|--------|---------|--------|--------|---------|---------|
|        |                          | 84??97 |   | ×88?97 |         | ××9297 |        | ×××97   |         |
| 男 0-4  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 5-9    | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 10-14  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 15-19  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 20-24  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 25-29  | 1                        | .      | . | .      | .       | .      | .      | 1       | (100.0) |
| 30-34  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 35-39  | 3                        | .      | . | 2      | (66.7)  | .      | .      | 1       | (33.3)  |
| 40-44  | 2                        | .      | . | .      | .       | .      | .      | 2       | (100.0) |
| 45-49  | 20                       | .      | . | .      | .       | 1      | (5.0)  | 19      | (95.0)  |
| 50-54  | 36                       | .      | . | 2      | (5.6)   | 5      | (13.9) | 29      | (80.6)  |
| 55-59  | 65                       | .      | . | .      | .       | 7      | (10.8) | 58      | (89.2)  |
| 60-64  | 76                       | .      | . | 2      | (2.6)   | 7      | (9.2)  | 67      | (88.2)  |
| 65-69  | 83                       | .      | . | 3      | (3.6)   | 9      | (10.8) | 71      | (85.5)  |
| 70-74  | 67                       | .      | . | 2      | (3.0)   | 7      | (10.4) | 58      | (86.6)  |
| 75-79  | 51                       | .      | . | 2      | (3.9)   | 6      | (11.8) | 43      | (84.3)  |
| 80-84  | 22                       | .      | . | .      | .       | 5      | (22.7) | 17      | (77.3)  |
| 85-    | 5                        | .      | . | .      | .       | .      | .      | 5       | (100.0) |
| 全年齢    | 431                      | .      | . | 13     | (3.0)   | 47     | (10.9) | 371     | (86.1)  |
| 女 0-4  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 5-9    | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 10-14  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 15-19  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 20-24  | .                        | .      | . | .      | .       | .      | .      | .       | .       |
| 25-29  | 2                        | .      | . | .      | .       | .      | .      | 2       | (100.0) |
| 30-34  | 1                        | .      | . | .      | .       | .      | .      | 1       | (100.0) |
| 35-39  | 1                        | .      | . | 1      | (100.0) | .      | .      | .       | .       |
| 40-44  | 2                        | .      | . | .      | .       | .      | .      | 2       | (100.0) |
| 45-49  | 10                       | .      | . | 1      | (10.0)  | .      | .      | 9       | (90.0)  |
| 50-54  | 16                       | .      | . | .      | .       | 3      | (18.8) | 13      | (81.3)  |
| 55-59  | 21                       | .      | . | .      | .       | 3      | (14.3) | 18      | (85.7)  |
| 60-64  | 27                       | .      | . | .      | .       | 2      | (7.4)  | 25      | (92.6)  |
| 65-69  | 28                       | .      | . | .      | .       | 4      | (14.3) | 24      | (85.7)  |
| 70-74  | 22                       | .      | . | 1      | (4.5)   | 3      | (13.6) | 18      | (81.8)  |
| 75-79  | 15                       | .      | . | .      | .       | 2      | (13.3) | 13      | (86.7)  |
| 80-84  | 7                        | .      | . | .      | .       | .      | .      | 7       | (100.0) |
| 85-    | 1                        | .      | . | .      | .       | .      | .      | 1       | (100.0) |
| 全年齢    | 153                      | .      | . | 3      | (2.0)   | 17     | (11.1) | 133     | (86.9)  |

27. シャイ・ドレーガー症候群

| 性・年齢  | 1992年度<br>受給者数<br>(100%) | 84年度受給 | 88年度受給    | 過去の受給なし    |
|-------|--------------------------|--------|-----------|------------|
|       |                          | 84?92  | ×8892     | ××92       |
| 男 0-4 | .                        | .      | .         | .          |
| 5-9   | .                        | .      | .         | .          |
| 10-14 | .                        | .      | .         | .          |
| 15-19 | 1                        | .      | .         | 1 (100.0)  |
| 20-24 | .                        | .      | .         | .          |
| 25-29 | .                        | .      | .         | .          |
| 30-34 | 2                        | .      | 2 (100.0) | .          |
| 35-39 | 1                        | .      | .         | 1 (100.0)  |
| 40-44 | 9                        | .      | .         | 9 (100.0)  |
| 45-49 | 14                       | .      | 2 (14.3)  | 12 (85.7)  |
| 50-54 | 25                       | .      | 3 (12.0)  | 22 (88.0)  |
| 55-59 | 40                       | .      | 7 (17.5)  | 33 (82.5)  |
| 60-64 | 61                       | .      | 11 (18.0) | 50 (82.0)  |
| 65-69 | 70                       | .      | 17 (24.3) | 53 (75.7)  |
| 70-74 | 31                       | .      | 4 (12.9)  | 27 (87.1)  |
| 75-79 | 19                       | .      | 2 (10.5)  | 17 (89.5)  |
| 80-84 | 2                        | .      | 2 (100.0) | .          |
| 85-   | .                        | .      | .         | .          |
| 全年齢   | 275                      | .      | 50 (18.2) | 225 (81.8) |
| 女 0-4 | .                        | .      | .         | .          |
| 5-9   | .                        | .      | .         | .          |
| 10-14 | .                        | .      | .         | .          |
| 15-19 | .                        | .      | .         | .          |
| 20-24 | .                        | .      | .         | .          |
| 25-29 | .                        | .      | .         | .          |
| 30-34 | 1                        | .      | 1 (100.0) | .          |
| 35-39 | .                        | .      | .         | .          |
| 40-44 | 2                        | .      | 1 (50.0)  | 1 (50.0)   |
| 45-49 | 7                        | .      | 1 (14.3)  | 6 (85.7)   |
| 50-54 | 11                       | .      | .         | 11 (100.0) |
| 55-59 | 24                       | .      | 4 (16.7)  | 20 (83.3)  |
| 60-64 | 12                       | .      | 2 (16.7)  | 10 (83.3)  |
| 65-69 | 18                       | .      | 6 (33.3)  | 12 (66.7)  |
| 70-74 | 6                        | .      | 2 (33.3)  | 4 (66.7)   |
| 75-79 | 2                        | .      | .         | 2 (100.0)  |
| 80-84 | .                        | .      | .         | .          |
| 85-   | .                        | .      | .         | .          |
| 全年齢   | 83                       | .      | 17 (20.5) | 66 (79.5)  |


## 27. シャイ・ドレーガー症候群

図2-5-1-27 97、92年度受給者の過去の各調査年度における受給状況，性・年齢階級別



## 27. シャイ・ドレーガー症候群

1992年度受給者 受給状況



■ 88年度受給      □ 過去の受給なし

28. 表皮水疱症

表2-5-1-28 97、92年度受給者の過去の各調査年度における受給状況、性・年齢階級別


| 性・年齢階級 | 1997年度<br>受給者数<br>(100%) | 84年度受給  |   | 88年度受給 |        | 92年度受給 |        | 過去の受給なし |         |
|--------|--------------------------|---------|---|--------|--------|--------|--------|---------|---------|
|        |                          | 84? ?97 |   | ×88?97 |        | ××9297 |        | ×××97   |         |
| 男 0-4  | 15                       | .       | . | .      | .      | .      | .      | 15      | (100.0) |
| 5-9    | 21                       | .       | . | 1      | (4.8)  | 14     | (66.7) | 6       | (28.6)  |
| 10-14  | 20                       | .       | . | 12     | (60.0) | 3      | (15.0) | 5       | (25.0)  |
| 15-19  | 16                       | .       | . | 10     | (62.5) | 3      | (18.8) | 3       | (18.8)  |
| 20-24  | 16                       | .       | . | 13     | (81.3) | 2      | (12.5) | 1       | (6.3)   |
| 25-29  | 8                        | .       | . | 5      | (62.5) | 2      | (25.0) | 1       | (12.5)  |
| 30-34  | 15                       | .       | . | 8      | (53.3) | 2      | (13.3) | 5       | (33.3)  |
| 35-39  | 4                        | .       | . | 1      | (25.0) | 1      | (25.0) | 2       | (50.0)  |
| 40-44  | 12                       | .       | . | 5      | (41.7) | 4      | (33.3) | 3       | (25.0)  |
| 45-49  | 8                        | .       | . | 3      | (37.5) | 3      | (37.5) | 2       | (25.0)  |
| 50-54  | 5                        | .       | . | .      | .      | 1      | (20.0) | 4       | (80.0)  |
| 55-59  | 3                        | .       | . | 1      | (33.3) | 1      | (33.3) | 1       | (33.3)  |
| 60-64  | 2                        | .       | . | .      | .      | .      | .      | 2       | (100.0) |
| 65-69  | 5                        | .       | . | 2      | (40.0) | 2      | (40.0) | 1       | (20.0)  |
| 70-74  | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 75-79  | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 80-84  | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 85-    | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 全年齢    | 150                      | .       | . | 61     | (40.7) | 38     | (25.3) | 51      | (34.0)  |
| 女 0-4  | 20                       | .       | . | .      | .      | .      | .      | 20      | (100.0) |
| 5-9    | 19                       | .       | . | 2      | (10.5) | 11     | (57.9) | 6       | (31.6)  |
| 10-14  | 16                       | .       | . | 10     | (62.5) | 6      | (37.5) | .       | .       |
| 15-19  | 20                       | .       | . | 12     | (60.0) | 7      | (35.0) | 1       | (5.0)   |
| 20-24  | 13                       | .       | . | 7      | (53.8) | 3      | (23.1) | 3       | (23.1)  |
| 25-29  | 8                        | .       | . | 4      | (50.0) | 3      | (37.5) | 1       | (12.5)  |
| 30-34  | 15                       | .       | . | 6      | (40.0) | 5      | (33.3) | 4       | (26.7)  |
| 35-39  | 16                       | .       | . | 5      | (31.3) | 4      | (25.0) | 7       | (43.8)  |
| 40-44  | 6                        | .       | . | 3      | (50.0) | 2      | (33.3) | 1       | (16.7)  |
| 45-49  | 10                       | .       | . | 5      | (50.0) | 2      | (20.0) | 3       | (30.0)  |
| 50-54  | 7                        | .       | . | 3      | (42.9) | 1      | (14.3) | 3       | (42.9)  |
| 55-59  | 2                        | .       | . | .      | .      | .      | .      | 2       | (100.0) |
| 60-64  | 3                        | .       | . | .      | .      | 2      | (66.7) | 1       | (33.3)  |
| 65-69  | 6                        | .       | . | .      | .      | 4      | (66.7) | 2       | (33.3)  |
| 70-74  | 2                        | .       | . | .      | .      | 1      | (50.0) | 1       | (50.0)  |
| 75-79  | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 80-84  | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 85-    | .                        | .       | . | .      | .      | .      | .      | .       | .       |
| 全年齢    | 163                      | .       | . | 57     | (35.0) | 51     | (31.3) | 55      | (33.7)  |

28. 表皮水疱症

| 性・年齢  | 1992年度<br>受給者数<br>(100%) | 84年度受給 |   | 88年度受給 |        | 過去の受給なし |         |
|-------|--------------------------|--------|---|--------|--------|---------|---------|
|       |                          | 84?92  |   | ×8892  |        | ××92    |         |
| 男 0-4 | 20                       | .      | . | 2      | (10.0) | 18      | (90.0)  |
| 5-9   | 22                       | .      | . | 16     | (72.7) | 6       | (27.3)  |
| 10-14 | 19                       | .      | . | 15     | (78.9) | 4       | (21.1)  |
| 15-19 | 21                       | .      | . | 17     | (81.0) | 4       | (19.0)  |
| 20-24 | 11                       | .      | . | 8      | (72.7) | 3       | (27.3)  |
| 25-29 | 8                        | .      | . | 6      | (75.0) | 2       | (25.0)  |
| 30-34 | 3                        | .      | . | 2      | (66.7) | 1       | (33.3)  |
| 35-39 | 11                       | .      | . | 6      | (54.5) | 5       | (45.5)  |
| 40-44 | 9                        | .      | . | 4      | (44.4) | 5       | (55.6)  |
| 45-49 | 1                        | .      | . | .      | .      | 1       | (100.0) |
| 50-54 | 2                        | .      | . | 1      | (50.0) | 1       | (50.0)  |
| 55-59 | .                        | .      | . | .      | .      | .       | .       |
| 60-64 | 4                        | .      | . | 2      | (50.0) | 2       | (50.0)  |
| 65-69 | .                        | .      | . | .      | .      | .       | .       |
| 70-74 | .                        | .      | . | .      | .      | .       | .       |
| 75-79 | .                        | .      | . | .      | .      | .       | .       |
| 80-84 | .                        | .      | . | .      | .      | .       | .       |
| 85-   | .                        | .      | . | .      | .      | .       | .       |
| 全年齢   | 131                      | .      | . | 79     | (60.3) | 52      | (39.7)  |
| 女 0-4 | 17                       | .      | . | 3      | (17.6) | 14      | (82.4)  |
| 5-9   | 23                       | .      | . | 15     | (65.2) | 8       | (34.8)  |
| 10-14 | 22                       | .      | . | 13     | (59.1) | 9       | (40.9)  |
| 15-19 | 12                       | .      | . | 8      | (66.7) | 4       | (33.3)  |
| 20-24 | 10                       | .      | . | 7      | (70.0) | 3       | (30.0)  |
| 25-29 | 11                       | .      | . | 6      | (54.5) | 5       | (45.5)  |
| 30-34 | 8                        | .      | . | 4      | (50.0) | 4       | (50.0)  |
| 35-39 | 9                        | .      | . | 6      | (66.7) | 3       | (33.3)  |
| 40-44 | 10                       | .      | . | 7      | (70.0) | 3       | (30.0)  |
| 45-49 | 5                        | .      | . | 3      | (60.0) | 2       | (40.0)  |
| 50-54 | 2                        | .      | . | 1      | (50.0) | 1       | (50.0)  |
| 55-59 | 2                        | .      | . | .      | .      | 2       | (100.0) |
| 60-64 | 4                        | .      | . | .      | .      | 4       | (100.0) |
| 65-69 | 1                        | .      | . | .      | .      | 1       | (100.0) |
| 70-74 | .                        | .      | . | .      | .      | .       | .       |
| 75-79 | .                        | .      | . | .      | .      | .       | .       |
| 80-84 | .                        | .      | . | .      | .      | .       | .       |
| 85-   | .                        | .      | . | .      | .      | .       | .       |
| 全年齢   | 136                      | .      | . | 73     | (53.7) | 63      | (46.3)  |

## 28. 表皮水疱症


図2-5-1-28 97、92年度受給者の過去の各調査年度における受給状況，性・年齢階級別





28. 表皮水疱症

1992年度受給者 受給状況



■ 88年度受給      □ 過去の受給なし

29. 膿疱性乾癬

表2-5-1-29 97、92年度受給者の過去の各調査年度における受給状況，性・年齢階級別

| 性・年齢階級 | 1997年度<br>受給者数<br>(100%) | 84年度受給  | 88年度受給     | 92年度受給     | 過去の受給なし |        |
|--------|--------------------------|---------|------------|------------|---------|--------|
|        |                          | 84? ?97 | ×88?97     | ××9297     | ×××97   |        |
| 男 0-4  | .                        | .       | .          | .          | .       | .      |
| 5-9    | 3                        | .       | .          | 2 (66.7)   | 1       | (33.3) |
| 10-14  | 11                       | .       | 3 (27.3)   | 3 (27.3)   | 5       | (45.5) |
| 15-19  | 6                        | .       | 1 (16.7)   | 3 (50.0)   | 2       | (33.3) |
| 20-24  | 18                       | .       | 4 (22.2)   | .          | 14      | (77.8) |
| 25-29  | 32                       | .       | 5 (15.6)   | 5 (15.6)   | 22      | (68.8) |
| 30-34  | 27                       | .       | 5 (18.5)   | 6 (22.2)   | 16      | (59.3) |
| 35-39  | 45                       | .       | 10 (22.2)  | 6 (13.3)   | 29      | (64.4) |
| 40-44  | 38                       | .       | 8 (21.1)   | 10 (26.3)  | 20      | (52.6) |
| 45-49  | 49                       | .       | 14 (28.6)  | 7 (14.3)   | 28      | (57.1) |
| 50-54  | 44                       | .       | 6 (13.6)   | 14 (31.8)  | 24      | (54.5) |
| 55-59  | 48                       | .       | 7 (14.6)   | 12 (25.0)  | 29      | (60.4) |
| 60-64  | 49                       | .       | 3 (6.1)    | 16 (32.7)  | 30      | (61.2) |
| 65-69  | 57                       | .       | 4 (7.0)    | 15 (26.3)  | 38      | (66.7) |
| 70-74  | 48                       | .       | 8 (16.7)   | 15 (31.3)  | 25      | (52.1) |
| 75-79  | 8                        | .       | 1 (12.5)   | 1 (12.5)   | 6       | (75.0) |
| 80-84  | 4                        | .       | 2 (50.0)   | 1 (25.0)   | 1       | (25.0) |
| 85-    | 4                        | .       | 1 (25.0)   | .          | 3       | (75.0) |
| 全年齢    | 491                      | .       | 82 (16.7)  | 116 (23.6) | 293     | (59.7) |
| 女 0-4  | .                        | .       | .          | .          | .       | .      |
| 5-9    | 5                        | .       | .          | 1 (20.0)   | 4       | (80.0) |
| 10-14  | 12                       | .       | 3 (25.0)   | 3 (25.0)   | 6       | (50.0) |
| 15-19  | 13                       | .       | 1 (7.7)    | 4 (30.8)   | 8       | (61.5) |
| 20-24  | 42                       | .       | 10 (23.8)  | 7 (16.7)   | 25      | (59.5) |
| 25-29  | 37                       | .       | 4 (10.8)   | 8 (21.6)   | 25      | (67.6) |
| 30-34  | 37                       | .       | 6 (16.2)   | 11 (29.7)  | 20      | (54.1) |
| 35-39  | 40                       | .       | 7 (17.5)   | 14 (35.0)  | 19      | (47.5) |
| 40-44  | 49                       | .       | 17 (34.7)  | 12 (24.5)  | 20      | (40.8) |
| 45-49  | 47                       | .       | 12 (25.5)  | 17 (36.2)  | 18      | (38.3) |
| 50-54  | 36                       | .       | 9 (25.0)   | 7 (19.4)   | 20      | (55.6) |
| 55-59  | 41                       | .       | 11 (26.8)  | 10 (24.4)  | 20      | (48.8) |
| 60-64  | 53                       | .       | 5 (9.4)    | 14 (26.4)  | 34      | (64.2) |
| 65-69  | 49                       | .       | 7 (14.3)   | 11 (22.4)  | 31      | (63.3) |
| 70-74  | 28                       | .       | 7 (25.0)   | 6 (21.4)   | 15      | (53.6) |
| 75-79  | 11                       | .       | 4 (36.4)   | 4 (36.4)   | 3       | (27.3) |
| 80-84  | 4                        | .       | .          | 1 (25.0)   | 3       | (75.0) |
| 85-    | .                        | .       | .          | .          | .       | .      |
| 全年齢    | 504                      | .       | 103 (20.4) | 130 (25.8) | 271     | (53.8) |

29. 膿疱性乾癬

| 性・年齢  | 1992年度<br>受給者数<br>(100%) | 84年度受給 | 88年度受給     | 過去の受給なし    |
|-------|--------------------------|--------|------------|------------|
|       |                          | 84?92  | ×8892      | ××92       |
| 男 0-4 | 2                        | .      | .          | 2 (100.0)  |
| 5-9   | 10                       | .      | 4 (40.0)   | 6 (60.0)   |
| 10-14 | 7                        | .      | 1 (14.3)   | 6 (85.7)   |
| 15-19 | 14                       | .      | 7 (50.0)   | 7 (50.0)   |
| 20-24 | 10                       | .      | 4 (40.0)   | 6 (60.0)   |
| 25-29 | 10                       | .      | 4 (40.0)   | 6 (60.0)   |
| 30-34 | 21                       | .      | 10 (47.6)  | 11 (52.4)  |
| 35-39 | 24                       | .      | 9 (37.5)   | 15 (62.5)  |
| 40-44 | 27                       | .      | 15 (55.6)  | 12 (44.4)  |
| 45-49 | 26                       | .      | 7 (26.9)   | 19 (73.1)  |
| 50-54 | 22                       | .      | 9 (40.9)   | 13 (59.1)  |
| 55-59 | 21                       | .      | 4 (19.0)   | 17 (81.0)  |
| 60-64 | 27                       | .      | 8 (29.6)   | 19 (70.4)  |
| 65-69 | 28                       | .      | 7 (25.0)   | 21 (75.0)  |
| 70-74 | 6                        | .      | 2 (33.3)   | 4 (66.7)   |
| 75-79 | 5                        | .      | 3 (60.0)   | 2 (40.0)   |
| 80-84 | .                        | .      | .          | .          |
| 85-   | .                        | .      | .          | .          |
| 全年齢   | 260                      | .      | 94 (36.2)  | 166 (63.8) |
| 女 0-4 | 1                        | .      | .          | 1 (100.0)  |
| 5-9   | 6                        | .      | 3 (50.0)   | 3 (50.0)   |
| 10-14 | 7                        | .      | 2 (28.6)   | 5 (71.4)   |
| 15-19 | 18                       | .      | 9 (50.0)   | 9 (50.0)   |
| 20-24 | 19                       | .      | 4 (21.1)   | 15 (78.9)  |
| 25-29 | 19                       | .      | 7 (36.8)   | 12 (63.2)  |
| 30-34 | 27                       | .      | 8 (29.6)   | 19 (70.4)  |
| 35-39 | 36                       | .      | 18 (50.0)  | 18 (50.0)  |
| 40-44 | 33                       | .      | 12 (36.4)  | 21 (63.6)  |
| 45-49 | 22                       | .      | 10 (45.5)  | 12 (54.5)  |
| 50-54 | 22                       | .      | 10 (45.5)  | 12 (54.5)  |
| 55-59 | 26                       | .      | 8 (30.8)   | 18 (69.2)  |
| 60-64 | 24                       | .      | 8 (33.3)   | 16 (66.7)  |
| 65-69 | 18                       | .      | 9 (50.0)   | 9 (50.0)   |
| 70-74 | 11                       | .      | 6 (54.5)   | 5 (45.5)   |
| 75-79 | 3                        | .      | .          | 3 (100.0)  |
| 80-84 | 2                        | .      | .          | 2 (100.0)  |
| 85-   | .                        | .      | .          | .          |
| 全年齢   | 294                      | .      | 114 (38.8) | 180 (61.2) |

## 29. 膿疱性乾癬

図2-5-1-29 97、92年度受給者の過去の各調査年度における受給状況、性・年齢階級別

