

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Narita M, Funada M and Suzuki T	Regulations of opioid dependence by opioid receptor types.	Pharmacology and Therapeutics	89	1-15	2000
成田 年、青木 健、鈴木 勉	モルヒネ依存およびその報酬効果の形成機序-NMDA 受容体サブユニットの関与-	日薬理誌	117	13-19	2001
成田 年、尾崎 寛、鈴木 勉	精神依存と耐性の分子機構：オピオイドを中心に	脳21	4	9-18	2001
成田年ら	Morphine誘発自発運動促進作用に対する逆耐性形成時の m-opioid 受容体機能変化	日本神経精神薬理学会雑誌	21	55-61	2001
T. Suzuki et al.	Mechanism of opioid dependence and interaction between opioid receptors	Eur. J. Pain	5	63-65	2001
M. Narita et al.	Up-regulation of the Gq/11a protein and protein kinase C during the development of sensitization to morphine-induced hyperlocomotion	Neuroscience	in press		
M. Narita et al.	Intensification of the development of ethanol dependence in mice lacking dopamine D3 receptor	Neurosci. Lett.	in press		
Chow T, Hiroi T, Imaoka S, Chiba K, Funae Y.	Isoform-selective metabolism of mianserin by cytochrome P-450 2D.	Drug Metab. Dispos.	27	1200-1204	1999
Imaoka S, Yoneda Y, Sugimoto T, Hiroi T, Yamamoto K, Nakatani T, Funae Y.	CYP4B1 is a possible risk factor for bladder cancer in humans.	Biochem. Biophys. Res. Commun.	277	776-780	2000
Nakamoto T, Hase I, Imaoka S, Hiroi T, Oda Y, Asada A, Funae Y	Quantitative RT-PCR for CYP3A4 mRNA in human peripheral lymphocytes: induction of CYP3A4 in lymphocytes and in liver by rifampicin.	Pharmacogenetics.	10	571-575	2000
Hase I, Imaoka S, Oda Y, Hiroi T, Nakamoto T, Asada A, Funae Y.	Area under the plasma concentration-time curve of inorganic fluoride following sevoflurane anesthesia correlates with CYP2E1 mRNA level in mononuclear cells.	Anesthesiology.	92	1661-1666	2000
Minamiyama Y, Imaoka S, Takemura S, Okada S, Inoue M, Funae Y.	Escape from tolerance of organic nitrate by induction of cytochrome P450.	Free Radic. Biol. Med.	31	1498-1508	2001
Hiroi T, Kishimoto W, Chow T, Imaoka S, Igarashi T, Funae Y.	Progesterone oxidation by cytochrome P450 2D isoforms in the brain.	Endocrinology.	142	3901-3908	2001
Yano H, Tsutsumi M, Fukura M, Chen WB, Shimanaka K, Tsuchishima M, Takase S, Imaoka S, Funae Y.	Study of cytochrome P4502E1 mRNA level of mononuclear cells in patients with alcoholic liver disease.	Alcohol Clin. Exp. Res.	25	2S-6S	2001
Imaoka S, Hayashi K, Hiroi T, Yabusaki Y, Kamataki T, Funae Y.	A transgenic mouse expressing human CYP4B1 in the liver.	Biochem. Biophys. Res. Commun.	284	757-762	2001

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Imaoka S, Yoneda Y, Sugimoto T, Ikemoto S, Hiroi T, Yamamoto K, Nakatani T, Funae Y.	Androgen regulation of CYP4B1 responsible for mutagenic activation of bladder carcinogens in the rat bladder: detection of CYP4B1 mRNA by competitive reverse transcription-polymerase chain reaction.	Cancer Lett.	166	119-123	2001
Hashizume T, Imaoka S, Hiroi T, Terauchi Y, Fujii T, Miyazaki H, Kamataki T, Funae Y.	cDNA cloning and expression of a novel cytochrome p450 (cyp4f12) from human small intestine.	Biochem. Biophys. Res. Commun.	280	1135-1141	2001
Hashizume T, Imaoka S, Mise M, Terauchi Y, Fujii T, Miyazaki H, Kamataki T, Funae Y.	Involvement of CYP2J2 and CYP4F12 in the metabolism of ebastine in human intestinal microsomes.	J. Pharmacol. Exp. Ther.	300	298-304	2002
Kanemura Y, Hiraga S, Arita N, Ohnishi T, Izumoto S, Mori K, Matsumura H, Yamasaki M, Fushiki S, Yoshimine T.	Isolation and expression analysis of a novel human homologue of the Drosophila glial cells missing (gcm) gene.	FEBS Lett	442	151-156	1999
Nishizawa Y, Yamamoto T, Tanigaki Y, Kasugai T, Mano M, Ishiguro S, Fushiki S, Poirier LA, Nishizawa Y.	Methylcobalamin decreases mRNA levels of androgen-induced growth factor in androgen-dependent Shionogi carcinoma 115 cells.	Nutr Cancer	35	195-201	1999
Mori T, Iwai M, Harada Y, Tanaka S, Muramatsu A, Okanoue T, Kashima K, Fushiki S.	Parenchymal cells proliferate and differentiate in an organotypic slice culture of the neonatal liver	Anat Embryol	199	319-327	1999
irai K, Yoshioka H, Kihara M, Hasegawa K, Sakamoto T, Sawada T, Fushiki S.	Inhibiting neuronal migration by blocking NMDA receptors in the embryonic rat cerebral cortex: a tissue culture study.	Brain Res Dev. Brain Res	114	63-67	1999
Shimotake T, Inoue K, Tomiyama H, Iwai N, Fushiki S.	Cell proliferation and apoptosis of enteric ganglia in neonates showing functional bowel obstruction.	Surg Childh Intern	7	65-68	1999
Nishizawa Y, Amakata Y, Fushiki S, Nagano F, Yoshioka F, Nosaka S, Nishizawa Y	Improvement of an impaired chemiluminescence response to formyl-methionyl-leucyl-phenylalanine in neutrophils from patients with non insulin dependent diabetes mellitus by recombinant human granulocyte-colony stimulating factor.	In Vivo	13	319-325	1999
Shiga K, Fukuyama R, Kimura S, Nakajima K, Fushiki S	Mutation of the sterol 27-hydroxylase gene (CYP27) results in truncation of mRNA expressed in leucocytes in a Japanese family with cerebrotendinous xanthomatosis.	J. Neurol Neurosurg Psychiatry	67	675-677	1999
orimoto S, Sasaki S, Itoh H, Nakata T, Takeda K, Nakagawa M, Furuya S, Naruse S, Fukuyama R, Fushiki S.	Sympathetic activation and contribution of genetic factors in hypertension with neurovascular compression of the rostral ventrolateral medulla.	J Hypertens	17	1577-1582	1999
Yuh I, Yaoi T, Watanabe S, Okajima S, Hirasawa Y, Fushiki S.	Up-regulated uridine kinase gene identified by RLCS in the ventral horn after crush injury to rat sciatic nerves.	Biochem Biophys Res Commun	266	104-109	1999

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Hirai K, Yoshioka H, Kihara M, Hasegawa K, Sakamoto T, Sawada T, Fushiki S.	Effects of ethanol on neuronal migration and neural cell adhesion molecules in the embryonic rat cerebral cortex: a tissue culture study.	Brain Res Dev. Brain Res	118	205-210	1999
Matsushita H, Takeuchi Y, Kosaka K, Fushiki S, Kawata M, Sawada T.	Changes in serotonergic neurons in the brain of pyridoxamine-induced acute thiamine-deficient mice.	Acta Neuropathol	98	614-621	1999
Kitawaki J, Kusuki I, Koshiha H, Tsukamoto K, Fushiki S, Honjo H.	Detection of aromatase cytochrome P450 in endometrial biopsy specimens as a diagnostic test for endometriosis.	Fertil Steril	72	1100-1106	1999
Fukuyama R, Mizuno T, Mori S, Yanagisawa K, Nakajima K, Fushiki S.	Age-dependent decline in the apolipoprotein E level in cerebrospinal fluid from control subjects, and its increase in cerebrospinal fluid from patients with Alzheimer's disease.	Eur Neurol	43	161-169	2000
Fukuyama R, Mizuno T, Mizuno T, Mori S, Nakajima K, Fushiki S, Yanagisawa K.	Age-dependent changes in the levels of A β 40 and A β 42 in cerebrospinal fluid from control subjects, and a decrease in the ratio of A β 42 to A β 40 level in cerebrospinal fluid from Alzheimer's disease patients.	Eur Neurol	43	155-160	2000
Tamai M, Okajima S, Fushiki S, Hirasawa Y.	Quantitative analysis of neural distribution in human coracoacromial ligaments.	Clin Orthop	373	125-134	2000
Wei YP, Kita M, Shinmura K, Yan XQ, Fukuyama R, Fushiki S	Imanishi J. Expression of IFN- γ in cerebrovascular endothelial cells from aged mice.	J Interferon Cytokine Res	20	403-409	2000
Arai Y, Kubo T, Fushiki S, Mazda O, Nakai H, Iwaki Y, Imanishi J, Hirasawa Y.	Gene delivery to human chondrocytes by an adeno associated virus vector.	J Rheumatol	27	979-982	2000
Tsutsumi Y, Fushiki S.	Comparison of cell kinetics between the boundary and the interboundary areas during hindbrain segmentation in the chick embryo.	Acta Histochem Cytochem	33	141-147	2000
Inaba M, Fushiki S, Yaoi T, Iwata T, Kamoi K, Okihara K, Ukimura O, Kawauchi A, Miyashita H, Kojima M, Miki T.	Changes in extracellular matrix components of bladder detrusor in relation to bladder hypertrophy and compliance in patients with benign prostatic hyperplasia.	Acta Histochem Cytochem	33	131-139	2000
Matsushita H, Takeuchi Y, Kosaka K, Fushiki S, Kawata M, Sawada T.	Changes in nitric oxide synthase-containing neurons in the brain of thiamine-deficient mice.	Acta Histochem Cytochem	33	67-72	2000
Fukuyama R, Ohta M, Ohta K, Saiwaki T, Fushiki S, Awaya A.	A synthesized pyrimidine compound, MS818, promotes walking function recovery from crush injury of the sciatic nerve through its indirect stimulation of Schwann cells.	Rest Neurol Neurosci	17	9-16	2000
Morimoto S, Sasaki S, Miki S, Kawa T, Nakamura K, Itoh H, Nakata T, Takeda K, Nakagawa M, Fushiki S.	Nitric oxide is an excitatory modulator in the rostral ventrolateral medulla in rats.	Am J Hypertens	13	1125-1134	2000
Kitaya K, Yasuda J, Yagi I, Tada Y, Fushiki S, Honjo H.	IL-15 expression at human endometrium and decidua.	Biol Reprod	63	683-687	2000

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Shiga K, Fushiki S.	Proliferative capacity persists most tenaciously in the murine proximal rostral migratory stream.	Acta Histochem Cytochem	33	275-279	2000
Saiwaki T, Shiga K, Fukuyama R, Tsutsumi Y, Fushiki S.	A unique junctional palindromic sequence in mitochondrial DNA from a patient with progressive external ophthalmoplegia.	J Clin Pathol: Mol Pathol	53	333-335	2000
Tomiyasu K, Oda Y, Nomura M, Satoh E, Fushiki S, Imanishi J, Kondo M.	Direct intra-cardiomuscular transfer of β 2-adrenergic receptor gene augments cardiac output in cardiomyopathic hamsters.	Gene Ther	7	2087-2093	2000
伏木信次	脳形成障害の分子病態	小児の脳神経	26	95-101	2001
Hinoue A, Fushiki S, Nishimura Y, Shiota K.	In utero exposure to brief hyperthermia interferes with the production and migration of neocortical neurons and induces apoptotic neuronal death in the fetal mouse brain.	Brain Res Dev Brain Res	132	59-67	2001
Cui FD, Kishida T, Ohashi S, Asada H, Yasutomi K, Satoh E, Kubo T, Fushiki S, Imanishi J, Mazda O.	Highly efficient gene transfer into murine liver achieved by intravenous administration of naked Epstein-Barr virus (EBV)-based plasmid vectors.	Gene Ther	8	1508-1513	2001
Akita K, Fushiki S, Fujimoto T, Inoue M, Oguri K, Okayama M, Yamashina I, Nakada H.	Developmental expression of a unique carbohydrate antigen, Tn antigen, in mouse central nervous tissue.	J Neurosci Res	65	595-603	2001
Shiraishi J, Tatsumi T, Keira N, Akashi K, Mano A, Yamanaka S, Matoba S, Asayama J, Yaoi T, Fushiki S, Fliss H, Nakagawa M.	Important role of energy-dependent mitochondrial pathways in cultured rat cardiac myocyte apoptosis.	Am J Physiol Heart Circ Physiol	281	H1637-H1647	2001
Fukuyama R, Izumoto T, Fushiki S.	The cerebrospinal fluid level of glial fibrillary acidic protein is increased in cerebrospinal fluid from Alzheimer's disease patients and correlates with severity of dementia.	Eur Neurol	46	35-38	2001
Kitaya K, Yasuda J, Fushiki S, Honjo H.	Localization of interferon regulatory factor (IRF)-1 in human endometrium throughout the menstrual cycle.	Fertil Steril	75	992-996	2001
Kanemura Y, Mori K, Sakakibara S, Fujikawa H, Hayashi H, Nakano A, Matsumoto T, Tamura K, Imai T, Ohnishi T, Fushiki S, Nakamura Y, Yamasaki M, Okano H, Arita N, Musashi I	an evolutionarily conserved neural RNA-binding protein, is a versatile marker of human glioma cells in determining their cellular origin, malignancy, and proliferative activity.	Differentiation,	68	141-152	2001
Nishizawa Y, Goto HG, Tanigaki Y, Fushiki S, Nishizawa Y.	Induction of apoptosis in an androgen-dependent mouse mammary carcinoma cell line by methylcobalamin.	Anticancer Res	21	1107-1110	2001

発表者名	論文タイトル名	発表誌名	巻号	ページ	出版年
Akita K, Fushiki S, Fujimoto T, Munesue S, Inoue M, Oguri K, Okayama M, Yamashina I, Nakada H.	Identification of the core protein carrying the Tn antigen in mouse brain: specific expression on syndecan-3.	Cell Struct Funct	26	271-278	2001
Toba H, Fukuyama R, Sasaki M, Shiga K, Ishibashi S, Fushiki S.	A Japanese patient with cerebrotendinous xanthomatosis has different mutations within two functional domains of CYP27.	Clin Genet	61	77-78	2002