



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数<II	特定 入院期間
030440	3	x	02	x	x	0	x	0	2,390	11	1,767	21	1,502	32

その他放治等(リハビリ除く(その他→リハビリ))

cRADPSY=cSONOTA+cREHAB



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	1,243	0.0	74.0	337.8	0	0	0	0	0	520	750	9,370
dRADPSY	1,243	0.0	4.2	13.6	0	0	0	0	0	35	68	88



リハビリ

cREHAB

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	1,243	0.0	6.4	210.9	0	0	0	0	0	0	0	7,420
dRehab	1,243	0.0	0.1	3.6	0	0	0	0	0	0	0	128



各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
030440	3	x	02	x	x	0	x	0	2,390	11	1,767	21	1,502	32

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	1,243	0.0	350.2	535.4	0	0	0	0	650	1,400	2,400	3,670
dMISC	1,243	0.0	16.3	23.1	0	0	0	0	32	62	88	115
cSHOSIN	1,243	0.0	5.2	46.1	0	0	0	0	0	0	400	550
cShido	1,243	0.0	342.4	527.3	0	0	0	0	570	1,400	2,400	3,670
cZaitak	1,243	0.0	2.6	59.5	0	0	0	0	0	0	0	1,680
dShosin	1,243	0.0	0.2	2.1	0	0	0	0	0	0	12	31
dShido	1,243	0.0	16.0	22.7	0	0	0	0	31	59	88	115
dZaitak	1,243	0.0	0.1	3.0	0	0	0	0	0	0	0	93



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	1,243	0.0	8.4	97.7	0	0	0	0	0	0	0	1,560
dTokuNyu	1,243	0.0	0.2	2.7	0	0	0	0	0	0	0	39



各項目のページへ:


[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院期間Ⅰ	点数<Ⅱ	入院期間Ⅱ	点数≥Ⅱ	特定入院期間
030440	3	x	02	x	x	0	x	0	2,390	11	1,767	21	1,502	32

施設別の診療密度

metLOS/rcALL

症例数合計	netLOSの平均	dALLの平均
1232	21.5	4,944



0304403x02xx0x-density



各項目のページへ:

[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数<II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	1,192	5.0	9.8	11.4	1	2	2	3	13	31	54	112





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	1,192	21,272.0	36,072.2	45,109.3	3,443	5,690	7,785	11,890	47,869	97,144	226,783	835,952
dAll	1,192	3,875.5	4,033.6	1,228.6	1,224	2,004	2,529	3,250	4,572	6,235	7,918	14,574



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	1,192	20,843.0	33,422.4	34,757.7	3,193	5,690	7,726	11,704	47,041	90,297	152,494	547,977
dDPC	1,192	3,762.0	3,898.5	1,118.0	1,146	1,948	2,441	3,160	4,429	5,833	7,538	13,049



各項目のページへ:

1. 概況
2. 入院
3. 手術・処置
4. 処方・注射
5. 検査・画像
6. 放治・リハ
7. その他
8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	1,192	10,923.0	19,420.0	19,719.9	2,314	3,925	4,255	6,424	27,870	57,221	91,896	176,798
dHOSP	1,192	2,142.0	2,096.5	249.4	1,189	1,440	1,656	2,019	2,181	2,303	2,582	6,358
cNyuin	1,192	9,775.0	17,201.4	17,175.1	2,090	3,498	3,818	5,730	24,841	50,480	80,264	151,787
cShokuji	1,192	1,085.0	2,150.2	2,614.1	0	217	424	636	2,873	6,742	12,770	24,304
cRxCho	1,192	14.0	43.6	70.0	0	0	0	7	56	168	308	707
cRxChoKi	1,192	0.0	24.8	28.2	0	0	0	0	42	84	94	188
dNyuin	1,192	1,918.0	1,867.4	211.3	976	1,257	1,455	1,807	1,954	2,045	2,092	5,636
dShokuji	1,192	214.5	221.2	105.6	0	106	163	212	217	290	632	2,158
dRxCho	1,192	4.1	3.7	2.8	0	0	0	1	7	7	7	18
dRxChoKi	1,192	0.0	4.1	6.2	0	0	0	0	6	21	21	28





各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20

手術(手術(薬剤・材料以外)+手術(薬剤・材料))													cOPEa=cOPE+cOPEm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cOPEa	1,192	0.0	2,083.7	14,476.6	0	0	0	0	0	12	82,200	284,005		
dOPEa	1,192	0.0	86.0	534.8	0	0	0	0	0	1	3,111	8,910		
cOpe	1,192	0.0	1,578.4	10,027.1	0	0	0	0	0	0	65,450	131,802		
cOpeM	1,192	0.0	505.3	6,078.6	0	0	0	0	0	0	12,049	152,203		
dOpe	1,192	0.0	72.7	460.9	0	0	0	0	0	0	2,448	7,200		
dOpeM	1,192	0.0	13.3	106.2	0	0	0	0	0	0	425	1,770		





処置(処置(薬剤・材料以外)+処置(薬剤・材料))													cPROa=cPRO+cPROm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cPROa	1,192	0.0	262.3	2,118.2	0	0	0	0	68	983	3,505	62,048		
dPROa	1,192	0.0	17.8	79.3	0	0	0	0	15	65	205	1,410		
cPro	1,192	0.0	182.5	1,532.3	0	0	0	0	65	700	2,214	45,509		
cProm	1,192	0.0	79.8	610.6	0	0	0	0	6	268	1,297	18,539		
dPro	1,192	0.0	12.9	52.0	0	0	0	0	13	50	122	976		
dProm	1,192	0.0	4.9	30.1	0	0	0	0	1	19	98	680		



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	1,192	122.0	689.5	2,020.6	0	0	0	3	611	3,007	9,427	36,580
dRXa	1,192	23.0	62.1	154.4	0	0	0	1	64	218	596	2,689
cRxNai	1,192	111.5	604.1	1,648.6	0	0	0	0	521	2,699	7,867	24,692
cRxTon	1,192	0.0	24.7	590.1	0	0	0	0	0	40	156	20,334
cRxGai	1,192	0.0	59.2	368.3	0	0	0	0	0	279	1,094	10,736
cRxMado	1,192	0.0	1.5	5.7	0	0	0	0	0	10	24	88
dRxNai	1,192	20.1	57.1	152.0	0	0	0	0	61	194	587	2,689
dRxTon	1,192	0.0	0.9	7.1	0	0	0	0	0	4	15	226
dRxGai	1,192	0.0	4.0	15.3	0	0	0	0	0	24	93	174
dRxMado	1,192	0.0	0.1	0.2	0	0	0	0	0	1	1	1



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	1,192	58.0	1,073.1	7,523.6	0	0	0	0	160	2,995	24,558	190,946
dInja	1,192	7.6	56.7	199.1	0	0	0	0	40	212	910	2,844
clnjHika	1,192	0.0	97.0	891.0	0	0	0	0	10	50	3,341	17,945
clnjJyo	1,192	0.0	137.3	856.8	0	0	0	0	0	445	3,256	15,703
clnjHoka	1,192	0.0	838.9	6,843.3	0	0	0	0	122	1,389	16,967	175,196
dlnjHika	1,192	0.0	8.6	95.8	0	0	0	0	1	9	149	2,844
dlnjJyo	1,192	0.0	8.7	35.5	0	0	0	0	0	50	192	449
dlnjHoka	1,192	0.0	39.4	165.7	0	0	0	0	30	121	737	2,491



各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSa=cKENSa+cKENSAm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSa	1,192	5,737.5	6,821.4	5,341.6	0	330	1,830	3,648	8,303	15,983	29,423	59,452
dKENSa	1,192	873.0	1,110.3	770.0	0	124	258	526	1,566	2,469	3,436	6,581
cKensa	1,192	5,588.0	6,513.8	4,665.1	0	165	1,806	3,569	8,070	15,310	23,162	55,432
cKensam	1,192	96.0	307.7	1,436.0	0	0	0	20	234	655	7,817	20,809
dKensa	1,192	851.0	1,066.6	713.9	0	38	256	511	1,521	2,373	3,153	4,535
dKensam	1,192	14.8	43.7	200.4	0	0	0	3	43	129	284	4,859



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	1,192	4,042.0	7,131.8	7,697.2	0	0	130	516	12,236	21,812	29,854	45,928
dGAZOa	1,192	613.8	770.5	784.7	0	0	47	130	1,068	2,286	3,432	8,776
cGAZO	1,192	2,458.5	4,023.5	4,159.2	0	0	110	425	6,523	11,596	18,317	27,640
cGAZOm	1,192	1,564.0	3,108.3	3,927.0	0	0	0	82	5,444	10,781	15,758	30,122
dGAZO	1,192	378.8	456.6	426.5	0	0	40	104	659	1,239	1,790	3,991
dGAZOm	1,192	147.5	313.9	439.3	0	0	0	24	469	1,106	1,817	7,421



各項目のページへ:



[一覧に戻る](#)[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・治・リハ](#)[7. その他](#)[8. 診療密度](#)

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20

その他放治等(リハビリ除く)(その他-リハビリ)

cRADPSY=cSONOTA+cREHAB



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	1,192	0.0	169.8	1,917.5	0	0	0	0	0	220	2,000	36,830
dRADPSY	1,192	0.0	5.7	42.8	0	0	0	0	0	13	117	703



リハビリ

cREHAB

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	1,192	0.0	0.8	19.7	0	0	0	0	0	0	0	480
dRehab	1,192	0.0	0.0	0.7	0	0	0	0	0	0	0	21





各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20

諸項目(初診料+指導管理料+在宅医療)									cMISC=cSHOSIN+cSHIDO+cZAITAKU				
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cMISC	1,192	0.0	395.2	831.8	0	0	0	0	520	1,510	3,739	9,250	
dMISC	1,192	0.0	43.4	114.8	0	0	0	0	58	183	317	2,703	
cSHOSIN	1,192	0.0	26.7	102.5	0	0	0	0	0	250	500	550	
cShido	1,192	0.0	312.4	510.1	0	0	0	0	430	1,300	2,180	5,230	
cZaitak	1,192	0.0	56.2	600.2	0	0	0	0	0	0	300	8,110	
dShosin	1,192	0.0	3.6	19.7	0	0	0	0	0	21	83	250	
dShido	1,192	0.0	33.3	56.7	0	0	0	0	50	143	262	390	
dZaitak	1,192	0.0	6.5	96.6	0	0	0	0	0	0	100	2,703	



特定入院料											cTOKUNYU	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	1,192	0.0	174.3	3,526.0	0	0	0	0	0	0	900	116,130
dTokuNyu	1,192	0.0	5.8	89.9	0	0	0	0	0	0	48	2,558




DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数<II	特定 入院期間
040040	1	x	xx	x	x	x	x	0	4,075	4	3,225	9	2,741	20

施設別の診療密度

metLOS/rcALL

症例数合計	netLOSの平均	dALLの平均
1163	9.7	4,035



0400401xxxxxxx-density



各項目のページへ:

[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	421	24.0	28.8	16.9	4	9	11	18	34	63	86	157





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	421	167,195.0	182,174.4	64,729.6	71,941	103,131	117,570	146,420	199,117	299,203	442,904	665,892
dAll	421	6,922.6	7,220.3	2,233.7	3,161	3,539	4,237	5,675	8,359	11,140	15,334	17,985



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	421	74,537.0	85,660.3	47,475.1	13,264	24,217	34,759	56,264	99,604	188,038	251,161	410,883
dDPC	421	2,960.7	3,076.6	681.6	1,043	1,967	2,217	2,608	3,404	4,367	5,176	7,161



各項目のページへ:

1. 概況
2. 入院
3. 手術・処置
4. 処方・注射
5. 検査・画像
6. 放・リハ
7. その他
8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47

入院日数依存部分(入院管理料・加算・入院時食事療養等・調剤・調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	421	45,244.0	51,768.9	27,003.8	8,358	14,252	21,926	34,639	60,392	106,031	141,599	246,095
dHOSP	421	1,867.4	1,852.3	224.7	705	1,351	1,496	1,714	1,986	2,152	2,241	3,298
cNyuin	421	40,202.0	45,269.2	22,798.7	7,666	12,250	19,520	30,646	53,464	90,870	121,933	208,017
cShokuji	421	5,076.0	6,291.1	5,296.1	636	1,696	2,200	3,648	7,480	13,968	20,422	80,096
cRxCho	421	133.0	163.9	111.6	7	35	56	98	196	392	539	1,043
cRxChoKi	421	42.0	44.6	37.5	0	0	0	0	84	94	126	168
dNyuin	421	1,641.6	1,630.7	210.7	617	1,127	1,287	1,498	1,772	1,943	2,035	2,490
dShokuji	421	204.9	214.2	83.6	83	133	180	198	213	278	292	1,820
dRxCho	421	5.8	5.6	1.1	1	3	3	5	6	7	7	7
dRxChoKi	421	1.8	1.7	1.7	0	0	0	0	3	4	7	12





各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47

手術(手術(薬剤・材料以外)+手術(薬剤・材料))													cOPEa=cOPE+cOPEm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cOPEa	421	91,378.0	95,044.0	25,209.2	49,547	58,677	74,009	84,224	98,885	123,318	220,314	305,000		
dOPEa	421	3,773.8	4,091.2	1,925.5	1,072	1,197	1,596	2,824	4,896	7,400	9,978	14,669		
cOpe	421	81,450.0	82,729.1	13,189.9	47,340	55,270	65,380	78,010	85,200	100,396	139,159	175,760		
cOpem	421	9,785.0	12,315.0	15,522.0	1,139	1,585	2,193	4,310	14,044	29,278	107,924	154,062		
dOpe	421	3,335.8	3,634.4	1,807.9	978	1,113	1,364	2,411	4,430	6,600	8,906	14,245		
dOpem	421	370.0	456.7	369.8	31	50	84	186	594	1,170	2,004	2,398		



処置(処置(薬剤・材料以外)+処置(薬剤・材料))													cPROa=cPRO+cPROm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cPROa	421	1,424.0	1,971.2	3,211.9	112	376	521	979	2,097	4,434	9,628	52,093		
dPROa	421	59.2	73.4	87.0	5	11	23	44	82	137	325	1,211		
cPro	421	972.0	1,310.3	1,934.0	0	282	364	669	1,551	2,729	3,833	29,344		
cProm	421	353.0	660.9	1,524.9	0	0	57	196	630	1,937	5,707	22,749		
dPro	421	41.4	48.3	50.2	0	6	14	29	60	82	121	682		
dProm	421	14.5	25.1	49.1	0	0	2	8	25	63	285	529		



各項目のページへ:



1. 概況
2. 入院
3. 手術・処置
4. 処方・注射
5. 検査・画像
6. 放・リハ
7. その他
8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	421	1,228.0	1,931.2	2,157.4	0	153	280	645	2,275	6,549	12,112	14,643
dRXa	421	49.7	65.0	55.9	0	8	13	31	82	168	259	563
cRxNai	421	983.0	1,619.8	1,951.0	0	83	175	499	1,927	5,427	10,849	14,284
cRxTon	421	0.0	37.6	102.9	0	0	0	0	40	175	430	1,153
cRxGai	421	91.0	269.0	472.5	0	0	0	0	305	1,228	2,418	3,780
cRxMado	421	1.0	4.9	9.4	0	0	0	0	5	21	45	62
dRxNai	421	39.3	54.5	53.9	0	3	9	23	70	147	259	549
dRxTon	421	0.0	1.3	3.0	0	0	0	0	1	6	15	27
dRxGai	421	4.1	9.1	13.9	0	0	0	0	13	37	60	115
dRxMado	421	0.0	0.2	0.3	0	0	0	0	0	1	1	1



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	421	2,594.0	5,336.1	8,018.6	302	707	953	1,676	5,455	19,460	34,011	72,261
dInja	421	118.9	173.2	172.8	14	24	38	73	202	482	883	1,442
cInjHika	421	22.0	158.6	794.5	0	0	0	0	58	558	3,931	11,384
cInjJyo	421	140.0	955.4	2,657.9	0	0	0	0	819	4,022	14,583	28,490
cInjHoka	421	1,889.0	4,222.0	6,752.5	139	404	640	1,197	4,186	15,231	31,844	63,381
dInjHika	421	0.9	5.2	24.3	0	0	0	0	2	25	76	357
dInjJyo	421	5.7	28.8	63.1	0	0	0	0	33	117	385	503
dInjHoka	421	89.6	139.3	152.5	6	15	23	54	160	423	864	1,433



各項目のページへ:

1. 概況

2. 入院

3. 手術・処置

4. 処方・注射

5. 検査・画像

6. 放・リハ

7. その他

8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSa=cKENS+cKENSaM



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSa	421	11,228.0	13,613.3	9,770.0	2,280	3,149	4,778	7,871	16,318	28,336	59,441	96,420
dKENSa	421	447.4	487.5	190.4	122	205	235	371	573	877	1,165	1,303
cKensa	421	11,134.0	13,013.8	7,824.5	2,280	3,149	4,745	7,871	15,968	27,031	40,940	64,223
cKensam	421	11.0	599.4	3,545.9	0	0	0	0	149	1,130	12,328	60,801
dKensa	421	443.4	474.2	171.2	122	205	234	367	558	789	1,028	1,188
dKensam	421	0.5	13.3	59.3	0	0	0	0	5	48	321	822



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	421	8,410.0	10,774.5	8,880.6	283	699	1,395	3,732	15,751	26,038	44,971	53,039
dGAZOa	421	314.2	380.3	277.5	42	51	80	152	541	885	1,308	1,508
cGAZO	421	5,685.0	6,525.5	4,782.5	220	605	1,065	2,772	8,646	16,343	22,169	28,336
cGAZOm	421	2,532.0	4,249.0	4,544.2	0	0	104	526	6,764	12,429	19,875	35,285
dGAZO	421	201.0	233.0	149.4	37	44	67	122	305	514	772	959
dGAZOm	421	107.3	147.3	147.5	0	0	5	25	224	444	669	745



各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47

その他放治等(リハビリ除く)(その他→リハビリ)

cRADPSY=cSONOTA-cREHAB



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	421	0.0	367.0	1,216.4	-300	0	0	0	110	2,170	4,170	18,440
dRADPSY	421	0.0	14.2	38.9	-14	0	0	0	3	98	164	401



リハビリ

cREHAB

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	421	0.0	63.3	550.2	0	0	0	0	0	0	960	9,620
dRehab	421	0.0	2.6	27.8	0	0	0	0	0	0	33	534



各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	421	590.0	927.3	1,293.4	0	0	0	220	1,180	2,750	8,110	11,640
dMISC	421	22.6	29.6	30.9	0	0	0	8	42	75	149	249
cSHOSIN	421	0.0	25.5	104.0	0	0	0	0	0	400	550	550
cShido	421	590.0	796.6	927.9	0	0	0	210	1,160	2,420	3,510	10,640
cZaitak	421	0.0	105.2	817.3	0	0	0	0	0	0	3,525	8,110
dShosin	421	0.0	0.7	3.2	0	0	0	0	0	6	18	28
dShido	421	21.5	26.2	23.8	0	0	0	5	39	70	87	107
dZaitak	421	0.0	2.7	20.3	0	0	0	0	0	0	110	225



特定入院料

cTOKUNYU


	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	421	0.0	6,556.2	12,106.8	0	0	0	0	17,780	35,560	44,475	85,300
dTokuNyu	421	0.0	259.2	515.3	0	0	0	0	423	1,368	2,147	3,556



各項目のページへ:

[1. 概況](#)
[2. 入院](#)
[3. 手術・処置](#)
[4. 処方・注射](#)
[5. 検査・画像](#)
[6. 放・リハ](#)
[7. その他](#)
[8. 診療密度](#)
[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	3	x	06	0	x	x	x	0	3,088	14	2,283	27	1,941	47
施設別の診療密度														netLOS/rcALL
症例数合計		netLOSの平均			dALLの平均									
376		28.8			7.228									





0400403x060xxx-density

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	832	24.0	27.2	16.6	6	8	10	16	33	56	97	137





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	832	152,477.0	164,675.7	67,231.0	17,709	85,745	95,644	123,489	184,800	280,178	444,788	681,020
dAll	832	6,433.6	6,926.8	2,213.8	2,779	3,545	4,198	5,250	8,103	11,270	13,339	15,277



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	832	70,056.0	80,073.3	48,717.0	17,709	26,484	32,760	47,058	96,681	164,947	277,481	453,849
dDPC	832	2,924.2	3,037.0	679.4	1,825	2,076	2,270	2,616	3,308	4,096	5,410	9,349



各項目のページへ:

1. 概況
2. 入院
3. 手術・処置
4. 処方・注射
5. 検査・画像
6. 放・リハ
7. その他
8. 診療密度

[一覧に戻る](#)