



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	832	45,183.0	49,350.4	25,784.2	7,756	14,542	20,636	32,665	60,352	92,796	146,195	210,648
dHOSP	832	1,878.2	1,895.5	245.1	1,108	1,393	1,501	1,733	2,042	2,293	2,329	3,002
cNyuin	832	39,904.0	43,620.1	22,466.9	6,393	12,733	18,771	28,806	52,788	81,156	136,944	182,392
cShokuji	832	4,916.5	5,530.3	3,626.7	0	0	1,726	3,142	6,885	11,603	19,930	30,611
cRxCho	832	133.0	158.7	106.7	14	28	56	91	196	350	623	917
cRxChoKi	832	42.0	41.4	36.1	0	0	0	0	84	84	126	168
dNyuin	832	1,661.7	1,683.6	241.6	913	1,186	1,297	1,531	1,814	2,086	2,108	2,691
dShokuji	832	204.6	204.2	38.8	0	0	177	197	212	251	288	399
dRxCho	832	6.2	5.8	1.2	1	2	3	5	7	7	7	9
dRxChoKi	832	1.8	2.0	2.0	0	0	0	0	3	6	8	14

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxGHOKI



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	832	78,495.5	83,056.3	26,778.9	0	51,289	58,357	68,286	89,912	120,603	174,528	403,890
dOPEa	832	3,423.1	3,841.6	1,862.4	0	917	1,501	2,431	4,863	7,467	9,247	11,129
cOpe	832	65,425.0	70,180.9	17,607.0	0	42,930	51,430	60,142	77,264	99,730	128,466	243,805
cOpeM	832	10,587.0	12,875.3	14,754.0	0	1,359	1,816	6,459	15,978	28,466	53,903	258,438
dOpe	832	2,908.5	3,318.6	1,717.4	0	754	1,295	2,044	4,155	6,753	8,166	10,242
dOpeM	832	425.5	523.0	473.4	0	57	112	234	687	1,182	1,926	6,154



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	832	1,531.5	2,253.5	3,558.7	0	388	579	985	2,300	5,358	15,903	54,104
dPROa	832	69.8	87.7	134.6	0	14	26	50	93	144	819	1,571
cPro	832	1,123.0	1,483.6	2,257.2	0	149	383	685	1,635	3,357	8,134	45,219
cProm	832	380.0	769.9	1,641.1	0	31	108	240	626	2,424	10,045	18,226
dPro	832	48.9	57.3	72.7	0	7	17	35	64	91	201	913
dProm	832	18.4	30.4	70.9	0	1	4	11	29	61	423	805



各項目のページへ:

[1. 概況](#)

[2. 入院](#)

[3. 手術・処置](#)

[4. 処方・注射](#)

[5. 検査・画像](#)

[6. 放・治・リハ](#)

[7. その他](#)

[8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

処方(内服+頓服+外用+麻毒)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	832	1,164.0	1,722.8	2,011.4	0	70	237	616	2,128	4,945	10,956	20,677
dRXa	832	52.5	63.2	54.2	0	3	12	32	79	141	262	696
cRxNai	832	925.0	1,421.8	1,809.7	0	0	133	398	1,720	4,249	10,058	19,972
cRxTon	832	7.0	53.2	99.0	0	0	0	0	72	221	403	1,234
cRxGai	832	126.5	242.8	494.7	0	0	0	0	283	862	1,954	8,710
cRxMado	832	1.0	5.1	10.0	0	0	0	0	5	23	48	103
dRxNai	832	37.6	50.5	50.3	0	0	7	23	63	127	224	689
dRxTon	832	0.2	2.8	5.2	0	0	0	0	3	15	22	41
dRxGai	832	5.1	9.7	15.5	0	0	0	0	14	34	58	281
dRxMado	832	0.0	0.2	0.2	0	0	0	0	0	1	1	1



cRXa=cRxNAI+cRxTON+cRxGAI+cRxMADO



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
ciNJa	832	2,425.5	6,184.2	15,343.5	129	271	741	1,413	5,048	24,557	73,677	251,726
dInja	832	116.1	192.0	323.7	4	13	33	76	188	577	1,333	4,060
clnjHika	832	25.0	169.7	1,349.9	0	0	0	0	69	523	2,401	36,708
clnjJyo	832	244.5	1,738.5	7,075.2	0	0	0	0	1,083	7,228	27,112	151,756
clnjHoka	832	1,675.5	4,276.0	12,720.8	0	189	445	917	3,507	13,150	52,226	250,760
dlnjHika	832	1.2	6.3	23.3	0	0	0	0	3	30	104	356
dlnjJyo	832	13.7	50.5	150.6	0	0	0	0	44	178	711	2,255
dlnjHoka	832	78.6	135.2	267.4	0	4	18	47	137	398	892	4,045

ciNJa=clnjHKA+clnjJYO+clnjHOKA



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度
- 一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSa=cKENS+cKENSaM



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSa	832	10,902.0	12,604.5	7,298.4	1,845	2,775	4,430	7,935	15,383	27,066	40,706	51,859
dKENSa	832	468.7	500.1	186.2	109	188	242	371	595	825	1,040	1,410
cKensa	832	10,735.5	12,027.5	6,253.5	1,845	2,775	4,410	7,841	14,956	23,631	34,476	46,177
cKensam	832	18.0	577.0	2,247.1	0	0	0	0	214	3,375	14,341	21,701
dKensa	832	456.0	481.6	163.9	108	188	239	365	576	792	905	1,007
dKensam	832	0.7	18.5	68.3	0	0	0	0	7	73	413	614



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	832	5,658.5	9,126.9	8,813.6	552	1,093	1,380	2,179	13,832	26,351	39,646	54,349
dGAZOa	832	241.4	315.8	227.4	29	62	78	140	440	757	1,080	1,389
cGAZO	832	4,078.5	5,790.7	5,082.8	480	850	1,210	1,993	7,894	16,953	23,148	28,901
cGAZOm	832	1,657.5	3,336.2	4,324.3	0	0	0	319	5,038	12,180	19,656	27,859
dGAZO	832	178.2	209.1	133.6	29	51	64	116	259	465	668	1,000
dGAZOm	832	69.6	106.7	120.3	0	0	0	15	170	321	590	797



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

その他放治等(リハビリ除く)(その他→リハビリ)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	832	0.0	577.4	2,920.0	-900	0	0	0	0	2,720	7,950	51,812
dRADPSY	832	0.0	15.7	53.5	-12	0	0	0	0	85	285	817



cRADPSY=cSONOTA-cREHAB



リハビリ

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	832	0.0	35.7	265.2	0	0	0	0	0	0	900	5,118
dRehab	832	0.0	1.2	7.7	0	0	0	0	0	0	30	107

cREHAB



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	832	590.0	923.3	1,303.6	0	0	0	0	1,270	2,700	8,110	12,424
dMISC	832	23.4	30.9	40.7	0	0	0	0	44	78	183	507
cSHOSIN	832	0.0	22.5	96.5	0	0	0	0	0	250	500	650
cShido	832	590.0	780.4	859.0	0	0	0	0	1,165	2,400	3,830	6,590
cZaitak	832	0.0	120.4	894.6	0	0	0	0	0	0	8,110	9,894
dShosin	832	0.0	0.7	3.2	0	0	0	0	0	6	17	27
dShido	832	22.2	26.4	25.9	0	0	0	0	42	71	94	250
dZaitak	832	0.0	3.8	31.3	0	0	0	0	0	0	162	507



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	832	0.0	4,361.2	10,163.4	0	0	0	0	1,200	17,798	44,475	116,130
dTokuNyu	832	0.0	186.9	432.7	0	0	0	0	90	1,026	2,223	3,321



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度


一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
040040	3	x	07	0	x	x	x	0	3,060	13	2,292	26	1,948	45

施設別の診療密度

metLOS/rcALL

症例数合計	netLOSの平均	dALLの平均
798	26.9	6.956



0400403x070xxx-density

各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)

8. 診療密度

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48

性別・年齢、機関別基礎集計



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	936	17.0	23.7	23.2	2	2	3	9	31	68	107	243



総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	936	57,638.0	78,615.0	89,752.2	3,501	5,807	10,972	31,315	97,092	205,440	367,864	1,503,201
dAll	936	3,211.5	3,537.9	1,624.3	1,432	1,751	2,127	2,718	3,912	6,202	8,454	28,100



cALL/dALL



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	936	55,289.0	73,687.5	85,963.7	3,501	5,340	10,453	29,291	88,858	192,760	363,908	1,501,921
dDPC	936	3,063.5	3,329.3	1,516.4	1,400	1,721	2,063	2,615	3,681	5,181	7,949	27,984

cDPC/dDPC





各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)								cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI					
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cHOSP	936	32,832.5	42,068.9	38,110.9	0	3,855	6,101	17,848	55,150	113,451	168,320	414,816	
dHOSP	936	1,925.6	1,890.1	472.2	0	1,252	1,400	1,661	2,113	2,266	2,468	12,927	
cNyuin	936	29,733.0	37,288.5	33,265.4	0	3,638	5,524	15,793	48,871	96,935	142,553	373,518	
cShokuji	936	3,015.5	4,613.7	5,887.7	0	0	212	1,467	5,932	13,888	23,239	102,396	
cRxCho	936	91.0	131.6	145.4	0	0	0	35	175	420	637	1,260	
cRxChoKi	936	42.0	35.1	38.9	0	0	0	0	42	94	168	378	
dNyuin	936	1,734.4	1,690.8	421.6	0	1,078	1,257	1,465	1,914	2,035	2,258	11,146	
dShokuji	936	212.0	192.0	102.7	0	0	3	180	217	265	326	1,896	
dRxCho	936	6.0	5.1	2.6	0	0	0	4	7	7	7	44	
dRxChoKi	936	1.4	2.2	3.3	0	0	0	0	3	8	21	21	



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	936	0.0	2,685.3	12,237.0	0	0	0	0	0	12,839	76,274	116,368
dOPEa	936	0.0	117.1	524.5	0	0	0	0	0	639	3,609	5,527
cOpe	936	0.0	1,808.3	9,849.1	0	0	0	0	0	6,680	70,500	95,927
cOpem	936	0.0	877.0	4,235.1	0	0	0	0	0	3,451	25,526	45,392
dOpe	936	0.0	76.3	394.4	0	0	0	0	0	274	2,944	3,845
dOpem	936	0.0	40.8	249.2	0	0	0	0	0	144	957	5,105



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	936	217.5	1,845.7	4,483.2	0	0	0	0	2,060	7,790	19,983	64,103
dPROa	936	14.8	77.7	206.1	0	0	0	0	103	262	440	3,308
cPro	936	130.0	1,017.5	2,742.5	0	0	0	0	1,140	3,981	10,055	48,598
cProm	936	56.0	828.2	2,189.6	0	0	0	0	715	3,992	11,950	32,866
dPro	936	8.2	37.9	72.8	0	0	0	0	65	124	207	892
dProm	936	2.5	39.8	171.8	0	0	0	0	39	138	297	3,308





各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	936	1,105.0	3,233.9	6,313.3	0	0	0	241	3,325	14,323	33,594	55,769
dRXa	936	61.6	136.8	280.4	0	0	0	22	132	525	1,351	3,329
cRxNai	936	868.0	2,793.1	5,789.2	0	0	0	154	2,886	13,271	29,709	55,303
cRxTon	936	0.0	57.7	432.7	0	0	0	0	21	160	703	10,923
cRxGai	936	21.0	375.9	1,797.8	0	0	0	0	224	1,382	4,531	38,454
cRxMado	936	0.0	7.3	15.5	0	0	0	0	8	38	66	140
dRxNai	936	47.7	120.5	270.7	0	0	0	15	106	504	1,215	3,324
dRxTon	936	0.0	2.0	8.9	0	0	0	0	1	8	37	148
dRxGai	936	1.0	14.0	64.7	0	0	0	0	10	66	172	1,748
dRxMado	936	0.0	0.2	0.4	0	0	0	0	0	1	1	5



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
ciNJa	936	2,483.5	13,434.3	57,002.2	0	0	0	119	10,745	48,652	166,511	1,363,530
diNJa	936	145.7	436.3	1,011.9	0	0	0	8	542	1,513	4,272	18,938
ciNjHika	936	0.0	950.3	4,188.4	0	0	0	0	26	5,680	21,986	46,556
ciNjJyo	936	0.0	1,108.7	7,890.6	0	0	0	0	140	4,393	21,500	213,998
ciNjHoka	936	1,218.0	11,375.2	54,231.1	0	0	0	0	8,899	38,365	150,584	1,351,246
diNjHika	936	0.0	37.2	169.2	0	0	0	0	2	174	1,061	1,980
diNjJyo	936	0.0	32.2	138.5	0	0	0	0	9	180	431	3,242
diNjHoka	936	73.9	366.9	964.0	0	0	0	0	443	1,396	3,898	18,767



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度

一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48



検査(検査(薬剤・材料以外)+検査(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSa	936	6,462.0	8,514.6	7,074.9	0	330	1,410	3,685	11,383	21,718	33,199	66,108
dKENSa	936	368.8	471.3	460.1	0	77	174	270	521	1,062	2,121	7,787
cKensa	936	6,392.5	8,328.3	6,830.0	0	330	1,410	3,676	11,279	21,015	31,746	66,108
cKensam	936	0.0	186.3	1,111.7	0	0	0	0	122	575	1,551	23,679
dKensa	936	365.0	457.3	407.1	0	75	171	270	509	1,000	2,047	7,585
dKensam	936	0.0	14.0	158.3	0	0	0	0	6	39	135	4,736



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	936	5,952.5	8,648.7	8,306.7	0	0	298	2,091	13,502	24,025	33,514	75,210
dGAZOa	936	317.1	469.5	551.0	0	0	50	131	624	1,333	2,234	8,511
cGAZO	936	3,904.0	5,196.1	4,641.5	0	0	240	1,830	7,615	13,765	19,417	41,695
cGAZOm	936	1,939.5	3,452.6	4,068.1	0	0	0	216	5,736	11,057	16,188	33,515
dGAZO	936	208.7	283.4	297.9	0	0	39	104	374	757	1,164	3,956
dGAZOm	936	100.2	186.1	289.2	0	0	0	18	247	647	1,221	4,615



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<II	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48

その他放治等(リハビリ除く(その他-リハビリ))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	936	0.0	1,191.2	5,901.0	0	0	0	0	0	4,160	31,300	81,600
dRADPSY	936	0.0	30.9	141.8	0	0	0	0	0	120	734	2,520



cRADPSY=cSONOTA+cREHAB



リハビリ

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	936	0.0	39.8	462.6	0	0	0	0	0	0	960	9,150
dRehab	936	0.0	1.1	12.9	0	0	0	0	0	0	16	235

cREHAB



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,654	21	2,256	48

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	936	430.0	951.9	1,694.4	0	0	0	0	1,035	3,500	8,960	12,720
dMISC	936	26.9	56.0	187.4	0	0	0	0	54	183	607	4,055
cSHOSIN	936	0.0	21.8	100.5	0	0	0	0	0	0	550	780
cShido	936	430.0	654.7	886.2	0	0	0	0	860	2,290	4,210	8,130
cZaitak	936	0.0	275.5	1,390.1	0	0	0	0	0	300	8,110	8,410
dShosin	936	0.0	2.3	17.5	0	0	0	0	0	0	60	250
dShido	936	23.9	32.1	37.7	0	0	0	0	49	104	175	295
dZaitak	936	0.0	21.7	181.5	0	0	0	0	0	3	579	4,055



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	936	0.0	555.0	4,451.7	0	0	0	0	0	336	17,780	64,345
dTokuNyu	936	0.0	39.6	478.6	0	0	0	0	0	24	809	10,590



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度


[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	0	x	0	x	0	3,479	10	2,854	21	2,256	48

施設別の診療密度

metLOS/rcALL

症例数合計	netLOSの平均	dALLの平均
924	23.7	3,543



0400403x990x0x-density



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	1	x	0	x	0	3,728	15	2,946	38	2,504	90



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	3,033	33.0	42.4	34.8	2	2	3	15	61	111	147	242





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	3,033	109,124.0	139,974.6	114,638.7	3,461	9,879	18,989	53,647	195,613	361,381	494,405	1,556,661
dAll	3,033	3,334.9	3,794.2	1,900.6	1,305	2,072	2,374	2,883	3,964	6,596	13,838	23,355



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	3,033	98,577.0	127,519.3	104,891.5	3,461	9,410	17,799	50,221	176,643	329,169	458,166	1,555,311
dDPC	3,033	3,067.7	3,511.9	1,859.0	1,247	1,746	2,146	2,642	3,679	6,258	13,264	21,136



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	1	x	0	x	0	3,728	15	2,946	38	2,504	90

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	3,033	57,728.0	70,421.7	54,671.5	1,580	3,041	6,066	28,158	101,058	174,618	233,532	399,848
dHOSP	3,033	1,685.0	1,736.5	288.9	226	1,295	1,447	1,536	1,883	2,172	2,338	6,948
cNyuin	3,033	50,930.0	61,391.9	47,060.7	0	2,600	5,374	24,764	88,369	151,338	198,101	317,140
cShokuji	3,033	6,510.0	8,723.5	8,834.9	0	0	434	2,968	12,407	23,377	32,508	246,724
cRxCho	3,033	196.0	254.6	228.6	0	0	7	70	378	714	987	1,687
cRxChoKi	3,033	42.0	51.6	54.9	0	0	0	0	84	168	210	294
dNyuin	3,033	1,468.3	1,521.4	267.6	0	1,130	1,253	1,323	1,666	1,947	2,093	6,028
dShokuji	3,033	212.0	207.7	75.3	0	0	139	198	217	256	295	2,180
dRxCho	3,033	6.4	5.6	1.9	0	0	1	5	7	7	7	28
dRxChoKi	3,033	1.3	1.8	2.9	0	0	0	0	2	6	21	21



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[二覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	1	x	0	x	0	3,728	15	2,946	38	2,504	90

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	3,033	0.0	2,129.4	10,709.0	0	0	0	0	0	9,932	55,418	168,499
dOPEa	3,033	0.0	37.9	190.2	0	0	0	0	0	190	1,043	4,139
cOpe	3,033	0.0	953.3	6,315.7	0	0	0	0	0	3,572	18,192	151,772
cOpem	3,033	0.0	1,176.1	7,345.8	0	0	0	0	0	3,508	30,472	153,581
dOpe	3,033	0.0	18.3	121.9	0	0	0	0	0	64	428	3,290
dOpem	3,033	0.0	19.6	118.1	0	0	0	0	0	75	508	2,463



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	3,033	0.0	1,383.2	5,734.4	0	0	0	0	503	7,246	16,264	152,356
dPROa	3,033	0.0	28.8	104.6	0	0	0	0	11	145	387	2,031
cPro	3,033	0.0	793.8	3,296.3	0	0	0	0	265	4,168	9,615	86,118
cProm	3,033	0.0	589.4	2,823.7	0	0	0	0	137	3,012	9,078	99,886
dPro	3,033	0.0	16.7	62.9	0	0	0	0	7	77	198	1,078
dProm	3,033	0.0	12.1	50.5	0	0	0	0	3	66	201	1,332



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	1	x	0	x	0	3,728	15	2,946	38	2,504	90

処方(内服+頓服+外用+麻毒)

cRXa=cRxNai+cRxTON+cRxGai+cRxMADO



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	3,033	2,302.0	5,846.3	9,670.5	0	0	28	794	6,468	23,961	44,549	116,633
dRXa	3,033	72.0	175.8	415.1	0	0	2	31	156	652	1,661	11,234
cRxNai	3,033	1,885.0	5,155.3	8,737.4	0	0	0	581	5,545	21,983	39,060	116,583
cRxTon	3,033	0.0	158.1	1,004.4	0	0	0	0	74	880	2,362	46,494
cRxGai	3,033	39.0	519.8	2,591.7	0	0	0	0	273	1,521	9,684	53,504
cRxMado	3,033	0.0	13.1	23.7	0	0	0	0	18	66	102	200
dRxNai	3,033	59.0	153.7	383.5	0	0	0	23	134	582	1,558	10,444
dRxTon	3,033	0.0	9.7	106.1	0	0	0	0	2	25	146	3,308
dRxGai	3,033	1.3	12.1	54.6	0	0	0	0	7	36	215	1,014
dRxMado	3,033	0.0	0.3	0.4	0	0	0	0	1	1	1	1



注射(皮下筋肉+静脈内+注射その他)

cINJa=cInjHIKA+cInjJYO+cInjHOKA

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	3,033	22,296.0	33,006.2	44,931.5	0	0	0	9,191	43,462	102,384	172,830	1,416,327
dInja	3,033	783.6	1,143.7	1,753.1	0	0	0	383	1,217	3,457	10,523	17,486
cInjHika	3,033	10.0	5,354.5	11,927.6	0	0	0	0	5,660	26,980	58,095	148,790
cInjJyo	3,033	0.0	2,154.3	6,370.1	0	0	0	0	895	12,060	31,536	116,451
cInjHoka	3,033	17,001.0	25,497.3	39,555.6	0	0	0	6,299	31,835	76,880	138,339	1,415,583
dInjHika	3,033	0.2	102.1	240.7	0	0	0	0	129	493	917	7,597
dInjJyo	3,033	0.0	86.8	467.2	0	0	0	0	20	350	1,467	13,924
dInjHoka	3,033	547.9	954.9	1,719.5	0	0	0	221	968	3,296	10,089	17,476



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040040	3	x	99	1	x	0	x	0	3,728	15	2,946	38	2,504	90



検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSAa=cKENSA+cKENSAm												
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSAa	3,033	9,225.0	11,374.4	9,388.5	0	0	1,155	4,065	16,175	29,765	42,985	66,318
dKENSAa	3,033	258.6	288.1	135.1	0	0	165	213	326	522	739	2,960
cKensa	3,033	9,116.0	11,236.6	9,204.0	0	0	1,140	4,055	16,090	29,256	41,641	65,983
cKensam	3,033	0.0	137.9	707.7	0	0	0	0	74	579	1,352	14,445
dKensa	3,033	256.8	285.1	130.7	0	0	165	213	324	509	704	2,864
dKensam	3,033	0.0	3.0	16.9	0	0	0	0	1	11	36	465



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm												
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	3,033	11,055.0	13,807.2	13,081.7	0	0	185	3,516	20,727	38,045	55,246	119,167
dGAZOa	3,033	277.3	339.0	336.7	0	0	44	134	441	825	1,619	5,724
cGAZO	3,033	6,779.0	8,407.9	7,507.4	0	0	165	2,528	12,450	22,210	32,643	60,316
cGAZOm	3,033	3,580.0	5,399.3	6,095.7	0	0	0	391	8,198	17,491	25,672	58,851
dGAZO	3,033	174.2	208.9	196.4	0	0	38	103	259	481	937	5,075
dGAZOm	3,033	93.4	130.1	201.2	0	0	0	22	176	366	716	4,988



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)