



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0	x	0	3,170	7	2,402	14	2,042	29

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	2,940	23,051.0	31,197.9	30,235.1	0	4,486	8,307	15,061	36,340	76,991	147,154	470,951
dHOSP	2,940	2,133.0	2,115.5	344.0	0	1,280	1,510	1,937	2,372	2,579	2,773	4,494
cNyuin	2,940	20,787.0	27,982.3	26,847.9	0	4,087	7,618	13,584	32,564	68,519	130,412	405,368
cShokuji	2,940	2,002.0	3,090.2	3,865.9	0	0	0	1,272	3,580	8,745	18,424	62,930
cRxCho	2,940	63.0	95.6	125.0	0	0	7	35	112	284	588	2,149
cRxChoKi	2,940	42.0	29.7	36.4	0	0	0	0	42	84	126	504
dNyuin	2,940	1,917.0	1,912.5	332.5	0	1,217	1,308	1,735	2,181	2,378	2,557	4,480
dShokuji	2,940	212.0	194.6	73.7	0	0	0	188	217	252	297	1,699
dRxCho	2,940	7.0	5.8	2.0	0	0	1	5	7	7	7	18
dRxChoKi	2,940	1.4	2.7	3.7	0	0	0	0	4	11	14	26

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)



8. 診療密度

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0.	x	0	3,170	7	2,402	14	2,042	29

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	2,940	0.0	1,585.2	15,279.2	0	0	0	0	0	2,070	47,224	501,324
dOPEa	2,940	0.0	56.8	484.3	0	0	0	0	0	62	1,566	8,902
cOpe	2,940	0.0	462.5	4,063.1	0	0	0	0	0	1,035	11,216	109,957
cOpem	2,940	0.0	1,122.8	13,561.8	0	0	0	0	0	44	31,433	484,224
dOpe	2,940	0.0	18.0	194.9	0	0	0	0	0	33	338	7,854
dOpem	2,940	0.0	38.9	399.9	0	0	0	0	0	3	808	8,316



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	2,940	224.0	1,595.8	9,357.7	0	0	0	0	1,034	5,581	22,390	426,206
dPROa	2,940	24.0	65.4	173.8	0	0	0	0	78	211	754	4,730
cPro	2,940	130.0	893.3	4,196.4	0	0	0	0	648	3,411	12,685	157,215
cProm	2,940	66.0	702.5	5,543.0	0	0	0	0	364	2,405	8,626	268,991
dPro	2,940	14.4	37.2	86.4	0	0	0	0	47	125	352	1,351
dProm	2,940	6.9	28.2	106.9	0	0	0	0	26	97	300	3,892



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0	x	0	3,170	7	2,402	14	2,042	29



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa=cRxNAI+cRxTON+cRxGAI+cRxMADO												
cRXa	2,940	578.5	1,772.7	4,274.2	0	0	15	217	1,714	6,771	18,780	90,440
dRXa	2,940	56.3	96.7	157.3	0	0	2	25	115	305	633	3,057
cRxNai	2,940	475.0	1,572.4	4,088.3	0	0	0	168	1,452	5,938	17,472	88,141
cRxTon	2,940	0.0	23.7	346.9	0	0	0	0	5	72	265	17,610
cRxGai	2,940	21.0	174.3	534.2	0	0	0	0	129	786	2,218	10,519
cRxMado	2,940	0.0	2.3	8.3	0	0	0	0	0	14	34	241
dRxNai	2,940	46.9	84.2	146.9	0	0	0	19	98	271	605	3,053
dRxTon	2,940	0.0	1.5	32.9	0	0	0	0	0	4	12	1,761
dRxGai	2,940	1.8	10.8	33.6	0	0	0	0	11	46	102	1,240
dRxMado	2,940	0.0	0.1	0.3	0	0	0	0	0	1	1	2



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
clNJa=clnjHIKA+clnjJYO+clnjHOKA												
clNJa	2,940	2,700.0	8,566.6	23,654.7	0	0	258	1,331	5,905	35,912	103,796	554,714
clnja	2,940	260.8	418.5	624.5	0	0	31	165	424	1,340	3,433	10,370
clnjHika	2,940	0.0	171.1	1,736.3	0	0	0	0	174	4,548	51,385	
clnjJyo	2,940	0.0	1,162.8	3,867.6	0	0	0	0	799	5,127	16,917	80,564
clnjHoka	2,940	1,890.5	7,232.6	21,295.2	0	0	0	766	4,472	32,406	92,394	475,398
dlnjHika	2,940	0.0	5.8	51.7	0	0	0	0	0	8	159	1,281
dlnjJyo	2,940	0.0	63.4	152.5	0	0	0	0	63	322	645	3,905
dlnjHoka	2,940	202.4	349.3	599.0	0	0	0	98	365	1,186	3,371	9,090



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0	x	0	3,170	7	2,402	14	2,042	29

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSaA=cKENSa+cKENSAm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSaA	2,940	4,083.5	6,369.0	7,346.8	0	660	1,417	2,390	7,591	18,516	34,726	143,185
dKENSaA	2,940	379.1	417.1	188.8	0	131	198	303	491	758	1,012	2,266
cKensa	2,940	4,074.5	6,305.9	7,184.0	0	660	1,417	2,387	7,563	18,411	33,593	142,784
cKensam	2,940	0.0	83.2	514.6	0	0	0	0	2	230	726	14,801
dKensa	2,940	378.0	414.5	185.1	0	131	196	302	489	741	1,005	2,265
dKensam	2,940	0.0	2.7	16.0	0	0	0	0	0	11	36	535



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	2,940	1,741.5	3,278.2	4,830.4	0	0	230	589	3,947	12,293	22,913	59,402
dGAZOa	2,940	121.3	191.0	191.2	0	0	36	80	245	537	877	2,484
cGAZO	2,940	1,530.5	2,434.4	3,129.7	0	0	185	515	3,194	7,786	14,122	45,243
cGAZOm	2,940	185.5	843.8	1,994.2	0	0	0	47	570	4,383	9,414	36,848
dGAZO	2,940	104.9	147.8	125.7	0	0	28	71	197	358	622	1,898
dGAZOm	2,940	16.7	43.2	84.6	0	0	0	7	37	194	385	1,226



各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0	x	0	3,170	7	2,402	14	2,042	29



その他放治等(リハビリ除く(その他→リハビリ))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	2,940	0.0	265.1	1,636.5	-800	0	0	0	0	1,015	5,670	51,310
dRADPSY	2,940	0.0	9.1	37.1	-16	0	0	0	0	58	153	580



リハビリ

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	2,940	0.0	35.3	568.9	0	0	0	0	0	0	480	18,918
dRehab	2,940	0.0	0.9	10.4	0	0	0	0	0	0	20	255



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0	x	0	3,170	7	2,402	14	2,042	29

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	2,940	350.0	777.8	1,820.9	0	0	0	800	2,560	9,230	44,450	
dMISC	2,940	25.5	59.6	135.2	0	0	0	67	221	562	2,703	
cSHOSIN	2,940	0.0	126.4	226.6	0	0	0	250	602	832	1,082	
cShido	2,940	0.0	354.0	989.6	0	0	0	520	1,420	2,620	44,450	
cZaitak	2,940	0.0	297.5	1,479.1	0	0	0	0	502	8,110	16,220	
dShosin	2,940	0.0	17.8	42.6	0	0	0	10	98	196	440	
dShido	2,940	0.0	23.8	41.2	0	0	0	38	98	200	333	
dZaitak	2,940	0.0	18.1	122.2	0	0	0	0	30	507	2,703	



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	2,940	0.0	657.8	6,844.3	0	0	0	0	0	0	17,816	141,260
dTokuNyu	2,940	0.0	52.5	610.4	0	0	0	0	0	0	1,200	15,069




各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040080	3	x	xx	0	x	0	x	0	3,170	7	2,402	14	2,042	29

施設別の診療密度			metLOS/rcALL
症例数合計	netLOSの平均	dALLの平均	
2934	16.2	3.288	



0400803xxx0x0x-density

各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	579	11.0	14.5	12.6	2	2	3	7	17	39	62	131





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	98%	Max
cAll	579	35,183.0	41,781.0	30,527.0	3,713	6,219	9,726	22,693	52,686	96,667	158,468	279,300
dAll	579	2,962.1	3,205.5	1,332.9	1,443	1,965	2,222	2,672	3,320	4,560	10,479	16,496



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	579	34,152.0	40,508.1	29,516.6	3,713	5,476	9,246	22,110	51,375	92,039	154,372	273,650
dDPC	579	2,884.5	3,090.2	1,182.4	1,443	1,881	2,169	2,607	3,216	4,224	10,285	13,545



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	579	23,592.0	27,981.4	20,919.1	36	1,605	4,781	15,015	35,146	68,800	102,361	205,664
dHOSP	579	2,109.8	2,007.9	316.1	18	229	1,514	1,951	2,158	2,273	2,449	2,704
cNyuin	579	21,128.0	24,841.8	18,291.4	0	36	4,338	13,424	31,494	59,534	91,802	176,665
cShokuji	579	2,342.0	3,023.1	2,681.6	0	0	424	1,489	3,816	8,246	13,434	27,862
cRxCho	579	70.0	92.6	85.1	0	0	7	42	112	252	392	917
cRxChoKi	579	0.0	23.9	29.6	0	0	0	0	42	84	94	220
dNyuin	579	1,902.5	1,793.9	306.6	0	18	1,288	1,731	1,935	2,044	2,242	2,377
dShokuji	579	212.0	205.3	46.7	0	0	141	196	217	252	295	635
dRxCho	579	7.0	6.2	1.5	0	0	2	6	7	7	7	8
dRxChoKi	579	0.0	2.5	4.1	0	0	0	0	4	11	21	21



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	579	0.0	44.8	560.5	0	0	0	0	0	0	365	9,123
dOPEa	579	0.0	7.4	133.6	0	0	0	0	0	0	16	3,041
cOpe	579	0.0	41.4	512.4	0	0	0	0	0	0	340	7,950
cOpeM	579	0.0	3.4	54.7	0	0	0	0	0	0	25	1,173
dOpe	579	0.0	6.6	117.2	0	0	0	0	0	0	16	2,650
dOpeM	579	0.0	0.8	16.6	0	0	0	0	0	0	1	391



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	579	416.0	728.5	1,207.5	0	0	0	132	925	2,306	5,016	17,969
dPROa	579	42.2	55.2	56.6	0	0	0	13	83	150	231	506
cPro	579	260.0	404.1	556.2	0	0	0	0	532	1,351	2,842	4,951
cProM	579	159.0	324.3	760.4	0	0	0	31	390	971	2,403	13,084
dPro	579	26.0	30.8	29.3	0	0	0	0	49	84	129	168
dProM	579	15.0	24.4	34.9	0	0	0	4	32	76	164	386



各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[二覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	579	1,881.0	2,497.7	2,556.9	0	0	70	935	3,147	7,420	11,507	20,379
dRXa	579	153.8	183.4	146.4	0	0	15	92	234	453	731	1,306
cRxNai	579	1,211.0	1,795.4	2,048.0	0	0	6	513	2,358	6,051	9,547	16,822
cRxTon	579	0.0	18.0	75.4	0	0	0	0	9	86	264	1,282
cRxGai	579	451.0	681.2	910.5	0	0	0	11	922	2,251	5,040	8,997
cRxMado	579	0.0	3.1	8.1	0	0	0	0	1	18	33	113
dRxNai	579	102.6	125.5	114.4	0	0	1	51	165	326	611	935
dRxTon	579	0.0	1.2	5.8	0	0	0	0	1	6	11	117
dRxGai	579	42.0	56.6	67.3	0	0	0	1	78	163	338	581
dRxMado	579	0.0	0.2	0.3	0	0	0	0	0	1	1	1



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
ciNJa	579	1,766.0	2,687.7	3,862.8	0	0	0	560	3,511	8,213	17,346	38,026
dlnja	579	170.9	215.9	260.7	0	0	0	63	300	552	964	4,570
clnjHika	579	0.0	43.3	472.9	0	0	0	0	0	74	749	10,002
clnjJyo	579	0.0	340.6	921.6	0	0	0	0	157	2,089	4,548	7,711
clnjHoka	579	1,428.0	2,303.8	3,350.1	0	0	0	383	3,099	6,612	16,715	31,992
dlnjHika	579	0.0	1.6	11.4	0	0	0	0	0	4	32	182
dlnjJyo	579	0.0	25.1	63.1	0	0	0	0	14	163	295	643
dlnjHoka	579	140.6	189.2	254.2	0	0	0	39	289	524	816	4,570



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSaA=cKENSa+cKENSAm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSaA	579	4,932.0	5,972.9	4,536.1	0	100	1,210	3,045	7,477	14,326	23,690	34,593
dKENSaA	579	426.2	464.7	233.2	0	50	208	324	543	903	1,309	2,543
cKensam	579	4,918.0	5,908.9	4,352.9	0	100	1,210	3,040	7,375	13,971	21,426	30,613
dKensam	579	0.0	64.0	601.1	0	0	0	0	0	180	909	13,324
dKensa	579	426.1	461.7	229.9	0	50	208	323	536	893	1,294	2,543
dKensam	579	0.0	3.0	18.1	0	0	0	0	0	14	41	351



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	579	1,047.0	2,354.1	3,452.7	0	0	0	512	2,787	10,234	17,543	35,947
dGAZOa	579	92.1	156.5	197.2	0	0	0	65	189	470	1,003	2,317
cGAZO	579	937.0	1,747.3	1,974.9	0	0	0	452	2,398	5,397	9,914	15,976
cGAZOm	579	117.0	606.8	1,681.0	0	0	0	40	330	4,316	9,404	19,971
dGAZO	579	80.0	121.9	122.7	0	0	0	60	162	299	600	1,294
dGAZOm	579	12.2	34.6	88.7	0	0	0	5	24	163	428	1,040



各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27



その他放治等(リハビリ除く(その他-リハビリ))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	579	0.0	176.3	1,108.9	0	0	0	0	0	800	3,000	23,190
dRADPSY	579	0.0	9.3	36.3	0	0	0	0	0	67	153	527



リハビリ

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	579	0.0	26.5	310.7	0	0	0	0	0	0	0	4,194
dRehab	579	0.0	1.1	13.4	0	0	0	0	0	0	0	229



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	579	680.0	1,023.3	2,864.3	0	0	0	130	1,150	2,550	9,060	60,008
dMISC	579	50.0	97.5	378.3	0	0	0	5	98	295	728	8,573
cSHOSIN	579	0.0	104.3	218.7	0	0	0	0	0	730	880	980
cShido	579	500.0	590.7	621.4	0	0	0	0	800	1,720	2,800	3,550
cZaitak	579	0.0	328.3	2,788.9	0	0	0	0	0	42	8,110	59,408
dShosin	579	0.0	17.8	51.9	0	0	0	0	0	109	315	440
dShido	579	36.8	49.3	60.2	0	0	0	0	73	160	330	440
dZaitak	579	0.0	30.4	369.0	0	0	0	0	0	3	728	8,487



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	579	0.0	1,308.8	8,540.6	0	0	0	0	0	600	36,760	141,260
dTokuNyu	579	0.0	211.9	1,264.9	0	0	0	0	0	55	8,895	10,695



各項目のページへ:


- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	0	99	0	x	x	x	0	3,153	7	2,389	14	2,031	27

施設別の診療密度

症例数合計	netLOSの平均	JALLの平均	metLOS/rcALL
511	14.6	3,193	



04010030990xxx-density

各項目のページへ:


- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)

8. 診療密度

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	1	xx	x	x	0	x	0	2,957	5	2,185	9	1,857	13


性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	1,187	7.0	9.5	35.0	2	2	3	5	9	19	41	1,188



Graphs by SEX

netLOS for 04010031xxxx0x





Graphs by SEX

AGE for 04010031xxxx0x

総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	1,187	21,706.0	29,817.1	128,911.6	4,424	5,591	9,072	16,063	28,762	57,558	117,046	4,325,227
dAll	1,187	3,113.8	3,131.5	482.6	1,748	2,162	2,413	2,854	3,366	3,822	4,909	7,161



cAll/dAll



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	1,187	20,951.0	28,555.7	112,430.8	3,735	5,486	8,706	15,514	28,022	56,273	111,574	3,820,694
dDPC	1,187	3,009.0	3,019.4	432.3	1,709	2,098	2,369	2,783	3,231	3,639	4,450	6,944

cDPC/dDPC



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	1	xx	x	x	0	x	0	2,957	5	2,185	9	1,857	13

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	1,187	16,651.0	20,674.0	57,715.1	3,294	4,701	6,781	12,295	21,957	40,876	82,137	1,953,992
dHOSP	1,187	2,415.3	2,329.0	253.3	1,091	1,504	1,814	2,175	2,485	2,635	2,773	3,610
cNyuin	1,187	15,186.0	18,760.0	50,310.5	3,012	4,354	6,204	11,200	20,056	37,477	72,952	1,700,550
cShokuji	1,187	1,327.0	1,930.1	7,171.4	0	0	217	1,060	1,908	3,472	8,056	244,060
cRxCho	1,187	42.0	60.0	226.5	0	0	14	28	63	133	280	7,662
cRxChoKi	1,187	0.0	23.8	55.2	0	0	0	0	42	52	84	1,720
dNyuin	1,187	2,203.0	2,124.1	242.6	969	1,429	1,613	1,957	2,268	2,411	2,570	3,366
dShokuji	1,187	212.0	195.2	55.3	0	0	96	186	217	249	294	949
dRxCho	1,187	7.0	6.2	1.5	0	0	3	6	7	7	7	11
dRxChoKi	1,187	0.0	3.6	4.7	0	0	0	0	6	14	21	28



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	1	xx	x	x	0	x	0	2,957	5	2,185	9	1,857	13

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	1,187	0.0	186.8	5,300.6	0	0	0	0	0	0	276	181,325
dOPEa	1,187	0.0	3.1	63.4	0	0	0	0	0	0	18	2,096
cOpe	1,187	0.0	148.0	4,562.3	0	0	0	0	0	0	144	156,887
cOpeM	1,187	0.0	38.7	866.8	0	0	0	0	0	0	9	24,438
dOpe	1,187	0.0	2.3	54.4	0	0	0	0	0	0	9	1,840
dOpeM	1,187	0.0	0.8	14.9	0	0	0	0	0	0	1	427



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	1,187	295.0	1,568.7	27,992.4	0	0	0	114	710	2,797	9,189	962,892
dPROa	1,187	45.7	66.2	73.9	0	0	0	22	92	183	324	811
cPro	1,187	144.0	1,004.1	20,612.1	0	0	0	0	346	1,567	5,365	709,150
cProM	1,187	143.0	564.5	7,407.8	0	0	0	44	319	1,169	4,452	253,742
dPro	1,187	24.0	33.4	44.4	0	0	0	0	46	103	179	597
dProM	1,187	22.5	32.8	46.5	0	0	0	8	39	110	214	662



各項目のページへ:

[一覧に戻る](#)



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	1	xx	x	x	0	x	0	2,957	5	2,185	9	1,857	13

処方(内服+頓服+外用+麻薬)

$$cRXa=cRxNAI+cRxTON+cRxGAI+cRxMADO$$



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	1,187	405.0	641.7	1,265.9	0	0	65	224	712	1,784	3,767	33,902
dRXa	1,187	58.5	78.7	121.6	0	0	11	34	94	184	354	2,863
cRxNai	1,187	279.0	455.0	1,084.6	0	0	36	147	490	1,213	3,085	29,335
cRxTon	1,187	0.0	1.2	16.3	0	0	0	0	0	5	26	544
cRxGai	1,187	93.0	184.9	303.3	0	0	0	0	232	698	1,311	4,266
cRxMado	1,187	0.0	0.6	8.5	0	0	0	0	0	0	15	272
dRxNai	1,187	39.5	55.9	113.0	0	0	7	22	66	131	273	2,773
dRxTon	1,187	0.0	0.1	0.5	0	0	0	0	0	1	3	8
dRxGai	1,187	13.3	22.6	32.1	0	0	0	0	32	79	146	455
dRxMado	1,187	0.0	0.0	0.3	0	0	0	0	0	0	1	8



注射(皮下筋肉内+静脈内+注射その他)

$$cINJa=cInjHIKA+cInjJYO+cInjHOKA$$

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	1,187	1,484.0	2,260.0	6,833.4	0	0	335	899	2,311	5,344	11,570	213,203
dInja	1,187	213.1	235.3	143.2	0	0	80	152	286	454	763	1,965
cInjHika	1,187	0.0	24.1	306.0	0	0	0	0	0	0	558	8,794
cInjJyo	1,187	0.0	127.2	583.4	0	0	0	0	0	762	2,401	11,179
cInjHoka	1,187	1,398.0	2,108.7	6,276.5	0	0	317	867	2,136	4,806	11,032	193,230
dInjHika	1,187	0.0	0.8	8.2	0	0	0	0	0	0	19	164
dInjJyo	1,187	0.0	12.3	44.7	0	0	0	0	0	77	253	411
dInjHoka	1,187	199.6	222.2	139.5	0	0	74	145	269	426	735	1,962



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
040100	3	1	xx	x	x	0	x	0	2,957	5	2,185	9	1,857	13

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSAa=cKENSA+cKENSAm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSAa	1,187	2,860.0	3,641.2	11,311.0	0	0	500	1,870	4,102	7,350	13,382	382,723
dKENSAa	1,187	394.0	418.3	202.1	0	0	110	305	527	754	1,041	1,619
cKensa	1,187	2,860.0	3,633.3	11,289.2	0	0	500	1,870	4,095	7,350	13,375	382,587
cKensam	1,187	0.0	7.9	156.7	0	0	0	0	0	4	110	5,364
dKensa	1,187	392.8	417.6	201.5	0	0	110	305	527	753	1,036	1,619
dKensam	1,187	0.0	0.7	5.7	0	0	0	0	0	0	18	131



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	1,187	478.0	716.5	2,047.6	0	0	0	277	670	1,853	6,314	58,693
dGAZOa	1,187	71.7	71.4	68.6	0	0	0	46	87	139	382	885
cGAZO	1,187	440.0	628.1	1,689.5	0	0	0	240	618	1,714	4,896	49,676
cGAZOm	1,187	40.0	88.4	410.2	0	0	0	7	66	198	1,740	9,017
dGAZO	1,187	65.7	63.5	54.0	0	0	0	42	79	127	300	739
dGAZOm	1,187	5.0	7.9	19.4	0	0	0	1	9	19	87	343



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)