



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	620	52,256.5	61,317.2	34,108.8	13,673	18,882	27,090	40,453	70,662	135,631	188,714	328,312
dHOSP	620	1,689.1	1,692.5	200.4	1,047	1,207	1,394	1,580	1,808	1,979	2,210	2,896
cNyuin	620	44,963.5	52,280.9	27,712.7	11,718	15,354	22,928	34,756	59,512	115,009	155,157	186,477
cShokuji	620	6,998.5	8,760.8	8,598.7	1,696	2,332	3,440	5,187	9,880	20,141	29,245	178,586
cRxCho	620	196.0	236.9	142.4	42	77	98	147	273	574	784	882
cRxChoKi	620	42.0	38.6	39.7	0	0	0	0	84	126	168	210
dNyuin	620	1,449.7	1,450.7	177.8	828	998	1,166	1,345	1,560	1,713	1,885	2,553
dShokuji	620	227.5	234.1	96.4	71	154	182	209	240	303	320	1,544
dRxCho	620	6.7	6.4	0.7	4	4	5	6	7	7	7	7
dRxChoKi	620	1.0	1.3	1.4	0	0	0	0	2	4	6	11

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53



手術(手術(薬剤・材料以外)+手術(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	620	190,249.0	210,258.1	67,812.6	2,312	100,366	126,072	158,154	256,654	346,480	399,666	458,118
dOPEa	620	6,331.5	6,958.6	3,586.7	122	1,510	2,567	4,561	8,578	13,756	20,389	27,845
cOpe	620	141,530.0	147,117.6	27,407.7	1,162	83,410	102,995	134,193	159,968	192,824	233,944	296,208
cOpem	620	46,628.5	63,140.5	48,030.3	1,150	8,337	12,198	23,167	94,529	150,848	210,181	253,971
dOpe	620	4,586.6	4,957.6	2,336.4	61	1,178	1,701	3,420	6,020	9,455	13,137	18,738
dOpem	620	1,288.0	2,001.0	1,779.2	61	177	394	762	2,753	5,596	8,408	14,293



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	620	2,638.0	5,557.2	15,284.4	0	663	1,088	1,831	4,125	11,420	68,028	235,439
dPROa	620	87.4	146.2	302.7	0	19	29	57	143	311	1,477	4,447
cProm	620	1,897.0	3,131.4	6,956.9	0	280	681	1,272	2,740	7,763	22,479	116,953
dProm	620	719.5	2,425.8	8,963.4	0	130	190	424	1,259	4,868	45,841	118,486
dPro	620	59.6	85.7	115.8	0	9	19	39	93	183	851	1,197
dProm	620	24.2	60.4	202.9	0	3	5	13	44	153	971	3,249



各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53



処方(内服+頓服+外用+麻毒)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	cRXa=cRXNAI+cRXTON+cRXGAI+cRXMADO					
													0	1	2	3	4	
cRXa	620	2,555.5	3,373.8	3,603.4	0	18	796	1,601	3,829	8,405	16,732	51,457						
dRXa	620	78.4	91.2	63.6	0	1	34	57	109	189	296	965						
cRXNai	620	2,109.0	2,941.6	3,390.8	0	0	571	1,325	3,384	7,543	16,269	46,089						
cRXTon	620	19.0	61.1	98.1	0	0	0	0	80	277	446	604						
cRXGai	620	171.0	361.8	528.1	0	0	0	0	525	1,335	2,049	5,233						
cRXMado	620	3.0	9.4	13.9	0	0	0	1	14	34	74	109						
dRXNai	620	66.2	78.6	61.4	0	0	24	46	93	163	283	965						
dRXTon	620	0.5	1.9	3.1	0	0	0	0	2	9	13	23						
dRXGai	620	4.9	10.4	13.3	0	0	0	0	15	43	55	65						
dRXMado	620	0.1	0.2	0.3	0	0	0	0	0	1	1	1						



注射(皮下筋内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	cINJa=cINJHKA+cINJJO+cINJHOKA					
													0	1	2	3	4	
cINJa	620	15,498.5	20,903.6	22,465.7	787	2,547	3,729	9,266	23,535	53,506	126,579	231,455						
dInja	620	481.7	602.8	524.5	39	92	139	296	737	1,439	2,538	5,997						
cINJHika	620	40.0	733.3	2,217.4	0	0	0	15	240	4,933	9,375	24,691						
cInjJyo	620	206.0	2,011.3	7,434.0	0	0	0	0	1,350	10,056	20,830	152,225						
cInjHoka	620	12,871.5	18,159.0	20,483.2	255	2,158	3,165	7,784	20,197	48,961	114,812	231,369						
dInjHika	620	1.3	22.8	74.3	0	0	0	0	6	143	306	1,074						
dInjJyo	620	5.8	57.3	239.2	0	0	0	0	42	268	598	5,249						
dInjHoka	620	409.7	522.7	456.6	13	68	105	251	636	1,328	2,445	4,414						



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSAA=cKENSA+cKENSAm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSAA	620	21,962.0	26,584.2	18,465.5	2,730	3,215	5,853	11,590	37,318	64,322	80,440	116,567
dKENSAA	620	657.5	736.7	407.8	133	227	270	410	963	1,547	1,968	2,534
cKensa	620	15,425.0	17,770.9	10,004.8	2,730	3,215	5,853	10,692	22,896	38,256	50,956	61,692
cKensam	620	6,684.0	8,813.3	10,564.1	0	0	0	0	13,220	27,076	51,834	88,357
dKensa	620	477.9	498.5	173.1	133	225	266	374	599	806	1,002	1,318
dKensam	620	191.3	238.2	275.2	0	0	0	0	355	811	1,167	1,921



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOA=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOA	620	6,842.5	11,271.7	10,565.7	1,098	1,586	2,363	4,224	14,660	34,693	47,164	84,479
dGAZOA	620	228.1	303.8	224.8	53	65	97	145	385	776	1,066	1,601
cGAZO	620	5,328.0	6,972.6	5,204.9	533	1,400	1,998	3,575	8,685	17,398	25,784	46,122
cGAZOm	620	1,320.5	4,299.1	5,932.2	79	180	283	513	5,704	17,920	24,390	38,357
dGAZO	620	170.8	194.4	105.9	30	59	78	120	236	389	557	885
dGAZOm	620	40.0	109.4	137.3	4	7	11	19	154	411	589	813



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放り・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53

その他放治等(リハビリ除く(その他-リハビリ))

cRADPSY=cSONOTA-cREHAB



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	620	215.0	474.2	1,240.6	0	0	0	0	440	1,960	5,640	16,964
dRADPSY	620	4.0	13.2	29.1	0	0	0	0	13	61	134	271



リハビリ

cREHAB

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	620	0.0	1,172.1	3,084.1	0	0	0	0	0	8,800	14,300	24,200
dRehab	620	0.0	35.5	86.9	0	0	0	0	0	262	371	388



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術-処置
- 4. 処方-注射
- 5. 検査-画像
- 6. 放治-リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	620	1,100.0	1,359.7	1,191.1	0	0	0	515	1,900	3,654	5,160	9,432
dMISC	620	34.9	38.2	28.9	0	0	0	16	52	91	129	190
cSHOSIN	620	0.0	120.7	199.3	0	0	0	0	250	500	635	880
cShido	620	800.0	1,068.0	984.9	0	0	0	300	1,585	2,925	4,300	5,780
cZaitak	620	0.0	171.0	586.6	0	0	0	0	0	1,683	2,659	4,031
dShosin	620	0.0	4.3	8.3	0	0	0	0	6	21	36	50
dShido	620	28.2	29.2	22.9	0	0	0	9	45	70	91	120
dZaitak	620	0.0	4.7	17.3	0	0	0	0	0	41	88	161



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	620	26,670.0	27,822.8	21,427.6	0	0	0	17,780	35,560	69,920	116,060	139,430
dTokuNyu	620	740.8	888.6	699.8	0	0	0	456	1,194	2,193	3,349	4,595



各項目のページへ:

1. 概況

2. 入院

3. 手術・処置

4. 処方・注射

5. 検査・画像

6. 放治・リハ


7. その他

8. 診療密度

一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	07	0	1	0	0	0	3,407	17	2,545	34	2,163	53

施設別の診療密度			netLOS/rcALL
症例数合計	netLOSの平均	dALLの平均	
585	36.3	11,254	



0500503x070100-density

各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	1,989	9.0	12.4	11.1	2	2	3	5	17	34	52	105





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	1,989	47,873.0	59,876.1	49,351.7	4,884	9,154	17,984	29,959	74,643	141,351	264,105	619,808
dAll	1,989	4,998.1	5,971.2	3,664.0	1,718	2,245	2,652	3,757	6,895	13,224	18,648	50,382



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	1,989	45,586.0	52,988.6	32,783.8	4,549	8,903	16,785	28,925	70,716	112,208	156,947	345,734
dDPC	1,989	4,727.3	5,448.1	2,873.2	1,675	2,158	2,583	3,576	6,452	11,236	16,470	24,972



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOki

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	1,989	18,639.0	24,489.5	19,817.9	206	1,946	6,089	9,061	33,740	62,229	92,355	150,803
dHOSP	1,989	2,142.3	2,038.3	333.4	103	283	1,509	1,972	2,189	2,317	2,606	4,665
cNyuin	1,989	16,542.0	21,411.1	17,068.5	0	128	5,088	7,984	29,716	53,958	79,136	128,762
cShokuji	1,989	2,036.0	2,980.0	3,009.6	0	0	636	1,008	3,952	8,071	12,600	61,866
cRxCho	1,989	56.0	75.8	74.9	0	0	7	21	105	217	336	735
cRxChoKi	1,989	0.0	22.6	27.5	0	0	0	0	42	84	84	168
dNyuin	1,989	1,906.0	1,791.9	320.9	0	18	1,268	1,736	1,937	2,040	2,281	4,447
dShokuji	1,989	245.9	237.7	66.2	0	0	189	217	252	316	330	1,820
dRxCho	1,989	6.7	5.8	1.7	0	0	2	5	7	7	7	18
dRxChoKi	1,989	0.0	2.9	4.4	0	0	0	0	5	14	21	28



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放療・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

cOPEa=cOPE+cOPEm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	1,989	0.0	6,130.1	31,364.8	0	0	0	0	0	10,916	172,534	394,371
dOPEa	1,989	0.0	454.9	2,589.3	0	0	0	0	0	1,092	13,621	47,406
cOpe	1,989	0.0	1,675.9	10,230.0	0	0	0	0	0	6,630	23,900	195,860
cOpeM	1,989	0.0	4,454.1	24,007.9	0	0	0	0	0	4,286	142,650	287,905
dOpe	1,989	0.0	118.4	667.9	0	0	0	0	0	663	3,383	9,560
dOpeM	1,989	0.0	336.4	2,023.0	0	0	0	0	0	410	9,963	37,846



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

cPROa=cPRO+cPROm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	1,989	66.0	469.0	2,763.4	0	0	0	0	156	1,069	13,751	56,674
dPROa	1,989	5.6	35.5	164.4	0	0	0	0	18	71	1,063	2,850
cPro	1,989	0.0	290.9	1,902.7	0	0	0	0	84	700	6,640	37,641
cProm	1,989	8.0	178.1	985.5	0	0	0	0	93	407	4,439	19,033
dPro	1,989	0.0	20.9	109.1	0	0	0	0	9	41	646	1,979
dProm	1,989	0.8	14.6	74.7	0	0	0	0	9	37	352	2,016



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25

処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	1,989	1,137.0	1,616.3	1,691.6	0	0	40	448	2,180	4,766	8,502	14,270
dRXa	1,989	111.3	157.6	168.6	0	0	7	55	199	480	839	1,452
cRXnai	1,989	1,048.0	1,465.9	1,558.6	0	0	16	383	2,040	4,403	7,660	12,976
cRXTon	1,989	0.0	19.3	127.4	0	0	0	0	16	72	203	4,380
cRXGai	1,989	0.0	128.3	297.6	0	0	0	0	163	608	1,138	5,288
cRXMado	1,989	1.0	2.8	6.3	0	0	0	0	2	16	27	99
dRXnai	1,989	99.5	143.5	158.3	0	0	3	46	181	426	794	1,404
dRXTon	1,989	0.0	1.8	6.7	0	0	0	0	1	9	20	175
dRXGai	1,989	0.0	12.0	35.8	0	0	0	0	13	55	131	985
dRXMado	1,989	0.0	0.2	0.3	0	0	0	0	0	1	1	1



cRXa=cRXnai+cRXTon+cRXGai+cRXMADO



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	1,989	384.0	1,380.2	3,747.8	0	0	0	154	952	5,678	20,293	58,182
dlnja	1,989	46.8	105.0	170.7	0	0	0	21	121	400	782	2,699
clnjHika	1,989	0.0	49.3	389.3	0	0	0	0	0	88	1,137	5,684
clnjJyo	1,989	0.0	165.3	1,311.6	0	0	0	0	7	484	2,868	34,966
clnjHoka	1,989	323.0	1,165.6	3,391.8	0	0	0	142	776	4,704	15,094	58,182
dlnjHika	1,989	0.0	3.3	35.4	0	0	0	0	0	7	49	946
dlnjJyo	1,989	0.0	9.5	55.0	0	0	0	0	0	43	156	1,591
dlnjHoka	1,989	40.4	92.1	156.6	0	0	0	18	100	358	750	2,699

cINJa=clnjHika+clnjJyo+clnjHOKA



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1:	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSa=cKENS+cKENSaM



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSa	1,989	16,801.0	20,213.4	13,734.8	0	945	2,755	12,108	26,602	46,782	64,829	110,329
dKENSa	1,989	1,802.2	2,644.8	2,693.9	0	182	347	837	3,523	7,962	14,227	21,583
cKensa	1,989	10,075.0	11,013.9	5,884.7	0	945	2,570	7,225	14,050	21,885	29,103	45,581
cKensam	1,989	6,113.0	9,199.5	11,135.5	0	0	0	449	11,601	35,157	47,264	93,674
dKensa	1,989	1,039.0	1,271.5	847.9	0	178	337	646	1,727	2,831	4,090	6,725
dKensam	1,989	681.4	1,373.4	2,193.9	0	0	0	31	1,656	5,268	11,663	18,941



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	1,989	1,767.0	5,426.2	6,804.2	0	0	142	457	9,042	18,461	30,473	46,359
dGAZOa	1,989	152.3	448.4	604.7	0	0	15	79	635	1,610	2,955	5,290
cGAZO	1,989	1,175.0	2,601.0	3,012.4	0	0	75	370	3,957	8,532	13,177	25,600
cGAZOm	1,989	178.0	2,825.2	4,280.7	0	0	0	71	5,060	10,520	18,468	31,227
dGAZO	1,989	105.0	215.1	254.4	0	0	11	68	289	702	1,204	2,824
dGAZOm	1,989	28.4	233.3	398.5	0	0	0	9	319	997	1,789	3,686





各項目のページへ:

- [1. 概況](#)
[2. 入院](#)
[3. 手術・処置](#)
[4. 処方・注射](#)
[5. 検査・画像](#)
[6. 放治・リハ](#)
[7. その他](#)
[8. 診療密度](#)
[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25



その他放治等(リハビリ除く(その他-リハビリ))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	1,989	0.0	133.5	999.5	0	0	0	0	0	520	1,428	24,680
dRADPSY	1,989	0.0	11.5	62.8	0	0	0	0	0	87	173	2,135



リハビリ

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	1,989	0.0	18.8	268.8	0	0	0	0	0	0	0	6,600
dRehab	1,989	0.0	1.0	15.1	0	0	0	0	0	0	0	367



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



二覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	1,989	400.0	604.5	855.2	0	0	0	0	830	2,112	3,900	8,460
dMISC	1,989	37.5	55.6	98.0	0	0	0	0	78	174	333	2,791
cSHOSIN	1,989	0.0	78.9	179.9	0	0	0	0	0	500	730	880
cShido	1,989	350.0	421.4	544.1	0	0	0	0	650	1,450	2,550	3,880
cZaitak	1,989	0.0	104.1	581.8	0	0	0	0	0	80	2,581	8,374
dShosin	1,989	0.0	10.2	33.1	0	0	0	0	0	63	168	440
dShido	1,989	25.0	37.0	45.9	0	0	0	0	58	124	190	435
dZaitak	1,989	0.0	8.4	80.9	0	0	0	0	0	4	212	2,791



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	1,989	0.0	2,373.8	10,498.5	0	0	0	0	0	17,810	53,430	141,330
dTokuNyu	1,989	0.0	256.1	1,203.3	0	0	0	0	0	1,532	8,405	10,695




各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数之II	特定入院期間
050050	3	x	99	x	0	0	x	0	4,885	5	3,883	12	3,301	25

施設別の診療密度			metLOS/rcALL
症例数合計	netLOSの平均	dALLの平均	
1986	12.4	5.973	



0500503x99x00x-density

各項目のページへ:



- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050070	3	x	01	x	x	0	x	0	3,127	6	2,311	11	1,964	19



性別・年齢、機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	965	8.0	11.3	11.4	2	3	4	6	13	30	59	166





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	965	137,775.0	162,423.3	112,829.3	46,816	60,822	84,899	117,754	170,188	275,156	774,072	1,340,976
dAll	965	17,138.9	18,034.0	7,826.1	3,704	5,301	7,600	12,507	22,067	31,784	43,786	57,162



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	965	24,274.0	37,372.9	49,387.8	4,649	7,763	10,012	17,133	38,196	114,833	223,214	917,375
dDPC	965	2,898.4	3,186.9	1,341.0	1,001	2,093	2,367	2,658	3,252	4,764	8,825	17,288



各項目のページへ:

1. 概況 2. 入院 3. 手術・処置 4. 処方・注射 5. 検査・画像 6. 放治・リハ 7. その他 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050070	3	x	01	x	x	0	x	0	3,127	6	2,311	11	1,964	19

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOki

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	965	17,223.0	22,772.6	18,525.8	4,134	6,117	8,158	12,814	27,253	54,318	100,891	224,729
dHOSP	965	2,144.8	2,104.0	166.7	937	1,514	1,747	2,075	2,178	2,321	2,366	2,592
cNyuin	965	15,374.0	20,097.0	15,987.5	3,654	5,481	7,240	11,442	24,288	47,336	88,965	198,924
cShokuji	965	1,764.0	2,586.9	2,571.3	0	636	741	1,292	2,964	7,163	13,808	26,363
cRxCho	965	35.0	59.6	76.4	0	0	7	21	63	182	406	1,148
cRxChoKi	965	42.0	29.1	28.1	0	0	0	0	42	84	84	294
dNyuin	965	1,914.0	1,868.0	162.7	797	1,257	1,511	1,830	1,939	2,029	2,092	2,339
dShokuji	965	217.4	227.5	33.6	0	152	192	212	247	290	325	330
dRxCho	965	5.3	4.8	2.0	0	0	1	4	7	7	7	7
dRxChoKi	965	3.0	3.6	3.9	0	0	0	0	6	11	14	21



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050070	3	x	01	x	x	0	x	0	3,127	6	2,311	11	1,964	19

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	965	107,579.0	124,570.8	81,437.3	0	43,971	61,605	94,794	131,318	206,852	631,154	948,601
dOPEa	965	13,953.0	14,803.0	7,899.9	0	2,336	4,216	9,267	18,822	29,055	40,034	54,394
cOpe	965	20,900.0	21,220.2	6,626.8	0	14,630	14,630	20,900	20,900	29,260	46,530	118,550
cOpem	965	86,759.0	103,350.7	77,515.4	0	23,071	42,232	75,131	112,990	181,352	586,823	894,761
dOpe	965	2,612.5	2,746.4	1,542.4	0	406	776	1,617	3,483	5,255	6,967	10,450
dOpem	965	11,027.8	12,056.6	6,756.9	0	1,411	3,105	7,497	15,496	24,041	33,870	47,427



cOPEa=cOPE+cOPEm



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	965	127.0	617.9	2,584.1	0	0	0	42	223	3,708	14,508	37,551
dPROa	965	14.1	47.1	155.7	0	0	0	5	27	180	937	2,083
cPro	965	42.0	447.1	1,948.1	0	0	0	0	126	3,542	8,262	33,104
cProm	965	85.0	170.9	839.4	0	0	0	2	103	278	4,447	13,199
dPro	965	6.0	32.7	117.4	0	0	0	0	13	151	700	988
dProm	965	6.3	14.4	75.1	0	0	0	0	14	30	213	2,083

cPROa=cPRO+cPROm



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050070	3	x	01	x	x	0	x	0	3,127	6	2,311	11	1,964	19



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	965	212.0	793.1	1,759.6	0	0	0	62	802	3,242	8,364	20,454
dRXa	965	24.0	59.1	81.5	0	0	0	9	81	226	380	695
cRXNai	965	168.0	746.0	1,693.9	0	0	0	51	736	3,172	7,823	20,403
cRXTon	965	0.0	14.7	64.4	0	0	0	0	6	64	247	1,393
cRXGai	965	0.0	30.1	158.6	0	0	0	0	11	119	583	3,020
cRXMado	965	0.0	2.2	7.5	0	0	0	0	1	10	38	115
dRXNai	965	19.2	55.4	79.5	0	0	0	7	75	222	377	673
dRXTon	965	0.0	1.5	8.9	0	0	0	0	1	7	18	232
dRXGai	965	0.0	2.1	7.2	0	0	0	0	1	10	32	117
dRXMado	965	0.0	0.1	0.3	0	0	0	0	0	1	1	1



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	965	396.0	1,896.0	17,840.4	0	14	46	196	779	2,125	23,470	409,250
dlnja	965	51.5	81.2	210.2	0	2	6	23	91	187	726	4,662
clnjHika	965	0.0	21.8	433.8	0	0	0	0	0	20	125	13,280
clnjJyo	965	0.0	125.6	420.5	0	0	0	0	108	604	1,160	7,104
clnjHoka	965	315.0	1,748.5	17,696.7	0	0	0	152	604	1,883	21,443	409,250
dlnjHika	965	0.0	1.4	26.9	0	0	0	0	0	2	12	830
dlnjJyo	965	0.0	11.4	25.9	0	0	0	0	9	68	110	244
dlnjHoka	965	40.0	68.4	206.2	0	0	0	17	71	170	539	4,593



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リリ
- 7. その他
- 8. 診療密度

一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
050070	3	x	01	x	x	0	x	0	3,127	6	2,311	11	1,964	19



検査(検査(薬剤・材料以外)+検査(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSAA	965	6,270.0	10,963.2	19,568.5	0	1,375	1,840	3,885	9,945	37,305	111,852	199,864
dKENSAA	965	697.5	939.5	1,253.3	0	265	368	540	940	1,590	6,724	15,113
cKensam	965	6,040.0	7,592.2	6,312.7	0	1,375	1,840	3,840	9,335	18,824	30,545	75,882
dKensam	965	0.0	3,371.0	16,920.9	0	0	0	0	0	12,965	95,072	189,499
dKensa	965	677.0	725.0	280.8	0	265	368	534	863	1,280	1,510	2,416
dKensam	965	0.0	214.5	1,203.3	0	0	0	0	0	643	5,733	14,708



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	965	677.0	2,292.9	4,969.3	0	0	212	471	1,296	13,496	23,456	69,566
dGAZOa	965	86.6	165.3	253.8	0	0	26	64	125	687	1,475	2,003
cGAZO	965	563.0	1,338.7	2,423.0	0	0	182	378	1,105	5,572	11,518	43,755
dGAZO	965	107.0	954.2	2,747.3	0	0	20	57	213	6,804	13,157	28,076
dGAZO	965	73.8	103.3	105.0	0	0	20	55	95	310	562	1,374
dGAZO	965	13.3	62.0	163.0	0	0	2	7	26	356	851	1,417



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

一覧に戻る