



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	250	19.0	23.3	15.3	3	5	8	12	31	51	85	122





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	250	80,234.0	94,460.1	50,482.7	31,517	32,877	38,691	59,579	119,012	200,360	295,789	311,119
dAll	250	4,276.8	4,440.3	1,209.6	2,373	2,451	2,856	3,618	5,022	6,547	7,956	11,036



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	250	55,397.5	67,935.5	42,065.4	17,025	18,112	24,755	37,002	88,075	146,471	203,091	284,569
dDPC	250	2,921.7	3,014.3	605.7	1,839	2,024	2,286	2,627	3,333	3,896	4,883	7,475





各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36

	入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)												
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cHOSP	250	37,129.5	43,589.3	25,421.2	4,315	10,279	16,448	23,998	56,509	86,728	138,505	195,395	
dHOSP	250	1,950.8	1,933.1	194.0	1,295	1,397	1,544	1,820	2,097	2,182	2,237	2,245	
cNyuin	250	32,573.5	38,241.1	21,877.3	3,818	8,975	14,511	21,392	49,411	75,516	118,640	169,162	
cShokuji	250	4,224.0	5,177.5	3,499.5	434	1,260	1,736	2,682	6,810	11,602	19,305	25,428	
cRxCho	250	98.0	131.6	100.8	0	0	14	70	175	322	434	637	
cRxChoKi	250	42.0	39.1	34.8	0	0	0	0	42	84	126	168	
dNyuin	250	1,727.9	1,705.0	191.0	1,088	1,179	1,346	1,594	1,859	1,947	2,012	2,019	
dShokuji	250	217.4	220.7	22.2	145	173	185	208	238	252	257	295	
dRxCho	250	6.1	5.4	1.8	0	0	1	5	7	7	7	7	
dRxChoKi	250	1.8	2.0	2.0	0	0	0	0	3	5	7	14	



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	250	23,222.5	25,418.1	15,899.5	0	12	13,610	13,638	31,833	52,046	75,619	155,869
dOPEa	250	1,151.2	1,372.9	870.9	0	2	353	757	1,886	3,088	3,906	4,816
cOpe	250	21,730.0	20,983.4	9,023.5	0	0	13,600	13,600	26,300	36,740	53,214	68,040
cOpem	250	1,128.0	4,434.6	9,246.8	0	0	12	32	4,377	18,733	36,654	101,369
dOpe	250	976.8	1,179.8	705.7	0	0	302	701	1,644	2,434	2,795	4,533
dOpem	250	59.8	193.1	320.9	0	0	0	2	245	921	1,405	2,411



cOPEa=cOPE+cOPEm



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	250	315.0	1,162.3	4,586.6	0	0	0	67	1,026	3,058	17,210	65,483
dPROa	250	14.5	44.8	129.0	0	0	0	3	50	135	486	1,597
cPro	250	210.0	869.5	2,696.7	0	0	0	42	826	2,878	9,995	32,920
cProm	250	67.0	292.7	2,112.9	0	0	0	5	152	583	2,506	32,583
dPro	250	11.2	33.0	78.2	0	0	0	2	38	126	464	803
dProm	250	2.7	11.8	57.9	0	0	0	0	8	37	121	784

cPROa=cPRO+cPROm



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36

処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	250	1,357.5	2,469.3	2,839.6	0	0	42	622	3,496	8,127	13,170	17,939
dRXa	250	67.8	109.5	118.6	0	0	4	32	158	363	565	716
cRXNai	250	1,252.0	2,301.4	2,723.3	0	0	5	516	3,049	7,907	12,806	17,859
cRXTon	250	0.0	18.7	49.1	0	0	0	17	89	277	505	505
cRXGai	250	27.0	145.4	569.1	0	0	0	89	670	2,100	8,022	8,022
cRXMado	250	0.5	3.7	7.6	0	0	0	3	21	37	54	54
dRXNai	250	62.9	102.3	117.1	0	0	1	28	134	381	554	716
dRXTon	250	0.0	1.0	2.2	0	0	0	0	1	4	10	21
dRXGai	250	1.5	6.1	18.0	0	0	0	5	25	117	187	187
dRXMado	250	0.0	0.2	0.3	0	0	0	0	0	1	1	1



cRXa=cRXNai+cRXTon+cRXGai+cRXMado



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
clNJa	250	2,137.0	4,685.2	9,738.3	37	68	247	1,152	4,806	16,055	29,200	125,106
dlnja	250	127.6	192.4	362.7	3	5	13	70	204	561	1,175	5,004
clnjHika	250	22.0	82.6	274.4	0	0	0	0	53	309	953	3,359
clnjJyo	250	424.0	1,263.8	2,554.9	0	0	0	15	1,217	5,332	12,868	24,041
clnjHoka	250	1,314.5	3,338.8	8,967.3	0	0	62	604	3,300	10,711	27,094	124,895
dlnjHika	250	1.2	3.0	6.6	0	0	0	0	2	16	37	57
dlnjJyo	250	25.0	55.3	122.3	0	0	0	1	68	194	444	1,616
dlnjHoka	250	72.3	134.1	337.3	0	0	5	38	143	415	967	4,996

clNJa=clnjHika+clnjJyo+clnjHoka



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

cKENSAa=cKENSA+cKENSAm



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSAa	250	8,437.0	9,830.7	6,163.5	2,365	2,485	3,340	5,550	12,317	21,643	25,738	55,384
dKENSAa	250	423.1	458.5	169.6	185	194	246	336	552	792	1,020	1,113
cKensa	250	7,635.0	8,992.9	5,843.6	2,150	2,454	3,080	5,260	11,080	20,224	25,411	54,835
cKensam	250	320.0	837.8	1,159.6	0	0	0	70	1,190	3,125	5,524	6,230
dKensa	250	389.9	413.2	131.0	185	194	242	322	490	662	783	983
dKensam	250	13.6	45.3	72.2	0	0	0	2	55	230	276	428



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

cGAZOa=cGAZO+cGAZOm

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	250	7,231.5	10,373.0	8,649.8	267	424	3,088	4,597	12,438	27,838	39,305	47,066
dGAZOa	250	419.4	449.6	227.1	38	64	138	287	570	888	1,106	1,175
cGAZO	250	4,012.0	5,050.8	3,409.3	220	335	1,792	2,765	6,237	12,051	18,066	21,426
cGAZOm	250	3,278.0	5,322.1	5,630.7	47	89	285	1,866	5,872	18,009	25,640	28,640
dGAZO	250	219.3	228.9	88.8	31	55	85	170	280	396	440	533
dGAZOm	250	181.8	220.7	158.2	5	7	30	112	291	562	726	955



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)



[一覧に戻る](#)

[8. 診療密度](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,281	10	2,453	20	2,085	36



その他放治等(リハビリ除く(その他-リハビリ))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRADPSY	250	0.0	43.5	201.3	0	0	0	0	0	300	550	2,740
dRADPSY	250	0.0	2.3	8.9	0	0	0	0	0	12	47	88



リハビリ

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRehab	250	0.0	0.0	0.0	0	0	0	0	0	0	0	0
dRehab	250	0.0	0.0	0.0	0	0	0	0	0	0	0	0



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36

諸項目(初診料+指導管理料+在宅医療)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	250	590.0	1,055.7	1,093.9	0	0	0	390	1,490	3,330	4,413	8,110
dMISC	250	37.7	50.3	81.7	0	0	0	20	65	120	255	1,159
cSHOSIN	250	0.0	11.6	71.3	0	0	0	0	0	0	500	550
cShido	250	520.0	838.9	779.1	0	0	0	390	1,150	2,310	3,830	3,750
cZaitak	250	0.0	205.2	782.2	0	0	0	0	0	1,890	2,845	8,110
dShosin	250	0.0	0.5	3.0	0	0	0	0	0	0	18	28
dShido	250	32.4	37.3	28.6	0	0	0	18	54	87	121	183
dZaitak	250	0.0	12.6	79.5	0	0	0	0	0	70	228	1,159



cMISC=cSHOSIN+cSHIDO+cZAITAKU



特定入院料

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	250	0.0	1,003.4	4,883.5	0	0	0	0	0	750	26,670	44,475
dTokuNyu	250	0.0	47.2	266.0	0	0	0	0	0	60	1,588	2,963

cTOKUNYU




各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
060050	3	x	03	0	x	1	x	0	3,261	10	2,453	20	2,085	36

施設別の診療密度			rnetLOS/rcALL	
症例数合計	netLOSの平均	dALLの平均		
219	22.3	4,484		



0600503x030x1x-density



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	414	15.0	19.1	16.3	2	3	6	9	24	46	68	206





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	414	74,575.0	87,554.2	60,924.1	35,831	38,904	44,542	57,469	98,390	167,337	246,385	986,289
dAll	414	4,977.6	5,656.4	3,133.0	2,505	2,844	3,195	4,033	6,214	11,351	16,543	36,791



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	414	42,445.5	52,590.7	48,903.0	4,043	8,252	15,221	27,036	63,962	118,714	178,242	764,074
dDPC	414	2,677.4	2,840.7	810.8	1,753	2,022	2,239	2,493	3,025	3,732	4,993	12,422



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31

入院日数依存部分(入院管理料・加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	414	30,250.5	36,879.6	26,319.7	1,044	6,393	11,532	20,503	45,596	83,122	111,162	320,877
dHOSP	414	2,082.7	2,040.9	234.6	149	1,490	1,640	1,922	2,176	2,311	2,338	3,285
cNyuin	414	27,141.0	32,673.2	22,815.0	0	5,757	10,788	18,114	40,477	72,806	96,316	278,081
cShokuji	414	3,031.0	4,070.3	3,545.2	0	0	1,060	1,953	5,184	10,570	15,314	41,494
cRxCho	414	77.0	101.6	107.0	0	0	14	42	126	301	427	1,302
cRxChoKi	414	42.0	34.5	30.3	0	0	0	0	42	84	84	126
dNyuin	414	1,857.7	1,819.1	219.1	0	1,279	1,439	1,703	1,951	2,081	2,082	2,239
dShokuji	414	217.0	214.2	61.6	0	0	167	197	226	252	252	1,265
dRxCho	414	5.6	5.0	2.0	0	0	1	4	7	7	7	7
dRxChoKi	414	2.4	2.7	2.9	0	0	0	0	4	7	12	21



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31



手術(手術(薬剤・材料以外)+手術(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	414	29,710.5	33,992.0	19,931.0	12,722	12,722	17,785	25,902	34,587	63,260	113,747	211,305
dOPEa	414	2,032.5	2,755.7	2,855.6	218	435	656	1,280	3,241	7,475	13,905	31,132
cOpe	414	12,700.0	15,291.1	8,913.8	12,700	12,700	12,700	12,700	12,700	25,400	35,900	136,271
cOpem	414	16,470.5	18,700.9	14,540.1	22	22	2,460	12,967	20,461	37,510	75,034	160,519
dOpe	414	928.2	1,211.6	1,069.2	187	231	326	605	1,411	2,570	5,800	11,600
dOpem	414	1,091.2	1,544.1	1,957.7	1	1	136	639	1,776	4,030	9,014	25,099



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	414	115.0	441.7	1,161.2	0	0	0	31	240	2,378	6,715	10,312
dPROa	414	6.9	17.4	29.7	0	0	0	2	16	87	142	190
cPro	414	42.0	333.4	1,028.3	0	0	0	0	161	2,084	4,325	10,000
cProm	414	47.5	108.3	378.3	0	0	0	0	110	306	745	6,715
dPro	414	3.0	12.3	26.3	0	0	0	0	9	73	135	176
dProm	414	2.1	5.1	9.8	0	0	0	0	7	17	47	122



各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31



処方(内服+頓服+外用+麻薬)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	414	939.5	1,891.8	2,528.6	0	0	10	215	2,648	6,770	11,494	17,757
dRXa	414	54.7	98.9	124.1	0	0	1	20	124	350	590	759
cRXnai	414	875.0	1,771.6	2,436.9	0	0	0	168	2,457	6,606	10,950	17,757
cRXton	414	0.0	18.5	65.8	0	0	0	0	9	92	310	792
cRXgai	414	17.0	98.0	341.2	0	0	0	0	84	363	1,445	4,138
cRXmado	414	0.0	3.8	11.2	0	0	0	0	1	21	41	169
dRXnai	414	49.2	92.2	122.4	0	0	0	14	121	342	585	756
dRXton	414	0.0	1.5	8.1	0	0	0	0	1	6	15	132
dRXgai	414	1.2	5.1	11.8	0	0	0	0	5	24	53	128
dRXmado	414	0.0	0.1	0.3	0	0	0	0	0	1	1	1



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	414	2,185.5	5,173.6	18,772.8	22	74	292	1,056	4,968	12,996	35,285	359,917
dINja	414	151.4	241.6	518.1	6	10	34	85	267	594	1,431	8,975
cInjHika	414	15.0	77.0	473.6	0	0	0	0	25	169	1,143	7,110
cInjJyo	414	118.5	991.2	2,157.8	0	0	0	0	1,018	5,109	8,879	26,079
cInjHoka	414	1,667.0	4,105.4	18,555.7	0	0	194	622	3,406	10,336	34,295	359,536
dInjHika	414	0.9	5.3	43.2	0	0	0	0	2	8	44	797
dInjJyo	414	8.0	45.7	81.2	0	0	0	0	53	203	361	683
dInjHoka	414	106.0	190.6	512.1	0	0	15	59	186	512	1,340	8,975



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31

検査(検査(薬剤・材料以外)+検査(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cKENSAA	414	4,297.5	5,861.0	5,142.4	0	825	1,325	2,645	7,500	15,812	25,516	52,502
dKENSAA	414	300.6	312.7	116.6	0	65	144	250	377	506	685	903
cKensa	414	4,160.0	5,528.9	4,637.4	0	825	1,325	2,515	7,115	14,316	19,635	51,876
cKensam	414	21.5	332.1	1,115.5	0	0	0	0	205	1,327	5,929	15,422
dKensa	414	290.7	299.3	104.7	0	65	132	240	357	472	595	772
dKensam	414	1.8	13.4	42.3	0	0	0	0	12	56	145	532



cKENSAA=cKensa+cKensam



画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cGAZOa	414	4,195.5	6,156.9	7,541.8	0	0	0	1,169	8,349	19,797	36,386	65,289
dGAZOa	414	231.6	315.3	337.7	0	0	0	96	418	945	2,014	2,410
cGAZO	414	2,608.0	3,211.2	3,019.7	0	0	0	972	4,387	8,620	15,233	23,911
cGAZOm	414	1,623.0	2,945.8	5,350.6	0	0	0	71	3,315	14,225	28,310	48,958
dGAZO	414	148.1	167.9	119.2	0	0	0	83	231	377	527	916
dGAZOm	414	72.8	147.4	273.4	0	0	0	6	163	607	1,843	2,108

cGAZOa=cGAZO+cGAZOm





各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



一覧に戻る

DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31

その他放治等(リハビリ除く(その他-リハビリ))										cRADPSY=cSONOTA-cREHAB			
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cRADPSY	414	0.0	258.9	825.9	0	0	0	0	0	1,620	3,505	10,160	
dRADPSY	414	0.0	15.8	83.1	0	0	0	0	0	73	176	1,580	



リハビリ										cREHAB			
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cRehab	414	0.0	0.0	0.0	0	0	0	0	0	0	0	0	
dRehab	414	0.0	0.0	0.0	0	0	0	0	0	0	0	0	



各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放治・リハ](#)
- [7. その他](#)
- [8. 診療密度](#)



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31

諸項目(初診料+指導管理料+在宅医療)

cMISC=cSHOSIN+cSHIDO+cZAITAKU



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	414	390.0	711.3	971.9	0	0	0	0	910	2,530	4,630	9,380
dMISC	414	32.5	44.0	100.7	0	0	0	0	58	113	254	1,501
cSHOSIN	414	0.0	17.9	85.9	0	0	0	0	0	0	400	550
cShido	414	390.0	604.7	824.9	0	0	0	0	820	2,130	3,610	9,380
cZaitak	414	0.0	88.6	537.2	0	0	0	0	0	0	2,541	6,002
dShosin	414	0.0	1.5	10.3	0	0	0	0	0	0	27	133
dShido	414	30.3	33.2	31.8	0	0	0	0	51	90	143	173
dZaitak	414	0.0	9.4	93.5	0	0	0	0	0	0	117	1,501



特定入院料

cTOKUNYU

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	414	0.0	256.3	3,673.9	0	0	0	0	0	0	800	64,365
dTokuNyu	414	0.0	28.0	463.5	0	0	0	0	0	0	55	9,195




各項目のページへ:

- [1. 概況](#)
- [2. 入院](#)
- [3. 手術・処置](#)
- [4. 処方・注射](#)
- [5. 検査・画像](#)
- [6. 放・治・リハ](#)
- [7. その他](#)
- [一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	0	x	0	2,975	9	2,199	17	1,869	31

施設別の診療密度			rnetLOS/rcALL
症例数合計	netLOSの平均	dALLの平均	
362	18.3	5,712	



0600503x050x0x-density

各項目のページへ:



- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	1	x	0	3,115	10	2,343	20	1,992	38



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	350	19.0	22.7	15.8	3	8	7	11	29	53	67	136





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	350	84,008.5	94,726.6	45,789.6	38,345	42,747	48,906	60,738	113,824	177,588	235,524	398,409
dAll	350	4,536.9	4,856.0	1,509.0	2,341	2,655	3,046	3,779	5,499	7,469	10,039	14,065



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	350	55,190.0	63,743.2	40,370.3	11,141	15,236	19,503	34,654	81,997	133,897	186,682	340,423
dDPC	350	2,797.0	2,938.8	671.8	1,621	1,987	2,229	2,545	3,183	4,003	5,716	8,146



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	1	x	0	3,115	10	2,343	20	1,992	38

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	350	37,978.0	43,522.4	25,713.0	6,427	12,706	18,046	25,360	54,893	91,292	110,909	214,470
dHOSP	350	2,034.9	2,023.8	222.2	1,420	1,501	1,691	1,894	2,168	2,308	2,323	4,197
cNyuin	350	33,149.0	38,172.6	22,049.4	5,742	11,538	14,338	22,877	48,938	79,240	98,561	184,944
cShokuji	350	4,047.5	5,181.7	3,724.7	636	1,235	1,519	2,490	6,360	12,704	16,754	28,581
cRxCho	350	98.0	128.9	111.5	0	0	14	49	175	357	455	945
cRxChoKi	350	42.0	39.1	32.8	0	0	0	0	42	84	126	126
dNyuin	350	1,798.2	1,785.0	189.7	1,234	1,282	1,464	1,656	1,927	2,080	2,081	2,100
dShokuji	350	217.9	231.0	107.2	68	152	192	212	247	252	320	2,170
dRxCho	350	6.1	5.3	1.9	0	0	1	4	7	7	7	7
dRxChoKi	350	2.0	2.4	2.5	0	0	0	0	4	6	12	14



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他
- 8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	1	x	0	3,115	10	2,343	20	1,992	38

手術(手術(薬剤・材料以外)+手術(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cOPEa	350	28,162.5	29,795.2	11,259.9	0	12,722	13,432	24,786	33,016	53,337	65,916	89,129
dOPEa	350	1,556.0	1,864.9	1,284.3	0	295	495	964	2,441	4,359	6,164	9,695
cOpe	350	12,700.0	14,900.0	5,684.6	0	12,700	12,700	12,700	12,700	26,300	39,900	53,200
cOpem	350	14,924.5	14,895.2	8,350.8	0	22	732	11,382	18,125	29,460	40,725	63,729
dOpe	350	793.8	909.1	549.5	0	202	254	516	1,211	1,814	2,615	4,233
dOpem	350	766.0	955.8	811.0	0	1	25	417	1,298	2,529	3,793	5,461



cOPEa=cOPE+cOPEm



処置(処置(薬剤・材料以外)+処置(薬剤・材料))

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cPROa	350	128.0	875.7	3,388.7	0	0	0	44	354	3,552	14,900	49,919
dPROa	350	6.8	36.8	140.1	0	0	0	2	21	118	998	1,611
cPro	350	42.0	611.9	2,405.8	0	0	0	0	184	3,135	8,550	35,994
cProm	350	85.0	263.8	1,100.6	0	0	0	2	170	719	6,350	13,925
dPro	350	3.3	23.5	90.6	0	0	0	0	11	105	709	885
dProm	350	2.9	13.2	55.6	0	0	0	0	8	30	298	726

cPROa=cPRO+cPRom



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放・リハ
- 7. その他

[一覧に戻る](#)



8. 診療密度

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数≥II	特定入院期間
060050	3	x	05	0	x	1	x	0	3,115	10	2,343	20	1,992	38

処方(内服+頓服+外用+麻薬)

cRXa=cRXNai+cRXTON+cRXGai+cRXMADO



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	350	1,604.5	3,032.6	4,143.0	0	0	12	529	4,488	10,159	19,186	43,302
dRXa	350	78.0	134.5	160.0	0	0	2	32	184	427	725	1,173
cRXNai	350	1,428.5	2,858.6	3,983.1	0	0	0	465	4,368	9,850	19,142	41,950
cRXTON	350	0.0	24.8	96.7	0	0	0	0	18	95	390	1,520
cRXGai	350	15.5	145.4	534.1	0	0	0	0	105	619	1,541	7,327
cRXMADO	350	0.0	3.8	9.5	0	0	0	0	2	26	46	58
dRXNai	350	68.5	126.8	156.5	0	0	0	27	173	412	725	1,168
dRXTON	350	0.0	1.4	5.0	0	0	0	0	1	6	20	72
dRXGai	350	0.8	6.1	16.4	0	0	0	0	6	23	86	174
dRXMADO	350	0.0	0.1	0.3	0	0	0	0	0	1	1	1



注射(皮下筋肉内+静脈内+注射その他)

cINJa=cINjHIKA+cINjJYO+cINjHOKA

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	350	2,417.5	4,649.5	7,336.1	68	121	302	971	5,837	14,940	32,699	74,038
dInja	350	127.5	213.7	364.6	5	7	18	76	235	622	1,110	5,503
cInjHika	350	16.0	171.1	941.8	0	0	0	10	36	590	3,760	11,366
cInjJyo	350	140.0	929.9	2,352.5	0	0	0	0	839	3,856	10,563	27,935
cInjHoka	350	1,518.5	3,548.5	6,334.9	0	68	149	651	4,179	12,367	24,174	72,863
dInjHika	350	1.1	5.4	22.7	0	0	0	0	2	15	121	235
dInjJyo	350	9.0	42.5	108.6	0	0	0	0	44	170	519	1,346
dInjHoka	350	92.8	165.8	300.3	0	4	7	45	170	500	1,007	4,166



各項目のページへ:

- 1. 概況
- 2. 入院
- 3. 手術・処置
- 4. 処方・注射
- 5. 検査・画像
- 6. 放治・リハ
- 7. その他
- 8. 診療密度

[一覧に戻る](#)