


DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数<III	特定 入院期間
120150	3	x	99	x	x	x	x	0	2,423	7	1,896	16	1,612	35

施設別の診療密度

metLOS/rcALL

症例数合計 netLOSの平均 dALLの平均

433 18.4 2.327



1201503x99xxxx-density



各項目のページへ:

[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	422	9.0	13.1	11.7	2	2	3	6	16	37	61	86





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	422	23,014.0	32,253.4	33,693.9	3,804	5,308	7,063	14,683	40,311	83,558	120,468	498,433
dAll	422	2,382.3	2,575.5	1,055.9	1,224	1,611	1,832	2,163	2,604	4,093	7,596	14,609



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	422	22,949.0	31,696.4	33,303.3	3,584	5,209	6,563	14,670	39,351	79,900	119,911	496,333
dDPC	422	2,359.9	2,529.3	1,016.7	1,194	1,611	1,816	2,158	2,572	3,674	7,560	14,609



各項目のページへ:

1. 概況
2. 入院
3. 手術・処置
4. 処方・注射
5. 検査・画像
6. 放治・リハ
7. その他
8. 診療密度



一覧に戻る

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOki

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	422	19,263.5	24,905.2	19,335.3	1,141	3,828	6,357	12,100	32,381	62,394	94,487	133,005
dHOSP	422	2,094.6	2,028.0	608.7	190	745	1,476	1,928	2,166	2,332	2,474	12,871
cNyuin	422	17,344.5	22,483.5	17,546.5	0	3,356	5,724	11,009	29,625	55,994	82,328	123,926
cShokuji	422	1,736.0	2,359.7	2,165.6	0	0	424	1,060	2,968	6,360	11,872	17,363
cRxCho	422	21.0	35.7	50.3	0	0	0	0	49	126	252	357
cRxChoKi	422	42.0	26.3	28.5	0	0	0	0	42	84	126	126
dNyuin	422	1,909.0	1,830.5	574.2	0	580	1,301	1,741	1,937	2,054	2,329	12,003
dShokuji	422	212.0	192.4	69.4	0	0	71	163	220	252	329	868
dRxCho	422	1.9	2.6	2.5	0	0	0	0	5	7	7	7
dRxChoKi	422	1.5	2.6	3.5	0	0	0	0	4	8	14	21





各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25

手術(手術(薬剤・材料以外)+手術(薬剤・材料))													cOPEa=cOPE+cOPEm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cOPEa	422	0.0	341.0	2,451.2	0	0	0	0	0	0	18,995	27,679		
dOPEa	422	0.0	22.9	167.5	0	0	0	0	0	0	863	1,748		
cOpe	422	0.0	278.2	2,067.2	0	0	0	0	0	0	5,815	25,080		
cOpeM	422	0.0	62.8	1,109.3	0	0	0	0	0	0	295	22,638		
dOpe	422	0.0	19.3	148.8	0	0	0	0	0	0	646	1,700		
dOpeM	422	0.0	3.6	61.8	0	0	0	0	0	0	13	1,258		





処置(処置(薬剤・材料以外)+処置(薬剤・材料))													cPROa=cPRO+cPROm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cPROa	422	0.0	178.4	2,623.4	0	0	0	0	0	340	965	53,840		
dPROa	422	0.0	8.8	86.6	0	0	0	0	0	30	98	1,737		
cPro	422	0.0	66.5	740.7	0	0	0	0	0	225	592	15,042		
cProm	422	0.0	109.9	1,889.2	0	0	0	0	0	120	394	38,798		
dPro	422	0.0	4.1	27.1	0	0	0	0	0	19	64	485		
dProm	422	0.0	4.7	61.9	0	0	0	0	0	10	30	1,252		



DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25



処方(内服+頓服+外用+麻毒)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	422	35.0	186.5	543.2	0	0	0	0	148	722	2,687	7,905
dRXa	422	2.4	16.9	58.6	0	0	0	0	13	75	150	988
cRxNai	422	19.0	150.5	489.7	0	0	0	0	107	632	1,739	7,838
cRxTon	422	0.0	5.7	24.2	0	0	0	0	0	35	113	317
cRxGai	422	0.0	30.2	164.2	0	0	0	0	0	107	544	2,668
cRxMado	422	0.0	0.1	0.9	0	0	0	0	0	0	5	9
dRxNai	422	1.7	14.2	54.6	0	0	0	0	10	68	149	980
dRxTon	422	0.0	0.5	2.2	0	0	0	0	0	3	14	25
dRxGai	422	0.0	2.3	12.4	0	0	0	0	9	42	193	193
dRxMado	422	0.0	0.0	0.1	0	0	0	0	0	0	0	1



注射(皮下筋肉内+静脈内+注射その他)

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	422	979.0	3,203.4	19,406.3	0	0	0	80	2,186	10,664	24,711	389,828
dInja	422	116.4	180.1	428.0	0	0	0	7	174	481	1,796	5,997
cInjHika	422	0.0	17.4	105.0	0	0	0	0	0	60	372	1,225
cInjJyo	422	0.0	283.1	2,013.5	0	0	0	0	0	620	10,585	26,460
cInjHoka	422	943.0	2,902.9	19,002.9	0	0	0	0	2,025	9,405	19,896	385,238
dInjHika	422	0.0	1.4	8.3	0	0	0	0	0	5	36	88
dInjJyo	422	0.0	16.4	103.0	0	0	0	0	0	60	645	1,364
dInjHoka	422	114.5	162.2	400.6	0	0	0	0	168	436	1,712	5,927



各項目のページへ:

1. 概況

2. 入院

3. 手術・処置

4. 処方・注射

5. 検査・画像

6. 放治・リハ



7. その他

8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院期間Ⅰ	点数<Ⅱ	入院期間Ⅱ	点数≥Ⅱ	特定入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25

検査(検査(薬剤・材料以外)+検査(薬剤・材料))													cKENSa=cKENSa+cKENSAm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cKENSa	422	3,229.5	4,111.5	3,279.4	0	0	695	2,105	5,284	10,087	17,192	27,721		
dKENSa	422	322.3	361.8	218.9	0	0	132	250	416	720	1,262	1,904		
cKensa	422	3,219.0	4,108.4	3,278.0	0	0	695	2,105	5,284	10,087	17,192	27,721		
cKensam	422	0.0	3.0	16.9	0	0	0	0	0	16	110	154		
dKensa	422	322.3	361.5	218.1	0	0	132	250	416	720	1,262	1,898		
dKensam	422	0.0	0.4	2.9	0	0	0	0	0	1	9	44		





画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))													cGAZOa=cGAZO+cGAZOm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cGAZOa	422	0.0	292.6	986.3	0	0	0	0	0	1,740	4,389	13,986		
dGAZOa	422	0.0	25.9	95.8	0	0	0	0	0	87	488	1,166		
cGAZO	422	0.0	255.2	737.1	0	0	0	0	0	1,740	3,821	7,369		
cGAZOm	422	0.0	37.3	333.8	0	0	0	0	0	76	568	6,617		
dGAZO	422	0.0	22.5	75.6	0	0	0	0	0	80	418	614		
dGAZOm	422	0.0	3.4	28.3	0	0	0	0	0	7	59	551		





DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25

その他放治等(リハビリ除く)(その他-リハビリ)										cRADPSY=cSONOTA-cREHAB			
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cRADPSY	422	0.0	27.8	127.4	0	0	0	0	0	220	600	1,260	
dRADPSY	422	0.0	2.9	15.7	0	0	0	0	0	12	86	173	





リハビリ										cREHAB			
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cRehab	422	0.0	0.0	0.0	0	0	0	0	0	0	0	0	
dRehab	422	0.0	0.0	0.0	0	0	0	0	0	0	0	0	





DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25

諸項目(初診料+指導管理料+在宅医療)														cMISC=cSHOSIN+cSHIDO+cZAITAKU											
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max													
cMISC	422	0.0	187.9	341.2	0	0	0	0	350	780	1,350	3,466													
dMISC	422	0.0	20.4	48.2	0	0	0	0	24	85	267	417													
cSHOSIN	422	0.0	104.8	203.5	0	0	0	0	0	550	780	980													
cShido	422	0.0	73.0	210.9	0	0	0	0	0	400	1,050	2,100													
cZaitak	422	0.0	10.0	170.1	0	0	0	0	0	0	0	3,466													
dShosin	422	0.0	12.7	34.8	0	0	0	0	0	63	217	275													
dShido	422	0.0	6.9	23.4	0	0	0	0	0	40	130	188													
dZaitak	422	0.0	0.8	13.2	0	0	0	0	0	0	0	267													



特定入院料														cTOKUNYU											
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max													
cTokuNyu	422	0.0	1,180.6	8,682.4	0	0	0	0	0	36	42,000	98,070													
dTokuNyu	422	0.0	100.2	698.0	0	0	0	0	0	3	4,086	7,000													




DPC8	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120160	3	x	99	x	x	x	x	0	2,577	7	1,905	13	1,619	25

施設別の診療密度

rnetLOS/rcALL

症例数合計	netLOSの平均	dALLの平均
375	13.3	2,561



1201603x99xxxx-density


各項目のページへ:

[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)


DPC6.	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院期間I	点数<II	入院期間II	点数<III	特定入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	292	32.0	40.3	27.8	3	4	7	17	60	95	113	130



Graphs by SEX





Graphs by SEX

総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	292	116,905.5	124,451.7	69,077.0	9,193	10,006	23,576	70,022	174,169	247,057	308,576	346,040
dAll	292	3,128.9	3,608.9	1,633.7	1,237	1,309	1,882	2,528	4,218	7,051	9,094	12,648



cAll/dAll



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	292	89,597.5	103,868.0	66,168.9	4,701	7,610	18,040	46,761	152,030	229,135	277,978	317,727
dDPC	292	2,504.2	2,781.2	1,066.2	672	889	1,719	2,140	3,017	5,408	6,407	6,962

cDPC/dDPC



各項目のページへ:



[1. 概況](#)
[2. 入院](#)
[3. 手術・処置](#)
[4. 処方・注射](#)
[5. 検査・画像](#)
[6. 放治・リハ](#)
[7. その他](#)
[一覧に戻る](#)[8. 診療密度](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

入院日数依存部分(入院管理料+加算+入院時食事療養等+調剤+調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	292	54,726.5	65,213.1	43,983.3	2,229	4,053	11,128	29,113	95,079	155,525	185,662	190,732
dHOSP	292	1,711.0	1,675.4	417.7	372	428	891	1,483	1,980	2,226	2,417	2,479
cNyuin	292	47,705.5	56,255.1	37,591.0	1,963	2,532	8,979	25,354	82,018	133,906	152,993	162,577
cShokuji	292	6,924.5	8,689.4	6,822.1	0	0	1,065	3,278	12,640	21,245	28,224	47,147
cRxCho	292	147.0	202.6	167.9	0	7	28	70	305	532	679	805
cRxChoKi	292	42.0	65.9	44.1	0	0	0	42	84	136	168	210
dNyuin	292	1,480.6	1,459.8	404.0	166	327	679	1,295	1,748	2,019	2,184	2,258
dShokuji	292	212.0	208.7	52.9	0	0	145	199	221	278	432	467
dRxCho	292	5.0	4.8	1.6	0	1	2	4	6	7	7	7
dRxChoKi	292	1.7	2.1	2.1	0	0	0	1	2	6	12	14





各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

手術(手術(薬剤・材料以外)+手術(薬剤・材料))													cOPEa=cOPE+cOPEm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cOPEa	292	19,227.5	19,632.6	13,231.6	0	0	1,540	12,318	25,810	44,421	69,307	85,682		
dOPEa	292	487.1	803.3	932.7	0	0	32	230	1,069	2,620	4,077	8,809		
cOpe	292	18,740.0	17,985.2	11,283.6	0	0	1,530	9,473	24,480	43,070	44,480	47,422		
cOpem	292	586.5	1,647.4	4,747.0	0	0	0	167	1,185	5,095	21,885	59,962		
dOpe	292	477.7	737.6	865.4	0	0	32	218	955	2,398	3,589	8,730		
dOpem	292	15.4	65.7	189.5	0	0	0	4	48	285	1,287	2,221		



処置(処置(薬剤・材料以外)+処置(薬剤・材料))													cPROa=cPRO+cPROm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cPROa	292	343.0	452.8	805.4	0	0	0	152	525	1,091	2,921	12,191		
dPROa	292	9.8	16.2	35.5	0	0	0	5	20	40	122	554		
cPro	292	263.5	271.2	285.2	0	0	0	85	343	735	1,850	2,275		
cProm	292	84.5	181.6	725.9	0	0	0	20	180	540	1,464	12,023		
dPro	292	6.2	10.1	13.7	0	0	0	2	13	30	74	123		
dProm	292	2.4	6.0	32.3	0	0	0	1	6	17	29	547		





DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

処方(内服+頓服+外用+麻薬)

cRXa=cRxNAI+cRxTON+cRxGAI+cRxMADO



	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cRXa	292	650.0	957.7	1,090.9	0	0	64	275	1,248	3,095	5,608	8,635
dRXa	292	18.6	26.3	29.7	0	0	3	11	33	64	171	335
cRxNai	292	442.0	798.7	994.3	0	0	35	207	1,009	2,799	5,014	7,588
cRxTon	292	0.0	17.3	70.4	0	0	0	0	1	70	350	755
cRxGai	292	40.0	141.1	278.9	0	0	0	0	172	610	1,347	2,848
cRxMado	292	0.0	0.4	5.1	0	0	0	0	0	1	5	86
dRxNai	292	14.9	21.9	27.6	0	0	2	8	29	59	100	335
dRxTon	292	0.0	0.4	1.4	0	0	0	0	0	3	9	12
dRxGai	292	1.5	4.0	8.8	0	0	0	0	5	15	30	124
dRxMado	292	0.0	0.0	0.0	0	0	0	0	0	0	0	1



注射(皮下筋肉内+静脈内+注射その他)

cINJa=cInjHIKA+cInjJYO+cInjHOKA

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cINJa	292	10,304.0	17,522.7	18,961.4	0	0	182	3,265	26,933	56,748	78,378	128,120
dInja	292	342.0	417.4	344.3	0	0	19	167	597	1,066	1,576	2,676
cInjHika	292	15.0	223.4	1,237.0	0	0	0	0	106	570	6,982	16,974
cInjJyo	292	271.5	2,914.4	8,801.9	0	0	0	0	1,457	13,992	53,054	71,454
cInjHoka	292	7,276.0	14,384.8	17,205.9	0	0	182	2,155	22,662	48,331	71,441	125,549
dInjHika	292	0.4	5.6	21.1	0	0	0	0	4	23	145	242
dInjJyo	292	9.3	57.7	127.7	0	0	0	0	49	282	707	918
dInjHoka	292	283.9	354.1	334.3	0	0	14	101	500	1,008	1,575	2,567





各項目のページへ:



[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

検査(検査(薬剤・材料以外)+検査(薬剤・材料))													cKENSa=cKENSa+cKENSAm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cKENSa	292	8,411.0	10,525.1	7,054.8	250	1,045	2,255	5,020	15,158	23,837	32,753	37,825		
dKENSa	292	265.8	291.3	131.1	42	87	149	218	331	517	911	1,088		
cKensa	292	8,348.0	10,512.2	7,056.9	250	1,045	2,255	5,020	15,158	23,837	32,753	37,792		
cKensam	292	0.0	12.8	197.9	0	0	0	0	0	0	41	3,381		
dKensa	292	265.8	290.6	130.4	42	87	149	218	331	504	911	1,088		
dKensam	292	0.0	0.6	9.5	0	0	0	0	0	0	3	161		





画像診断(画像診断(薬剤・材料以外)+画像診断(薬剤・材料))													cGAZOa=cGAZO+cGAZOm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cGAZOa	292	813.5	1,038.5	989.1	0	0	0	186	1,617	2,890	3,804	5,861		
dGAZOa	292	22.9	30.8	30.9	0	0	0	6	48	75	181	183		
cGAZO	292	777.5	967.4	892.1	0	0	0	158	1,535	2,735	3,387	4,870		
cGAZOm	292	36.0	71.1	202.6	0	0	0	16	71	196	977	2,529		
dGAZO	292	21.9	28.1	25.7	0	0	0	4	46	70	110	157		
dGAZOm	292	1.0	2.7	8.9	0	0	0	0	2	6	73	81		





DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数<III	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

その他放治等(リハビリ除く)(その他-リハビリ)										cRADPSY=cSONOTA=cREHAB			
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cRADPSY	292	0.0	27.5	227.1	0	0	0	0	0	0	750	3,600	
dRADPSY	292	0.0	0.5	3.2	0	0	0	0	0	0	23	33	





リハビリ										cREHAB			
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max	
cRehab	292	0.0	0.0	0.0	0	0	0	0	0	0	0	0	
dRehab	292	0.0	0.0	0.0	0	0	0	0	0	0	0	0	





DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

諸項目(初診料+指導管理料+在宅医療)								cMISC=cSHOSIN+cSHIDO+cZAITAKU				
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cMISC	292	300.0	397.5	613.4	0	0	0	0	500	1,250	4,200	4,561
dMISC	292	5.0	16.3	30.8	0	0	0	0	18	77	158	250
cSHOSIN	292	0.0	169.7	253.8	0	0	0	0	400	730	880	980
cShido	292	0.0	201.0	499.9	0	0	0	0	300	700	3,800	4,500
cZaitak	292	0.0	26.8	297.0	0	0	0	0	0	0	1,050	4,561
dShosin	292	0.0	10.3	23.2	0	0	0	0	11	50	126	147
dShido	292	0.0	5.0	11.8	0	0	0	0	5	30	58	104
dZaitak	292	0.0	1.0	11.1	0	0	0	0	0	0	44	175



特定入院料										cTOKUNYU		
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cTokuNyu	292	0.0	16,847.6	34,874.7	0	0	0	0	144	98,070	98,252	137,888
dTokuNyu	292	0.0	532.5	1,211.6	0	0	0	0	10	3,769	5,056	6,417




DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120170	3	x	98	x	x	x	x	0	2,643	17	2,036	38	1,731	83

施設別の診療密度

metLOS/rcALL

症例数合計	netLOSの平均	dALLの平均
238	40.4	3.628



1201703x98xxxx-density



各項目のページへ:

[一覧に戻る](#)[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<I	入院 期間I	点数<II	入院 期間II	点数≥II	特定 入院期間
120170	3	x	99	x	x	x	x	0	2,599	9	2,034	21	1,729	49



性別・年齢・機関別基礎集計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
netLOS	755	17.0	23.1	20.6	2	2	2	8	32	63	94	137





総点数の合計

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cAll	755	45,660.0	59,094.4	52,153.8	2,518	3,800	5,214	21,315	79,720	163,852	237,007	352,369
dAll	755	2,442.1	2,701.4	1,035.9	1,259	1,546	1,808	2,202	2,787	4,783	7,610	8,803



包括対象部分

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cDPC	755	44,381.0	58,262.9	51,667.9	2,518	3,800	5,145	20,985	78,961	161,159	230,528	351,719
dDPC	755	2,428.1	2,650.1	994.3	1,259	1,546	1,792	2,191	2,733	4,477	7,456	8,513



各項目のページへ:

1. 概況 2. 入院 3. 手術・処置 4. 処方・注射 5. 検査・画像 6. 放治・リハ 7. その他 8. 診療密度



[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院 期間Ⅰ	点数<Ⅱ	入院 期間Ⅱ	点数≥Ⅱ	特定 入院期間
120170	3	x	99	x	x	x	x	0	2,599	9	2,034	21	1,729	49

入院日数依存部分(入院管理料・加算・入院時食事療養等・調剤・調期)

cHOSP=cNYUIN+cSHOKUJI+cRxCHO+cRxCHOKI

	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max
cHOSP	755	32,538.0	40,007.6	32,701.8	261	1,361	4,195	15,071	55,238	104,502	142,324	212,031
dHOSP	755	1,967.7	1,855.7	425.6	65	227	1,086	1,710	2,126	2,238	2,393	5,997
cNyuin	755	28,670.0	34,942.9	28,263.8	0	0	3,800	13,363	48,744	90,748	121,294	182,069
cShokuji	755	3,604.0	4,915.3	4,576.6	0	0	424	1,696	6,757	13,925	20,748	29,507
cRxCho	755	70.0	108.0	115.4	0	0	0	28	147	350	532	707
cRxChoKi	755	42.0	41.4	37.4	0	0	0	0	84	126	126	168
dNyuin	755	1,746.1	1,639.5	416.7	0	0	875	1,490	1,912	2,022	2,179	5,397
dShokuji	755	213.9	209.3	48.9	0	0	141	203	218	252	328	567
dRxCho	755	4.7	4.3	2.3	0	0	0	3	6	7	7	19
dRxChoKi	755	1.7	2.5	3.6	0	0	0	0	3	8	21	21





各項目のページへ:

[1. 概況](#)[2. 入院](#)[3. 手術・処置](#)[4. 処方・注射](#)[5. 検査・画像](#)[6. 放治・リハ](#)[7. その他](#)[8. 診療密度](#)[一覧に戻る](#)

DPC6	入院目的	年齢等	手術	処置1	処置2	副傷病	重症度等	出来高	点数<Ⅰ	入院期間Ⅰ	点数<Ⅱ	入院期間Ⅱ	点数≥Ⅱ	特定入院期間
120170	3	x	99	x	x	x	x	0	2,599	9	2,034	21	1,729	49

手術(手術(薬剤・材料以外)+手術(薬剤・材料))													cOPEa=cOPE+cOPEm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cOPEa	755	0.0	531.6	3,216.8	0	0	0	0	0	1,053	19,335	34,419		
dOPEa	755	0.0	32.3	225.2	0	0	0	0	0	22	1,208	3,101		
cOpe	755	0.0	498.6	2,976.0	0	0	0	0	0	800	18,750	33,670		
cOpem	755	0.0	33.0	417.9	0	0	0	0	0	0	664	10,173		
dOpe	755	0.0	30.7	214.9	0	0	0	0	0	17	1,172	3,061		
dOpem	755	0.0	1.6	20.3	0	0	0	0	0	0	44	509		



処置(処置(薬剤・材料以外)+処置(薬剤・材料))													cPROa=cPRO+cPROm	
	N	Median	Mean	STD	Min	1%	5%	25%	75%	95%	99%	Max		
cPROa	755	0.0	88.7	275.8	0	0	0	0	63	472	1,168	5,032		
dPROa	755	0.0	4.6	15.3	0	0	0	0	3	27	66	257		
cPro	755	0.0	29.9	134.5	0	0	0	0	0	150	854	1,380		
cProm	755	0.0	58.8	225.7	0	0	0	0	31	282	861	4,967		
dPro	755	0.0	2.0	11.8	0	0	0	0	0	9	58	234		
dProm	755	0.0	2.6	7.3	0	0	0	0	2	14	34	92		

