

研究成果の刊行に関する一覧表

発表者氏名	論文タイトル名	発表誌名・ 巻号・頁・出版年
Ino, Y., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Dysadherin, a cancer-associated cell membrane glycoprotein, down-regulates E-cadherin and promotes metastasis.	Proc. Natl. Acad. Sci. USA, 99(1): 365-370, 2002.
Niki, T., <u>Hirohashi, S.</u> , et al.	Frequent co-localization of cox-2 and laminin-5 $\gamma$ 2 chain at the invasive front of early-stage lung adenocarcinomas.	Am. J. Pathol., 160(3): 1129-1141, 2002.
Kato, K., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Correlation between laminin-5 $\gamma$ 2 chain expression and epidermal growth factor receptor expression and its clinicopathological significance in squamous cell carcinoma of the tongue.	Oncology, 62(4): 318-326, 2002.
Nam, J-S, <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Src family kinase inhibitor PP2 restores the E-cadherin/catenin cell adhesion system in human cancer cells and reduces cancer metastasis.	Clin. Cancer Res., 8: 2430-2436, 2002.
Saito, Y., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Overexpression of a splice variant of DNA methyltransferase 3b, DNMT3b4, associated with DNA hypomethylation on pericentromeric satellite regions during human hepatocarcinogenesis.	Proc. Natl. Acad. Sci. USA, 99(15): 10060-10065, 2002.
Sekine, S., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Target disruption of the mutant $\beta$ -catenin gene in colon cancer cell line HCT116: preservation of its malignant phenotype.	Oncogene, 21(38): 5906-5911, 2002.
Nam, J-S, <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Ras farnesylation inhibitor FTI-277 restores the E-cadherin/catenin cell adhesion system in human cancer cells and reduces cancer metastasis.	Jpn. J. Cancer Res., 93(9): 1020-1028, 2002.
Aoki, S., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Prognostic significance of laminin-5 $\gamma$ 2 chain expression in colorectal carcinoma: Immunohistochemical analysis of 103 cases.	Dis. Colon & Rectum, 45(11): 1520-1527, 2002.

<p>Sekine, S., <u>Sakamoto, M.</u>, <u>Hirohashi, S.</u>, et al.</p>	<p>Craniopharyngiomas of admantinomatous type harbor <math>\beta</math>-catenin gene mutations.</p>	<p>Am. J. Pathol., 161(6): 1997-2001, 2002.</p>
<p>Aoki, S., <u>Sakamoto, M.</u>, <u>Hirohashi, S.</u>, et al.</p>	<p>Prognostic significance of dysadherin expression in advanced colorectal carcinoma.</p>	<p>Br. J. Cancer, 88(5): 726-732, 2003.</p>
<p>Yamada, T., <u>Hirohashi, S.</u>, et al.</p>	<p>Suppression of intestinal polyposis in <i>Mdr1</i>-deficient <i>Apc<sup>min/+</sup></i> mice.</p>	<p>Cancer Res., 63(5): 895-901, 2003.</p>
<p>Sekine, S., <u>Hirohashi, S.</u>, et al.</p>	<p><math>\beta</math>-catenin mutations in pulmonary blastomas: association with morule formation.</p>	<p>J. Path., in press.</p>
<p>Miyamoto, K., <u>Ushijima, T.</u>, et al.</p>	<p>Presence of promoter hypermethylation and post-transcriptional mechanisms responsible for reduced BRCA1 immunoreactivity.</p>	<p>Jpn. J. Clin. Oncol., 32: 79-84, 2002.</p>
<p>Miyamoto, K., <u>Ushijima, T.</u>, et al.</p>	<p>Methylation-associated silencing of <i>heparan sulfate D-glucosaminyl 3-O-sulfotransferase-2</i> (<i>3-OST-2</i>) in human breast, colon, lung and pancreatic cancers.</p>	<p>Oncogene, 22: 274-280, 2003.</p>
<p>Kaneda, A., <u>Ushijima, T.</u>, et al.</p>	<p>Methylation-sensitive-representational difference analysis and its application to cancer research.</p>	<p>Ann. N. Y. Acad. Sci., in press.</p>
<p>Asada, K., <u>Ushijima, T.</u>, et al.</p>	<p>Reduced expression of <i>GNAI1</i> and silencing of <i>MCT1</i> in human breast cancers.</p>	<p>Oncology, in press.</p>
<p><u>Ushijima, T.</u>, et al.</p>	<p>Fidelity of the methylation pattern and its variation in the genome.</p>	<p>Genome Res., in press.</p>
<p><u>Shiraishi, M.</u>, et al.</p>	<p><i>HOX</i> gene clusters are hotspots of <i>de novo</i> methylation in CpG islands of human lung adenocarcinomas.</p>	<p>Oncogene, 21: 3659-3662, 2002.</p>
<p><u>Shiraishi, M.</u>, et al.</p>	<p>A comprehensive catalog of CpG islands methylated in human lung adenocarcinomas for the identification of tumor suppressor genes.</p>	<p>Oncogene, 21: 3804-3813, 2002.</p>

<u>Shiraishi, M.</u> , et al.	An overview of the analysis of DNA methylation in mammalian genomes.	Biol. Chem., 383: 893-906, 2002.
<u>Shiraishi, M.</u> , et al.	Variable estimation of genomic DNA methylation: a comparison of methyl-CpG binding domain column chromatography and bisulfite genomic sequencing.	Anal. Biochem., 308: 182-185, 2002.
Koizume, S., <u>Hirohashi, S.</u> , <u>Shiraishi, M.</u> , et al.	Heterogeneity in the modification and involvement of chromatin components of the CpG island of the silenced human <i>CDHI</i> gene in cancer cells.	Nucleic Acids Res., 30: 4770-4780, 2002.
Koizume, S., <u>Shiraishi, M.</u> , et al.	Specific methylation status of the entire CpG island is not a prerequisite for the formation of an inactive chromatin at the promoter region in cancer cells.	Biol. Pharm. Bull., 26: 127-128, 2003.
Koizume, S., <u>Shiraishi, M.</u> , et al.	Treatment with histone deacetylase inhibitors results in altered recruitment of methyl-CpG binding proteins to a methylated CpG island in cancer cells.	Biol. Chem., in press.
Sawada, M., <u>Kivono, T.</u> , et al.	Acid sphingomyelinase activation requires caspase-8 but not p53 nor reactive oxygen species during Fas-induced apoptosis in human glioma cells.	Exp. Cell Res., 273: 157-168, 2002.
Fujita, M., <u>Kivono, T.</u> , et al.	Nuclear organization of DNA replication initiation proteins in mammalian cells.	J. Biol. Chem., 277: 10354-10361, 2002.
Okamoto, T., <u>Kivono, T.</u> , et al.	Clonal heterogeneity in differentiation potential of immortalized human mesenchymal stem cells.	Biochem. Biophys. Res. Commun., 295: 354-361, 2002.
Nakamura, H., <u>Kivono, T.</u> , et al.	Establishment of immortal normal and ataxia telangiectasia fibroblast cell lines by introduction of the <i>hTERT</i> gene.	J. Radiat. Res., 43: 167-174, 2002.
Handa, K., <u>Kivono, T.</u> , et al.	Cementum matrix formation in vitro by cultured dental follicle cells.	Bone, 31: 606-611, 2002.

Kudoh, A., <u>Kivono, T.</u> , et al.	Reactivation of lytic replication from Epstein-Barr virus latently infected B-cells occurs with high S-phase CDK activity while inhibiting cellular DNA replication.	J. Virol., 77: 851-861, 2003.
Fujita, M., <u>Kivono, T.</u> , et al.	Establishment of latrunculin-A-resistance in HeLa cells by expression of R183A D184A mutant $\beta$ -actin.	Oncogene, 22: 627-631, 2003.
Bruemmer, D., <u>Kivono, T.</u> , et al.	Atorvastatin inhibits expression of minichromosome maintenance proteins in vascular muscle cells.	Europ. J. Pharmacol., 462: 15-23, 2003.
Bruemmer, D., <u>Kivono, T.</u> , et al.	Rapamycin inhibits E2F-dependent expression of minichromosome maintenance proteins in vascular smooth muscle cells.	Biochem. Biophys. Res. Commun., 303: 251-258, 2003.
Imabayashi, H., <u>Kivono, T.</u> , et al.	Redifferentiation of dedifferentiated chondrocytes and chondrogenesis of human bone marrow stromal cells via chondrosphere formation with expression profiling by large-scale cDNA analysis.	Exp. Cell Res., in press.
Nagata, K.I., <u>Kivono, T.</u> , et al.	Filament formation of MSF-A, a mammalian septin, in mammary HMEC cells depends on interactions with microtubules.	J. Biol. Chem., in press.
Kondo, K., <u>Hosoda, F.</u> , et al.	A pediatric case of secondary leukemia associated with t(16;21)(q24;q22) exhibiting the chimeric AML1-MTG16 gene.	Leukem. Lymph., 43: 415-420, 2002.
<u>Murakami, Y.</u>	Functional cloning of a tumor suppressor gene, <i>TSLC1</i> , in human non-small cell lung cancer.	Oncogene, 21: 6936-6948, 2002.
Yageta, M., <u>Murakami, Y.</u> , et al.	Direct association of <i>TSLC1</i> and DAL-1, two distinct tumor suppressor proteins in lung cancer.	Cancer Res., 62: 5129-5133, 2002.
Honda, T., <u>Murakami, Y.</u> , et al.	Hyper-methylation of the <i>TSLC1</i> gene promoter in primary gastric cancers and gastric cancer cell lines.	Jpn. J. Cancer Res., 93: 857-860, 2002.
Masuda, M., <u>Murakami, Y.</u> , et al.	The tumor suppressor protein <i>TSLC1</i> is involved in cell-cell adhesion.	J Biol. Chem., 277: 31014-31019, 2002.

Fukami, T., <u>Murakami, Y.</u> et al.	Identification of the <i>Tslc1</i> gene, a mouse orthologue of the human tumor suppressor <i>TSLC1</i> gene.	Gene, 295: 7-12, 2002.
Fukuhara, H., <u>Murakami, Y.</u> et al.	Promoter methylation of the <i>TSLC1</i> and tumor suppression by its gene product in human prostate cancer.	Jpn. J. Cancer Res., 93: 605-609, 2002.
Tamura, K., <u>Murakami, Y.</u> et al.	Homozygous deletion on the chromosomal region 5q12.3 in human lines of small-cell lung cancers.	J. Hum. Genet., 47: 348-354, 2002.
Nomoto, K., <u>Sugano, K.</u> et al.	Methylation status and expression of human telomerase reverse transcriptase mRNA in relation to hypermethylation of the <i>p16</i> gene in colorectal cancers as analyzed by bisulfite PCR-SSCP.	Jpn. J. Clin. Oncol., 32: 3-8, 2002.
Matsumura, Y., <u>Sugano, K.</u> , et al.	Effect of a 3-hour interval between methotrexate and 5-fluorouracil in the treatment of metastatic colorectal cancer.	Jpn. J. Clin. Oncol., 32: 9-13, 2002.
Gonda, K., <u>Sugano, K.</u> et al.	A novel germline mutation of <i>hMLH1</i> in a patient with hereditary nonpolyposis colorectal cancer.	Jpn. J. Clin. Oncol., 32: 215-218, 2002.
Miyakura, Y., <u>Sugano, K.</u> et al.	Concurrent mutations of <i>K-ras</i> oncogene at codons 12 and 22 in colon Cancer.	Jpn. J. Clin. Oncol., 32: 219-221, 2002.
Ishida, H., <u>Sugano, K.</u> et al.	The novel germline mutation of <i>hMSH2</i> gene in a case of colon cancer patient without family history.	Jpn. J. Clin. Oncol., 32: 266-269, 2002.
Nakagawa, H., <u>Sugano, K.</u> , et al.	Frequent detection of human papilloma viruses in cervical dysplasia by single-strand DNA-conformational polymorphism analysis.	Anticancer Res., 22: 1655-1660, 2002.
Maekawa, M., <u>Sugano, K.</u> et al.	Electrophoretic variant of a lactate dehydrogenase isoenzyme and selective promoter methylation of the <i>LDHA</i> gene in human retinoblastoma cell line.	Clin. Chem., 48: 1938-1945, 2002.
Miyakura, Y., <u>Sugano, K.</u> et al.	Methylation profile of the <i>MLH1</i> promoter region and their relationship to colorectal carcinogenesis.	Genes Chromosomes & Cancer, 36: 17-25, 2003.

Kikuchi, T., <u>Imai, K.</u> , et al.	Inactivation of p57KIP2 by regional promoter hypermethylation and histone deacetylation in human tumors.	Oncogene, 21: 2741-2749, 2002.
Yamamoto, H., <u>Imai, K.</u> , et al.	Differential involvement of the hypermethylator phenotype in hereditary and sporadic colorectal cancers with high-frequency microsatellite instability.	Genes Chromosomes Cancer, 33: 322-325, 2002.
Kikuchi, T., <u>Imai, K.</u> , et al.	Aberrant methylation and histone deacetylation of cyclooxygenase 2 in gastric cancer.	Int. J. Cancer, 97: 272-277, 2002.
Takahashi, H., <u>Imai, K.</u> , et al.	Mucin phenotype and microsatellite instability in multiple early gastric cancers.	Int. J. Cancer, 100: 419-424, 2002.
Sasaki, Y., <u>Imai, K.</u> , et al.	Increased expression of T-fimbrin gene after DNA damage in CHO cells and inactivation of T-fimbrin by CpG methylation in human colorectal cancer cells.	Int. J. Cancer, 97: 211-216, 2002.
Satoh, A., <u>Imai, K.</u> , et al.	DNA methylation and histone deacetylation associated with silencing DAP kinase gene expression in colorectal and gastric cancers.	Br. J. Cancer, 86: 1817-1823, 2002.
Yamamoto, H., <u>Imai, K.</u> , et al.	Gene expression analysis of human colorectal cancer tissues by cDNA array.	J. Gastroenterol., 37: 83-86, 2002.
Sasaki, S., <u>Imai, K.</u> , et al.	Differential roles of alterations of p53, p16, and SMAD4 expression in the progression of intraductal papillary-mucinous tumors of the pancreas.	Oncol. Reports, 10: 21-25, 2003.
Yamamoto, H., <u>Imai, K.</u> , et al.	Gastrointestinal cancer of the microsatellite mutator phenotype pathway.	Adv. Cancer Res., in press.
Yamamoto, Y., <u>Sakamoto.</u> <u>M., Hirohashi.</u> <u>S.</u> , et al.	Overexpression of orphan G-protein-coupled receptor, Gpr49, in human hepatocellular carcinomas with $\beta$ -catenin mutations.	Hepatology, 37(3): 528-533, 2003.
Shimamura, T., <u>Sakamoto.</u> <u>M., Hirohashi.</u> <u>S.</u> , et al.	Dysadherin overexpression in pancreatic ductal adenocarcinoma reflects tumor aggressiveness: relationship to E-cadherin expression.	J. Clin. Oncol., 21(4): 659-667, 2003.

Yamazaki, K., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Overexpression of KIT in chromophobe renal cell carcinoma.	Oncogene, 22(6): 847-852, 2003.
Chuma, M., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Expression profiling in multistage hepatocarcinogenesis: identification of HSP70 as a molecular marker of early hepatocellular carcinoma.	Hepatology, 37(1): 198-207, 2003.
Okusaka, T., <u>Sakamoto, M.</u> , et al.	Satellite lesions in patients with small hepatocellular carcinoma with reference to clinicopathologic features.	Cancer, 95(9): 1931-1937, 2002.
Shimamura, T., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Clinicopathological significance of galectin-3 expression in ductal adenocarcinoma of the pancreas.	Clin. Cancer Res., 8(8): 2570-2575, 2002.
Nakanishi, K., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Critical involvement of the phosphatidylinositol 3-kinase/Akt pathway in anchorage-independent growth and hematogeneous intrahepatic metastasis of liver cancer.	Cancer Res., 62(10): 2971-2975, 2002.
Yachida, S., <u>Sakamoto, M.</u> , <u>Hirohashi, S.</u> , et al.	Implications of peritoneal washing cytology in patients with potentially resectable pancreatic cancer.	Br. J. Surg., 89: 573-578, 2002.