

Liver disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr~		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	0	0	0	0	0	0	1	0.1
	Female	0	0	1	0.4	0	0	2	0.7	0	0	3	0.3
	Total	0	0	2	0.3	0	0	2	0.4	0	0	4	0.2
None	Male	249	91.9	269	90.9	258	88.7	252	91.6	16	94.1	1044	90.8
	Female	253	97.3	265	93.3	249	91.9	248	92.5	20	90.9	1035	93.7
	Total	502	94.5	534	92.1	507	90.2	500	92.1	36	92.3	2079	92.2
On medication	Male	1	0.4	5	1.7	9	3.1	5	1.8	0	0	20	1.7
	Female	0	0	3	1.1	3	1.1	2	0.7	1	4.5	9	0.8
	Total	1	0.2	8	1.4	12	2.1	7	1.3	1	2.6	29	1.3
Previously medicated	Male	10	3.7	9	3.0	17	5.8	12	4.4	0	0	48	4.2
	Female	6	2.3	9	3.2	13	4.8	12	4.5	1	4.5	41	3.7
	Total	16	3.0	18	3.1	30	5.3	24	4.4	1	2.6	89	3.9
Not treated	Male	11	4.1	12	4.1	7	2.4	6	2.2	1	5.9	37	3.2
	Female	1	0.4	6	2.1	6	2.2	4	1.5	0	0	17	1.5
	Total	12	2.3	18	3.1	13	2.3	10	1.8	1	2.6	54	2.4

Cholecystitis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr~		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	1	0.4	0	0	3	0.3
	Female	0	0	1	0.4	0	0	2	0.7	0	0	3	0.3
	Total	0	0	2	0.3	1	0.2	3	0.6	0	0	6	0.3
None	Male	256	94.5	276	93.2	262	90.0	247	89.8	15	88.2	1056	91.8
	Female	242	93.1	263	92.6	246	90.8	241	89.9	21	95.5	1013	91.7
	Total	498	93.8	539	92.9	508	90.4	488	89.9	36	92.3	2069	91.8
On medication	Male	1	0.4	1	0.3	1	0.3	2	0.7	0	0	5	0.4
	Female	1	0.4	2	0.7	0	0	0	0	1	4.5	4	0.4
	Total	2	0.4	3	0.5	1	0.2	2	0.4	1	2.6	9	0.4
Previously medicated	Male	6	2.2	14	4.7	19	6.5	20	7.3	2	11.8	61	5.3
	Female	13	5.0	12	4.2	17	6.3	20	7.5	0	0	62	5.6
	Total	19	3.6	26	4.5	36	6.4	40	7.4	2	5.1	123	5.5
Not treated	Male	8	3.0	4	1.4	8	2.7	5	1.8	0	0	25	2.2
	Female	4	1.5	6	2.1	8	3.0	5	1.9	0	0	23	2.1
	Total	12	2.3	10	1.7	16	2.8	10	1.8	0	0	48	2.1

Diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	0	0	0	0	2	0.2
	Female	0	0	1	0.4	0	0	2	0.7	0	0	3	0.3
	Total	0	0	2	0.3	1	0.2	2	0.4	0	0	5	0.2
None	Male	257	94.8	269	90.9	251	86.3	235	85.5	15	88.2	1027	89.3
	Female	255	98.1	266	93.7	252	93.0	247	92.2	19	86.4	1039	94.0
	Total	512	96.4	535	92.2	503	89.5	482	88.8	34	87.2	2066	91.6
On medication	Male	6	2.2	16	5.4	26	8.9	31	11.3	2	11.8	81	7.0
	Female	1	0.4	12	4.2	13	4.8	17	6.3	3	13.6	46	4.2
	Total	7	1.3	28	4.8	39	6.9	48	8.8	5	12.8	127	5.6
Previously medicated	Male	1	0.4	1	0.3	8	2.7	5	1.8	0	0	15	1.3
	Female	2	0.8	1	0.4	3	1.1	2	0.7	0	0	8	0.7
	Total	3	0.6	2	0.3	11	2.0	7	1.3	0	0	23	1.0
Not treated	Male	7	2.6	9	3.0	5	1.7	4	1.5	0	0	25	2.2
	Female	2	0.8	4	1.4	3	1.1	0	0	0	0	9	0.8
	Total	9	1.7	13	2.2	8	1.4	4	0.7	0	0	34	1.5

Peptic ulcer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	0	0	1	0.4	1	5.9	3	0.3
	Female	0	0	2	0.7	0	0	1	0.4	0	0	3	0.3
	Total	0	0	3	0.5	0	0	2	0.4	1	2.6	6	0.3
None	Male	218	80.4	237	80.1	208	71.5	204	74.2	9	52.9	876	76.2
	Female	235	90.4	260	91.5	241	88.9	225	84.0	20	90.9	981	88.8
	Total	453	85.3	497	85.7	449	79.9	429	79.0	29	74.4	1857	82.4
On medication	Male	4	1.5	6	2.0	13	4.5	15	5.5	3	17.6	41	3.6
	Female	9	3.5	3	1.1	4	1.5	11	4.1	2	9.1	29	2.6
	Total	13	2.4	9	1.6	17	3.0	26	4.8	5	12.8	70	3.1
Previously medicated	Male	45	16.6	50	16.9	65	22.3	54	19.6	3	17.6	217	18.9
	Female	13	5.0	17	6.0	25	9.2	28	10.4	0	0	83	7.5
	Total	58	10.9	67	11.6	90	16.0	82	15.1	3	7.7	300	13.3
Not treated	Male	4	1.5	2	0.7	5	1.7	1	0.4	1	5.9	13	1.1
	Female	3	1.2	2	0.7	1	0.4	3	1.1	0	0	9	0.8
	Total	7	1.3	4	0.7	6	1.1	4	0.7	1	2.6	22	1.0

Tuberculosis, plaurisy

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	1	0.4	0	0	3	0.3
	Female	0	0	1	0.4	0	0	0	0	0	0	1	0.1
	Total	0	0	2	0.3	1	0.2	1	0.2	0	0	4	0.2
None	Male	264	97.4	288	97.3	264	90.7	226	82.2	10	58.8	1052	91.5
	Female	256	98.5	274	96.5	257	94.8	229	85.4	18	81.8	1034	93.6
	Total	520	97.9	562	96.9	521	92.7	455	83.8	28	71.8	2086	92.5
On medication	Male	0	0	1	0.3	0	0	1	0.4	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	1	0.2	0	0	2	0.1
Previously medicated	Male	6	2.2	5	1.7	24	8.2	44	16.0	6	35.3	85	7.4
	Female	4	1.5	7	2.5	11	4.1	35	13.1	4	18.2	61	5.5
	Total	10	1.9	12	2.1	35	6.2	79	14.5	10	25.6	146	6.5
Not treated	Male	1	0.4	1	0.3	2	0.7	3	1.1	1	5.9	8	0.7
	Female	0	0	2	0.7	3	1.1	4	1.5	0	0	9	0.8
	Total	1	0.2	3	0.5	5	0.9	7	1.3	1	2.6	17	0.8

Bronchial asthma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	1	0.3	1	0.4	0	0	4	0.3
	Female	0	0	1	0.4	0	0	2	0.7	0	0	3	0.3
	Total	1	0.2	2	0.3	1	0.2	3	0.6	0	0	7	0.3
None	Male	257	94.8	287	97.0	283	97.3	264	96.0	16	94.1	1107	96.3
	Female	247	95.0	265	93.3	265	97.8	256	95.5	21	95.5	1054	95.4
	Total	504	94.9	552	95.2	548	97.5	520	95.8	37	94.9	2161	95.8
On medication	Male	1	0.4	3	1.0	3	1.0	3	1.1	0	0	10	0.9
	Female	0	0	5	1.8	1	0.4	3	1.1	0	0	9	0.8
	Total	1	0.2	8	1.4	4	0.7	6	1.1	0	0	19	0.8
Previously medicated	Male	11	4.1	5	1.7	3	1.0	5	1.8	1	5.9	25	2.2
	Female	11	4.2	13	4.6	5	1.8	7	2.6	1	4.5	37	3.3
	Total	22	4.1	18	3.1	8	1.4	12	2.2	2	5.1	62	2.7
Not treated	Male	1	0.4	0	0	1	0.3	2	0.7	0	0	4	0.3
	Female	2	0.8	0	0	0	0	0	0	0	0	2	0.2
	Total	3	0.6	0	0	1	0.2	2	0.4	0	0	6	0.3

Chronic bronchitis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	1	0.3	2	0.7	0	0	5	0.4
	Female	0	0	2	0.7	0	0	2	0.7	0	0	4	0.4
	Total	1	0.2	3	0.5	1	0.2	4	0.7	0	0	9	0.4
None	Male	263	97.0	291	98.3	282	96.9	260	94.5	17	100.0	1113	96.8
	Female	253	97.3	275	96.8	262	96.7	253	94.4	21	95.5	1064	96.3
	Total	516	97.2	566	97.6	544	96.8	513	94.5	38	97.4	2177	96.5
On medication	Male	0	0	0	0	0	0	3	1.1	0	0	3	0.3
	Female	0	0	1	0.4	2	0.7	2	0.7	0	0	5	0.5
	Total	0	0	1	0.2	2	0.4	5	0.9	0	0	8	0.4
Previously medicated	Male	6	2.2	4	1.4	6	2.1	6	2.2	0	0	22	1.9
	Female	5	1.9	6	2.1	6	2.2	10	3.7	1	4.5	28	2.5
	Total	11	2.1	10	1.7	12	2.1	16	2.9	1	2.6	50	2.2
Not treated	Male	1	0.4	0	0	2	0.7	4	1.5	0	0	7	0.6
	Female	2	0.8	0	0	1	0.4	1	0.4	0	0	4	0.4
	Total	3	0.6	0	0	3	0.5	5	0.9	0	0	11	0.5

Anemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	3	1.1	0	0	5	0.4
	Female	0	0	1	0.4	0	0	4	1.5	0	0	5	0.5
	Total	0	0	2	0.3	1	0.2	7	1.3	0	0	10	0.4
None	Male	262	96.7	286	96.6	276	94.8	246	89.5	14	82.4	1084	94.3
	Female	161	61.9	205	72.2	225	83.0	227	84.7	19	86.4	837	75.7
	Total	423	79.7	491	84.7	501	89.1	473	87.1	33	84.6	1921	85.2
On medication	Male	0	0	0	0	2	0.7	3	1.1	0	0	5	0.4
	Female	5	1.9	2	0.7	0	0	5	1.9	2	9.1	14	1.3
	Total	5	0.9	2	0.3	2	0.4	8	1.5	2	5.1	19	0.8
Previously medicated	Male	2	0.7	3	1.0	5	1.7	7	2.5	1	5.9	18	1.6
	Female	74	28.5	59	20.8	34	12.5	21	7.8	0	0	188	17.0
	Total	76	14.3	62	10.7	39	6.9	28	5.2	1	2.6	206	9.1
Not treated	Male	7	2.6	6	2.0	7	2.4	16	5.8	2	11.8	38	3.3
	Female	20	7.7	17	6.0	12	4.4	11	4.1	1	4.5	61	5.5
	Total	27	5.1	23	4.0	19	3.4	27	5.0	3	7.7	99	4.4

Osteoporosis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	2	0.7	2	0.7	1	0.4	0	0	5	0.4
	Female	0	0	2	0.7	0	0	2	0.7	0	0	4	0.4
	Total	0	0	4	0.7	2	0.4	3	0.6	0	0	9	0.4
None	Male	270	99.6	294	99.3	286	98.3	264	96.0	16	94.1	1130	98.3
	Female	257	98.8	271	95.4	249	91.9	205	76.5	16	72.7	998	90.3
	Total	527	99.2	565	97.4	535	95.2	469	86.4	32	82.1	2128	94.4
On medication	Male	0	0	0	0	1	0.3	2	0.7	0	0	3	0.3
	Female	2	0.8	3	1.1	13	4.8	30	11.2	3	13.6	51	4.6
	Total	2	0.4	3	0.5	14	2.5	32	5.9	3	7.7	54	2.4
Previously medicated	Male	0	0	0	0	0	0	5	1.8	1	5.9	6	0.5
	Female	0	0	2	0.7	6	2.2	20	7.5	2	9.1	30	2.7
	Total	0	0	2	0.3	6	1.1	25	4.6	3	7.7	36	1.6
Not treated	Male	1	0.4	0	0	2	0.7	3	1.1	0	0	6	0.5
	Female	1	0.4	6	2.1	3	1.1	11	4.1	1	4.5	22	2.0
	Total	2	0.4	6	1.0	5	0.9	14	2.6	1	2.6	28	1.2

Rheumatic arthritis

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	1	0.3	1	0.4	0	0	4	0.3
	Female	0	0	1	0.4	1	0.4	2	0.7	0	0	4	0.4
	Total	1	0.2	2	0.3	2	0.4	3	0.6	0	0	8	0.4
None	Male	264	97.4	279	94.3	268	92.1	245	89.1	15	88.2	1071	93.1
	Female	238	91.5	260	91.5	219	80.8	212	79.1	15	68.2	944	85.4
	Total	502	94.5	539	92.9	487	86.7	457	84.2	30	76.9	2015	89.4
On medication	Male	1	0.4	2	0.7	5	1.7	13	4.7	0	0	21	1.8
	Female	4	1.5	4	1.4	12	4.4	26	9.7	5	22.7	51	4.6
	Total	5	0.9	6	1.0	17	3.0	39	7.2	5	12.8	72	3.2
Previously medicated	Male	3	1.1	10	3.4	13	4.5	14	5.1	2	11.8	42	3.7
	Female	15	5.8	17	6.0	33	12.2	25	9.3	2	9.1	92	8.3
	Total	18	3.4	27	4.7	46	8.2	39	7.2	4	10.3	134	5.9
Not treated	Male	2	0.7	4	1.4	4	1.4	2	0.7	0	0	12	1.0
	Female	3	1.2	2	0.7	6	2.2	3	1.1	0	0	14	1.3
	Total	5	0.9	6	1.0	10	1.8	5	0.9	0	0	26	1.2

Gout, hyperuricacidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	1	0.3	1	0.4	0	0	4	0.3
	Female	0	0	2	0.7	2	0.7	2	0.7	0	0	6	0.5
	Total	1	0.2	3	0.5	3	0.5	3	0.6	0	0	10	0.4
None	Male	253	93.4	270	91.2	256	88.0	245	89.1	14	82.4	1038	90.3
	Female	258	99.2	279	98.2	265	97.8	258	96.3	22	100.0	1082	97.9
	Total	511	96.2	549	94.7	521	92.7	503	92.6	36	92.3	2120	94.0
On medication	Male	4	1.5	14	4.7	17	5.8	14	5.1	1	5.9	50	4.3
	Female	0	0	1	0.4	0	0	3	1.1	0	0	4	0.4
	Total	4	0.8	15	2.6	17	3.0	17	3.1	1	2.6	54	2.4
Previously medicated	Male	8	3.0	7	2.4	11	3.8	15	5.5	2	11.8	43	3.7
	Female	0	0	1	0.4	2	0.7	3	1.1	0	0	6	0.5
	Total	8	1.5	8	1.4	13	2.3	18	3.3	2	5.1	49	2.2
Not treated	Male	5	1.8	4	1.4	6	2.1	0	0	0	0	15	1.3
	Female	2	0.8	1	0.4	2	0.7	2	0.7	0	0	7	0.6
	Total	7	1.3	5	0.9	8	1.4	2	0.4	0	0	22	1.0

Cancer

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	2	0.7	0	0	4	0.3
	Female	0	0	1	0.4	0	0	1	0.4	0	0	2	0.2
	Total	0	0	2	0.3	1	0.2	3	0.6	0	0	6	0.3
None	Male	269	99.3	290	98.0	282	96.9	255	92.7	17	100.0	1113	96.8
	Female	253	97.3	272	95.8	264	97.4	250	93.3	18	81.8	1057	95.7
	Total	522	98.3	562	96.9	546	97.2	505	93.0	35	89.7	2170	96.2
On medication	Male	0	0	0	0	2	0.7	6	2.2	0	0	8	0.7
	Female	1	0.4	2	0.7	2	0.7	1	0.4	1	4.5	7	0.6
	Total	1	0.2	2	0.3	4	0.7	7	1.3	1	2.6	15	0.7
Previously medicated	Male	1	0.4	5	1.7	6	2.1	12	4.4	0	0	24	2.1
	Female	6	2.3	9	3.2	5	1.8	15	5.6	3	13.6	38	3.4
	Total	7	1.3	14	2.4	11	2.0	27	5.0	3	7.7	62	2.7
Not treated	Male	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	1	0.2	0	0	0	0	1	0.2	0	0	2	0.1

Fracture

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	1	0.3	1	0.4	0	0	2	0.2
	Female	0	0	1	0.4	2	0.7	1	0.4	0	0	4	0.4
	Total	0	0	1	0.2	3	0.5	2	0.4	0	0	6	0.3
None	Male	194	71.6	214	72.3	211	72.5	199	72.4	12	70.6	830	72.2
	Female	221	85.0	232	81.7	207	76.4	180	67.2	12	54.5	852	77.1
	Total	415	78.2	446	76.9	418	74.4	379	69.8	24	61.5	1682	74.6
On medication	Male	2	0.7	0	0	0	0	1	0.4	0	0	3	0.3
	Female	0	0	1	0.4	2	0.7	4	1.5	1	4.5	8	0.7
	Total	2	0.4	1	0.2	2	0.4	5	0.9	1	2.6	11	0.5
Previously medicated	Male	75	27.7	82	27.7	78	26.8	74	26.9	4	23.5	313	27.2
	Female	37	14.2	50	17.6	60	22.1	81	30.2	9	40.9	237	21.4
	Total	112	21.1	132	22.8	138	24.6	155	28.5	13	33.3	550	24.4
Not treated	Male	0	0	0	0	1	0.3	0	0	1	5.9	2	0.2
	Female	2	0.8	0	0	0	0	2	0.7	0	0	4	0.4
	Total	2	0.4	0	0	1	0.2	2	0.4	1	2.6	6	0.3

Benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	1	0.4	0	0	3	0.3
	Female	0	0	2	0.7	2	0.7	4	1.5	0	0	8	0.7
	Total	0	0	3	0.5	3	0.5	5	0.9	0	0	11	0.5
None	Male	268	98.9	283	95.6	261	89.7	227	82.5	11	64.7	1050	91.3
	Female	260	100.0	282	99.3	269	99.3	264	98.5	22	100.0	1097	99.3
	Total	528	99.4	565	97.4	530	94.3	491	90.4	33	84.6	2147	95.2
On medication	Male	0	0	3	1.0	7	2.4	28	10.2	1	5.9	39	3.4
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	3	0.5	7	1.2	28	5.2	1	2.6	39	1.7
Previously medicated	Male	2	0.7	2	0.7	17	5.8	12	4.4	5	29.4	38	3.3
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	2	0.4	2	0.3	17	3.0	12	2.2	5	12.8	38	1.7
Not treated	Male	1	0.4	7	2.4	5	1.7	7	2.5	0	0	20	1.7
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	7	1.2	5	0.9	7	1.3	0	0	20	0.9

Dementia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	2	0.7	0	0	4	0.3
	Female	0	0	1	0.4	0	0	2	0.7	0	0	3	0.3
	Total	0	0	2	0.3	1	0.2	4	0.7	0	0	7	0.3
None	Male	270	99.6	295	99.7	289	99.3	273	99.3	17	100.0	1144	99.5
	Female	260	100.0	283	99.6	270	99.6	265	98.9	22	100.0	1100	99.5
	Total	530	99.8	578	99.7	559	99.5	538	99.1	39	100.0	2244	99.5
On medication	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Not treated	Male	1	0.4	0	0	1	0.3	0	0	0	0	2	0.2
	Female	0	0	0	0	1	0.4	0	0	0	0	1	0.1
	Total	1	0.2	0	0	2	0.4	0	0	0	0	3	0.1

Parkinson disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	1	0.3	3	1.1	0	0	6	0.5
	Female	0	0	1	0.4	0	0	2	0.7	0	0	3	0.3
	Total	1	0.2	2	0.3	1	0.2	5	0.9	0	0	9	0.4
None	Male	269	99.3	295	99.7	288	99.0	272	98.9	17	100.0	1141	99.2
	Female	260	100.0	283	99.6	271	100.0	266	99.3	22	100.0	1102	99.7
	Total	529	99.6	578	99.7	559	99.5	538	99.1	39	100.0	2243	99.5
On medication	Male	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	0	0	1	0.0
Not treated	Male	1	0.4	0	0	1	0.3	0	0	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	1	0.2	0	0	0	0	2	0.1

Others

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.7	5	1.7	7	2.4	6	2.2	2	11.8	22	1.9
	Female	1	0.4	1	0.4	8	3.0	5	1.9	0	0	15	1.4
	Total	3	0.6	6	1.0	15	2.7	11	2.0	2	5.1	37	1.6
None	Male	188	69.4	209	70.6	186	63.9	168	61.1	10	58.8	761	66.2
	Female	180	69.2	199	70.1	184	67.9	195	72.8	14	63.6	772	69.9
	Total	368	69.3	408	70.3	370	65.8	363	66.9	24	61.5	1533	68.0
On medication	Male	12	4.4	12	4.1	26	8.9	27	9.8	3	17.6	80	7.0
	Female	14	5.4	20	7.0	13	4.8	27	10.1	3	13.6	77	7.0
	Total	26	4.9	32	5.5	39	6.9	54	9.9	6	15.4	157	7.0
Previously medicated	Male	66	24.4	69	23.3	71	24.4	70	25.5	2	11.8	278	24.2
	Female	61	23.5	61	21.5	63	23.2	40	14.9	5	22.7	230	20.8
	Total	127	23.9	130	22.4	134	23.8	110	20.3	7	17.9	508	22.5
Not treated	Male	3	1.1	1	0.3	1	0.3	4	1.5	0	0	9	0.8
	Female	4	1.5	3	1.1	3	1.1	1	0.4	0	0	11	1.0
	Total	7	1.3	4	0.7	4	0.7	5	0.9	0	0	20	0.9

History of gastrectomy

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	0	0	4	1.5	0	0	6	0.5
	Female	1	0.4	2	0.7	3	1.1	3	1.1	0	0	9	0.8
	Total	2	0.4	3	0.5	3	0.5	7	1.3	0	0	15	0.7
Exist	Male	0	0	11	3.7	6	2.1	37	13.5	1	5.9	55	4.8
	Female	1	0.4	1	0.4	2	0.7	8	3.0	1	4.5	13	1.2
	Total	1	0.2	12	2.1	8	1.4	45	8.3	2	5.1	68	3.0
None	Male	270	99.6	284	95.9	285	97.9	234	85.1	16	94.1	1089	94.7
	Female	258	99.2	281	98.9	266	98.2	257	95.9	21	95.5	1083	98.0
	Total	528	99.4	565	97.4	551	98.0	491	90.4	37	94.9	2172	96.3

Age of gastrectomy (years old)

		40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
		Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male		-	-	0	36.8	12.3	9	45.0	11.7	6	52.2	13.5	37	32.0	-	1	48.4	14.3	53
Female		36.0	-	1	53.0	-	1	38.5	6.4	2	61.1	14.6	8	73.0	-	1	56.0	16.0	13
Total		36.0	-	1	38.4	12.6	10	43.4	10.6	8	53.8	14.0	45	52.5	29.0	2	49.9	14.8	66

History of gall bladder surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0	3	1.0	7	2.5	0	0	11	1.0
	Female	1	0.4	1	0.4	3	1.1	2	0.7	0	0	7	0.6
	Total	2	0.4	1	0.2	6	1.1	9	1.7	0	0	18	0.8
Exist	Male	2	0.7	10	3.4	11	3.8	17	6.2	2	11.8	42	3.7
	Female	10	3.8	10	3.5	11	4.1	17	6.3	0	0	48	4.3
	Total	12	2.3	20	3.4	22	3.9	34	6.3	2	5.1	90	4.0
None	Male	268	98.9	286	96.6	277	95.2	251	91.3	15	88.2	1097	95.4
	Female	249	95.8	273	96.1	257	94.8	249	92.9	22	100.0	1050	95.0
	Total	517	97.4	559	96.4	534	95.0	500	92.1	37	94.9	2147	95.2

Age of gall bladder surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	38.5	12.0	2	39.2	10.1	9	59.8	5.0	10	60.3	10.8	16	45.5	7.8	2	53.4	13.1	39
Female	40.7	5.7	10	46.6	12.4	10	55.4	9.5	9	61.4	6.9	17	-	-	0	52.5	11.8	46
Total	40.3	6.3	12	43.1	11.7	19	57.7	7.6	19	60.8	8.9	33	45.5	7.8	2	52.9	12.4	85

History of head surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	1	0.3	3	1.0	8	2.9	0	0	13	1.1
	Female	1	0.4	3	1.1	4	1.5	4	1.5	0	0	12	1.1
	Total	2	0.4	4	0.7	7	1.2	12	2.2	0	0	25	1.1
Exist	Male	2	0.7	4	1.4	5	1.7	6	2.2	1	5.9	18	1.6
	Female	1	0.4	0	0	1	0.4	4	1.5	0	0	6	0.5
	Total	3	0.6	4	0.7	6	1.1	10	1.8	1	2.6	24	1.1
None	Male	268	98.9	291	98.3	283	97.3	261	94.9	16	94.1	1119	97.3
	Female	258	99.2	281	98.9	266	98.2	260	97.0	22	100.0	1087	98.4
	Total	526	99.1	572	98.6	549	97.7	521	95.9	38	97.4	2206	97.8

Age of head surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	43.5	4.9	2	35.8	11.5	4	55.6	8.2	5	55.0	25.9	6	72.0	-	1	50.6	18.3	18
Female	12.0	-	1	-	-	0	35.0	-	1	57.0	12.3	4	-	-	0	45.8	21.0	6
Total	33.0	18.5	3	35.8	11.5	4	52.2	11.2	6	55.8	20.6	10	72.0	-	1	49.4	18.7	24

History of cardiac surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.7	1	0.3	3	1.0	5	1.8	0	0	11	1.0
	Female	1	0.4	1	0.4	3	1.1	4	1.5	0	0	9	0.8
	Total	3	0.6	2	0.3	6	1.1	9	1.7	0	0	20	0.9
Exist	Male	1	0.4	2	0.7	4	1.4	9	3.3	0	0	16	1.4
	Female	1	0.4	2	0.7	2	0.7	3	1.1	0	0	8	0.7
	Total	2	0.4	4	0.7	6	1.1	12	2.2	0	0	24	1.1
None	Male	268	98.9	293	99.0	284	97.6	261	94.9	17	100.0	1123	97.7
	Female	258	99.2	281	98.9	266	98.2	261	97.4	22	100.0	1088	98.5
	Total	526	99.1	574	99.0	550	97.9	522	96.1	39	100.0	2211	98.0

Age of cardiac surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	45.0	-	1	58.0	0.0	2	58.8	4.6	4	66.9	4.4	9	62.4	7.3	16
Female	9.0	-	1	49.0	0.0	2	59.0	8.5	2	63.0	11.3	2	50.1	19.9	7
Total	27.0	25.5	2	53.5	5.2	4	58.8	5.2	6	66.2	5.5	11	58.7	13.3	23

History of lung surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.7	1	0.3	4	1.4	8	2.9	0	0	15	1.3
	Female	1	0.4	2	0.7	3	1.1	4	1.5	0	0	10	0.9
	Total	3	0.6	3	0.5	7	1.2	12	2.2	0	0	25	1.1
Exist	Male	0	0	2	0.7	3	1.0	6	2.2	0	0	11	1.0
	Female	0	0	1	0.4	1	0.4	1	0.4	0	0	3	0.3
	Total	0	0	3	0.5	4	0.7	7	1.3	0	0	14	0.6
None	Male	269	99.3	293	99.0	284	97.6	261	94.9	17	100.0	1124	97.7
	Female	259	99.6	281	98.9	267	98.5	263	98.1	22	100.0	1092	98.8
	Total	528	99.4	574	99.0	551	98.0	524	96.5	39	100.0	2216	98.3

Age of lung surgery (years old)

	50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	53.0	7.1	2	43.0	24.0	3	40.8	22.7	6	43.6	20.0	11
Female	48.0	-	1	64.0	-	1	32.0	-	1	48.0	16.0	3
Total	51.3	5.8	3	48.3	22.2	4	39.6	21.0	7	44.6	18.7	14

History of thyroid surgery

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	2	0.7	2	0.7	6	2.1	9	3.3	0	0	19	1.7
	Female	1	0.4	2	0.7	3	1.1	5	1.9	0	0	11	1.0
	Total	3	0.6	4	0.7	9	1.6	14	2.6	0	0	30	1.3
Exist	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	2	0.8	3	1.1	3	1.1	3	1.1	0	0	11	1.0
	Total	2	0.4	3	0.5	3	0.5	5	0.9	0	0	13	0.6
None	Male	269	99.3	294	99.3	285	97.9	264	96.0	17	100.0	1129	98.2
	Female	257	98.8	279	98.2	265	97.8	260	97.0	22	100.0	1083	98.0
	Total	526	99.1	573	98.8	550	97.9	524	96.5	39	100.0	2212	98.1

Age of thyroid surgery (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	-	-	0	-	-	0	-	-	0	58.5	0.7	2	58.5	0.7	2
Female	37.5	14.8	2	49.0	4.6	3	32.3	4.0	3	51.0	17.5	3	42.9	12.7	11
Total	37.5	14.8	2	49.0	4.6	3	32.3	4.0	3	54.0	13.1	5	45.3	13.0	13

History of blood transfusion

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	5	1.8	0	0	0	0	1	0.4	0	0	6	0.5
	Female	1	0.4	3	1.1	3	1.1	2	0.7	0	0	9	0.8
	Total	6	1.1	3	0.5	3	0.5	3	0.6	0	0	15	0.7
Exist	Male	12	4.4	13	4.4	26	8.9	36	13.1	5	29.4	92	8.0
	Female	12	4.6	19	6.7	39	14.4	35	13.1	4	18.2	109	9.9
	Total	24	4.5	32	5.5	65	11.6	71	13.1	9	23.1	201	8.9
None	Male	254	93.7	283	95.6	265	91.1	238	86.5	12	70.6	1052	91.5
	Female	247	95.0	262	92.3	229	84.5	231	86.2	18	81.8	987	89.3
	Total	501	94.4	545	94.0	494	87.9	469	86.4	30	76.9	2039	90.4

History of hospital admission in last 2 years

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	2	0.7	3	1.0	0	0	1	5.9	7	0.6
	Female	0	0	1	0.4	1	0.4	4	1.5	0	0	6	0.5
	Total	1	0.2	3	0.5	4	0.7	4	0.7	1	2.6	13	0.6
Exist	Male	16	5.9	27	9.1	39	13.4	51	18.5	4	23.5	137	11.9
	Female	18	6.9	21	7.4	17	6.3	39	14.6	3	13.6	98	8.9
	Total	34	6.4	48	8.3	56	10.0	90	16.6	7	17.9	235	10.4
None	Male	254	93.7	267	90.2	249	85.6	224	81.5	12	70.6	1006	87.5
	Female	242	93.1	262	92.3	253	93.4	225	84.0	19	86.4	1001	90.6
	Total	496	93.4	529	91.2	502	89.3	449	82.7	31	79.5	2007	89.0

4) Family history

Family history of hypertension

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	2	0.7	0	0	3	1.1	0	0	5	0.4
	Female	3	1.2	0	0	0	0	0	0	0	0	3	0.3
	Total	3	0.6	2	0.3	0	0	3	0.6	0	0	8	0.4
Exist	Male	119	43.9	120	40.5	124	42.6	79	28.7	2	11.8	444	38.6
	Female	130	50.0	154	54.2	145	53.5	116	43.3	6	27.3	551	49.9
	Total	249	46.9	274	47.2	269	47.9	195	35.9	8	20.5	995	44.1
None	Male	152	56.1	174	58.8	167	57.4	193	70.2	15	88.2	701	61.0
	Female	127	48.8	130	45.8	126	46.5	152	56.7	16	72.7	551	49.9
	Total	279	52.5	304	52.4	293	52.1	345	63.5	31	79.5	1252	55.5

Family history of diabetes mellitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	2	0.7	1	0.3	3	1.1	0	0	6	0.5
	Female	1	0.4	3	1.1	0	0	1	0.4	0	0	5	0.5
	Total	1	0.2	5	0.9	1	0.2	4	0.7	0	0	11	0.5
Exist	Male	69	25.5	67	22.6	64	22.0	34	12.4	0	0	234	20.3
	Female	86	33.1	67	23.6	53	19.6	40	14.9	6	27.3	252	22.8
	Total	155	29.2	134	23.1	117	20.8	74	13.6	6	15.4	486	21.6
None	Male	202	74.5	227	76.7	226	77.7	238	86.5	17	100.0	910	79.1
	Female	173	66.5	214	75.4	218	80.4	227	84.7	16	72.7	848	76.7
	Total	375	70.6	441	76.0	444	79.0	465	85.6	33	84.6	1758	78.0

Family history of hyperlipidemia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	5	1.7	2	0.7	6	2.2	0	0	14	1.2
	Female	3	1.2	1	0.4	2	0.7	1	0.4	0	0	7	0.6
	Total	4	0.8	6	1.0	4	0.7	7	1.3	0	0	21	0.9
Exist	Male	21	7.7	18	6.1	16	5.5	8	2.9	0	0	63	5.5
	Female	27	10.4	38	13.4	25	9.2	21	7.8	1	4.5	112	10.1
	Total	48	9.0	56	9.7	41	7.3	29	5.3	1	2.6	175	7.8
None	Male	249	91.9	273	92.2	273	93.8	261	94.9	17	100.0	1073	93.3
	Female	230	88.5	245	86.3	244	90.0	246	91.8	21	95.5	986	89.2
	Total	479	90.2	518	89.3	517	92.0	507	93.4	38	97.4	2059	91.3

Family history of angina pectoris or myocardial infarction

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	2	0.7	3	1.0	3	1.1	0	0	8	0.7
	Female	1	0.4	1	0.4	2	0.7	3	1.1	0	0	7	0.6
	Total	1	0.2	3	0.5	5	0.9	6	1.1	0	0	15	0.7
Exist	Male	48	17.7	48	16.2	57	19.6	30	10.9	2	11.8	185	16.1
	Female	52	20.0	58	20.4	51	18.8	46	17.2	8	36.4	215	19.5
	Total	100	18.8	106	18.3	108	19.2	76	14.0	10	25.6	400	17.7
None	Male	223	82.3	246	83.1	231	79.4	242	88.0	15	88.2	957	83.2
	Female	207	79.6	225	79.2	218	80.4	219	81.7	14	63.6	883	79.9
	Total	430	81.0	471	81.2	449	79.9	461	84.9	29	74.4	1840	81.6

Family history of stroke

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	2	0.7	0	0	2	0.7	0	0	4	0.3
	Female	1	0.4	0	0	0	0	1	0.4	0	0	2	0.2
	Total	1	0.2	2	0.3	0	0	3	0.6	0	0	6	0.3
Exist	Male	81	29.9	92	31.1	97	33.3	89	32.4	4	23.5	363	31.6
	Female	95	36.5	102	35.9	112	41.3	89	33.2	6	27.3	404	36.6
	Total	176	33.1	194	33.4	209	37.2	178	32.8	10	25.6	767	34.0
None	Male	190	70.1	202	68.2	194	66.7	184	66.9	13	76.5	783	68.1
	Female	164	63.1	182	64.1	159	58.7	178	66.4	16	72.7	699	63.3
	Total	354	66.7	384	66.2	353	62.8	362	66.7	29	74.4	1482	65.7

Family history of dementia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	4	1.4	1	0.3	6	2.2	0	0	11	1.0
	Female	3	1.2	0	0	0	0	1	0.4	0	0	4	0.4
	Total	3	0.6	4	0.7	1	0.2	7	1.3	0	0	15	0.7
Exist	Male	28	10.3	43	14.5	34	11.7	19	6.9	1	5.9	125	10.9
	Female	39	15.0	50	17.6	31	11.4	21	7.8	1	4.5	142	12.9
	Total	67	12.6	93	16.0	65	11.6	40	7.4	2	5.1	267	11.8
None	Male	243	89.7	249	84.1	256	88.0	250	90.9	16	94.1	1014	88.2
	Female	218	83.8	234	82.4	240	88.6	246	91.8	21	95.5	959	86.8
	Total	461	86.8	483	83.3	496	88.3	496	91.3	37	94.9	1973	87.5

Family history of benign prostate hyperplasia

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	6	2.0	1	0.3	4	1.5	0	0	11	1.0
	Female	2	0.8	1	0.4	1	0.4	1	0.4	0	0	5	0.5
	Total	2	0.4	7	1.2	2	0.4	5	0.9	0	0	16	0.7
Exist	Male	16	5.9	21	7.1	18	6.2	16	5.8	2	11.8	73	6.3
	Female	21	8.1	18	6.3	21	7.7	11	4.1	2	9.1	73	6.6
	Total	37	7.0	39	6.7	39	6.9	27	5.0	4	10.3	146	6.5
None	Male	255	94.1	269	90.9	272	93.5	255	92.7	15	88.2	1066	92.7
	Female	237	91.2	265	93.3	249	91.9	256	95.5	20	90.9	1027	92.9
	Total	492	92.7	534	92.1	521	92.7	511	94.1	35	89.7	2093	92.8

Family history of Parkinsonism

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	4	1.4	1	0.3	6	2.2	0	0	11	1.0
	Female	1	0.4	0	0	2	0.7	1	0.4	0	0	4	0.4
	Total	1	0.2	4	0.7	3	0.5	7	1.3	0	0	15	0.7
Exist	Male	5	1.8	6	2.0	6	2.1	7	2.5	0	0	24	2.1
	Female	6	2.3	6	2.1	7	2.6	8	3.0	2	9.1	29	2.6
	Total	11	2.1	12	2.1	13	2.3	15	2.8	2	5.1	53	2.4
None	Male	266	98.2	286	96.6	284	97.6	262	95.3	17	100.0	1115	97.0
	Female	253	97.3	278	97.9	262	96.7	259	96.6	20	90.9	1072	97.0
	Total	519	97.7	564	97.2	546	97.2	521	95.9	37	94.9	2187	97.0