

History of operation in the left eyes

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	265	97.8	276	93.2	266	91.4	237	86.2	12	70.6	1056	91.8
	Female	254	97.7	276	97.2	255	94.1	225	84.0	13	59.1	1023	92.6
	Total	519	97.7	552	95.2	521	92.7	462	85.1	25	64.1	2079	92.2
Cataract	Male	0	0	4	1.4	9	3.1	29	10.5	5	29.4	47	4.1
	Female	1	0.4	1	0.4	9	3.3	33	12.3	9	40.9	53	4.8
	Total	1	0.2	5	0.9	18	3.2	62	11.4	14	35.9	100	4.4
Glaucoma	Male	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Total	0	0	0	0	1	0.2	2	0.4	0	0	3	0.1
Retinal detachment	Male	1	0.4	2	0.7	4	1.4	1	0.4	0	0	8	0.7
	Female	1	0.4	1	0.4	0	0	0	0	0	0	2	0.2
	Total	2	0.4	3	0.5	4	0.7	1	0.2	0	0	10	0.4
Lasering	Male	3	1.1	6	2.0	15	5.2	5	1.8	1	5.9	30	2.6
	Female	0	0	1	0.4	2	0.7	13	4.9	1	4.5	17	1.5
	Total	3	0.6	7	1.2	17	3.0	18	3.3	2	5.1	47	2.1
Others	Male	3	1.1	4	1.4	3	1.0	4	1.5	0	0	14	1.2
	Female	1	0.4	4	1.4	4	1.5	6	2.2	0	0	15	1.4
	Total	4	0.8	8	1.4	7	1.2	10	1.8	0	0	29	1.3
Not understanding	Male	0	0	3	1.0	0	0	2	0.7	0	0	5	0.4
	Female	2	0.8	1	0.4	1	0.4	0	0	0	0	4	0.4
	Total	2	0.4	4	0.7	1	0.2	2	0.4	0	0	9	0.4
Total	Male	271	100.0	296	100.0	291	100.0	275	100.0	17	100.0	1150	100.0
	Female	260	100.0	284	100.0	271	100.0	268	100.0	22	100.0	1105	100.0
	Total	531	100.0	580	100.0	562	100.0	543	100.0	39	100.0	2255	100.0

History of being pointed out of glaucoma

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	1	0.4	0	0	3	0.3
	Female	1	0.4	0	0	0	0	1	0.4	0	0	2	0.2
	Total	1	0.2	1	0.2	1	0.2	2	0.4	0	0	5	0.2
None	Male	263	97.0	285	96.3	278	95.5	249	90.5	16	94.1	1091	94.9
	Female	254	97.7	273	96.1	250	92.3	241	89.9	22	100.0	1040	94.1
	Total	517	97.4	558	96.2	528	94.0	490	90.2	38	97.4	2131	94.5
Left eye	Male	1	0.4	1	0.3	0	0	2	0.7	0	0	4	0.3
	Female	1	0.4	1	0.4	1	0.4	4	1.5	0	0	7	0.6
	Total	2	0.4	2	0.3	1	0.2	6	1.1	0	0	11	0.5
Right eye	Male	0	0	0	0	2	0.7	4	1.5	0	0	6	0.5
	Female	0	0	0	0	2	0.7	3	1.1	0	0	5	0.5
	Total	0	0	0	0	4	0.7	7	1.3	0	0	11	0.5
Both eyes	Male	3	1.1	3	1.0	4	1.4	8	2.9	1	5.9	19	1.7
	Female	0	0	0	0	6	2.2	12	4.5	0	0	18	1.6
	Total	3	0.6	3	0.5	10	1.8	20	3.7	1	2.6	37	1.6
Not understanding	Male	4	1.5	6	2.0	6	2.1	11	4.0	0	0	27	2.3
	Female	4	1.5	10	3.5	12	4.4	7	2.6	0	0	33	3.0
	Total	8	1.5	16	2.8	18	3.2	18	3.3	0	0	60	2.7

History of being pointed out of cataract

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	0	0	0	0	0	0	1	0.1
	Female	1	0.4	0	0	1	0.4	2	0.7	0	0	4	0.4
	Total	1	0.2	1	0.2	1	0.2	2	0.4	0	0	5	0.2
None	Male	265	97.8	279	94.3	254	87.3	188	68.4	6	35.3	992	86.3
	Female	255	98.1	268	94.4	211	77.9	126	47.0	7	31.8	867	78.5
	Total	520	97.9	547	94.3	465	82.7	314	57.8	13	33.3	1859	82.4
Left eye	Male	1	0.4	3	1.0	5	1.7	10	3.6	3	17.6	22	1.9
	Female	2	0.8	3	1.1	8	3.0	9	3.4	2	9.1	24	2.2
	Total	3	0.6	6	1.0	13	2.3	19	3.5	5	12.8	46	2.0
Right eye	Male	1	0.4	1	0.3	6	2.1	3	1.1	1	5.9	12	1.0
	Female	0	0	1	0.4	4	1.5	13	4.9	1	4.5	19	1.7
	Total	1	0.2	2	0.3	10	1.8	16	2.9	2	5.1	31	1.4
Both eyes	Male	1	0.4	6	2.0	19	6.5	61	22.2	6	35.3	93	8.1
	Female	0	0	4	1.4	35	12.9	99	36.9	11	50.0	149	13.5
	Total	1	0.2	10	1.7	54	9.6	160	29.5	17	43.6	242	10.7
Not understanding	Male	3	1.1	6	2.0	7	2.4	13	4.7	1	5.9	30	2.6
	Female	2	0.8	8	2.8	12	4.4	19	7.1	1	4.5	42	3.8
	Total	5	0.9	14	2.4	19	3.4	32	5.9	2	5.1	72	3.2

Usage of sunshade

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	182	67.2	180	60.8	113	38.8	78	28.4	3	17.6	556	48.3
	Female	87	33.5	68	23.9	29	10.7	21	7.8	1	4.5	206	18.6
	Total	269	50.7	248	42.8	142	25.3	99	18.2	4	10.3	762	33.8
Sometimes	Male	60	22.1	86	29.1	89	30.6	83	30.2	6	35.3	324	28.2
	Female	131	50.4	121	42.6	111	41.0	99	36.9	5	22.7	467	42.3
	Total	191	36.0	207	35.7	200	35.6	182	33.5	11	28.2	791	35.1
Always	Male	29	10.7	30	10.1	89	30.6	114	41.5	8	47.1	270	23.5
	Female	42	16.2	95	33.5	131	48.3	148	55.2	16	72.7	432	39.1
	Total	71	13.4	125	21.6	220	39.1	262	48.3	24	61.5	702	31.1

Usage of sunglasses

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
None	Male	161	59.4	204	68.9	213	73.2	210	76.4	13	76.5	801	69.7
	Female	181	69.6	209	73.6	178	65.7	177	66.0	15	68.2	760	68.8
	Total	342	64.4	413	71.2	391	69.6	387	71.3	28	71.8	1561	69.2
Sometimes	Male	83	30.6	68	23.0	51	17.5	31	11.3	1	5.9	234	20.3
	Female	66	25.4	51	18.0	53	19.6	33	12.3	1	4.5	204	18.5
	Total	149	28.1	119	20.5	104	18.5	64	11.8	2	5.1	438	19.4
Always	Male	27	10.0	24	8.1	27	9.3	34	12.4	3	17.6	115	10.0
	Female	13	5.0	24	8.5	40	14.8	58	21.6	6	27.3	141	12.8
	Total	40	7.5	48	8.3	67	11.9	92	16.9	9	23.1	256	11.4

Self-evaluation on visual acuity

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	1	0.2	0	0	0	0	0	0	1	0.0
Excellent	Male	17	6.3	10	3.4	16	5.5	13	4.7	0	0	56	4.9
	Female	12	4.6	8	2.8	28	10.3	13	4.9	2	9.1	63	5.7
	Total	29	5.5	18	3.1	44	7.8	26	4.8	2	5.1	119	5.3
Good	Male	55	20.3	50	16.9	62	21.3	53	19.3	4	23.5	224	19.5
	Female	53	20.4	54	19.0	57	21.0	54	20.1	7	31.8	225	20.4
	Total	108	20.3	104	17.9	119	21.2	107	19.7	11	28.2	449	19.9
Usual	Male	139	51.3	157	53.0	172	59.1	155	56.4	9	52.9	632	55.0
	Female	158	60.8	176	62.0	153	56.5	162	60.4	11	50.0	660	59.7
	Total	297	55.9	333	57.4	325	57.8	317	58.4	20	51.3	1292	57.3
Bad	Male	57	21.0	74	25.0	41	14.1	50	18.2	4	23.5	226	19.7
	Female	36	13.8	43	15.1	29	10.7	36	13.4	1	4.5	145	13.1
	Total	93	17.5	117	20.2	70	12.5	86	15.8	5	12.8	371	16.5
Very bad	Male	3	1.1	4	1.4	0	0	4	1.5	0	0	11	1.0
	Female	1	0.4	3	1.1	4	1.5	3	1.1	1	4.5	12	1.1
	Total	4	0.8	7	1.2	4	0.7	7	1.3	1	2.6	23	1.0

7) Hearing ability

History of being pointed out of abnormality in hearing test

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	1	0.4	1	0.4	0	0	2	0.2
	Total	0	0	0	0	1	0.2	2	0.4	0	0	3	0.1
Yes	Male	29	10.7	69	23.3	93	32.0	87	31.6	8	47.1	286	24.9
	Female	26	10.0	35	12.3	50	18.5	56	20.9	3	13.6	170	15.4
	Total	55	10.4	104	17.9	143	25.4	143	26.3	11	28.2	456	20.2
No	Male	236	87.1	216	73.0	187	64.3	152	55.3	7	41.2	798	69.4
	Female	216	83.1	224	78.9	163	60.1	138	51.5	16	72.7	757	68.5
	Total	452	85.1	440	75.9	350	62.3	290	53.4	23	59.0	1555	69.0
No experience of examination	Male	6	2.2	11	3.7	11	3.8	35	12.7	2	11.8	65	5.7
	Female	18	6.9	25	8.8	57	21.0	73	27.2	3	13.6	176	15.9
	Total	24	4.5	36	6.2	68	12.1	108	19.9	5	12.8	241	10.7

Usage of a hearing aid

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	0	0	1	5.9	1	0.1
	Female	0	0	1	0.4	4	1.5	3	1.1	0	0	8	0.7
	Total	0	0	1	0.2	4	0.7	3	0.6	1	2.6	9	0.4
Frequently	Male	0	0	2	0.7	4	1.4	14	5.1	2	11.8	22	1.9
	Female	0	0	0	0	2	0.7	4	1.5	0	0	6	0.5
	Total	0	0	2	0.3	6	1.1	18	3.3	2	5.1	28	1.2
Sometimes	Male	0	0	1	0.3	2	0.7	11	4.0	2	11.8	16	1.4
	Female	0	0	0	0	1	0.4	5	1.9	0	0	6	0.5
	Total	0	0	1	0.2	3	0.5	16	2.9	2	5.1	22	1.0
Possession without using	Male	0	0	0	0	2	0.7	10	3.6	2	11.8	14	1.2
	Female	0	0	0	0	0	0	2	0.7	4	18.2	6	0.5
	Total	0	0	0	0	2	0.4	12	2.2	6	15.4	20	0.9
No possession	Male	271	100.0	293	99.0	283	97.3	240	87.3	10	58.8	1097	95.4
	Female	260	100.0	283	99.6	264	97.4	254	94.8	18	81.8	1079	97.6
	Total	531	100.0	576	99.3	547	97.3	494	91.0	28	71.8	2176	96.5

Presence of tinnitus

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	3	1.1	0	0	3	0.3
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	3	0.6	0	0	3	0.1
Always	Male	11	4.1	30	10.1	42	14.4	55	20.0	1	5.9	139	12.1
	Female	3	1.2	14	4.9	31	11.4	39	14.6	2	9.1	89	8.1
	Total	14	2.6	44	7.6	73	13.0	94	17.3	3	7.7	228	10.1
Sometimes	Male	71	26.2	80	27.0	68	23.4	61	22.2	4	23.5	284	24.7
	Female	69	26.5	63	22.2	61	22.5	61	22.8	8	36.4	262	23.7
	Total	140	26.4	143	24.7	129	23.0	122	22.5	12	30.8	546	24.2
None	Male	189	69.7	186	62.8	181	62.2	156	56.7	12	70.6	724	63.0
	Female	188	72.3	207	72.9	179	66.1	168	62.7	12	54.5	754	68.2
	Total	377	71.0	393	67.8	360	64.1	324	59.7	24	61.5	1478	65.5

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Yes	Male	77	28.4	88	29.7	65	22.3	55	20.0	2	11.8	287	25.0
	Female	101	38.8	87	30.6	70	25.8	66	24.6	5	22.7	329	29.8
	Total	178	33.5	175	30.2	135	24.0	121	22.3	7	17.9	616	27.3
No	Male	168	62.0	191	64.5	208	71.5	200	72.7	12	70.6	779	67.7
	Female	150	57.7	185	65.1	186	68.6	185	69.0	15	68.2	721	65.2
	Total	318	59.9	376	64.8	394	70.1	385	70.9	27	69.2	1500	66.5
Not determined	Male	26	9.6	17	5.7	18	6.2	20	7.3	3	17.6	84	7.3
	Female	9	3.5	12	4.2	15	5.5	17	6.3	2	9.1	55	5.0
	Total	35	6.6	29	5.0	33	5.9	37	6.8	5	12.8	139	6.2

History of surgery on ears

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	1.3	0	0	1	1.5	0	0	0	0	2	0.7
	Female	1	1.0	0	0	1	1.4	1	1.5	0	0	3	0.9
	Total	2	1.1	0	0	2	1.5	1	0.8	0	0	5	0.8
Yes	Male	3	3.9	10	11.4	4	6.2	12	21.8	0	0	29	10.1
	Female	5	5.0	6	6.9	7	10.0	3	4.5	1	20.0	22	6.7
	Total	8	4.5	16	9.1	11	8.1	15	12.4	1	14.3	51	8.3
No	Male	72	93.5	76	86.4	58	89.2	42	76.4	2	100.0	250	87.1
	Female	95	94.1	80	92.0	61	87.1	61	92.4	4	80.0	301	91.5
	Total	167	93.8	156	89.1	119	88.1	103	85.1	6	85.7	551	89.4
Not determined	Male	1	1.3	2	2.3	2	3.1	1	1.8	0	0	6	2.1
	Female	0	0	1	1.1	1	1.4	1	1.5	0	0	3	0.9
	Total	1	0.6	3	1.7	3	2.2	2	1.7	0	0	9	1.5

Side of operated ear

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	33.3	2	20.0	2	50.0	4	33.3	0	0	9	31.0
	Female	3	60.0	2	33.3	1	14.3	1	33.3	1	100.0	8	36.4
	Total	4	50.0	4	25.0	3	27.3	5	33.3	1	100.0	17	33.3
Right	Male	1	33.3	3	30.0	1	25.0	2	16.7	0	0	7	24.1
	Female	0	0	3	50.0	2	28.6	1	33.3	0	0	6	27.3
	Total	1	12.5	6	37.5	3	27.3	3	20.0	0	0	13	25.5
Left	Male	1	33.3	3	30.0	1	25.0	6	50.0	0	0	11	37.9
	Female	0	0	1	16.7	2	28.6	0	0	0	0	3	13.6
	Total	1	12.5	4	25.0	3	27.3	6	40.0	0	0	14	27.5
Both sides	Male	0	0	2	20.0	0	0	0	0	0	0	2	6.9
	Female	2	40.0	0	0	2	28.6	1	33.3	0	0	5	22.7
	Total	2	25.0	2	12.5	2	18.2	1	6.7	0	0	7	13.7

History of ear disease

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Otitis media	Male	60	77.9	61	69.3	43	66.2	40	72.7	1	50.0	205	71.4
	Female	66	65.3	51	58.6	42	60.0	34	51.5	1	20.0	194	59.0
	Total	126	70.8	112	64.0	85	63.0	74	61.2	2	28.6	399	64.8
Otitis externa	Male	26	33.8	17	19.3	12	18.5	8	14.5	1	50.0	64	22.3
	Female	52	51.5	29	33.3	11	15.7	9	13.6	0	0	101	30.7
	Total	78	43.8	46	26.3	23	17.0	17	14.0	1	14.3	165	26.8
Sudden deafness	Male	1	1.3	5	5.7	5	7.7	8	14.5	0	0	19	6.6
	Female	8	7.9	6	6.9	8	11.4	7	10.6	0	0	29	8.8
	Total	9	5.1	11	6.3	13	9.6	15	12.4	0	0	48	7.8
Total	Male	77	100.0	88	100.0	65	100.0	55	100.0	2	100.0	287	100.0
	Female	101	100.0	87	100.0	70	100.0	66	100.0	5	100.0	329	100.0
	Total	178	100.0	175	100.0	135	100.0	121	100.0	7	100.0	616	100.0

Otitis media

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	29	48.3	30	47.6	19	44.2	13	31.7	1	100.0	92	44.2
	Female	30	45.5	22	41.5	18	42.9	11	31.4	1	100.0	82	41.6
	Total	59	46.8	52	44.8	37	43.5	24	31.6	2	100.0	174	43.0
Right	Male	6	10.0	13	20.6	5	11.6	10	24.4	0	0	34	16.3
	Female	6	9.1	12	22.6	10	23.8	12	34.3	0	0	40	20.3
	Total	12	9.5	25	21.6	15	17.6	22	28.9	0	0	74	18.3
Left	Male	8	13.3	6	9.5	12	27.9	11	26.8	0	0	37	17.8
	Female	4	6.1	8	15.1	6	14.3	4	11.4	0	0	22	11.2
	Total	12	9.5	14	12.1	18	21.2	15	19.7	0	0	59	14.6
Both sides	Male	17	28.3	14	22.2	7	16.3	7	17.1	0	0	45	21.6
	Female	26	39.4	11	20.8	8	19.0	8	22.9	0	0	53	26.9
	Total	43	34.1	25	21.6	15	17.6	15	19.7	0	0	98	24.2

Otitis externa

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	10	38.5	6	35.3	4	33.3	1	12.5	0	0	21	32.8
	Female	23	44.2	12	40.0	2	18.2	3	30.0	0	0	40	38.8
	Total	33	42.3	18	38.3	6	26.1	4	22.2	0	0	61	36.5
Right	Male	3	11.5	3	17.6	2	16.7	0	0	0	0	8	12.5
	Female	11	21.2	4	13.3	3	27.3	2	20.0	0	0	20	19.4
	Total	14	17.9	7	14.9	5	21.7	2	11.1	0	0	28	16.8
Left	Male	4	15.4	3	17.6	0	0	5	62.5	1	100.0	13	20.3
	Female	6	11.5	3	10.0	2	18.2	4	40.0	0	0	15	14.6
	Total	10	12.8	6	12.8	2	8.7	9	50.0	1	100.0	28	16.8
Both sides	Male	9	34.6	5	29.4	6	50.0	2	25.0	0	0	22	34.4
	Female	12	23.1	11	36.7	4	36.4	1	10.0	0	0	28	27.2
	Total	21	26.9	16	34.0	10	43.5	3	16.7	0	0	50	29.9

Sudden deafness

		40-49yr		50-59yr		60-69yr		70-79yr		Total	
		N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	20.0	0	0	1	12.5	2	10.5
	Female	2	25.0	3	50.0	0	0	1	14.3	6	20.7
	Total	2	22.2	4	36.4	0	0	2	13.3	8	16.7
Right	Male	0	0	2	40.0	0	0	1	12.5	3	15.8
	Female	3	37.5	1	16.7	3	37.5	2	28.6	9	31.0
	Total	3	33.3	3	27.3	3	23.1	3	20.0	12	25.0
Left	Male	1	100.0	1	20.0	4	80.0	3	37.5	9	47.4
	Female	2	25.0	2	33.3	4	50.0	4	57.1	12	41.4
	Total	3	33.3	3	27.3	8	61.5	7	46.7	21	43.8
Both sides	Male	0	0	1	20.0	1	20.0	3	37.5	5	26.3
	Female	1	12.5	0	0	1	12.5	0	0	2	6.9
	Total	1	11.1	1	9.1	2	15.4	3	20.0	7	14.6

Presence of noise at the place of work

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0	0	0	4	1.5	1	5.9	6	0.5
	Female	2	0.8	2	0.7	4	1.5	6	2.2	0	0	14	1.3
	Total	3	0.6	2	0.3	4	0.7	10	1.8	1	2.6	20	0.9
Exist at present	Male	58	21.4	56	18.9	36	12.4	29	10.5	2	11.8	181	15.7
	Female	28	10.8	30	10.6	36	13.3	41	15.3	4	18.2	139	12.6
	Total	86	16.2	86	14.8	72	12.8	70	12.9	6	15.4	320	14.2
Previously exist	Male	11	4.1	27	9.1	38	13.1	65	23.6	2	11.8	143	12.4
	Female	7	2.7	12	4.2	13	4.8	20	7.5	0	0	52	4.7
	Total	18	3.4	39	6.7	51	9.1	85	15.7	2	5.1	195	8.6
None	Male	201	74.2	213	72.0	217	74.6	177	64.4	12	70.6	820	71.3
	Female	223	85.8	240	84.5	218	80.4	201	75.0	18	81.8	900	81.4
	Total	424	79.8	453	78.1	435	77.4	378	69.6	30	76.9	1720	76.3

Presence of noise at home

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	1	0.3	1	0.4	0	0	2	0.2
	Female	1	0.4	0	0	2	0.7	2	0.7	0	0	5	0.5
	Total	1	0.2	0	0	3	0.5	3	0.6	0	0	7	0.3
Exist at present	Male	21	7.7	16	5.4	32	11.0	23	8.4	1	5.9	93	8.1
	Female	36	13.8	14	4.9	30	11.1	43	16.0	1	4.5	124	11.2
	Total	57	10.7	30	5.2	62	11.0	66	12.2	2	5.1	217	9.6
Previously exist	Male	8	3.0	5	1.7	8	2.7	9	3.3	1	5.9	31	2.7
	Female	5	1.9	4	1.4	9	3.3	7	2.6	1	4.5	26	2.4
	Total	13	2.4	9	1.6	17	3.0	16	2.9	2	5.1	57	2.5
None	Male	242	89.3	275	92.9	250	85.9	242	88.0	15	88.2	1024	89.0
	Female	218	83.8	266	93.7	230	84.9	216	80.6	20	90.9	950	86.0
	Total	460	86.6	541	93.3	480	85.4	458	84.3	35	89.7	1974	87.5

Duration in noisy environment (years) for current residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	17.8	14.9	20	15.1	11.7	15	28.6	19.0	29	21.3	19.6	22	20.0	-	1	21.8	17.6	87
Female	13.1	10.1	34	17.8	10.5	14	22.8	16.7	27	27.3	19.1	38	-	-	0	20.8	16.2	113
Total	14.9	12.2	54	16.4	11.0	29	25.8	18.0	56	25.1	19.4	60	20.0	-	1	21.2	16.8	200

Age of starting to live in noisy environment (years old) for ex-residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	6.6	10.4	8	25.8	16.8	5	25.6	11.2	8	29.2	15.0	9	52.0	-	1	22.6	16.3	31
Female	23.6	9.3	5	13.0	11.7	4	33.6	9.4	9	24.7	14.9	6	42.0	-	1	26.5	13.0	25
Total	13.2	12.9	13	20.1	15.4	9	29.8	10.7	17	27.4	14.6	15	47.0	7.1	2	24.4	14.9	56

Duration in noisy environment (years) for ex-residents in noisy place

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	21.9	10.2	8	8.4	5.8	5	27.8	9.9	8	26.0	17.0	8	20.0	-	1	22.2	13.0	30
Female	7.0	2.7	5	26.5	8.1	4	18.4	12.2	9	30.5	24.3	6	15.0	-	1	20.2	15.9	25
Total	16.2	11.0	13	16.4	11.5	9	22.8	11.8	17	27.9	19.7	14	17.5	3.5	2	21.3	14.3	55

Usage of headphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	0	0	0	0	1	0.4	1	0.4	0	0	2	0.2
	Total	0	0	0	0	1	0.2	3	0.6	0	0	4	0.2
Frequently	Male	5	1.8	6	2.0	9	3.1	4	1.5	0	0	24	2.1
	Female	3	1.2	2	0.7	5	1.8	5	1.9	0	0	15	1.4
	Total	8	1.5	8	1.4	14	2.5	9	1.7	0	0	39	1.7
Sometimes	Male	34	12.5	19	6.4	26	8.9	17	6.2	1	5.9	97	8.4
	Female	12	4.6	11	3.9	18	6.6	9	3.4	1	4.5	51	4.6
	Total	46	8.7	30	5.2	44	7.8	26	4.8	2	5.1	148	6.6
Rarely	Male	49	18.1	22	7.4	21	7.2	19	6.9	3	17.6	114	9.9
	Female	27	10.4	13	4.6	8	3.0	10	3.7	1	4.5	59	5.3
	Total	76	14.3	35	6.0	29	5.2	29	5.3	4	10.3	173	7.7
None	Male	183	67.5	249	84.1	235	80.8	233	84.7	13	76.5	913	79.4
	Female	218	83.8	258	90.8	239	88.2	243	90.7	20	90.9	978	88.5
	Total	401	75.5	507	87.4	474	84.3	476	87.7	33	84.6	1891	83.9

Usage of earphones

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Total	0	0	0	0	0	0	2	0.4	0	0	2	0.1
Yes (right ear)	Male	2	0.7	13	4.4	22	7.6	16	5.8	1	5.9	54	4.7
	Female	7	2.7	1	0.4	7	2.6	11	4.1	2	9.1	28	2.5
	Total	9	1.7	14	2.4	29	5.2	27	5.0	3	7.7	82	3.6
Yes (left ear)	Male	10	3.7	15	5.1	7	2.4	13	4.7	0	0	45	3.9
	Female	1	0.4	2	0.7	7	2.6	8	3.0	1	4.5	19	1.7
	Total	11	2.1	17	2.9	14	2.5	21	3.9	1	2.6	64	2.8
Yes (bilateral ears)	Male	18	6.6	19	6.4	20	6.9	30	10.9	2	11.8	89	7.7
	Female	6	2.3	14	4.9	11	4.1	14	5.2	3	13.6	48	4.3
	Total	24	4.5	33	5.7	31	5.5	44	8.1	5	12.8	137	6.1
None	Male	241	88.9	249	84.1	242	83.2	216	78.5	14	82.4	962	83.7
	Female	246	94.6	267	94.0	246	90.8	233	86.9	16	72.7	1008	91.2
	Total	487	91.7	516	89.0	488	86.8	449	82.7	30	76.9	1970	87.4

Consciousness of poor hearing ability

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Always	Male	13	4.8	38	12.8	46	15.8	78	28.4	9	52.9	184	16.0
	Female	15	5.8	25	8.8	39	14.4	48	17.9	7	31.8	134	12.1
	Total	28	5.3	63	10.9	85	15.1	126	23.2	16	41.0	318	14.1
Sometimes	Male	83	30.6	75	25.3	90	30.9	90	32.7	5	29.4	343	29.8
	Female	79	30.4	117	41.2	86	31.7	99	36.9	6	27.3	387	35.0
	Total	162	30.5	192	33.1	176	31.3	189	34.8	11	28.2	730	32.4
None	Male	175	64.6	183	61.8	155	53.3	107	38.9	3	17.6	623	54.2
	Female	166	63.8	142	50.0	146	53.9	120	44.8	9	40.9	583	52.8
	Total	341	64.2	325	56.0	301	53.6	227	41.8	12	30.8	1206	53.5

Limitation of daily living due to poor hearing ability

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	175	64.6	183	61.8	155	53.3	105	38.2	3	17.6	621	54.0
	Female	166	63.8	142	50.0	145	53.5	118	44.0	9	40.9	580	52.5
	Total	341	64.2	325	56.0	300	53.4	223	41.1	12	30.8	1201	53.3
Always	Male	1	0.4	2	0.7	5	1.7	17	6.2	2	11.8	27	2.3
	Female	0	0	0	0	5	1.8	5	1.9	1	4.5	11	1.0
	Total	1	0.2	2	0.3	10	1.8	22	4.1	3	7.7	38	1.7
Sometimes	Male	7	2.6	13	4.4	28	9.6	61	22.2	5	29.4	114	9.9
	Female	7	2.7	15	5.3	15	5.5	27	10.1	5	22.7	69	6.2
	Total	14	2.6	28	4.8	43	7.7	88	16.2	10	25.6	183	8.1
None	Male	88	32.5	98	33.1	103	35.4	92	33.5	7	41.2	388	33.7
	Female	87	33.5	127	44.7	106	39.1	118	44.0	7	31.8	445	40.3
	Total	175	33.0	225	38.8	209	37.2	210	38.7	14	35.9	833	36.9

Loss of self-confidence due to poor hearing ability

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	175	64.6	183	61.8	156	53.6	105	38.2	3	17.6	622	54.1
	Female	166	63.8	142	50.0	147	54.2	117	43.7	9	40.9	581	52.6
	Total	341	64.2	325	56.0	303	53.9	222	40.9	12	30.8	1203	53.3
Always	Male	0	0	2	0.7	4	1.4	11	4.0	2	11.8	19	1.7
	Female	1	0.4	0	0	3	1.1	2	0.7	1	4.5	7	0.6
	Total	1	0.2	2	0.3	7	1.2	13	2.4	3	7.7	26	1.2
Sometimes	Male	6	2.2	11	3.7	14	4.8	47	17.1	4	23.5	82	7.1
	Female	13	5.0	18	6.3	19	7.0	32	11.9	3	13.6	85	7.7
	Total	19	3.6	29	5.0	33	5.9	79	14.5	7	17.9	167	7.4
None	Male	90	33.2	100	33.8	117	40.2	112	40.7	8	47.1	427	37.1
	Female	80	30.8	124	43.7	102	37.6	117	43.7	9	40.9	432	39.1
	Total	170	32.0	224	38.6	219	39.0	229	42.2	17	43.6	859	38.1

Difficulty in catching words

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	175	64.6	183	61.8	154	52.9	105	38.2	3	17.6	620	53.9
	Female	166	63.8	143	50.4	145	53.5	117	43.7	9	40.9	580	52.5
	Total	341	64.2	326	56.2	299	53.2	222	40.9	12	30.8	1200	53.2
Always	Male	10	3.7	21	7.1	31	10.7	56	20.4	5	29.4	123	10.7
	Female	15	5.8	9	3.2	26	9.6	32	11.9	4	18.2	86	7.8
	Total	25	4.7	30	5.2	57	10.1	88	16.2	9	23.1	209	9.3
Sometimes	Male	65	24.0	71	24.0	89	30.6	100	36.4	7	41.2	332	28.9
	Female	67	25.8	112	39.4	85	31.4	98	36.6	8	36.4	370	33.5
	Total	132	24.9	183	31.6	174	31.0	198	36.5	15	38.5	702	31.1
None	Male	21	7.7	21	7.1	17	5.8	14	5.1	2	11.8	75	6.5
	Female	12	4.6	20	7.0	15	5.5	21	7.8	1	4.5	69	6.2
	Total	33	6.2	41	7.1	32	5.7	35	6.4	3	7.7	144	6.4

Catching contents of news

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	175	64.6	183	61.8	154	52.9	105	38.2	3	17.6	620	53.9
	Female	167	64.2	142	50.0	145	53.5	118	44.0	9	40.9	581	52.6
	Total	342	64.4	325	56.0	299	53.2	223	41.1	12	30.8	1201	53.3
No problem	Male	88	32.5	91	30.7	102	35.1	102	37.1	9	52.9	392	34.1
	Female	83	31.9	123	43.3	103	38.0	103	38.4	8	36.4	420	38.0
	Total	171	32.2	214	36.9	205	36.5	205	37.8	17	43.6	812	36.0
Occasionally hard to hear	Male	8	3.0	21	7.1	32	11.0	61	22.2	5	29.4	127	11.0
	Female	10	3.8	19	6.7	22	8.1	44	16.4	4	18.2	99	9.0
	Total	18	3.4	40	6.9	54	9.6	105	19.3	9	23.1	226	10.0
Always hard to hear	Male	0	0	1	0.3	3	1.0	7	2.5	0	0	11	1.0
	Female	0	0	0	0	1	0.4	3	1.1	1	4.5	5	0.5
	Total	0	0	1	0.2	4	0.7	10	1.8	1	2.6	16	0.7

Catching words from conversation with several persons

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	175	64.6	184	62.2	154	52.9	105	38.2	3	17.6	621	54.0
	Female	166	63.8	142	50.0	145	53.5	118	44.0	9	40.9	580	52.5
	Total	341	64.2	326	56.2	299	53.2	223	41.1	12	30.8	1201	53.3
No problem	Male	73	26.9	63	21.3	74	25.4	70	25.5	4	23.5	284	24.7
	Female	61	23.5	107	37.7	64	23.6	82	30.6	5	22.7	319	28.9
	Total	134	25.2	170	29.3	138	24.6	152	28.0	9	23.1	603	26.7
Occasionally hard to hear	Male	23	8.5	47	15.9	60	20.6	88	32.0	9	52.9	227	19.7
	Female	32	12.3	34	12.0	61	22.5	63	23.5	8	36.4	198	17.9
	Total	55	10.4	81	14.0	121	21.5	151	27.8	17	43.6	425	18.8
Always hard to hear	Male	0	0	2	0.7	3	1.0	12	4.4	1	5.9	18	1.6
	Female	1	0.4	1	0.4	1	0.4	5	1.9	0	0	8	0.7
	Total	1	0.2	3	0.5	4	0.7	17	3.1	1	2.6	26	1.2

8) Weight control

Care of maintaining appropriate weight

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	1	0.4	0	0	0	0	1	0.4	0	0	2	0.2
	Female	0	0	1	0.4	0	0	1	0.4	0	0	2	0.2
	Total	1	0.2	1	0.2	0	0	2	0.4	0	0	4	0.2
Yes	Male	125	46.1	158	53.4	191	65.6	177	64.4	9	52.9	660	57.4
	Female	165	63.5	191	67.3	181	66.8	161	60.1	17	77.3	715	64.7
	Total	290	54.6	349	60.2	372	66.2	338	62.2	26	66.7	1375	61.0
No	Male	145	53.5	138	46.6	100	34.4	97	35.3	8	47.1	488	42.4
	Female	95	36.5	92	32.4	90	33.2	106	39.6	5	22.7	388	35.1
	Total	240	45.2	230	39.7	190	33.8	203	37.4	13	33.3	876	38.8

Reducing more than 4 kg weights in three months

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	1	4.5	1	0.1
	Total	0	0	0	0	0	0	1	0.2	1	2.6	2	0.1
None	Male	245	90.4	266	89.9	271	93.1	260	94.5	17	100.0	1059	92.1
	Female	219	84.2	263	92.6	255	94.1	255	95.1	21	95.5	1013	91.7
	Total	464	87.4	529	91.2	526	93.6	515	94.8	38	97.4	2072	91.9
Sometimes (less than 4 times)	Male	26	9.6	29	9.8	19	6.5	14	5.1	0	0	88	7.7
	Female	39	15.0	19	6.7	16	5.9	11	4.1	0	0	85	7.7
	Total	65	12.2	48	8.3	35	6.2	25	4.6	0	0	173	7.7
Many times (4 times and more)	Male	0	0	1	0.3	1	0.3	0	0	0	0	2	0.2
	Female	2	0.8	2	0.7	0	0	2	0.7	0	0	6	0.5
	Total	2	0.4	3	0.5	1	0.2	2	0.4	0	0	8	0.4

Initial age of reducing weights (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	34.3	8.8	24	45.4	8.6	29	52.7	10.8	18	59.4	17.1	14	-	-	0	46.1	13.9	85
Female	31.2	9.6	38	39.3	13.4	21	55.0	9.4	16	61.8	11.3	12	-	-	0	41.8	15.9	87
Total	32.4	9.4	62	42.8	11.2	50	53.8	10.1	34	60.5	14.5	26	-	-	0	43.9	15.1	172

Degree of weight reduced initially

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	10.0	5.8	24	7.3	5.0	29	6.6	2.9	18	5.0	2.2	12	-	-	0	7.6	4.8	83
Female	7.4	3.8	38	6.8	2.6	20	7.3	3.2	16	5.8	2.6	12	-	-	0	7.0	3.3	86
Total	8.4	4.8	62	7.1	4.1	49	6.9	3.0	34	5.4	2.4	24	-	-	0	7.3	4.1	169

Last age of reducing weights (years old)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	41.3	4.8	17	52.5	4.7	16	60.0	5.5	11	65.6	16.4	11	-	-	0	53.2	12.4	55
Female	40.9	6.6	27	50.0	5.0	19	58.6	6.3	8	66.0	10.8	8	-	-	0	49.2	11.1	62
Total	41.0	5.9	44	51.1	5.0	35	59.4	5.7	19	65.8	13.9	19	-	-	0	51.1	11.8	117

Degree of reduced weights in recent years

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Male	6.3	4.3	17	6.1	4.8	16	5.4	2.6	11	5.7	3.1	8	-	-	0	6.0	3.9	52
Female	6.2	2.8	27	5.9	3.8	18	7.0	4.0	8	6.6	4.4	8	-	-	0	6.3	3.4	61
Total	6.2	3.4	44	6.0	4.2	34	6.1	3.3	19	6.1	3.7	16	-	-	0	6.1	3.7	113

History of more than 4 kg weight loss in 3 months due to disease or stress

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	0	0	0	0	6	2.2	0	0	6	0.5
	Female	2	0.8	3	1.1	0	0	3	1.1	0	0	8	0.7
	Total	2	0.4	3	0.5	0	0	9	1.7	0	0	14	0.6
None	Male	245	90.4	270	91.2	259	89.0	232	84.4	13	76.5	1019	88.6
	Female	221	85.0	241	84.9	240	88.6	231	86.2	19	86.4	952	86.2
	Total	466	87.8	511	88.1	499	88.8	463	85.3	32	82.1	1971	87.4
Sometimes (less than 4 times)	Male	26	9.6	25	8.4	32	11.0	35	12.7	4	23.5	122	10.6
	Female	37	14.2	40	14.1	31	11.4	31	11.6	3	13.6	142	12.9
	Total	63	11.9	65	11.2	63	11.2	66	12.2	7	17.9	264	11.7
Many times (4 times and more)	Male	0	0	1	0.3	0	0	2	0.7	0	0	3	0.3
	Female	0	0	0	0	0	0	3	1.1	0	0	3	0.3
	Total	0	0	1	0.2	0	0	5	0.9	0	0	6	0.3

History of more than 4 kg weight gain in 3 months (except from pregnancy)

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	Male	0	0	1	0.3	1	0.3	5	1.8	0	0	7	0.6
	Female	1	0.4	2	0.7	2	0.7	3	1.1	0	0	8	0.7
	Total	1	0.2	3	0.5	3	0.5	8	1.5	0	0	15	0.7
None	Male	230	84.9	272	91.9	261	89.7	250	90.9	15	88.2	1028	89.4
	Female	207	79.6	254	89.4	244	90.0	244	91.0	22	100.0	971	87.9
	Total	437	82.3	526	90.7	505	89.9	494	91.0	37	94.9	1999	88.6
Sometimes (less than 4 times)	Male	38	14.0	22	7.4	29	10.0	19	6.9	2	11.8	110	9.6
	Female	49	18.8	28	9.9	25	9.2	18	6.7	0	0	120	10.9
	Total	87	16.4	50	8.6	54	9.6	37	6.8	2	5.1	230	10.2
Many times (4 times and more)	Male	3	1.1	1	0.3	0	0	1	0.4	0	0	5	0.4
	Female	3	1.2	0	0	0	0	3	1.1	0	0	6	0.5
	Total	6	1.1	1	0.2	0	0	4	0.7	0	0	11	0.5

9) Menstruation (for only women)

Presence of menstruation
(Female)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	1	0.4	0	0	0	0	0	0	0	0	1	0.1
Yes	228	87.7	45	15.8	0	0	0	0	0	0	273	24.7
No	28	10.8	223	78.5	271	100.0	268	100.0	22	100.0	812	73.5
Not understanding	3	1.2	16	5.6	0	0	0	0	0	0	19	1.7

Age of last menstruation (years old)
(Female)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Total	43.9	4.3	28	49.2	4.3	222	49.5	4.4	269	49.2	4.8	266	48.8	5.3	21	49.1	4.6	806

History of hysterectomy
(Female)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0	1	0.4	1	0.4	7	2.6	0	0	9	1.1
Yes	15	53.6	30	13.5	47	17.3	36	13.4	2	9.1	130	16.0
No	13	46.4	192	86.1	223	82.3	224	83.6	20	90.9	672	82.8
Not understanding	0	0	0	0	0	0	1	0.4	0	0	1	0.1

Age at hysterectomy
(Female)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Total	41.5	4.4	15	42.5	6.2	30	45.5	6.1	47	44.3	9.6	36	39.0	-	1	43.9	7.2	129

Ovary is remained
(Female)

	40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
	N	%	N	%	N	%	N	%	N	%	N	%
Not recorded	0	0	0	0	0	0	0	0	1	50.0	1	0.8
Yes	13	86.7	21	70.0	23	48.9	21	58.3	0	0	78	60.0
No	2	13.3	6	20.0	21	44.7	11	30.6	0	0	40	30.8
Not understanding	0	0	3	10.0	3	6.4	4	11.1	1	50.0	11	8.5

Term of menstration (day)
(Female)

	40-49yr			50-59yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N
Total	5.5	1.4	227	5.7	2.6	45	5.5	1.7	272

Recent period of menstration
(Female)

	40-49yr			50-59yr			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N
Total	29.3	7.9	209	37.2	18.6	37	30.4	10.6	246

At the period of menstration
(Female)

	40-49yr		50-59yr		Total	
	N	%	N	%	N	%
Not recorded	6	2.6	1	2.2	7	2.6
Yes	28	12.3	7	15.6	35	12.8
No	194	85.1	36	80.0	230	84.2
Not understanding	0	0	1	2.2	1	0.4