

III. Drug Use for Medication

All drugs including prescription and drugs on market used within last 2 weeks were checked. All drugs were coded by drug effect according to Japan Standard Classification.

1. Drugs on nervous system and sensory organ

11. Agent acting on central nervous system

- 111. General anesthetic
- 112. Hypnotic sedative agent, antianxiety agent
- 113. Antiepileptic agent
- 114. Antipyretic analgesic agent
- 115. Stimulant drug, antihypnotic drug
- 116. Antiparkinson drugs
- 117. Antipsychotic drug
- 118. Drug for common cold
- 119. Other agent acting on central nervous system

12. Agent acting on peripheral nervous system

- 121. Local anesthetic
- 122. Muscle relaxant
- 123. Agent for autonomic nervous system
- 124. Antispasmodic agent
- 125. Diaphoretic, antiperspirant
- 126. Other agent for peripheral nervous system

13. Agent acting on sensory organ

- 131. Ophthalmic solution (others)
 - 13111. Ophthalmic solution (for cataract)
 - 13121. Ophthalmic solution (pilocarpine)
 - 13122. Ophthalmic solution (β blocker)
 - 13123. Ophthalmic solution (epinephrine)
 - 13124. Ophthalmic solution (other solutions for glaucoma)
 - 13131. Ophthalmic solution (steroid)
 - 13100. Ophthalmic solution (unknown)
- 132. Agent for ear, nose and throat use
- 133. Anti-vertiginous drug
- 134. Other agent acting on sensory organ

2. Drugs on individual organs

21. Agent acting on cardiovascular system

- 21101. Digitalis agent
- 21102. Xanthine agent
- 21103. Other inotropic agent
- 21201. β blocker
- 21202. Agents for membrane-stabilizing activity
- 21203. Other antiarrhythmic agent
- 21301. Thiazide diuretic
- 21302. Loop diuretic
- 21303. Potassium sparing diuretic
- 21304. Carbonate dehydratase inhibitor
- 21305. Other diuretic
- 21401. ACE inhibitor
- 21402. Ca antagonist
- 21403. Other antihypertensive agent
- 21499. Unknown antihypertensive agent
- 215. Vascular reinforcing agent
- 216. Vasoconstrictor
- 217. Vasodilator
- 218. Antihyperlipidemic agent
- 219. Other agent acting on cardiovascular system

22. Agent acting on respiratory system

- 221. Respiratory stimulator
- 222. Antitussive agent
- 223. Expectorant
- 224. Antitussive agent and expectorant
- 225. Bronchodilator
- 226. Gargle
- 229. Other agent acting on respiratory system

23. Agent acting on alimentary system

- 231. Antidiarrheal drug
- 232. Antiulcerative agent

- 233. Stomachic
 - 234. Antacid
 - 235. Laxative
 - 236. Cholagogue
 - 237. Combined digestive drug
 - 239. Other agent acting on alimentary system
24. Hormone drug
- 241. Pituitary hormone drug
 - 242. Hormone drug of salivary gland
 - 243. Thyroid hormone or parathyroid hormone drug
 - 244. Anabolic steroid drug
 - 245. Adrenocortical hormone drug
 - 246. Androgen drug
 - 247. Estrogen or progesterone drug
 - 248. Mixed hormone drug
 - 249. Other hormone drug
25. Agent acting on urogenital system or anus
- 251. Agent acting on urinary system
 - 252. Agent acting on genital system
 - 253. Uterine constrictor
 - 254. Contraceptive
 - 255. Drugs for hemorrhoid
 - 259. Other agent acting on urogenital system or anus
26. Surface-acting agent
- 261. Integumentary microbicide
 - 262. Protective agent for wound
 - 263. Pyostatics
 - 264. Analgenic, antipruritic, astringent, antiphlogistic (medicine for external application)
 - 265. Integumentary parasiticide
 - 266. Emollient
 - 267. Hair tonic
 - 268. Bath liquid

269. Other surface-acting agent

27. Agent for dental use

271. Dental local anesthetic

272. Agent for devitalization of the pulp

273. Analgesic or sedative for dental use

274. Agent for mummification of the pulp

275. Agent for pulp capping

276. Antibiotics for dental use

279. Other agent for dental use

290. Other agent for organ system

3. Drugs on metabolism

31. Vitamins

311. Vitamin A or D preparation

312. Vitamin B1 preparation

313. Vitamin B complex preparation (exclude B1)

314. Vitamin C preparation

315. Vitamin E preparation

316. Vitamin K preparation

317. Mixed vitamin preparation

319. Other vitamin preparation

32. Restoratives

321. Calcium preparation

322. Mineral preparation

323. Saccharides preparation

324. Organic acid preparation

325. Protein or amino acid preparation

326. Hormone drugs made from some internal organ

327. Drugs for infant

329. Other tonic

33. Blood substitute

331. Blood substitute

- 332. Styptics
- 333. Anticoagulant
- 339. Other blood substitute

- 34. Agent for dialysis
 - 341. Agent for hemodialysis
 - 342. Agent for peritoneal dialysis
 - 349. Other agent for dialysis

- 39. Other agent acting on metabolic system
 - 391. Agent for liver disease
 - 392. Antidote
 - 393. Agent for habitual intoxication
 - 394. Drugs for gout
 - 395. Enzyme preparation
 - 396. Antidiabetics
 - 397. Agent acting generally on metabolic system
 - 399. Unclassified agent acting on metabolic system

- 4. Cell activation agent
 - 41. Cell activation agent
 - 411. Chlorophyll agent
 - 412. Pigment agent
 - 419. Other cell activation agent

 - 42. Antitumor agent
 - 421. Alkylating agent
 - 422. Antimetabolite
 - 423. Antibiotics for antitumor agent
 - 424. Plant component for antitumor agent
 - 429. Other antitumor agent

 - 43. Radioisotope

 - 44. Antiallergic drug
 - 441. Antihistaminic drug

- 442. Agent for stimulus therapy
 - 443. Agent for nonspecific immunogenicity
 - 449. Other antiallergic drug
5. Drugs prescribed by a crude drug or a herb medicine
- 51. Crude drug
 - 52. Herb preparation
 - 59. Other drugs prescribed by a crude drug or herb preparation
6. Drugs for pathogenic organism
- 61. Antibiotics
 - 611. Antibiotics against gram-positive bacteria
 - 612. Antibiotics against gram-negative bacteria
 - 613. Antibiotics against gram-positive and negative bacteria
 - 614. Antibiotics against gram-positive bacteria and Mycoplasma
 - 615. Antibiotics against gram-positive and negative bacteria, Rickettsia, and Chlamydia
 - 616. Antibiotics against acid-fast bacterium
 - 617. Antibiotics against fungus
 - 619. Other antibiotics
 - 62. Agent for chemotherapy
 - 621. Sulfa drug
 - 622. Antituberculous agent
 - 623. Drugs for leprosy
 - 624. Synthetic antibiotics
 - 625. Antiviral agent
 - 626. Other agent for chemotherapy
 - 63. Biological agent
 - 631. Vaccine
 - 632. Poison or toxoid
 - 633. Antitoxic serum or leptospira serum
 - 634. Blood supplements
 - 635. Reagent for biological test
 - 636. Mixed biological agent

- 639. Other biological agent

- 64. Drug against parasitic disease
 - 641. Protozoicide
 - 642. Parasiticide
 - 649. Other drug against parasitic disease

- 69. Other drugs for pathogenic organism

- 7. Drugs used not for treatment
 - 71. Dispensing drug
 - 711. Diluents
 - 712. Ointment base
 - 713. Solution
 - 714. Corrective, tincture
 - 715. Emulsifier
 - 719. Other dispensing drug

 - 72. Drugs used for diagnosis
 - 721. X-ray contrast medium
 - 722. Reagent for functional examination
 - 729. Other drugs for diagnosis

 - 73. Drugs used for public health
 - 731. Antiseptic
 - 732. Pesticide for prevention of epidemics
 - 733. Insect repellent
 - 734. Insecticide
 - 735. Rodenticide
 - 736. Other drug used for public health

 - 74. Reagent for extracorporeal diagnosis
 - 741. Reagent for general examination
 - 742. Reagent for blood analysis
 - 743. Reagent for biochemical analysis
 - 744. Reagent for immunologic or serologic test

- 745. Reagent for microbiological examination
- 746. Reagent for histopathological examination
- 747. Radiopharmaceutical for extracorporeal diagnosis
- 749. Other reagent for extracorporeal diagnosis

79.

- 791. Adhesive bandage
- 799. Other drug not for treatment

8. Narcotics

- 81. Alkaloid agent
 - 811. Opiate alkaloid agent
 - 812. Coca alkaloid agent
 - 819. Other alkaloid agent

82. Non-alkaloid narcotics

- 821. Synthetic narcotic

9. Unclassifiable drug

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
General anesthetic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Hypogenic sadative agent	Male	5	1.8	11	3.7	16	5.5	30	10.9	3	17.6	65	5.6
	Female	2	0.8	16	5.6	23	8.5	49	18.2	3	13.6	93	8.4
	Total	7	1.3	27	4.7	39	6.9	79	14.5	6	15.4	158	7.0
Antiepileptic agent	Male	0	0	0	0	3	1.0	4	1.5	0	0	7	0.6
	Female	1	0.4	2	0.7	2	0.7	1	0.4	0	0	6	0.5
	Total	1	0.2	2	0.3	5	0.9	5	0.9	0	0	13	0.6
Antipyretic analgesic agent	Male	21	7.7	19	6.4	26	8.9	57	20.7	2	11.8	125	10.9
	Female	55	21.1	39	13.7	39	14.4	57	21.2	5	22.7	195	17.6
	Total	76	14.2	58	10.0	65	11.6	114	21.0	7	17.9	320	14.2
Stimulant drug, antihypnotic drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antiparkinson drugs	Male	0	0	0	0	1	0.3	1	0.4	0	0	2	0.2
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	1	0.2	2	0.4	0	0	3	0.1
Antipsychotic drug	Male	4	1.5	2	0.7	8	2.7	6	2.2	1	5.9	21	1.8
	Female	5	1.9	1	0.4	9	3.3	10	3.7	0	0	25	2.3
	Total	9	1.7	3	0.5	17	3.0	16	2.9	1	2.6	46	2.0
Drug for common cold	Male	33	12.1	12	4.1	22	7.6	12	4.4	1	5.9	80	6.9
	Female	27	10.3	20	7.0	25	9.2	20	7.4	1	4.5	93	8.4
	Total	60	11.2	32	5.5	47	8.4	32	5.9	2	5.1	173	7.7
Other agent acting on CNS	Male	0	0	0	0	1	0.3	3	1.1	0	0	4	0.3

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on CNS	Female	0	0	1	0.4	1	0.4	1	0.4	0	0	3	0.3
	Total	0	0	1	0.2	2	0.4	4	0.7	0	0	7	0.3
Local anesthetic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.4	2	0.7	0	0	3	0.3
	Total	0	0	0	0	1	0.2	2	0.4	0	0	3	0.1
Muscle relaxant	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	0	0	2	0.7	0	0	1	0.4	0	0	3	0.3
	Total	0	0	2	0.3	0	0	3	0.6	0	0	5	0.2
Agent for autonomic nervous system	Male	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Female	2	0.8	2	0.7	3	1.1	2	0.7	0	0	9	0.8
	Total	3	0.6	2	0.3	3	0.5	2	0.4	0	0	10	0.4
Antispasmodic agent	Male	1	0.4	0	0	4	1.4	6	2.2	0	0	11	1.0
	Female	3	1.1	2	0.7	5	1.8	10	3.7	1	4.5	21	1.9
	Total	4	0.7	2	0.3	9	1.6	16	2.9	1	2.6	32	1.4
Diaphoretic, antiperspirants	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other agent for PNS	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Ophthalmic solution (others)	Male	53	19.4	49	16.6	44	15.1	61	22.2	4	23.5	211	18.3
	Female	41	15.7	55	19.4	71	26.2	86	32.0	8	36.4	261	23.6
	Total	94	17.6	104	17.9	115	20.5	147	27.0	12	30.8	472	20.9
Ophthalmic solution (for cataract)	Male	1	0.4	2	0.7	13	4.5	37	13.5	6	35.3	59	5.1
	Female	0	0	6	2.1	24	8.9	62	23.0	3	13.6	95	8.6

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Ophthalmic solution (for cataract)	Total	1	0.2	8	1.4	37	6.6	99	18.2	9	23.1	154	6.8
Ophthalmic solution (pilocarpine)	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	1	0.4	1	0.4	0	0	2	0.2
	Total	0	0	0	0	1	0.2	1	0.2	0	0	2	0.1
Ophthalmic solution (β blocker)	Male	3	1.1	2	0.7	1	0.3	7	2.5	1	5.9	14	1.2
	Female	0	0	0	0	5	1.8	4	1.5	0	0	9	0.8
	Total	3	0.6	2	0.3	6	1.1	11	2.0	1	2.6	23	1.0
Ophthalmic solution (epinephrine)	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Ophthalmic solution (for glaucoma)	Male	2	0.7	3	1.0	0	0	2	0.7	0	0	7	0.6
	Female	0	0	0	0	2	0.7	1	0.4	0	0	3	0.3
	Total	2	0.4	3	0.5	2	0.4	3	0.6	0	0	10	0.4
Ophthalmic solution (steroid)	Male	3	1.1	1	0.3	6	2.1	10	3.6	3	17.6	23	2.0
	Female	9	3.4	5	1.8	11	4.1	24	8.9	0	0	49	4.4
	Total	12	2.2	6	1.0	17	3.0	34	6.3	3	7.7	72	3.2
Ophthalmic solution (unknown)	Male	2	0.7	1	0.3	2	0.7	12	4.4	0	0	17	1.5
	Female	3	1.1	2	0.7	3	1.1	10	3.7	1	4.5	19	1.7
	Total	5	0.9	3	0.5	5	0.9	22	4.0	1	2.6	36	1.6
Agent for ENT use	Male	8	2.9	5	1.7	2	0.7	0	0	0	0	15	1.3
	Female	5	1.9	5	1.8	2	0.7	0	0	0	0	12	1.1
	Total	13	2.4	10	1.7	4	0.7	0	0	0	0	27	1.2
Anti-vertigeneous drug	Male	0	0	1	0.3	0	0	4	1.5	0	0	5	0.4
	Female	1	0.4	3	1.1	3	1.1	13	4.8	0	0	20	1.8
	Total	1	0.2	4	0.7	3	0.5	17	3.1	0	0	25	1.1

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent acting on sensory organ	Male	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	0	0	0	0	0	0	1	0.0
Digitalis agent	Male	0	0	1	0.3	2	0.7	8	2.9	1	5.9	12	1.0
	Female	1	0.4	2	0.7	2	0.7	0	0	1	4.5	6	0.5
	Total	1	0.2	3	0.5	4	0.7	8	1.5	2	5.1	18	0.8
Xanthine agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other inotropic agent	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	0	0	0	0	0	0	3	1.1	0	0	3	0.3
	Total	0	0	0	0	0	0	5	0.9	0	0	5	0.2
β blocker	Male	4	1.5	10	3.4	6	2.1	9	3.3	0	0	29	2.5
	Female	1	0.4	5	1.8	7	2.6	4	1.5	1	4.5	18	1.6
	Total	5	0.9	15	2.6	13	2.3	13	2.4	1	2.6	47	2.1
Agents for membrane-stabilizing activity	Male	0	0	2	0.7	1	0.3	3	1.1	0	0	6	0.5
	Female	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Total	0	0	2	0.3	1	0.2	5	0.9	0	0	8	0.4
Other antiarrhythmic agent	Male	0	0	1	0.3	1	0.3	3	1.1	0	0	5	0.4
	Female	0	0	0	0	4	1.5	0	0	0	0	4	0.4
	Total	0	0	1	0.2	5	0.9	3	0.6	0	0	9	0.4
Thyazide diuretics	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	2	0.8	0	0	2	0.7	1	0.4	0	0	5	0.5
	Total	2	0.4	0	0	2	0.4	1	0.2	0	0	5	0.2
Loop diuretics	Male	0	0	0	0	4	1.4	4	1.5	1	5.9	9	0.8

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Loop diuretics	Female	2	0.8	2	0.7	2	0.7	7	2.6	0	0	13	1.2
	Total	2	0.4	2	0.3	6	1.1	11	2.0	1	2.6	22	1.0
Potassium sparing diuretics	Male	0	0	0	0	2	0.7	1	0.4	0	0	3	0.3
	Female	0	0	1	0.4	3	1.1	5	1.9	0	0	9	0.8
	Total	0	0	1	0.2	5	0.9	6	1.1	0	0	12	0.5
Carbonate dehydratase inhibitor	Male	1	0.4	0	0	0	0	1	0.4	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	0	0	1	0.2	0	0	2	0.1
Other diuretics	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	0	0	1	0.4	1	0.4	2	0.7	0	0	4	0.4
	Total	0	0	1	0.2	1	0.2	4	0.7	0	0	6	0.3
ACE inhibitor	Male	6	2.2	12	4.1	24	8.2	33	12.0	1	5.9	76	6.6
	Female	4	1.5	12	4.2	19	7.0	25	9.3	2	9.1	62	5.6
	Total	10	1.9	24	4.1	43	7.7	58	10.7	3	7.7	138	6.1
Ca antagonist	Male	12	4.4	34	11.5	67	23.0	87	31.6	3	17.6	203	17.6
	Female	8	3.1	23	8.1	50	18.5	79	29.4	5	22.7	165	14.9
	Total	20	3.7	57	9.8	117	20.8	166	30.5	8	20.5	368	16.3
Other antihypertensive agent	Male	2	0.7	7	2.4	9	3.1	14	5.1	0	0	32	2.8
	Female	2	0.8	2	0.7	4	1.5	12	4.5	2	9.1	22	2.0
	Total	4	0.7	9	1.6	13	2.3	26	4.8	2	5.1	54	2.4
Vascular reinforcing agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Vasoconstrictor	Male	0	0	0	0	1	0.3	1	0.4	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Vasoconstrictor	Total	0	0	0	0	1	0.2	1	0.2	0	0	2	0.1
Vasodilator	Male	1	0.4	3	1.0	8	2.7	37	13.5	2	11.8	51	4.4
	Female	0	0	0	0	6	2.2	18	6.7	4	18.2	28	2.5
	Total	1	0.2	3	0.5	14	2.5	55	10.1	6	15.4	79	3.5
Antihyperlipidemic agent	Male	7	2.6	23	7.8	18	6.2	26	9.5	1	5.9	75	6.5
	Female	2	0.8	29	10.2	37	13.7	51	19.0	5	22.7	124	11.2
	Total	9	1.7	52	9.0	55	9.8	77	14.2	6	15.4	199	8.8
Other agent on cardiovascular system	Male	1	0.4	4	1.4	11	3.8	22	8.0	2	11.8	40	3.5
	Female	0	0	6	2.1	9	3.3	20	7.4	1	4.5	36	3.3
	Total	1	0.2	10	1.7	20	3.6	42	7.7	3	7.7	76	3.4
Respiratory stimulator	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Total	1	0.2	0	0	0	0	0	0	0	0	1	0.0
Antitussive agent	Male	4	1.5	1	0.3	3	1.0	1	0.4	0	0	9	0.8
	Female	8	3.1	6	2.1	7	2.6	3	1.1	1	4.5	25	2.3
	Total	12	2.2	7	1.2	10	1.8	4	0.7	1	2.6	34	1.5
Expectorant	Male	4	1.5	3	1.0	2	0.7	11	4.0	1	5.9	21	1.8
	Female	5	1.9	8	2.8	7	2.6	5	1.9	1	4.5	26	2.3
	Total	9	1.7	11	1.9	9	1.6	16	2.9	2	5.1	47	2.1
Antitussive agent and expectorant	Male	1	0.4	0	0	3	1.0	0	0	0	0	4	0.3
	Female	3	1.1	2	0.7	2	0.7	4	1.5	0	0	11	1.0
	Total	4	0.7	2	0.3	5	0.9	4	0.7	0	0	15	0.7
Bronchodilator	Male	4	1.5	2	0.7	4	1.4	9	3.3	1	5.9	20	1.7
	Female	1	0.4	7	2.5	5	1.8	4	1.5	1	4.5	18	1.6
	Total	5	0.9	9	1.6	9	1.6	13	2.4	2	5.1	38	1.7

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Gargle	Male	1	0.4	0	0	1	0.3	1	0.4	0	0	3	0.3
	Female	1	0.4	0	0	0	0	1	0.4	0	0	2	0.2
	Total	2	0.4	0	0	1	0.2	2	0.4	0	0	5	0.2
Other agent acting on respiratory system	Male	0	0	1	0.3	0	0	0	0	0	0	1	0.1
	Female	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Total	1	0.2	1	0.2	0	0	0	0	0	0	2	0.1
Antidiarrheal drug	Male	4	1.5	2	0.7	6	2.1	11	4.0	4	23.5	27	2.3
	Female	5	1.9	3	1.1	8	3.0	12	4.5	0	0	28	2.5
	Total	9	1.7	5	0.9	14	2.5	23	4.2	4	10.3	55	2.4
Antiulcerative agent	Male	14	5.1	17	5.7	48	16.5	61	22.2	7	41.2	147	12.8
	Female	24	9.2	19	6.7	34	12.5	59	21.9	9	40.9	145	13.1
	Total	38	7.1	36	6.2	82	14.6	120	22.1	16	41.0	292	12.9
Stomachic	Male	31	11.4	30	10.1	32	11.0	24	8.7	3	17.6	120	10.4
	Female	19	7.3	17	6.0	16	5.9	34	12.6	6	27.3	92	8.3
	Total	50	9.4	47	8.1	48	8.5	58	10.7	9	23.1	212	9.4
Antacid	Male	1	0.4	1	0.3	4	1.4	4	1.5	0	0	10	0.9
	Female	1	0.4	0	0	2	0.7	3	1.1	0	0	6	0.5
	Total	2	0.4	1	0.2	6	1.1	7	1.3	0	0	16	0.7
Laxative	Male	1	0.4	2	0.7	7	2.4	30	10.9	2	11.8	42	3.6
	Female	15	5.7	21	7.4	24	8.9	38	14.1	1	4.5	99	8.9
	Total	16	3.0	23	4.0	31	5.5	68	12.5	3	7.7	141	6.2
Cholagogue	Male	2	0.7	2	0.7	5	1.7	1	0.4	0	0	10	0.9
	Female	0	0	2	0.7	1	0.4	0	0	1	4.5	4	0.4
	Total	2	0.4	4	0.7	6	1.1	1	0.2	1	2.6	14	0.6
Combined digestive drug	Male	0	0	1	0.3	1	0.3	2	0.7	0	0	4	0.3

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Combined digestive drug	Female	1	0.4	3	1.1	0	0	1	0.4	0	0	5	0.5
	Total	1	0.2	4	0.7	1	0.2	3	0.6	0	0	9	0.4
Other agent acting on alimentary system	Male	10	3.7	7	2.4	12	4.1	11	4.0	1	5.9	41	3.6
	Female	4	1.5	6	2.1	8	3.0	17	6.3	1	4.5	36	3.3
	Total	14	2.6	13	2.2	20	3.6	28	5.1	2	5.1	77	3.4
Pituitary hormone drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Hormone drug of salivary gland	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Thyroid parathyroid hormone drug	Male	3	1.1	0	0	1	0.3	1	0.4	0	0	5	0.4
	Female	2	0.8	2	0.7	3	1.1	3	1.1	0	0	10	0.9
	Total	5	0.9	2	0.3	4	0.7	4	0.7	0	0	15	0.7
Anabolic steroid drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Adrenocortical hormone drug	Male	10	3.7	6	2.0	10	3.4	3	1.1	0	0	29	2.5
	Female	7	2.7	9	3.2	10	3.7	4	1.5	0	0	30	2.7
	Total	17	3.2	15	2.6	20	3.6	7	1.3	0	0	59	2.6
Androgen drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Estrogen or progesterone drug	Male	0	0	0	0	0	0	7	2.5	0	0	7	0.6
	Female	8	3.1	1	0.4	6	2.2	1	0.4	0	0	16	1.4

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Estrogen or progesterone drug	Total	8	1.5	1	0.2	6	1.1	8	1.5	0	0	23	1.0
Mixed hormone drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	0.4	0	0	0	0	0	0	1	0.1
	Total	0	0	1	0.2	0	0	0	0	0	0	1	0.0
Other hormone drug	Male	0	0	4	1.4	5	1.7	4	1.5	0	0	13	1.1
	Female	3	1.1	8	2.8	6	2.2	11	4.1	1	4.5	29	2.6
	Total	3	0.6	12	2.1	11	2.0	15	2.8	1	2.6	42	1.9
Agent acting on urinary system	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	2	0.4	0	0	2	0.1
Agent acting on genital system	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Uterine constrictor	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Contraceptive	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	2	0.8	0	0	0	0	0	0	0	0	2	0.2
	Total	2	0.4	0	0	0	0	0	0	0	0	2	0.1
Drugs for hemorrhoid	Male	2	0.7	2	0.7	0	0	3	1.1	0	0	7	0.6
	Female	0	0	0	0	2	0.7	2	0.7	0	0	4	0.4
	Total	2	0.4	2	0.3	2	0.4	5	0.9	0	0	11	0.5
Other agent acting on urogenital or anus	Male	2	0.7	4	1.4	4	1.4	20	7.3	2	11.8	32	2.8
	Female	0	0	1	0.4	1	0.4	3	1.1	0	0	5	0.5
	Total	2	0.4	5	0.9	5	0.9	23	4.2	2	5.1	37	1.6

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Integumentary microbiosite	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Total	1	0.2	0	0	0	0	0	0	0	0	1	0.0
Protective agent for wound	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	2	0.8	0	0	0	0	0	0	0	0	2	0.2
	Total	2	0.4	0	0	0	0	0	0	0	0	2	0.1
Pyostatic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	2	0.8	0	0	0	0	0	0	0	0	2	0.2
	Total	2	0.4	0	0	0	0	0	0	0	0	2	0.1
Analgenic (external application)	Male	4	1.5	8	2.7	12	4.1	13	4.7	1	5.9	38	3.3
	Female	13	5.0	11	3.9	11	4.1	17	6.3	0	0	52	4.7
	Total	17	3.2	19	3.3	23	4.1	30	5.5	1	2.6	90	4.0
Integumentary Parasiticide	Male	3	1.1	1	0.3	1	0.3	1	0.4	0	0	6	0.5
	Female	2	0.8	2	0.7	0	0	1	0.4	0	0	5	0.5
	Total	5	0.9	3	0.5	1	0.2	2	0.4	0	0	11	0.5
Emollient	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Hair tonic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Bath liquid	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other surface-acting agent	Male	0	0	2	0.7	2	0.7	0	0	0	0	4	0.3

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other surface-acting agent	Female	0	0	1	0.4	0	0	0	0	0	0	1	0.1
	Total	0	0	3	0.5	2	0.4	0	0	0	0	5	0.2
Dental local anesthetic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Agent for devitalization of the pulp	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Analgesic or sedative for dental use	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Total	1	0.2	0	0	0	0	0	0	0	0	1	0.0
Agent for mummification of the pulp	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Agent for pulp capping	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antibiotics for dental use	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Other agent for dental use	Male	0	0	0	0	0	0	0	0	1	5.9	1	0.1
	Female	3	1.1	1	0.4	1	0.4	0	0	0	0	5	0.5
	Total	3	0.6	1	0.2	1	0.2	0	0	1	2.6	6	0.3
Vitamin A or D	Male	2	0.7	0	0	4	1.4	3	1.1	0	0	9	0.8
	Female	4	1.5	4	1.4	15	5.5	27	10.0	3	13.6	53	4.8

(CONTINUED)