

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Vitamin A or D	Total	6	1.1	4	0.7	19	3.4	30	5.5	3	7.7	62	2.7
Vitamin B1	Male	4	1.5	5	1.7	7	2.4	14	5.1	0	0	30	2.6
	Female	3	1.1	4	1.4	10	3.7	11	4.1	1	4.5	29	2.6
	Total	7	1.3	9	1.6	17	3.0	25	4.6	1	2.6	59	2.6
Vitamin B complex	Male	9	3.3	9	3.0	12	4.1	39	14.2	3	17.6	72	6.3
	Female	10	3.8	12	4.2	28	10.3	35	13.0	6	27.3	91	8.2
	Total	19	3.6	21	3.6	40	7.1	74	13.6	9	23.1	163	7.2
Vitamin C	Male	8	2.9	3	1.0	8	2.7	6	2.2	0	0	25	2.2
	Female	9	3.4	5	1.8	8	3.0	13	4.8	1	4.5	36	3.3
	Total	17	3.2	8	1.4	16	2.8	19	3.5	1	2.6	61	2.7
Vitamin E	Male	3	1.1	4	1.4	7	2.4	12	4.4	3	17.6	29	2.5
	Female	3	1.1	7	2.5	11	4.1	19	7.1	2	9.1	42	3.8
	Total	6	1.1	11	1.9	18	3.2	31	5.7	5	12.8	71	3.1
Vitamin K	Male	0	0	0	0	1	0.3	1	0.4	0	0	2	0.2
	Female	1	0.4	0	0	0	0	6	2.2	1	4.5	8	0.7
	Total	1	0.2	0	0	1	0.2	7	1.3	1	2.6	10	0.4
Mixed vitamin	Male	11	4.0	9	3.0	14	4.8	14	5.1	0	0	48	4.2
	Female	11	4.2	11	3.9	19	7.0	26	9.7	3	13.6	70	6.3
	Total	22	4.1	20	3.4	33	5.9	40	7.4	3	7.7	118	5.2
Other vitamin	Male	5	1.8	8	2.7	9	3.1	17	6.2	3	17.6	42	3.6
	Female	7	2.7	12	4.2	11	4.1	18	6.7	0	0	48	4.3
	Total	12	2.2	20	3.4	20	3.6	35	6.4	3	7.7	90	4.0
Calcium	Male	0	0	3	1.0	6	2.1	7	2.5	0	0	16	1.4
	Female	5	1.9	11	3.9	12	4.4	17	6.3	1	4.5	46	4.2
	Total	5	0.9	14	2.4	18	3.2	24	4.4	1	2.6	62	2.7

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Mineral preparation	Male	2	0.7	0	0	2	0.7	6	2.2	0	0	10	0.9
	Female	6	2.3	3	1.1	4	1.5	6	2.2	0	0	19	1.7
	Total	8	1.5	3	0.5	6	1.1	12	2.2	0	0	29	1.3
Saccaride preparation	Male	1	0.4	0	0	0	0	2	0.7	0	0	3	0.3
	Female	2	0.8	0	0	0	0	1	0.4	0	0	3	0.3
	Total	3	0.6	0	0	0	0	3	0.6	0	0	6	0.3
Organic acid preparation	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
protein or amino acid preparation	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	2	0.8	1	0.4	2	0.7	1	0.4	0	0	6	0.5
	Total	2	0.4	1	0.2	2	0.4	1	0.2	0	0	6	0.3
Hormone drugs made from internal organ	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Drugs for infant	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other tonic	Male	5	1.8	3	1.0	10	3.4	10	3.6	1	5.9	29	2.5
	Female	8	3.1	9	3.2	15	5.5	15	5.6	1	4.5	48	4.3
	Total	13	2.4	12	2.1	25	4.4	25	4.6	2	5.1	77	3.4
Blood substitute	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Styptic	Male	0	0	0	0	0	0	2	0.7	1	5.9	3	0.3

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Styptic	Female	1	0.4	0	0	1	0.4	2	0.7	0	0	4	0.4
	Total	1	0.2	0	0	1	0.2	4	0.7	1	2.6	7	0.3
Anticoagulant	Male	0	0	0	0	0	0	4	1.5	0	0	4	0.3
	Female	0	0	2	0.7	1	0.4	0	0	0	0	3	0.3
	Total	0	0	2	0.3	1	0.2	4	0.7	0	0	7	0.3
Other blood substitute	Male	1	0.4	3	1.0	9	3.1	20	7.3	0	0	33	2.9
	Female	0	0	2	0.7	4	1.5	12	4.5	1	4.5	19	1.7
	Total	1	0.2	5	0.9	13	2.3	32	5.9	1	2.6	52	2.3
Agent for hemodialysis	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Agent for peritoneal dialysis	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other agent for dialysis	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Agent for liver disease	Male	1	0.4	4	1.4	6	2.1	1	0.4	0	0	12	1.0
	Female	1	0.4	0	0	1	0.4	2	0.7	1	4.5	5	0.5
	Total	2	0.4	4	0.7	7	1.2	3	0.6	1	2.6	17	0.8
Antidote	Male	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	0	0	0	0	1	0.0
Agent for habitual intoxication	Male	0	0	1	0.3	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Agent for habitual intoxication	Total	0	0	1	0.2	0	0	0	0	0	0	1	0.0
Drugs for gout	Male	5	1.8	16	5.4	19	6.5	22	8.0	2	11.8	64	5.6
	Female	0	0	3	1.1	2	0.7	5	1.9	0	0	10	0.9
	Total	5	0.9	19	3.3	21	3.7	27	5.0	2	5.1	74	3.3
Enzyme preparation	Male	3	1.1	3	1.0	4	1.4	3	1.1	0	0	13	1.1
	Female	0	0	3	1.1	5	1.8	4	1.5	0	0	12	1.1
	Total	3	0.6	6	1.0	9	1.6	7	1.3	0	0	25	1.1
Antidiabetics	Male	4	1.5	11	3.7	19	6.5	24	8.7	2	11.8	60	5.2
	Female	0	0	11	3.9	9	3.3	13	4.8	1	4.5	34	3.1
	Total	4	0.7	22	3.8	28	5.0	37	6.8	3	7.7	94	4.2
Other agent on metabolic system	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Unclassified agent on metabolic system	Male	1	0.4	2	0.7	5	1.7	5	1.8	1	5.9	14	1.2
	Female	1	0.4	3	1.1	10	3.7	14	5.2	2	9.1	30	2.7
	Total	2	0.4	5	0.9	15	2.7	19	3.5	3	7.7	44	1.9
Chlorophyll agent	Male	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	0	0	0	0	0	0	1	0.0
Pigment agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other cell activation agent	Male	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	1	0.2	0	0	0	0	0	0	0	0	1	0.0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Alkylating agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antimetabolite	Male	0	0	0	0	1	0.3	1	0.4	0	0	2	0.2
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	1	0.2	1	0.2	0	0	2	0.1
Antibiotics for antitumor agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Plant component for antitumor agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other antitumor agent	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	1	0.4	0	0	1	0.4	0	0	0	0	2	0.2
	Total	1	0.2	0	0	1	0.2	1	0.2	0	0	3	0.1
Antihistaminic drug	Male	11	4.0	8	2.7	6	2.1	6	2.2	0	0	31	2.7
	Female	10	3.8	5	1.8	2	0.7	5	1.9	0	0	22	2.0
	Total	21	3.9	13	2.2	8	1.4	11	2.0	0	0	53	2.3
Agent for stimulus therapy	Male	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Female	0	0	1	0.4	1	0.4	1	0.4	0	0	3	0.3
	Total	0	0	1	0.2	2	0.4	1	0.2	0	0	4	0.2
Agent for nonspecific immunogenicity	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other antiallergic drug	Male	19	7.0	14	4.7	8	2.7	19	6.9	2	11.8	62	5.4

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other antiallergic drug	Female	10	3.8	13	4.6	9	3.3	5	1.9	0	0	37	3.3
	Total	29	5.4	27	4.7	17	3.0	24	4.4	2	5.1	99	4.4
Crude drug	Male	11	4.0	9	3.0	12	4.1	11	4.0	1	5.9	44	3.8
	Female	7	2.7	13	4.6	17	6.3	19	7.1	2	9.1	58	5.2
	Total	18	3.4	22	3.8	29	5.2	30	5.5	3	7.7	102	4.5
Herb medicine	Male	9	3.3	8	2.7	7	2.4	14	5.1	1	5.9	39	3.4
	Female	12	4.6	12	4.2	16	5.9	19	7.1	1	4.5	60	5.4
	Total	21	3.9	20	3.4	23	4.1	33	6.1	2	5.1	99	4.4
Other drugs by a herb medicine	Male	1	0.4	1	0.3	1	0.3	0	0	0	0	3	0.3
	Female	2	0.8	1	0.4	2	0.7	0	0	0	0	5	0.5
	Total	3	0.6	2	0.3	3	0.5	0	0	0	0	8	0.4
Antibiotics (G(+))	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antibiotics (G(-))	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antibiotics (G(+), G(-))	Male	8	2.9	3	1.0	3	1.0	1	0.4	3	17.6	18	1.6
	Female	8	3.1	3	1.1	3	1.1	6	2.2	1	4.5	21	1.9
	Total	16	3.0	6	1.0	6	1.1	7	1.3	4	10.3	39	1.7
Antibiotics (G(+), G(-), Mycoplasma)	Male	2	0.7	4	1.4	0	0	3	1.1	0	0	9	0.8
	Female	4	1.5	5	1.8	1	0.4	2	0.7	0	0	12	1.1
	Total	6	1.1	9	1.6	1	0.2	5	0.9	0	0	21	0.9
Antibiotics (Rickettsia, Chlamidia)	Male	0	0	0	0	1	0.3	0	0	0	0	1	0.1
	Female	1	0.4	0	0	0	0	0	0	0	0	1	0.1

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Antibiotics (Rickettsia, Chlamidia)	Total	1	0.2	0	0	1	0.2	0	0	0	0	2	0.1
Antibiotics against acid- fastbacterium	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antibiotics against fungus	Male	0	0	0	0	0	0	2	0.7	0	0	2	0.2
	Female	0	0	1	0.4	1	0.4	3	1.1	0	0	5	0.5
	Total	0	0	1	0.2	1	0.2	5	0.9	0	0	7	0.3
Other antibiotics	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Sulfa drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	1	0.4	0	0	0	0	0	0	1	0.1
	Total	0	0	1	0.2	0	0	0	0	0	0	1	0.0
Antitubercukous agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Drugs for leprosy	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Synthetic antibiotics	Male	1	0.4	0	0	4	1.4	1	0.4	0	0	6	0.5
	Female	2	0.8	5	1.8	7	2.6	2	0.7	2	9.1	18	1.6
	Total	3	0.6	5	0.9	11	2.0	3	0.6	2	5.1	24	1.1
Antiviral agent	Male	1	0.4	0	0	0	0	0	0	0	0	1	0.1
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	1	0.2	0	0	0	0	1	0.2	0	0	2	0.1

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other agent for chemotherapy	Male	2	0.7	1	0.3	0	0	0	0	0	0	3	0.3
	Female	2	0.8	1	0.4	1	0.4	0	0	0	0	4	0.4
	Total	4	0.7	2	0.3	1	0.2	0	0	0	0	7	0.3
Vaccine	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Poison or toxoid	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Antitoxic serum or leptospira serum	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Blood supplements	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for biological test	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Mixed biological agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other biological agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Protozoicide	Male	0	0	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Protozoicide	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Parasiticide	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other drug against parasitic disease	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Diluent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Ointment base	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Solution	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Corrective tincton	Male	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Emulsifier	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other dispensing drug	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other dispensing drug	Total	0	0	0	0	0	0	0	0	0	0	0	0
X-ray contrast medium	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for functional examination	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other test	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Antiseptic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Pesticide for prevention of epidemics	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Insecticide	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Insecticide	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Rodenticide	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other drug used for public health	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for general examination	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for blood analysis	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for chemical analysis	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for immunologic test	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for microbiological examination	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Reagent for pathological examination	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Radiopharmaceutical for diagnosis	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other reagent for diagnosis	Male	0	0	0	0	0	0	0	0	0	0	0	0

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
Other reagent for diagnosis	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Strap	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other drug not for treatment	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Opiate alkaloid agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	1	0.4	0	0	1	0.1
	Total	0	0	0	0	0	0	1	0.2	0	0	1	0.0
Coca alkaloid agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Other alkaloid agent	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Synthetic narcotic	Male	0	0	0	0	0	0	0	0	0	0	0	0
	Female	0	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0	0
Unclassifiable drug	Male	0	0	2	0.7	6	2.1	9	3.3	1	5.9	18	1.6
	Female	4	1.5	3	1.1	6	2.2	9	3.3	0	0	22	2.0
	Total	4	0.7	5	0.9	12	2.1	18	3.3	1	2.6	40	1.8
No use of drug	Male	110	40.3	113	38.2	71	24.4	43	15.6	2	11.8	339	29.4
	Female	85	32.6	89	31.3	46	17.0	26	9.7	1	4.5	247	22.3

(CONTINUED)

Prevalence of taking medicine in previous 2 weeks

		40-49yr		50-59yr		60-69yr		70-79yr		80yr-		Total	
		N	%	N	%	N	%	N	%	N	%	N	%
No use of drug	Total	195	36.5	202	34.8	117	20.8	69	12.7	3	7.7	586	25.9
Total	Male	273	100.0	296	100.0	291	100.0	275	100.0	17	100.0	1152	100.0
	Female	261	100.0	284	100.0	271	100.0	269	100.0	22	100.0	1107	100.0
	Total	534	100.0	580	100.0	562	100.0	544	100.0	39	100.0	2259	100.0

IV. Nutritional Examinations

IV. Nutritional Examinations

Foods and nutrition intakes were assessed by the three-consecutive-day weighing dietary records. On this method, foods were weighed separately as raw materials with scales before cooked. The subjects were asked to take the photos before and after eating foods using disposable camera. The dietary records were checked and coded by nutritionists. The average intakes of food and nutrition per day were calculated according to the 4th edition Standard Tables of Foods Consumption edited by the Science and Technology Agency in Japan. The substituted food composition table for Japanese foods were developed by National Cancer Center for the assessment of fatty acid intakes (Sasaki et al., J Epidemiol, 9: 190-207, 1999).

Three days dietary record (3DR)

1) Food intake

- Cereals
- Potatoes and starches
- Sugars and sweeteners
- Confectioneries
- Fats and oils
- Nuts and seeds
- Pulses
- Fishes and shellfishes
- Meats
- Eggs
- Milks
- Vegetables
- Fruits
- Fungi
- Algae
- Beverages
- Seasonings and spices
- Prepared foods

2) Nutrition intake

Energy
Water
Protein
Lipid
Carbohydrate
Non-fibrous carbohydrate
Fibrous carbohydrate
Ash
Calcium
Phosphorus
Iron
Sodium
Potassium
Retinol
Carotene
Retinol potency
Vitamin B1
Vitamin B2
Niacin
Vitamin C
Vitamin D
Vitamin E
Salt
Cholesterol
Total dietary fiber
Water soluble fiber
Water insoluble fiber
Vitamin K
Vitamin B6
Vitamin B12
Magnesium
Zinc
Copper
Nitrogen
Isoleucine
Leucine

Lysine
Methionine
Cystine
Sulfer-containing amino acids
Phenylalanine
Tyrosine
Aromatic amino acids
Threonine
Tryptophan
Valine
Histidine
Alginine
Alanine
Aspartic acid
Glutamic acid
Glycine
Proline
Serine
Total fatty acid
Saturated fatty acid
Monounsaturated fatty acid
Polyunsaturated fatty acid
Unsaturated fatty acid
n-6 fatty acid
n-3 fatty acid
Butyric acid
Hexanoic acid
Octanoic acid
Decanoic acid
Decenoic acid
Lauric acid
Myristic acid
Myristoleic acid
Pentadecanoic acid
Pentadecenoic acid
Palmitic acid

Palmitoleic acid
Hexadecatrienoic acid
Heptadecanoic acid
Heptadecenoic acid
Stearic acid
Oleic acid
Linoleic acid
Linolenic acid
 γ -Linolenic acid
Octadecatetraenic acid
Arachidic acid
Eicosenoic acid
Eicosadienoic acid
Eicosatrienoic acid
Eicosatetraenoic acid
Arachidonic acid
Eicosapentaenoic acid
Behenic acid
Docosenoic acid
Docosadienoic acid
Docosapentaenoic acid (n-3)
Docosapentaenoic acid (n-6)
Docosahexaenoic acid
Lignoceric acid
Tetracosenoic acid
Alcohol

3) State of using supplement in previous 1 year (Frequency questionnaire)

4) Frequency of supplement intake (Frequency questionnaire)

5) Beverage intakes

Three days dietary record (3DR)

1) Food intake (3DR)

Cereals (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	203.3	54.3	127	209.3	55.5	182	206.8	58.5	176	196.0	53.8	158	181.0	46.5	10	203.8	55.7	653
Male	269.8	67.7	130	264.7	60.6	187	271.8	83.4	200	250.2	70.7	181	245.0	37.4	13	263.6	71.5	711
Total	236.9	69.7	257	237.3	64.3	369	241.4	79.6	376	225.0	68.9	339	217.2	51.9	23	235.0	71.0	1364

Potatoes and starches (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	53.6	39.5	127	50.1	35.2	182	66.9	51.9	176	62.0	43.6	158	47.5	40.0	10	58.1	43.5	653
Male	51.5	39.6	130	60.9	46.6	187	65.2	48.6	200	66.3	50.1	181	72.8	71.4	13	62.0	47.6	711
Total	52.5	39.5	257	55.6	41.7	369	66.0	50.1	376	64.3	47.1	339	61.8	60.0	23	60.1	45.7	1364

Sugars and sweeteners (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	8.9	5.6	127	8.9	6.1	182	10.4	7.9	176	10.1	8.5	158	11.7	8.0	10	9.6	7.2	653
Male	10.8	9.1	130	9.8	8.7	187	10.5	6.9	200	11.4	10.2	181	9.9	7.0	13	10.6	8.7	711
Total	9.9	7.7	257	9.4	7.5	369	10.5	7.4	376	10.8	9.4	339	10.7	7.3	23	10.1	8.0	1364

Confectioneries (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	54.6	41.5	127	59.9	42.2	182	63.2	58.8	176	52.2	45.4	158	53.3	38.2	10	57.8	47.8	653
Male	45.5	42.8	130	43.9	50.0	187	42.1	46.3	200	49.7	44.9	181	32.4	40.1	13	45.0	46.2	711
Total	50.0	42.3	257	51.8	47.0	369	52.0	53.5	376	50.9	45.1	339	41.5	39.8	23	51.1	47.4	1364

Fats and oils (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	10.3	5.1	127	9.4	5.6	182	8.4	4.9	176	7.1	4.2	158	5.2	3.6	10	8.7	5.1	653
Male	11.8	4.9	130	10.3	5.6	187	10.5	5.9	200	8.9	6.1	181	8.3	6.4	13	10.2	5.8	711
Total	11.1	5.1	257	9.8	5.6	369	9.5	5.5	376	8.0	5.4	339	7.0	5.5	23	9.5	5.5	1364

Nuts and seeds (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	6.0	10.0	127	6.4	8.7	182	6.0	7.9	176	6.0	10.1	158	9.2	12.1	10	6.2	9.2	653
Male	4.5	7.3	130	6.8	17.8	187	5.3	8.4	200	5.4	8.1	181	5.8	10.1	13	5.6	11.5	711
Total	5.2	8.7	257	6.6	14.1	369	5.6	8.2	376	5.7	9.1	339	7.3	10.9	23	5.8	10.4	1364

Beans (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	69.4	43.2	127	75.9	52.4	182	85.7	49.8	176	83.1	48.4	158	78.6	39.1	10	79.1	49.1	653
Male	79.5	49.8	130	91.5	58.9	187	99.5	62.4	200	86.4	49.2	181	77.8	51.0	13	90.0	56.2	711
Total	74.5	46.9	257	83.8	56.2	369	93.1	57.2	376	84.9	48.8	339	78.1	45.2	23	84.8	53.2	1364

Fishes and shellfishes (g)

	40-49yr			50-59yr			60-69yr			70-79yr			80yr-			Total		
	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N	Mean	SD	N
Female	87.9	39.6	127	90.8	41.0	182	92.4	43.5	176	84.5	40.1	158	91.5	32.0	10	89.1	41.1	653
Male	108.4	53.9	130	123.3	52.4	187	116.8	54.9	200	108.7	49.2	181	87.2	47.8	13	114.4	52.9	711
Total	98.3	48.4	257	107.3	49.8	369	105.4	51.3	376	97.4	46.8	339	89.1	40.8	23	102.3	49.2	1364