


造影剤還流後



造影剤還流前

図7：陽圧還流時の血管内への骨髄の流入（造影剤還流）

20020428

以降は雑誌/図書等に掲載された論文となりますので、
「研究成果の刊行に関する一覧表」をご参照ください。

「研究成果の刊行に関する一覧表」

Aspiration method to collect epithelial cells from mouse, rat, and monkey oviducts.

Okada H, Hirose Y, Ito M, Sankai T.

Contemp Top Lab Anim Sci. 2003 Jan;42(1):46-51.

Prediction of unidentified human genes on the basis of sequence similarity to novel cDNAs from cynomolgus monkey brain.

Osada N, Hida M, Kusuda J, Tanuma R, Hirata M, Hirai M, Terao K, Suzuki Y, Sugano S, Hashimoto K.

Genome Biol. 2002;3(1):RESEARCH0006. Epub 2001 Dec 19.

Behavioral recovery in a primate model of Parkinson's disease by triple transduction of striatal cells with adeno-associated viral vectors expressing dopamine-synthesizing enzymes.

Muramatsu S, Fujimoto K, Ikeguchi K, Shizuma N, Kawasaki K, Ono F, Shen Y, Wang L, Mizukami H, Kume A, Matsumura M, Nagatsu I, Urano F, Ichinose H, Nagatsu T, Terao K, Nakano I, Ozawa K.

Hum Gene Ther. 2002 Feb 10;13(3):345-54.

Primary replication of a recombinant Sendai virus vector in macaques.

Kano M, Matano T, Kato A, Nakamura H, Takeda A, Suzaki Y, Ami Y, Terao K, Nagai Y.

J Gen Virol. 2002 Jun;83(Pt 6):1377-86.

In vivo selective expansion of gene-modified hematopoietic cells in a nonhuman primate model.

Hanazono Y, Nagashima T, Takatoku M, Shibata H, Ageyama N, Asano T, Ueda Y, Dunbar CE, Kume A, Terao K, Hasegawa M, Ozawa K.
Gene Ther. 2002 Aug;9(16):1055-64.

Introduction of the green fluorescent protein gene into hematopoietic stem cells results in prolonged discrepancy of in vivo transduction levels between bone marrow progenitors and peripheral blood cells in nonhuman primates.

Hanazono Y, Terao K, Shibata H, Nagashima T, Ageyama N, Asano T, Ueda Y, Kato I, Kume A, Hasegawa M, Ozawa K.
J Gene Med. 2002 Sep-Oct;4(5):470-7.

Safe and efficient methods of autologous hematopoietic stem cell transplantation for biomedical research in cynomolgus monkeys.
Ageyama N, Hanazono Y, Shibata H, Ohto K, Ono F, Nagashima T, Ueda Y, Donahue RE, Hasegawa M, Ozawa K, Yoshikawa Y, Terao K.
Comp Med. 2002 Oct;52(5):445-51.

Variation of variable number of tandem repeat sequences in the 3'-untranslated region of primate dopamine transporter genes that affects reporter gene expression.

Inoue-Murayama M, Adachi S, Mishima N, Mitani H, Takenaka O, Terao K, Hayasaka I, Ito S, Murayama Y.
Neurosci Lett. 2002 Dec 16;334(3):206-10.

Cynomolgus monkey testicular cDNAs for discovery of novel human genes in the human genome sequence.

Osada N, Hida M, Kusuda J, Tanuma R, Hirata M, Suto Y, Hirai M, Terao K, Sugano S, Hashimoto K.
BMC Genomics. 2002 Dec 23;3(1):36.

Simple method for assaying serum oxytocin and changes of serum oxytocin level during parturition in cynomolgus monkeys.

Kawasaki K, Mitsui Y, Ono T, Ogawa H, Takano I, Sankai T, Terao K.
Exp Anim. 2002 Apr;51(2):181-5.

Cryopreservation and primary culture of cerebral neurons from cynomolgus monkeys (*Macaca fascicularis*).

Negishi T, Ishii Y, Kawamura S, Kuroda Y, Yoshikawa Y.
Neurosci Lett. 2002 Aug 2;328(1):21-4.

Cryopreservation of brain tissue for primary culture.

Negishi T, Ishii Y, Kawamura S, Kuroda Y, Yoshikawa Y.
Exp Anim. 2002 Jul;51(4):383-90.

The effect of probucol on atherosclerosis in streptozotocin-induced diabetic-hyperlipidemic APA hamsters in different stages of atherosclerosis.

Horiuchi K, Takatori A, Inenaga T, Ohta E, Yamanouchi J, Kawamura S, Ishii Y, Kyuwa S, Yoshikawa Y.
Exp Anim. 2002 Oct;51(5):457-64.

Changes in mRNA expression in mouse postnatal cochlea by differential display method.

Kamiya K, Kikkawa Y, Ishii Y, Kyuwa S, Yoshikawa Y.
Exp Anim. 2002 Oct;51(5):431-5.

Analysis of cDNA coding MHC class II beta chain of the chimpanzee (*Pan troglodytes*).

Hatta Y, Kanai T, Matsumoto Y, Kyuwa S, Hayasaka I, Yoshikawa Y.
Exp Anim. 2002 Apr;51(2):133-42.

The effects of diabetes with hyperlipidemia on P450 expression in APA hamster livers.

Takatori A, Akahori M, Kawamura S, Itagaki S, Yoshikawa Y.
J Biochem Mol Toxicol. 2002;16(4):174–81.

Relationship between body weight and hematological and serum biochemical parameters in female cynomolgus monkeys (*Macaca fascicularis*).

Chen Y, Ono F, Yoshida T, Yoshikawa Y.
Exp Anim. 2002 Apr;51(2):125–31.

Expression of lipoprotein receptors in the aortic walls of diabetic APA hamsters.

Yamanouchi J, Takatori A, Nishida E, Kawamura S, Yoshikawa Y.
Exp Anim. 2002 Jan;51(1):33–41.

Age-related telomere length dynamics in peripheral blood mononuclear cells of healthy cynomolgus monkeys measured by Flow FISH.

Lee WW, Nam KH, Terao K, Yoshikawa Y.
Immunology. 2002 Apr;105(4):458–65.

D-galactosamine induced hepatocyte apoptosis is inhibited in vivo and in cell culture by a calcium calmodulin antagonist, chlorpromazine, and a calcium channel blocker, verapamil.

Tsutsui S, Itagaki S, Kawamura S, Harada K, Karaki H, Doi K, Yoshikawa Y.
Exp Anim. 2003 Jan;52(1):43–52.

Aberrations of the p53 tumor suppressor gene in various tumors in dogs.

Setoguchi A, Sakai T, Okuda M, Minehata K, Yazawa M, Ishizaka T, Watari T, Nishimura R, Sasaki N, Hasegawa A, Tsujimoto H.
Am J Vet Res. 2001 Mar;62(3):433–9.

Results of hyperamplification of centrosomes in naturally developing tumors of dogs.

Setoguchi A, Okuda M, Nishida E, Yazawa M, Ishizaka T, Hong SH, Hisasue M, Nishimura R, Sasaki N, Yoshikawa Y, Masuda K, Ohno K, Tsujimoto H.

Am J Vet Res. 2001 Jul;62(7):1134-41.

Telomere length and telomerase activity in canine mammary gland tumors.

Yazawa M, Okuda M, Setoguchi A, Iwabuchi S, Nishimura R, Sasaki N, Masuda K, Ohno K, Tsujimoto H.

Am J Vet Res. 2001 Oct;62(10):1539-43.

Detection of the anti-P53 antibodies in dogs with tumors.

Kanaya N, Okuda M, Toyama N, Oikawa T, Inokuma H, Morimoto M, Hayashi T, Une S, Nakaichi M, Taura Y, Tsujimoto H, Onishi T.

J Vet Med Sci. 2002 Nov;64(11):973-9.

生命科学と実験動物

吉川泰弘

学術の動向. Page31-34(2002.09)

動物実験と福祉 (特集)実験動物の福祉

吉川泰弘

アニテックス.Vol. 15 No. 1, Page18-22

「生命科学」はどこに向かうのか

吉川泰弘

第三文明. Page36-39(2003.03)