

Shintani S, Murohara T, Ikeda H, Ueno T, Sasaki K, Duan J, Imaizumi T.	Augmentation of postnatal neovascularization with autologous bone marrow transplantation.	Circulation	103	879-903	2001
Taniyama Y, Morishita R, Hiraoka K, Aoki M, Nakagami H, Yamasaki K, Matsumoto K, Nakamura T, Kaneda Y, Ogihara T.	Therapeutic angiogenesis induced by human hepatocyte growth factor gene in rat diabetic hind limb ischemia model: molecular mechanisms of delayed angiogenesis in diabetes.	Circulation	104	2344-2350	2001
Yamagishi T, Saito Y, Nakamura T, Takeda S, Kanai H, Sumino H, Kuro-o M, Nabeshima Y, Kurabayashi M, Nagai R.	Troglitazone improves endothelial function and augments renal klotho mRNA expression in Otsuka Long-Evans Tokushima Fatty (OLETF) rats with multiple atherogenic risk factors.	Hypertens Res	24	705-709	2001
Zou Y, Nagai R, Yamazaki T.	Urotensin II induces hypertrophic responses in cultured cardiomyocytes from neonatal rats.	FEBS Lett	508	57-60	2001
上野光	抗腫瘍血管新生療法-可溶性血管新生因子受容体を用いた癌の遺伝子治療	医学と薬学	45(5)	736-742	2001
正木浩哉、松原弘明、岩坂壽二	閉塞性動脈硬化症	日本臨床	59(1)	141-146	2001
松原弘明、正木浩哉他	心血管系の再生医療-細胞移植による血管再生治療への臨床応用	内科	87(6)	1337-1342	2001
Aizawa T, Ishizaka N, Usui S, Ohashi N, Ohno M, Nagai R.	Angiotensin II and catecholamines increase plasma levels of 8-epi-prostaglandin F(2alpha) with different pressor dependencies in rats.	Hypertension	39	149-154	2002
Fukino K, Suzuki T, Saito Y, Shindo T, Amaki T, Kurabayashi M, Nagai R.	Regulation of angiogenesis by the aging suppressor gene klotho.	Biochem Biophys Res Commun	293	332-337	2002
Harada T, Aoyagi T, Endo Y, Uno K, Takenaka K, Nakamura F, Sonoda M, Takahashi T, Yamazaki T, Hiroi Y, Ohno M, Hirata Y, Nagai R.	Effusive constrictive pericarditis due to rheumatoid arthritis revealed by pericardiocentesis with simultaneous pressure recording--a case report.	Angiology	53	105-108	2002
Hisatomi T, Sakamoto T, Yamanaka I, Sassa Y, Kubota T, Ueno H, Ohnishi Y, Ishibashi T.	Photocoagulation-induced retinal gliosis is inhibited by systemically expressed soluble TGF-beta receptor type II via adenovirus mediated gene transfer.	Lab Invest	82	863-870	2002
Iba O, Matsubara H, Nozawa Y, Fujiyama S, Amano K, Mori Y, Kojima H, Iwasaka T.	Angiogenesis by implantation of peripheral blood mononuclear cells and platelets into ischemic limbs.	Circulation	106	2019-2025	2002
Imai Y, Shindo T, Maemura K, Sata M, Saito Y, Kurihara Y, Akishita M, Osuga J, Ishibashi S, Tobe K, Morita H, Oh-hashii Y, Suzuki T, Maekawa H, Kangawa K, Minamino N, Yazaki Y, Nagai R, Kurihara H.	Resistance to neointimal hyperplasia and fatty streak formation in mice with adrenomedullin overexpression.	Arterioscler Thromb Vasc Biol	22	1310-1315	2002

Ishizaka N, Aizawa T, Yamazaki I, Usui S, Mori I, Kurokawa K, Tang SS, Ingelfinger JR, Ohno M, Nagai R.	Abnormal iron deposition in renal cells in the rat with chronic angiotensin II administration.	Lab Invest	82	87-96	2002
Ishizaka N, Saito K, Mitani H, Yamazaki I, Sata M, Usui S, Mori I, Ohno M, Nagai R.	Iron overload augments angiotensin II-induced cardiac fibrosis and promotes neointima formation.	Circulation	106	1840-1846	2002
Ishizaka N, Aizawa T, Ohno M, Usui Si S, Mori I, Tang SS, Ingelfinger JR, Kimura S, Nagai R.	Regulation and localization of HSP70 and HSP25 in the kidney of rats undergoing long-term administration of angiotensin II.	Hypertension	39	122-128	2002
Kamihata H, Matsubara H, Nishiue T, Fujiyama S, Amano K, Iba O, Imada T, Iwasaka T.	Improvement of collateral perfusion and regional function by implantation of peripheral blood mononuclear cells into ischemic hibernating myocardium.	Arterioscler Thromb Vasc Biol	22	1804-1810	2002
Kaneda H, Ohno M, Taguchi J, Togo M, Hashimoto H, Ogasawara K, Aizawa T, Ishizaka N, Nagai R.	Heme oxygenase-1 gene promoter polymorphism is associated with coronary artery disease in Japanese patients with coronary risk factors.	Arterioscler Thromb Vasc Biol	22	1680-1685	2002
Maemura K, Nagai R.	Novel insight into the role of endothelial PAS domain protein 1 in congestive heart failure.	J Mol Cell Cardiol	34	703-707	2002
Maeno T, Tanaka T, Sando Y, Suga T, Maeno Y, Nakagawa J, Hosono T, Sato M, Akiyama H, Kishi S, Nagai R, Kurabayashi M.	Stimulation of vascular endothelial growth factor gene transcription by all trans retinoic acid through Sp1 and Sp3 sites in human bronchioloalveolar carcinoma cells.	Am J Respir Cell Mol Biol	26	246-253	2002
Manabe I, Shindo T, Nagai R.	Gene expression in fibroblasts and fibrosis: involvement in cardiac hypertrophy.	Circ Res	91	1103-1113	2002
Mitani H, Ishizaka N, Aizawa T, Ohno M, Usui S, Suzuki T, Amaki T, Mori I, Nakamura Y, Sato M, Nangaku M, Hirata Y, Nagai R.	In vivo klotho gene transfer ameliorates angiotensin II-induced renal damage.	Hypertension	39	838-843	2002
Monzen K, Zhu W, Kasai H, Hiroi Y, Hosoda T, Akazawa H, Zou Y, Hayashi D, Yamazaki T, Nagai R, Komuro I.	Dual effects of the homeobox transcription factor Csx/Nkx2-5 on cardiomyocytes.	Biochem Biophys Res Commun	298	493-500	2002
Morishita R, Sakaki M, Yamamoto K, Iguchi S, Aoki M, Yamasaki K, Matsumoto K, Nakamura T, Lawn R, Ogihara T, Kaneda Y.	Impairment of collateral formation in lipoprotein(a) transgenic mice: therapeutic angiogenesis induced by human hepatocyte growth factor gene.	Circulation	105	1491-1496	2002
Morita H, Saito Y, Kurabayashi M, Nagai R.	Diet-induced mild hyperhomocysteinemia and increased salt intake diminish vascular endothelial function in a synergistic manner.	J Hypertens	20	55-62	2002
Murohara T, Asahara T.	Nitric oxide and angiogenesis in cardiovascular disease.	Antioxid Redox Signal	4	825-831	2002

Muto S, Aiba A, Saito Y, Nakao K, Nakamura K, Tomita K, Kitamura T, Kurabayashi M, Nagai R, Higashihara E, Harris PC, Katsuki M, Horie S.	Pioglitazone improves the phenotype and molecular defects of a targeted Pkd1 mutant.	Hum Mol Genet	11	1731-1742	2002
Natori T, Sata M, Washida M, Hirata Y, Nagai R, Makuuchi M.	G-CSF stimulates angiogenesis and promotes tumor growth: potential contribution of bone marrow-derived endothelial progenitor cells.	Biochem Biophys Res Commun	297	1058-1061	2002
Nishimatsu H, Hirata Y, Shindo T, Kurihara H, Kakoki M, Nagata D, Hayakawa H, Satonaka H, Sata M, Tojo A, Suzuki E, Kangawa K, Matsuo H, Kitamura T, Nagai R.	Role of endogenous adrenomedullin in the regulation of vascular tone and ischemic renal injury: studies on transgenic/knockout mice of adrenomedullin gene.	Circ Res	90	657-663	2002
Ogawa T, Takayama K, Takakura N, Kitano S, Ueno H.	Anti-tumor angiogenesis therapy using soluble receptors: enhanced inhibition of tumor growth when soluble fibroblast growth factor receptor-1 is used with soluble vascular endothelial growth factor receptor.	Cancer Gene Ther	9	633-640	2002
Okamoto M, Ono M, Uchiumi T, Ueno H, Kohno K, Sugimachi K, Kuwano M.	Up-regulation of thrombospondin-1 gene by epidermal growth factor and transforming growth factor beta in human cancer cells--transcriptional activation and messenger RNA stabilization.	Biochim Biophys Acta	1574	24-34	2002
Oshima Y, Sakamoto T, Hisatomi T, Tsutsumi C, Ueno H, Ishibashi T.	Gene transfer of soluble TGF-beta type II receptor inhibits experimental proliferative vitreoretinopathy.	Gene Ther	9	1214-1220	2002
Oyama Y, Akuzawa N, Nagai R, Kurabayashi M.	PPARgamma ligand inhibits osteopontin gene expression through interference with binding of nuclear factors to A/T-rich sequence in THP-1 cells.	Circ Res	90	348-355	2002
Sasaki K, Murohara T, Ikeda H, Sugaya T, Shimada T, Shintani S, Imaizumi T.	Evidence for the importance of angiotensin II type 1 receptor in ischemia-induced angiogenesis.	J Clin Invest	109	603-611	2002
Sata M, Saiura A, Kunisato A, Tojo A, Okada S, Tokuhisa T, Hirai H, Makuuchi M, Hirata Y, Nagai R.	Hematopoietic stem cells differentiate into vascular cells that participate in the pathogenesis of atherosclerosis.	Nat Med	8	403-409	2002
Sata M, Hirata Y, Nagai R.	Role of Fas/Fas ligand interaction in ischemia-induced collateral vessel growth.	Hypertens Res	25	577-582	2002
Sata M, Takahashi A, Tanaka K, Washida M, Ishizaka N, Ako J, Yoshizumi M, Ouchi Y, Taniguchi T, Hirata Y, Yokoyama M, Nagai R, Walsh K.	Mouse genetic evidence that tranilast reduces smooth muscle cell hyperplasia via a p21(WAF1)-dependent pathway.	Arterioscler Thromb Vasc Biol	22	1305-1309	2002
Sata M, Nagai R.	Phosphatidylinositol 3-kinase: a key regulator of vascular tone?	Circ Res	91	273-275	2002
Sata M.	Biphasic effects of statins on angiogenesis.	Circulation	106	e47; author reply e47	2002

Sato M, Tanaka T, Maeno T, Sando Y, Suga T, Maeno Y, Sato H, Nagai R, Kurabayashi M.	Inducible expression of endothelial PAS domain protein-1 by hypoxia in human lung adenocarcinoma A549 cells. Role of Src family kinases-dependent pathway.	Am J Respir Cell Mol Biol	26	127-134	2002
Seko Y, Ishiyama S, Nishikawa T, Kasajima T, Hiroe M, Suzuki S, Ishiwata S, Kawai S, Tanaka Y, Azuma M, Kobata T, Yagita H, Okumura K, Nagai R.	Expression of tumor necrosis factor ligand superfamily costimulatory molecules CD27L, CD30L, OX40L and 4-1BBL in the heart of patients with acute myocarditis and dilated cardiomyopathy.	Cardiovasc Pathol	11	166-170	2002
Seko Y, Kayagaki N, Seino K, Yagita H, Okumura K, Nagai R.	Role of Fas/FasL pathway in the activation of infiltrating cells in murine acute myocarditis caused by Cocksackievirus B3.	J Am Coll Cardiol	39	1399-1403	2002
Shindo T, Manabe I, Fukushima Y, Tobe K, Aizawa K, Miyamoto S, Kawai-Kowase K, Moriyama N, Imai Y, Kawakami H, Nishimatsu H, Ishikawa T, Suzuki T, Morita H, Maemura K, Sata M, Hirata Y, Komukai M, Kagechika H, Kadowaki T, Kurabayashi M, Nagai R.	Kruppel-like zinc-finger transcription factor KLF5/BTEB2 is a target for angiotensin II signaling and an essential regulator of cardiovascular remodeling.	Nat Med	8	856-863	2002
Spyridopoulos I, Luedemann C, Chen D, Kearney M, Murohara T, Principe N, Isner JM, Losordo DW.	Divergence of angiogenic and vascular permeability signaling by VEGF: inhibition of protein kinase C suppresses VEGF-induced angiogenesis, but promotes VEGF-induced, NO-dependent vascular permeability.	Arterioscler Thromb Vasc Biol	22	901-906	2002
Takeda N, Yokoyama I, Hiroi Y, Sakata M, Harada T, Nakamura F, Murakawa Y, Nagai R.	Positron emission tomography predicted recovery of complete A-V nodal dysfunction in a patient with cardiac sarcoidosis.	Circulation	105	1144-1145	2002
Taniyama Y, Tachibana K, Hiraoka K, Aoki M, Yamamoto S, Matsumoto K, Nakamura T, Ogihara T, Kaneda Y, Morishita R.	Development of safe and efficient novel nonviral gene transfer using ultrasound: enhancement of transfection efficiency of naked plasmid DNA in skeletal muscle.	Gene Ther	9	372-380	2002
Taniyama Y, Tachibana K, Hiraoka K, Namba T, Yamasaki K, Hashiya N, Aoki M, Ogihara T, Yasufumi K, Morishita R.	Local delivery of plasmid DNA into rat carotid artery using ultrasound.	Circulation	105	1233-1239	2002
Tateishi-Yuyama E, Matsubara H, Murohara T, Ikeda U, Shintani S, Masaki H, Amano K, Kishimoto Y, Yoshimoto K, Akashi H, Shimada K, Iwasaka T, Imaizumi T.	Therapeutic angiogenesis for patients with limb ischaemia by autologous transplantation of bone-marrow cells: a pilot study and a randomised controlled trial.	Lancet	360	427-435	2002
Yan Y, Zeng ZZ, Higashi S, Denda A, Konishi Y, Onishi S, Ueno H, Higashi K, Hiai H.	Resistance of DRH strain rats to chemical carcinogenesis of liver: genetic analysis of later progression stage.	Carcinogenesis	23	189-196	2002

Zou Y, Yamazaki T, Nakagawa K, Yamada H, Iriguchi N, Toko H, Takano H, Akazawa H, Nagai R, Komuro I.	Continuous blockade of L-type Ca <sup>2+</sup> channels suppresses activation of calcineurin and development of cardiac hypertrophy in spontaneously hypertensive rats.	Hypertens Res	25	117-124	2002
宮田哲郎他	血管の再生医療	呼吸と循環	50	377-383	2002
宮田哲郎他	Adenovirus vector を用いたbFGF遺伝子の ex vivo 導入による血管新生治療	脈管学	42	391-396	2002
小山博之	血管新生療法の現状と将来展望	Progress in Medicine	22	3070-3077	2002
Akita T, Murohara T, Ikeda H, Sasaki K, Shimada T, Egami K, Imaizumi T.	Hypoxic preconditioning augments efficacy of human endothelial progenitor cells for therapeutic neovascularization.	Lab Invest	83	65-73	2003
Amano K, Matsubara H, Iba O, Okigaki M, Fujiyama S, Imada T, Kojima H, Nozawa Y, Kawashima S, Yokoyama M, Iwasaka T.	Enhancement of ischemia-induced angiogenesis by eNOS overexpression.	Hypertension	41	156-162	2003
Lee P, Sata M, Lefer DJ, Factor SM, Walsh K, Kitsis RN.	Fas pathway is a critical mediator of cardiac myocyte death and MI during ischemia-reperfusion in vivo.	Am J Physiol Heart Circ Physiol	284	H456-463	2003
Ninomiya M Koyama H Miyata T et al	Ex vivo gene transfer of basic fibroblast growth factor promotes coronary collateral development and improvement of cardiac function in a swine model of chronic myocardial ischemia.	Gene Therapy	In press		2003
Koike H, Morishita R, Iguchi S, Aoki M, Matsumoto K, Nakamura T, Yokoyama C, Tanabe T, Ogihara T, Kaneda Y.	Enhanced angiogenesis and improvement of neuropathy by co-transfection of human hepatocyte growth factor and prostacyclin synthase gene.	The FASEB Journal	In press		2003
小山博之、宮田哲郎	Ex vivo 遺伝子導入法による新しい治療的血管新生療法の有効性と特性	脈管学	In press		2003
小山博之、重松宏	血管外科における遺伝子治療の現状と将来展望	血管医学	4	73-79	2003