

- Y, and Naoi M. Mitochondrial permeability transition mediates apoptosis induced by N-methyl(R)salsolinol, an endogenous neurotoxin, and is inhibited by Bcl-2 and rasagiline, N-propargyl-1(R)-aminoindan. *J Neurochem* 82(4), 913-923 (2002).
- (3) Maruyama W, Akao Y, Carrillo M, Kitani K, Youdium M, and Naoi M. Neuroprotection by propargylamines in Parkinson's disease. Suppression of apoptosis and induction of prosurvival genes. *Neurotoxicol Teratol* 24(5), 675 (2002).
- (4) Naoi M, Maruyama W, Akao Y, and Yi H. Dopamine-derived endogenous N-methyl-(R)-salsolinol. Its role in Parkinson's disease. *Neurotoxicol Teratol* 24(5), 579 (2002).
- (5) Naoi M, Maruyama W, Akao Y, and Yi H. Mitochondria determine the survival and death in apoptosis by an endogenous neurotoxin, N-methyl(R)salsolinol, and neuroprotection by propargylamines. *J Neural Trasm* 109(5-6), 607-621 (2002).
- (6) Akao Y, Maruyama, W, Yi, H, Shamoto-Nagai M, Youdim M..B, and Naoi M. An anti-Parkinson's disease drug, N-propargyl-1(R)-aminoindan (rasagiline), enhances expression of anti-apoptotic bcl-2 in human dopaminergic SH-SY5Y cells. *Neurosci lett* 326(2), 105-108 (2002).
- (7) Akao Y, Kusakabe S, Banno Y, Kito M, Nakagawa Y, Tamiya-Koizummi K, Hattori M, Sawada M, Hirabayasi Y, Ohishi N, and Nozawa Y. Ceramide accumulation is independent of camptothecin-induced apoptosis in prostate cancer LNCaP cells. *Biochem Biophys Res Commun* 294(2), 363-370 (2002).
- (8) Nakagawa Y, Akao Y, Morikawa H, Hirata I, Katsu K, Naoe T, Ohishi N, and Yagi K. Arsenic trioxide-induced apoptosis through oxidative stress in cells of colon cancer cell lines. *Life Sci* 70(19), 2253-2269 (2002).
- (9) Kito M, Akao Y, Ohish N, Yagi

K, and Nozawa Y. Arsenic trioxide-induced apoptosis and its enhancement by buthionine sulfoximine in hepatocellular carcinoma cell lines. *Biochem Biophys Res Commun* 291(4), 861-867 (2002).

(10) Ito T, Akao Y, Tanaka T, Iinuma M, and Nozawa Y. Vaticanol C, a novel resveratrol tetramer, inhibits cell growth through induction of apoptosis in colon cancer cell lines. *Biol Pharm Bull* 25(1), 147-148 (2002).

(11) 丸山和佳子、直井信、赤尾幸博 弧発性パーキンソン病のドパミン神経細胞細胞死におけるミトコンドリアの役割 *Progress in Medicine*, 22, 2915-2917 (2002)

H. 知的所有権の出願・登録状況

実用新案登録

1) リグノフェノール系誘導体を含む哺乳動物細胞保護剤〔特願 2003-035647〕

## 別紙 5

## 研究成果の刊行に関する一覧表

## 書籍

著者氏名	論文タイトル名	書籍全体の編集者名	書籍名	出版社名	出版地	出版年	ページ
W. Maruyama, A.A. Boulton, M.B.H. Youdim, M. Naoi	Anti-apoptotic function of propargylamines	T. Nagatsu, T. Nabeshima, R. McCarty, D.G. Goldstein	Cathecolamine research	Kluwer Academic/Plenum Publisher	New York	2002	241 - 244
M. Naoi, W. Maruyama	Models of Parkinson's disease.	T. Nagatsu, T. Nabeshima, R. McCarty, D.G. Goldstein	Cathecolamine research	Kluwer Academic/Plenum Publisher	New York	2002	479 - 482
W. Maruyama, T. Yamada, Y. Washimi, T. Kachi, N. Yanagisawa, F. Ando, H. Shimokata, M. Naoi	Neutral (R)salsolinol N-methyltransferase as a pathogenetic factor of Parkinson's disease.	Y. Mizuno	Mapping the Progress of Alzheimer's and Parkinson's disease	Kluwer Academic/Plenum Publisher	New York	2002	277 - 280
丸山和佳子、直井信	パーキンソン病の原因とは何か	真野行生	ケアスタッフ	医歯薬出版社	東京	2002	89-95

雑誌

発表者氏名	論文タイトル名	発表誌名	巻号	ページ	出版年
Y. Akao, W. Maruyama, S. Shimizu, H. Yi, Y. Nakagawa, M. Shamoto-Nagai, M. B. H. Youdim, Y. Tsujimoto, M. Naoi	Mitochondrial Permeability Transition Mediates Apoptosis Induced By <i>N</i> -Methyl( <i>R</i> )salsolinol, An Endogenous Neurotoxin, and Is Inhibited by Bcl-2 and Rasagiline, <i>N</i> -Propargyl-1( <i>R</i> )-aminoindan.	J. Neurochem.	82	82:91-93	2002
M. Tanaka, N. Fuku, T. Takeyasu, L.-J. Guo, R. Hirose, M. Kurata, H.-J. W. Borgeld, Y. Yamada, W. Maruyama, Y. Arai, N. Hirose, Y. Oshida, Y. Sato, N. Hattori, Y. Mizuno, S. Iwata, K. Yagi	Golden Mean to Longevity: Rareness of Mitochondrial Cytochrome <i>b</i> Variants in Centenarians but Not in Patients with Parkinson's Disease.	J. Neurosc. Res.	70	347-55	2002
M. Naoi, W. Maruyama, Y. Akao, H. Yi	Mitochondria determine the survival and death in apoptosis by an endogenous neurotoxin, <i>N</i> -methyl( <i>R</i> )salsolinol, and neuroprotection by propargylamines.	J. Neural Transm.	109	607-621	2002
Y. Akao, W. Maruyama, H. Yi, M. Shamoto-Nagai, M. B. H. Youdim, M. Naoi	An anti-Parkinson's disease drug, <i>N</i> -propargyl-1( <i>R</i> )-aminoindan (rasagiline), enhances expression of anti-apoptotic Bcl-2 in dopaminergic SH-SY5Y cells.	Neurosci. Lett.	326	105-108	2002
W. Maruyama, Y. Akao, M. C. Carrillo, K. Kitani, M. B. H. Youdim, M. Naoi	Neuroprotection by Propargylamines in Parkinson's Disease: Suppression of Apoptosis and Induction of Pro-survival Genes	Neurotoxcol. Teratol	24	675-682	2002
M. Naoi, W. Maruyama, Y. Akao, H. Yi	Dopamine-derived endogenous <i>N</i> -methyl-( <i>R</i> )-salsolinol, Its role in Parkinson's disease.	Neurotoxcol. Teratol	24	579-591	2002
W. Maruyama, T. Takahashi, M. Youdim, M. Naoi	The anti-parkinson drug, rasagiline, prevents apoptotic DNA damage induced by peroxynitrite in human dopaminergic neuroblastoma SH-SY5Y cells.	J. Neural Transm.	109	467-481	2002

W. Maruyama, T. Ohya- Ito, M. Shamoto- Nagai, T. Osawa, M. Naoi	Glyceraldehyde-3-phosphate dehydrogenase is translocated into nuclei through Golgi apparatus during apoptosis induced by 6- hydroxydopamine in human dopaminergic SH-SY5Y cells	Neurosci. Lett.	321	29-32	2002
T. Yamamoto, W. Maruyama, Y. Kato, H. Yi, M. Shamoto-Nagai, M. Tanaka, Y. Sato, M. Naoi	Selective nitration of mitochondrial complex I by peroxynitrite: Involvement in mitochondria dysfunction and cell death of dopaminergic SH-SY5Y cells.	J. Neural Transm.	109	1-13	2002
W. Maruyama, M. Naoi	Cell death in Parkinson's disease	Journal of Neurology	Suppl 2. Vol 249	6-10	2002
Sugiyama, T., Shimizu, S., Matsuoka Y. Yoneda, Y. and Tsujimoto, Y.	Activation of mitochondrial voltage-dependent anion channel by a pro-apoptotic BH3-only protein Bim.	Oncogene	21	4944- 4956	2002
Lee, M. Y., Kim, S. Y., Shin, S. L., Choi, Y. S., Lee, J. H., Tsujimoto, Y., Lee, J. H.	Reactive astrocytes express bcl-2, a bcl-2-binding protein, after transient forebrain ischemia.	Exp Neurol.	175	338- 346	2002
Nomura, M., Shimizu, S., Sugiyama, T., Narita, M., Ito, T., Matsuda, H. & Tsujimoto, Y.	14-3-3 interacts directly with and negatively regulates pro-apoptotic Bax.	J. Biol. Chem.	278	2058- 2065	2003
Akao Y, Kusakabe S, Banno Y, Kito M, Nakagawa Y, Tamiya- Koizumi K, Hattori M, Sawada M, Hirabayashi Y, Ohishi N, and Nozawa Y.	Ceramide accumulation is independent of camptothecin- induced apoptosis in prostate cancer LNCaP cells.	<i>Biochem Biophys Res Commun</i>	294	363- 370	2002
Nakagawa Y, Akao Y, Morikawa H, Hirata I, Katsu K, Naoe T, Ohishi N, and Yagi K.	Arsenic trioxide-induced apoptosis through oxidative stress in cells of colon cancer cell lines.	<i>Life Sci</i>	70	2253- 2269	2002
Kito M, Akao Y, Ohishi N, Yagi K, and Nozawa Y. Arsenic trioxide- induced apoptosis and its enhancement by buthionine sulfoximine in hepatocellular carcinoma cell lines.	Arsenic trioxide-induced apoptosis and its enhancement by buthionine sulfoximine in hepatocellular carcinoma cell lines.	<i>Biochem Biophys Res Commun</i>	291	861- 867	2002

Ito T, Akao Y, Tanaka T, Iinuma M, and Nozawa Y.	Vaticanol C, a novel resveratrol tetramer, inhibits cell growth through induction of apoptosis in colon cancer cell lines.	<i>Biol Pharm Bull</i>	25	147-148	2002
Suzumura,A	Microglia; immunoregulatory cells in the central nervous system.	Nagoya J. Med. Sci.	65	9-20	2002
Fu, Q, Iwase,S, Niimi, Y., Kamiya,A., Michikami, D., Mano, T. and Suzumura, A.	Age-related changes in vasomotor reflex control of calf venous capacitance response to lower body negative pressure in humans	Jpn J Phys	52	69-76	2002
Fu, Q, Iwase,S, Niimi, Y., Kamiya,A., Michikami, D., Mano, T. and Suzumura, A.	Age-related influence of leg vein filling and emptying on blood volume redistribution and sympathetic reflex during lower body negative pressure in humans.	Jpn J Phys	52	77-84	2002
Yoshikawa,M., Suzumura,A., Ito,A., Tamaru,T. and Takayanagi,T	Effects of phosphodiesterase inhibitors on nitric oxide production by glial cells.	Tohoku J. Exp. Med.	196	167-177	2002
Sugie,K., Futamura,N. Suzumura,A., Tate,G. and Umehara,F	Hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: A new clinical entity.	Ann Neurol	51	385-388	2002
Iwase, S., Mano,T., Kamiya,A., Qi,F., Suzumura, A	Syncopal attack alters the burst properties of muscle sympathetic nerve activity in humans	Auton Neurosci.	95	141-5	2002
丸山和佳子、直井信、赤尾幸博	孤発性パーキンソン病のドーパミン神経細胞死におけるミトコンドリアの役割	Progress in Medicine	22	2915-2918	2002
丸山和佳子、直井信	パーキンソン病におけるドーパミン神経細胞死の機序に関する研究	Progress in Medicine	22	197-201	2002
丸山和佳子	老化に伴うドーパミン神経細胞死	基礎老化研究	26	46-151	2002
丸山和佳子、直井信	老化に伴うドーパミン神経の選択的細胞死の機序	生体の科学	53	421-424	2002
丸山和佳子、直井信	新しい神経保護療法の可能性	最新医学	2	308-313	2002
錫村明生	多発性硬化症の治療への展望ーin vitro から in vivo へー	神経免疫学	10	213-219	2002
錫村明生	Hopkins 症候群の免疫学的機序	神経内科	56	41-44	2002

20020568

以降は雑誌/図書等に掲載された論文となりますので  
P41-P44「研究成果の刊行に関する一覧表」をご参照ください